INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

OL. I

Part 16

1948

bstoma townei (Lloyd) Zeller in Mycologia, xxxix, p. 306, 1947. (Syn. Catastoma townei Lloyd).

caulopage crobylospora Drechsler in Mycologia, xxxix, p. 275, 1947 on Leptomyxa.—

Colorado, U.S.A.

- ischnospora Drechsler in Mycologia, xxxix, p. 268, 1947 on Amoeba.—Wisconsin, U.S.A. cremonium ossicola (as 'ossicolum') Ciferri & Redaelli in Atti Ist. bot. Univ. Pavia, Ser. 5, iii, p. 12, 1943 on old bones of man [Homo sapiens].—Italy.

crospeira pseudarthriae Hansford in Proc. Linn. Soc. Lond., clix, p. 40, 1947 on Pseud-

arthria hookeri.—Belgian Congo.

Actinomyces pelletieri [(Laveran) St. J.-Brooks] var. hodeidae Ambrosioni & Merucci in Riv. Parasitol., vi, p. 222, 1942 on man [Homo sapiens] in Arabia.

ecidium anningense Tai in Farlowia, iii, p. 131, 1947 on Sophora viciifolia.—Yunnan,

hina.

- araliae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 97, 1943 on Aralia decais-

nec: -Formosa. [In Japanese].

- berberidis-morrisonensis Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 97, 1943 on Berberis morrisonensis.—Formosa. [In Japanese].

campylotropidis Tai in Farlowia, iii, p. 131, 1947 on Campylotropis polyantha.

-Yunnan, China.

crambes Mosz in Ann. hist.-nat. Mus. hung., Pars bot., xxiv, p. 149, 1941. (Correction of entry in Suppl. 14, p. 161).

scorrinegae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 100, 1943 on Securinega virosa.—Formosa. [In Japanese].

shansiense Petrak in Medd. Göteborgs bot., xvii, p. 117, 1947 on Sedum aizoon.—Shansi,

China.

- smilacis-chinae Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 98, 1943 on *Smilax china.*—Formosa. [In Japanese].

euria nivalis (Heim & Remy) Heim in Rev. Mycologie, N.S., xii, p. 71, 1947. (Syn. Galactinia nivalis Heim & Remy).

lophylaria sublicoides (Karst.) Nannfeldt n Fungi exs. Suecici, No. 989, 1941. (Syn. Peziza sublicoides Karst.).

nicola clavuligera Romagnesi in Bull. Soc. nycol. Fr., lviii, p. 148, 1942 on a fallen pranch.—France.

ternaria godetiae (Neerg.) Neergaard in Aarsberetn. J. E. Ohlens Enkes plantepatol. Lab. 1 April 1944-31 Juli 1945, p. 14, 1945. Syn. A. tenuissima var. godetiae. Suppl. 12 p. 105), fide Neergaard in an Addition to his book (1945).

Amanita ponderosa Malençon & Heim apud Malençon in *Bull. Soc. mycol. Fr.*, lviii, p. 28, 1942.—Portugal.

Amphididymella verrucosa Petrak in Medd. Göteborgs bot., xvii, p. 129, 1947 on dead stems of Salsola gemmascens.—Kansu, China.

Anisomyces nectrioides (Rehm) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 38, 1947. (Syn. Auerswaldia nectrioides Rehm).

APIOTHYRIUM Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 1, 1947.—Sphaeriales.

— arcticum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 2, 1947 on dead Diapensia lapponica.—Finland.

Arcangeliella lactarioides Zeller in Mycologia, xxxix, p. 282, 1947.—California, U.S.A. Type in Zeller Herb.

Ascochyta oleracea Ellis var. tumida Bond in Ceylon J. Sci., Sect. A, xii, p. 176, 1947 on Brassica oleracea.—Ceylon.

— vindobonensis Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 127, 1947 on Siler trilobum.—Austria.

Ascochytella astragalina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 140, 1947 on Astragalus onobrychis.—Austria.

Asterina caseariicola Hansford in Proc. Linn. Soc. Lond., clix, p. 36, 1947 on Casearia engleri.—Uganda.

— macarangae Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 38, 1947 on *Macaranga*.— Belgian Congo.

— ramuligera (Syd.) Petrak in Medd. Göteborgs bot., xvii, p. 131, 1947. (Syn. Asterinella ramuligera Syd.).

Asterinella randiae Hansford in *Proc. Linn.*Soc. Lond., clix, p. 36, 1947 on Randia.—
Belgian Congo.

Asterolibertia parinarii (Syd.) Hansford in Proc. Linn. Soc. Lond., clix, p. 36, 1947. (Syn. Asterina parinarii Syd.).

Asteromella inulae Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 134, 1947 on Inula hirta. —Austria.

— velata Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 132, 1947 on Acer platanoides with Rhytisma.—Austria.

*ASTEROTHYRITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 209, 1947.— Fossil Asterineae. Type not stated.

*— delicatissimus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947 on leaves of Oleinites willisii.—Victoria, Australia. N.S.W., lxxii, p. 210, 1947 on a leaf of Oleinites willisii.—Victoria, Australia.—sinuatus Cookson in Proc. Linn. Soc.

N.S.W., lxxii, p. 209, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

Barlaeina henningsii Kirschst. in Notizbl. bot. Gart. Berl., xv, p. 830, 1943 on sand.-Germany.

Basidiobolus haptosporus Drechsler in Bull. Torrey bot. Cl., lxxiv, p. 411, 1947 in deciduous leaf-mould.—Wisconsin, U.S.A.

Botrytis anacardii Viégas in Bragantia, vi, p. 359, 1946 on Anacardium occidentale.-Brazil.

artocarpi Viégas in Bragantia, vi, p. 360, 1946 on Artocarpus integrifolia.—Brazil.

eo-

ing

pe,

of

0

nits

*Bovistella karsteni Nyberg in Memor. Soc. Fauna Flor. fenn., xx, p. 153, 1945.—Finland.

Calvatia fumosa Zeller in Mycologia, xxxix, p. 300, 1947.—Oregon, U.S.A

Hoydii Zeller & Coker apud Zeller in Mycologia, xxxix, p. 301, 1947.—California, U.S.A. Type in Univ. of Calif. Herb.

ochrogleba Zeller in Mycologia, xxxix, p. 302, 1947.—Oregon, U.S.A.

rubrotincta Zeller in Mycologia, xxxix, p. 303, 1947.—Oregon, U.S.A.

subcretacea Zeller in Mycologia, xxxix, p. 298, 1947.—Oregon, U.S.A.

subpratensis (Lloyd) Coker & Zeller apud Zeller in Mycologia, xxxix, p. 305, 1947. (Syn. Lycoperdon subpratense Lloyd).
CAULOCARPA Gilkey in Mycologia, xxxix,

p. 441, 1947.—Tuberales.

montana Gilkey in Mycologia, xxxix, 442, 1947.—Öregon, U.S.A. p. 442, 1947.—Oregon State College. Type in

Gercoseptoria smithii Petrak in Medd. Göteborgs bot., xvii, p. 161, 1947 on Lysimachia omeiensis.—Szechuan, China.

Cercospora adinae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 9, 1947 on Adina cordifolia.—India.

 mucunae-capitatae Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 372, 1942 on Mucuna capitata.—Formosa. [In Japanese]. *- musaecola Sawada in Trans. nat. Hist.

Soc. Formosa, xxxii, p. 368, 1942 on Musa cavendishii.—Formosa. [In Japanese]. osmanthi-asiatici Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 369, 1942 on

Osmanthus asiaticus.—Formosa. [In Japanese]. Cercosporella indigoferae Hansford in Proc. Linn. Soc. Lond., clix, p. 41, 1947 on Indigo-

fera.—Uganda. CHAETAPIOSPORA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 87, 1947.—Pyreno-

mycetes - islandica (Johans.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 87, 1947. (Syn. Venturia islandica Johanson).

Chaetothyrium dictyosporum Petrak in Medd. Göteborgs bot., xvii, p. 133, 1947 on Ficus foveolata.—Kwangsi, China.
Chytridium cocconeidis Canter in Trans.

Brit. mycol. Soc., xxxi, p. 104, 1947 on Cocconeis pediculus.-England.

versatile Scherffel var. acaule Canter in Trans. Brit. mycol. Soc., xxxi, p. 102, 1947 on Nitzschia sigmoidea.—England.

Chytriomyces appendiculatus Karling in Bull. Torrey bot. Cl., lxxiv, p. 335, 1947 on a chitinous substrata in fresh water and muck soil.-Virginia, New Jersey, New York and Connecticut, U.S.A.

- parasiticus Karling in Bull. Torrey bot. Cl., lxxiv, p. 334, 1947 on Aphanomyces lacvis.

New York, U.S.A. stellatus Karling in Bull. Torrey bot. Cl.,

lxxiv, p. 335, 1947 on chitinous substrata in fresh water and muck soil.—Brazil; New York and Connecticut, U.S.A.

Cintractia utriculicola (Henn.) Clint. var. limitata (Clint.) Hirschhorn in Farlowia, iii, p. 82, 1947. (Syn. Cintractia limitata Clint.).

CIRCINOCONIS Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942.—Dematiaceae.

paradoxa Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942 on dead stems.—E. Indies.

Cistella chlorosticta (E. P. Fr. ex Cooke) Nannfeldt in Fungi exs. Suecici, No. 986, 1941. (Syn. Mollisia chlorosticta E. P. Fr. ex Cooke).

Cladobotryum australe Viégas in Bragantia, vi, p. 365, 1946 on Septoideum didymopanacis. Brazil.

Cladochaete coronata Bond in Ceylon J. Sci., Sect. A, xii, p. 180, 1947 on Grevillea robusta. -Cevlon.

Cladochytrium aneurae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 8, 1947 on Aneura.—India. Type in Herb. Crypt. Ind. Orient., New Delhi and I.M.I., Kew.

Cladosporium maracuja Viégas in Bragantia, vi, p. 367, 1947 on Passiflora.—Brazil. - solanicola (as 'solanicolum') Viégas in Bragantia, vi, p. 368, 1946 on Solanum lyco-

carpum.-Brazil. versicolor Bond in Ceylon J. Sci., Sect. A, xii, p. 183, 1947 on Ageratum conyzoides.-

Ceylon. Clavaria cretacea Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 44, 1947.—North Carolina, U.S.A.

luteo-alba Rea f. montana Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 55, 1947.-North Carolina, U.S.A.

pistillaris Linn. var. unicolor (Berk. & Rav.) Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 58, 1947. (Syn. Craterellus unicolor Berk. & Rav.).

purpurea Müll. var. australis Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 63, 1947. -North Carolina, U.S.A.

- raveneliana Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 44, 1947.—North Carolina, U.S.A.

- rufobrunnea Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 43, 1947.—California, U.S.A. — subfennica Coker in J. Elisha Mitchell sci.

Soc., lxiii, p. 45, 1947.-North Carolina, U.S.A. CLAVICORONA Doty in Lloydia, x, p. 38,

1947.—Hymenomycetes. Type, C. taxophila. - coronata (Schweinitz) Doty in Lloydia, x, p. 42, 1947. (Syn. Clavaria coronata Schweinitz).

- cristata (Kauffman) Doty in Lloydia, x, p. 40, 1947. (Syn. Craterellus cristatus Kauffman).

pyxidata (Fries) Doty in Lloydia, x, p. 43, 1947. (Syn. Clavaria pyxidata Fries). taxophila (Thom) Doty in Lloydia, x, p. 39, 1947. (Syn. Craterellus taxophilus Thom).



Clitocybe hydrogramma (Fr.) var. werneri Malençon in Bull. Soc. mycol. Fr., lviii, p. 36, -France.

* rufulo-alutacea Métrod in Bull. Soc. mycol. Fr., lxii, p. 46, 1946.—France.

* salmona Métrod in Bull. Soc. mycol. Fr., lxii, p. 45, 1946.—France.

- straminea Métrod in Bull. Soc. mycol. Fr., lxii, p. 48, 1946.—France.

- vibecina (Fries) var. floccipes Métrod in Bull. Soc. mycol. Fr., lxii, p. 47, 1946.— France.

Clypeocarpus lirella (Moug. & Nestl.) Kirschst. in *Hedwigia*, lxxxi, p. 213, 1944. [Syn. *Sphaeria lirella* Moug. & Nestl.]. & Nestl.)

*Coelomomyces bisymmetricus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 73, 1947 on larvae of Anopheles crucians.—Georgia, U.S.A.

- cribrosus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 74, 1947 on larvae of Anopheles punctipennis. - Georgia,

U.S.A.

 keilini Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 74, 1947 on larvae of Anopheles crucians.—Georgia, U.S.A.

- lativittatus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 72, 1947 on larvae of Anopheles crucians.—Georgia, U.S.A. punctatus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 72, 1947 on larvae of Anopheles quadrimaculatus.—

Georgia, U.S.A. quadrangulatus Couch var. irregularis Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 75, 1947 on larvae of Ano-

pheles punctipennis. Georgia, U.S.A. - Couch var. lamborni Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 75, 1947 on larvae of Stegomyia scutellaris. -Federated Malay States.

- sculptosporus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 73, 1947 on larvae of Anopheles punctipennis and A.

crucians.-Georgia, U.S.A.

Coleosporium pedicularidis Tai in Farlowia, iii, p. 100, 1947 on Pedicularis gracilis.— Yunnan, China.

Coleroa graminis Guyot in Rev. Mycologie, N.S., xi, p. 58, 1946 on Brachypodium pinnatum.—France.

Colletotrichum anthurii (Allesch.) Neer-gaard in Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942-31 Marts 1943, (Syn. Gloeosporium anthurii p. 8, 1943. Allesch.).

- ciliatum T. S. & K. Ramakrishnan in *Proc.* Indian Acad. Sci., Sect. B, xxv, p. 186, 1947

on Cymbopogon polyneuros.—India.

- godetiae Neergaard in Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942-31 Marts 1943, p. 8, 1943 on Godetia hybrida.—Denmark.

COLLOSTROMA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 104, 1947.—Sphaero-

psidales.

gelatinosum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 104, 1947 on Pinus sylvestris.—Austria.

Collybia tergina (Fr.) Lundell in Fungi exs. Suecici, No. 1109, 1942. (Syn. Agaricus

terginus Fr.).

Coniothyrium asperulum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 136, 1947 on Coronilla emeri.—Austria.

- pittospori J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 115, 1940 on Pittosporum sinense.—Greece.

Conocybe hexagonospora Métrod in Bull. Soc. mycol. Fr., lvi, p. 48, 1940.—France.

*COOLIA Huysman in Meded. ned. mycol. Ver., xxviii, p. 59, 1943.—Agaricaceae. Type, C. odorata.

- macrocephala (Schulzer) Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (Syn. Agaricus macrocephalus Schulzer).

odorata (Cool) Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (Syn. Lepiota odorata Cool).

- schreieri Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (As nom. nov. based on 'Tricholoma X' of Schreier).

*Coprinus heterosetulosus Locquin in Bull. Soc. mycol. Fr., lxiii, p. 78, 1947.—France.

 lagopus Fr. var. sphaerosporus Kühner & Josserand in Bull. Soc. mycol. Fr., lx, p. 31, 1944.-France.

Quél. subsp. isabellinus patouillardii Locquin in Bull. Soc. mycol. Fr., lxiii, p. 83, 1947.—France.

- pseudocortinatus Locquin in Bull. Soc. mycol. Fr., lxiii, p. 81, 1947.—France.

- pseudo-radiatus Kühner & Josserand in Bull. Soc. mycol. Fr., lx, p. 26, 1944 on dung. -France.

- vermiculifer Josserand in Bull. Soc. mycol. Fr., lx, p. 5, 1944 on dung.-France. - verrucispermus Josserand in Bull. Soc. mycol. Fr., lx, p. 9, 1944.—France.

Coriolus hirsutus (Fr.) Quél. var. ochraceus (Fr. ex Pers.) Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 78, 1940. (Syn. 'C. zonatus var. ochraceus Fr. ex Pers.').

Corticium bombycinum (Sommerf. ex Fr.) Bres. var. pinicola Lundell nom. nov. in Fungi exs. Suecici, No. 1032, 1941. (Syn. C. molle Karst., non Fr.).
pulchrum Lundell in Fungi exs. Suecici,

No. 1035, 1941 on rotten frondose trunk.-

Sweden.

Cortinarius albo-fimbriatus Henry in Bull. Soc. mycol. Fr., lvi, p. 95, 1940 as 'Cortinarius (Hydrocybe) albo-fimbriatus'.—France.

- armillariellus Henry in Bull. Soc. mycol. Fr., lvi, p. 90, 1940 as 'Cortinarius (Hydro-

cybe) armillariellus' .- France.

- cortinatus Henry in Bull. Soc. mycol. Fr., lvii, p. 24, 1941 as 'C. (Hydrotelamonia) cortinatus'.—France.

- danili Henry in Bull. Soc. mycol. Fr., lix, p. 57, 1943 as 'C. (Hydrocybe) danili'.— France.

fuligineus Joachim in Bull. Soc. mycol. Fr., lx, p. 81, 1944.—France.

- fulvaureus Henry in Bull. Soc. mycol. Fr., lx, p. 71, 1944 as 'C. (Dermocybe) fulvaureus'. -France.

fulvo-isabellinus Henry in Rev. Mycologie, N.S., lvii, p. 34, 1941 as 'Č. (Hydrotelamonia) fulvo-isabellinus'.—France.

-fulvo-ochrascens Henry in Bull. Soc. mycol. Fr., lix, p. 55, 1943 as 'C. (Phlegma-cium) fulvo-ochrascens'.—France.

hinnuloides Henry in Bull. Soc. mycol. Fr., lvii, p. 21, 1941 as 'C. (Telamonia) hinnuloides'.-France.

- kauffmanianus Henry in Bull. Soc. mycol. Fr., lxii, p. 213, 1947 as 'C. (Psiloderma) kauffmanianus'. (As nom. nov. based on 'C. argentatus Fr. var.' of Kauffman).



— luci Henry in Bull. Soc. mycol. Fr., lvi, p. 106, 1940 as 'C. (Hydrocybe) luci'.— France.

— parvulus Henry in Bull. Soc. mycol. Fr., lvii, p. 28, 1941 as 'C. (Telamonia) parvulus'. —France.

— rugosus Henry in Bull. Soc. mycol. Fr., lx, p. 72, 1944 as 'C. (Dermocybe) rugosus'.— France.

— sordescens Henry in Bull. Soc. mycol. Fr., lx, p. 67, 1944 as 'C. (Inoloma) sordescens'.— France.

to

eo.

ng

pe,

of

OI

nits

spilomeus Fries var. subspilomeus Henry
 in Bull. Soc. mycol. Fr., lx, p. 77, 1944 as
 'C. (Dermocybe) spilomeus var. subspilomeus'.
 France.

striatulus Henry in Bull. Soc. mycol. Fr.,
 lvi, p. 114, 1940 as 'C. (Hydrocybe) striatulus'.
 France.

subanthracinus Henry in Bull. Soc. mycol.
 Fr., lx, p. 74, 1944 as 'C. (Dermocybe) subanthracinus'.—France.

*— subbalaustinus Henry in Bull. Soc. mycol. Fr., lvi, p. 100, 1940 as 'C. (Hydrocybe) subbalaustinus'. (As nom. nov. based on C. balaustinus sensu Lange non Fr.).

— subincarnatus Henry in Bull. Soc. mycol. Fr., lvii, p. 27, 1941 as 'C. (Telamonia) subincarnatus'.—France.

— tricognandus Henry in Bull. Soc. mycol. Fr., lix, p. 58, 1943 as 'C. (Hydrocybe) tricognandus'.—France.

uliginobtusus Henry in Bull. Soc. mycol.
 Fr., lvi, p. 109, 1941.—France.

welenovskyi Henry in Bull. Soc. mycol. Fr., lvi, p. 115, 1940 as 'C. (Hydrocybe) velenovskyi'. (As nom. nov. based on C. obtusus sensu Velen., non Fr.).

— versicolor Henry in Bull. Soc. mycol. Fr., lvii, p. 32, 1941 as C. (Hydrotelamonia) versicolor.—France.

Cotylidia vitellina (Plowr.) Lundell in Fungi exs. Suecici, No. 1021, 1947. (Syn. Thelephora vitellina Plowr.).

Cronartium keteleeriae Tai in Farlowia, iii, p. 96, 1947 on Keteleeria elveyniana.—Yunnan, China.

Cudoniella buissonii Grelet in Rev. Mycologie, N.S., xii, p. 30, 1947 on rotten pine stump.—France.

viridula Grelet in Rev. Mycologie, N.S., xii,
 p. 31, 1947 on rotten pine stump.—France.
 Cylindrocladium candelabrum Viégas in

Bragantia, vi, p. 370, 1946 on Luma.—Brazil.
Cylindrosporium arbuti Viennot-Bourgin in
Rev. Mycologie, N.S., xii, p. 23, 1947 on

Arbutus andrachne.—France.

— umbelliferarum Wehmeyer nom. nov. in Mycologia, xxxix, p. 475, 1947. (Syn. Ascochyta heraclei Lib., non C. heraclei Oudem.).

CYMBOTHYRIUM Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 148, 1947.—Sphaeropsidales.

— sudans Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 148, 1947 on Smilax aspera.— Austria.

DACRYONAEMA Nannfeldt in Svensk bot.

Tidskr., xli, p. 336, 1947.—Dacrymycetaceae.

- rufum (Fr.) Nannfeldt in Svensk bot. Tidskr., xli, p. 336, 1947. (Syn. Sphaeronaema rufum Fr.).

DEIGHTÓNIA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 114, 1947.—Melanconiales.

 rhombispora Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 114, 1947 on Leptoderris.
 Sierra Leone.

DICTYOASTERINA Hansford in Proc. Linn. Soc. Lond., clix, p. 39, 1947.—Asterinaceae.— conopharyngiae Hansford in Proc. Linn. Soc. Lond., clix, p. 39, 1947 on Conopharyn.

gia.—Uganda.

Diderma luteo-album (List.) Buchet in Bull.

Soc. mycol. Fr., lvi, p. 127, 1940. (Syn. Physarum luteo-album List.).

Didymella muhavurensis Hansford in Proc. Linn. Soc. Lond., clix, p. 28, 1947 on Hypericum lanceolatum.—Uganda.

— syriaca Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 41, 1947 on Phlomis brevilabris.— Syria.

Dimeriella terrieri Petrak apud Terrier in Ber. schweiz. bot. Ges., lvi, p. 167, 1947 on Abies alba.—Switzerland.

Dinemasporium leptosporum (Sacc.) Nannfeldt in Fungi exs. Suecici, No. 1094, 1941. (Syn. D. strigosum var. leptosporum Sacc.).

Diplodia calaminthae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 120, 1940 on Calamintha acinos.—Greece.

*— recifensis A. Chaves Batista, Mal do recife (grave doença da mangueira), p. 32, 1947 on Mangifera indica.—Brazil.

Diplodiella anatolica Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 117, 1947.—Turkey.

Diplodina arenicola Guyot in Bull. Soc. mycol. Fr., lxii, p. 71, 1946 on dry stems of Euphorbia paralias.—France.

— pannonica Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 139, 1947 on Sesleria varia.— Austria.

— rhinanthi Guyot in Bull. Soc. mycol. Fr., lxii, p. 71, 1946 on dry stalks of Rhinanthus crista-galli.—France.

 vincae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 120, 1940 on Vinca major.—Greece.

Disciseda atra (as 'ater') (Lloyd) Zeller in Mycologia, xxxix, p. 307, 1947. (Syn. Catastoma ater Lloyd).

— brandegeei (Lloyd), Zellen in Mycologia

 brandegeei (Lloyd) Zeller in Mycologia, xxxix, p. 307, 1947. (Syn. Catastoma brandegeei Lloyd).

 defodiodis (Lloyd) Zeller in Mycologia, xxxix, p. 309, 1947. (Syn. Calvatia defodiodis Lloyd).

 johnstonii (Lloyd) Zeller in Mycologia, xxxix, p. 309, 1947. (Syn. Catastoma johnstonii Lloyd).

 levispora (Lloyd) Zeller in Mycologia, xxxix, p. 310, 1947. (Syn. Catastoma levisporum Lloyd).

— luteola (Lloyd) Zeller in Mycologia, xxxix, p. 310, 1947. (Syn. Catastoma luteolum Lloyd).

uplandii (Lloyd) Zeller in Mycologia, xxxix,
 p. 311, 1947. (Syn. Catastoma uplandii Lloyd).

Dothichiza caroliniana Demaree & Wilcox in *Phytopathology*, xxxvii, p. 492, 1947 on *Vaccinium australe*.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

Dothiorella araucariae (Vogl.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. Fusicoccum araucariae Vogl.).

Ser. II, i, p. 138, 1947 on Siler trilobum.—

Eccilia rugosa Malençon in Bull. Soc. mycol. Fr., lviii, p. 40, 1942.—France.

Entopeltis ruwenzoriensis Hansford in Proc. Linn. Soc. Lond., clix, p. 33, 1947 on Ficus. -Belgian Congo.

Epicoccum sinense Petrak in Medd. Göteborgs bot., xvii, p. 162, 1947 on Astragalus sinicus.

-Szechuan, China.

ERIOSPOROPSIS Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 94, 1947.—Sphaeropsidales.

albida Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 94, 1947 on Pinus sylvestris.

Austria.

Erysiphe alhagii Bremer, Ismen, Karel, & H. and M. Özkan in Rev. Fac. Sci. Univ. Istanbul, Sér. B, xii, p. 140, 1947 on Alhagi camelorum.—Turkey.
- communis (Wallr.) Link f. fibigiae Rayss

in Bull. Soc. mycol. Fr., lxii, p. 11, 1946 on

Fibigia clypeata.—Syria.

Euryachora syzygii (Rac.) Hansford in Proc. Linn. Soc. Lond., clix, p. 27, 1947. (Syn. Lizonia syzygii Rac.).

*EUTHYRITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947.—Fossil Asterineae.

- oleinitus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

Eutypa lata (Pers.) Tul. f. platani Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 38, 1940 on Platanus orientalis. -Greece.

Exosporina fawcetti E. E. Wilson in Hilgardia, xvii, p. 427, 1947 on Juglans regia, Castanea sativa, Citrus limonia, C. grandis, and C. sinensis.—California, U.S.A. Type in Mycol. Coll., Univ. Calif.

Exosporium sultanae du Plessis in Ann. Univ. Stellenbosch, Ser. A, p. 19, 1946 on

Vitis vinifera.—S. Africa.

Galerina clavus Romagnesi in Bull. Soc. mycol. Fr., lviii, p. 149, 1942.—France. pinetorum Métrod in Bull. Soc. mycol. Fr., lvi, p. 52, 1940.—France.

Gaubaea bornmulleri (P. Magn.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 67, 1947. (Syn. Leptothyrium bornmuelleri P. Magn.).

Gelopellis hahashimensis (S. Ito & S. Imai) Zeller in Mycologia, xxxix, p. 284, 1947. (Syn. Hysterangium hahashimense S. Ito & S. Imai).

Gerwasia rosae Tai in Farlowia, iii, p. 103, 1947 on Rosa cymosa.—Hunan, China.

Ginanniella clintoniae (Komarow) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 77, 1940. (Syn. Tuburcinia clintoniae Komarow).

- paridis (Unger) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 77, 1940. (Syn. Protomyces paridis Unger).

schizocaulon (Cesati) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 78, 1940. (Syn. Sorosporium schizocaulon Cesati).

Glenospora viridobrunnea Redaelli & Ciferri in Atti Ist. bot. Univ. Pavia, Ser. 5, iii, p. 25, 1943 on man [Homo sapiens].—Italy.
*GLENOSPOROPSIS Da Fonseca, Parasito-

logia médica, I, p. 710, 1943.—Moniliales. Type, G. amazonica.

- amazonica Da Fonseca, Parasitologia médica, I, p. 711, 1943 on man [Homo sapiens].—Brazil.

- brevis (Castell.) Da Fonseca, Parasitologia médica, I, p. 724, 1943. (Syn. Glenospora brevis Castell.).

clapieri ('Cast.' [Catanei]) Da Fonseca, Parasitologia médica, I, p. 724, 1943. (Syn.

Glenospora clapieri Cat.).

- gammeli (Pollacci & Nannizzi) Da Fonseca, Parasitologia médica, I, p. 725, 1943. (Syn. Glenospora gammeli Poll. & Nann.).

gandavensis (Vuill.) Da Fonseca, Parasitologia médica, I, p. 727, 1943. (Syn. Glenospora gandavensis Vuill.).

- graphii (Harz & Bezold) Da Fonseca, Parasitologia médica, I, p. 727, 1943. (Syn. Verticillium graphii Harz & Bezold).

khartoumensis (Chalmers & Archibald) Da Fonseca, Parasitologia médica, I, p. 728, 1943. (Syn. Glenospora khartoumensis Chalm. & Arch.).

lanuginosa (Castell.) Da Fonseca, Parasitologia médica, I, p. 729, 1943. (Syn. Blasto-

mycoides lanuginosa Castell.).

metaeuropea (Castell.) Da Fonseca, Parasitologia médica, I, p. 730, 1943. (Syn. Glenospora metaeuropea Castell.).

metamerica (Castell.) Da Fonseca, Parasitologia médica, I, p. 730, 1943. (Syn. Glenospora metamerica Castell.).

semoni (Chalmers & Archibald) Da Fonseca, Parasitologica médica, I, p. 730, 1943.

(Syn. Glenospora semoni Chalm. & Arch.).
Gloeocercospora inconspicua Demaree & Wilcox in Phytopathology, xxxvii, p. 498, 1947 on Vaccinium australe.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

GLOEOTROCHILA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 50, 1947.-Sphaeropsidales.

paradoxa (de Not.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 50, 1947. (Syn. Myxosporium paradoxum de Not.).

Gonapodya bohemica Cejp in Bull. Soc.

mycol. Fr., lxii, p. 255, 1947 on various plants in forest pools.—Bohemia. Guignardia euphorbiae Rayss in Bull. Soc.

mycol. Fr., lxii, p. 20, 1946 on Euphorbia erinacea.—Syria.

Gymnosporangium hyalinum Kern [nomen nudum, 1911] in Mycologia, xxxix, p. 123, 1947 on Chamaecyparis thyoides.—Florida and S. Carolina, U.S.A.

- sikangense Petrak in Medd. Göteborgs bot., xvii, p. 120, 1947 on Cotoneaster adpressa .-

Sikang, China.

tsingchenense Wei in Bot. Bull. Acad. Sinica, i, p. 210, 1947 on Cupressus funebris. -Szechuan, China.

- wenshanense Tai in Farlowia, iii, p. 108, 1947 on Photinia serrulata.—Yunnan, China.

*Hebeloma edurum Métrod in Rev. Mycologie, N.S., xi, p. 80, 1946.—France.

Helicostilbe cantareirense Viégas in Bragantia, vi, p. 378, 1946 on dead branches.— Brazil.

Helminthosporium cacaliae Viégas in Bragantia, vi, p. 378, 1946 on Cacalia sonchifolia.—Brazil.

coronatum Viégas in *Bragantia*, vi, p. 379, 1946 on *Hydrangea*.—Brazil.

? Ionicerae Viégas in Bragantia, vi, p. 380, 1946 on Lonicera.—Brazil.

machaerii Viégas in Bragantia, vi, p. 381, 1946 on Machaerium.—Brazil.

olyrae Viégas in Bragantia, vi, p. 381, 1946 on Olyra micrantha.—Brazil. Helvella leucomelas (Pers. ex Cooke) Nann-

feldt in Fungi exs. Suecici, No. 952, 1941. (Syn. Peziza leucomelas Pers. ex Cooke). HEMISPHAEROPSIS Petrak in Sydowia,

Ann. mycol., Ser. II, i, p. 24, 1947. Sphaeropsidales.

magnoliae Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 25, 1947 on Magnolia glauca. 'Aus Herb. F. S. Earle'. Hendersonia arundinis (Lib.) Sace.

maritima Guyot in Rev. Mycologie, N.S., xi, p. 55, 1946 in dry culms of Juncus maritimus .- France. kwangsiensis Petrak in Medd. Göteborgs

bot., xvii, p. 146, 1947 on Andropogon.-Kwangsi, China.

Heteropatella polychaeta Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 126, 1940 on Bupleurum sibthorpianum.-Greece.

Heterosporium tropaeoli Bond in Ceylon J. Sci., Sect. A, xii, p. 185, 1947 on Tropaeolum major.—Ceylon.

*Himantia corticalis Viégas in Bragantia, vi, p. 559, 1946 on Dioscorea alata.—Brazil.

Holocotylon anomalum Zeller in *Mycologia*, xxxix, p. 287, 1947.—Texas, U.S.A. Type in Zeller Herb. Humarina deformis (Karst.) Nannfeldt in

Fungi exs. Suecici, No. 1362, 1946. (Syn. Peziza deformis Karst.). granulata (Bull. ex Fr.) Nannfeldt in Fungi exs. Suecici, No. 1363, 1946. (Syn. Peziza

granulata Bull. ex Fr.). Hydnotrya dysodes Kirschtein in Notizbl. bot.

Gart. Berl., xv, p. 612, 1941.—Germany.
-variiformis Gilkey in Mycologia, xxxix, p. 444, 1947.—California, Ŭ.S.A. Type in Oregon State College.

yukonensis Gilkey in *Mycologia*, xxxix, p. 445, 1947.—Yukon. Type in Oregon State College.

Hydnotryopsis michaelis (Fisch.) Soehner in Notizbl. bot. Gart. Berl., xv, p. 864, 1944. [Syn. Geopora michaelis Fisch.].

- suevica Soehner in Notizbl. bot. Gart. Berl., xv, p. 866, 1944.—Germany.

Hygrophorus acutoconicus (Clements) A. H. Smith, North American species of Mycena, p. 472, 1947. (Syn. Mycena acutoconica Clements).

ts

CO

n

at

as

of

n-

ts

Hysterangium stoloniferum Tulasne var. brevisporum Zeller in Mycologia, xxxix, p. 288, 1947.—Oregon, U.S.A.

Hysteropezizella karstenii (Sacc.) Nannfeldt in Fungi exs. Suecici, No. 962a, 1941. (Syn. Pyrenopeziza karstenii Sacc.).

Hysterostomella gymnosporiae Hansford in Proc. Linn. Soc. Lond., clix, p. 34, 1947 on Gymnosporia lepidota.—Belgian Congo.

Irene arisanensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 216, 1941 on Cyclobalanopsis ternaticupula f. arisanensis. Formosa.

castanopsisifoliae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 217, 1941 on Synaedrys amygdalifolia f. castanopsisi--Formosa.

cyclobalanopsicola Yamamoto in Trans. nat. Hist. Soc. Formosa, XXXI, p. 219, 1941 on Cyclobalanopsis ternaticupula.—Formosa.

- konishii Yamamoto in Trans. nat. Hist.

Soc. Formosa, xxxi, p. 217, 1941 on Synaedrys konishii.—Formosa.

lithocarpicola Yamamoto in Trans. nat.

Hist. Soc. Formosa, xxxi, p. 218, 1914 on Synaedrys amygdalifolia.—Formosa.

sinsuiensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 219, 1941 on Synaedrys shinsuiensis.—Formosa. Irenina eucleae Hansford in Proc. Linn. Soc.

Lond., clix, p. 24, 1947 on Euclea latidens.-Belgian Congo. hydrangeae Yamamoto in Trans. nat. Hist.

Soc. Formosa, xxxi, p. 220, 1941 on Hydrangea chinensis.—Formosa. - lonicerae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 221, 1941 on Lonicera japonica.—Formosa.

pithecolobii Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 221, 1941 on Pithe-

colobium lucidum.—Formosa.

securidacae Hansford in Proc. Linn. Soc. Lond., clix, p. 23, 1947 on Securidaca. Belgian Congo. Irenopsis hiptages Yamamoto in Trans. nat.

Hist. Soc. Formosa, xxxi, p. 222, 1941 on Hiptage bengalensis.—Formosa.

Karschia adnata Kanouse apud Wehmeyer in Mycologia, xxxix, p. 465, 1947 on weathered coniferous wood.—Wyoming, U.S.A. Type in Univ. of Mich.

Laboulbenia colasi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 190, 1942 on Dromius linearis .- France.

achnum sphaerocephalum (Wallr.) Nannfeldt in Fungi exs. Suecici, No. 984a, 1941. (Syn. Peziza sphaerocephala Wallr.).

Lembosia peyronelii E. Castellani in Nuovo G. bot. ital., liii, p. 216, 1947 on Syzygium guineense f. angustifolium.—Abyssinia.

*Lepiota excoriata (Schaeff. ex Fr.) Quél. var. konradi Huysman var. nov. in Meded. ned. mycol. Ver., xxviii, p. 18, 1943. (As nom. nov. based on L. excoriata subsp. mastoidea sensu Konrad & Maubl., non Fr.).

- kuehneri Huysman in Meded. ned. mycol. Ver., xxviii, p. 27, 1943. (As nom. nov. based on L. clypeolarioides sensu Kühner, non Rea).

*— meleagroides Huysman in Meded. ned. mycol. Ver., xxviii, p. 11, 1943. (As nom. nov. based on L. badhami sensu Pat., non Berk. & Br.).

setulosa Lange var. rhodorrhiza Romagnesi & Locquin apud Locquin in Bull. Soc. mycol. Fr., lx, p. 38, 1944. -France.

Leptoporus ellipsosporus (Pilát) Romagnesi in Bull. Soc. mycol. Fr., lx, p. 88, 1944. (Syn. L. wynnei Berk. & Br. f. ellipsospora Pilát). eptosphaeria clavata Guyot in Rev. Mycologie, N.S., xi, p. 62, 1946 on dry stems and

leaves of Koeleria albescens and K. gracilis. genistae Oud. var. microspora Guyot in

Rev. Mycologie, N.S., xi, p. 68, 1946 on dry stems of Genista tinctoria.—France.

grignonnensis Guyot in Rev. Mycologie, N.S., xi, p. 66, 1946 on dry stems of Clematis vitalba.—France.

porellae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 11, 1947 on Porella. India.

sequana Guyot in Rev. Mycologie, N.S., xi, p. 68, 1946 of dry sheaths of Phleum boehmeri.—France.

Leucogaster columellatus Zeller in Mycologia, xxxix, p. 289, 1947.—California, U.S.A. Type in Herb. Univ. Calif.

- longisterigmatus Zeller in Mycologia, xxxix, p. 289, 1947.—Oregon, U.S.A.

Limacinia hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 32, 1947 on Teclea. -Belgian Congo.

LINDEROMYCES Singer in Farlowia, iii. p. 157, 1947.—Paxillaceae.

- lateritius (Petch) Singer in Farlowia, iii, p. 157, 1947. (Syn. Paxillus lateritius Petch).

Linochora acaciae E. Castellani in Nuovo G. bot. ital., liii, p. 226, 1947 on Acacia orfota.-Eritrea.

Linotexis deightonii Hansford in Proc. Linn. Soc. Lond., clix, p. 22, 1947 on Salacia sene-

galensis.—Sierra Leone. Lophodermium schweinitzii Wilson Robertson nom. nov. in Trans. roy. Soc. Edinb., lxi, p. 527, 1947. (Syn. Hysterium rhododendri Schweinitz, non L. rhododendri Ces. ex Sacc.).

- vagulum Wilson & Robertson in Trans. roy. Soc. Edinb., lxi, p. 524, 1947 on Rhodo-dendron croceum.—Scotland.

Macowanites alpinus Zeller in *Mycologia*, xxxix, p. 291, 1947.—California, U.S.A.

Macrophoma crataegi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 112, 1940 on Crataegus oxyacantha. Greece.

- eryngii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 111, 1940 on Eryngium multifidum.—Greece.

- stachydis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 111, 1940 on Stachys cretica.—Greece.

Marasmius albocapitatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead leaves .- Ceylon.

- alliarius Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead wood and sticks.-Cevlon.

- amomi Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead stems of Amomum. -Ceylon.

-ascendens Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on bark of living trees. -Ceylon.

-brunneostriatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead leaves and twigs.—Ceylon.

- calami Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead stem of Calamus.-Cevlon.

-cineraceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on a dead leaf. Ceylon.

griseo-violaceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves. -Ceylon.

- hakgalensis Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves and twigs on the ground.—Ceylon.

- Petch var. denudatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947.—Ceylon. - lateritius Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947.—Ceylon.

- micraster Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on decaying twigs.—Ceylon. - paspali Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on leaf sheaths of Paspalum dilatatum.—Ceylon.

porphyreticus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead sticks.— Cevlon.

purpureo-albus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on decaying banana stem; on bark scales on living Lagerstroemia; on fallen twigs of Lagerstroemia.

purpureo-griseus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead wood.

-Ceylon.

rigidichorda Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947.—Ceylon. [See also Suppl. 11, p. 121].

rufo-aurantiacus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead twigs

and bark .- Ceylon.

-rufo-ochraceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead wood. -Cevlon.

senescens Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947.—Ceylon.

stypinoides Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead bark .-Ceylon.

subconiatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead bamboo. Ceylon.

tubulatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves and twigs.-Cevlon.

Marssonina melonis Dolan in Phytopathology, xxxvii, p. 587, 1947 on Cucumis melo var. reticulatus and Citrullus vulgaris.—New York State, U.S.A.

Melampsora salicis-cavaleriei Tai in Farlowia, iii, p. 102, 1947 on Salix cavaleriei.-Yunnan, China.

Melanops araucariae (Vogl.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 64, 1947. (Syn. Cryptosporella araucariae Vogl.).

Melanospora brevirostrata Moreau in Bull. Soc. mycol. Fr., lxi, p. 59, 1945 on Diospyros lotus.—France. [Correction of entry in Suppl. 15, p. 188].

Meliola acanthopanacis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 224, 1941 on Acanthopanax trifoliatum.—Formosa.

agauriae Hansford in Proc. Linn. Soc. Lond., clix, p. 23, 1947 on Agauria salicifolia. -Belgian Congo.

araliicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 224, 1941 on Aralia decaisneana.—Formosa.

- bauhiniicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 225, 1941 on Bauhinia championi.—Formosa.

-callicarpicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 226, 1941 on Callicarpa formosana.—Formosa.

caseariicola Hansford in Proc. Linn. Soc. Lond., clix, p. 24, 1947 on Casearia engleri.-Uganda.

castanopsina Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 125, 1941 on Castanopsis formosana.—Formosa.

cyclobalanopsina Yamamoto in nat. Hist. Soc. Formosa, xxxi, p. 130, 1941 on Cyclobalanopsis glauca.—Formosa.

euchrestae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 226, 1941 on Euchresta horsfieldii var. formosana.—Formosa.

- flacourtiacearum Hansford in Proc. Linn. Soc. Lond., clix, p. 24, 1947 on Scolopia rhamniphylla.—Belgian Congo.

ts :0 'n at as of nts

fusispora Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 126, 1941 on Castanopsis stipitata.-Formosa.

hendrickxiana Hansford in Proc. Linn. Soc. Lond., clix, p. 25, 1947 on Leguminosae

(? Vigna).—Belgian Congo.
- hypoëstes E. Castellani in Nuovo G. bot. ital., liii, p. 214, 1947 as 'M. (Irenopsis) hypoëstes' on Hypoëstes paniculata.—Abys-

impatientis Doidge var. densa Hansford in Proc. Linn. Soc. Lond., clix, p. 25, 1947 on Impatiens.—Belgian Congo.

irvingiae Hansford in Proc. Linn. Soc. Lond., clix, p. 25, 1947 on Irvingia wombolu. -Belgian Congo.

- kawakamii Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 131, 1941 on Synaedrys kawakamii.-Formosa.

kiraiensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 132, 1941 on Synae-drys lepidocarpa.—Formosa.

- kodaihoensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 133, 1941 on Synaedrys kodaihoensis.—Formosa.

- lithocarpina Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 133, 1941 on Synaedrys brevicaudata.—Formosa.

mephitidiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 227, 1941 on Mephitidia chinensis.—Formosa.

myricicola Hansford in Proc. Linn. Soc. Lond., clix, p. 26, 1947 on Myrica.—Belgian Congo

- peddiicola Hansford in Proc. Linn. Soc. Lond., clix, p. 26, 1947 on Peddiaea fischeri. Uganda.

- pileostegiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 228, 1941 on Pileo-stegia viburnoides.—Formosa.

- ramulicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 134, 1941 on Synae-drys brevicaudata.—Formosa.

- shiiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 126, 1941 on Castanopsis stipitata.--Formosa.

styracis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 228, 1941 on Styrax suberifolius .- Formosa.

subacuminata Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 127, 1941 on Castanopsis subacuminata.—Formosa.

- subpellucida Yamamoto in Trans. Hist. Soc. Formosa, xxxi, p. 136, 1941 on Synaedrys amygdalifolia f. castanopsidifolia.

- taityuensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 131, 1941 on Cyclobalanopsis glauca.—Formosa.

taiwaniana Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 128, 1941 on Castanopsis taiwaniana.—Formosa.

nopsis taiwaniana.—Formosa.

yangambiensis Hansford in Proc. Linn.
Soc. Lond., clix, p. 27, 1947 on Fagara laurentii.—Belgian Congo.

Microdiplodia granulosa Guyot in Bull. Soc. mycol. Fr., lxii, p. 74, 1946 on Sesleria coerulea.—France.

- sambuci J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 117, 1940 on Sambucus nigra.—Greece.

*MICROTHYRIACITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947.-Fossil Microthyriaceae. Type not stated. fimbriatus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 211 in ligneous clay.— Victoria, Australia.

grandis Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 211, 1947 in coal.—New Zealand.

Milesia arisanensis (Hiratsuka f.) Faull in J. Arnold Arbor., xxviii, p. 311, 1947. (Syn. Milesina arisanense Hiratsuka f.).

- coniogrammes (Hiratsuka f.) Faull in J. Arnold Arbor., xxviii, p. 310, 1947. (Syn. Milesina coniogrammes Hiratsuka f.). cryptogrammes (Diet.) Faull in J. Arnold

Arbor., xxviii, p. 311, 1947. (Syn. Milesina cryptogrammes (Diet.) Hiratsuka f.).

- hashiokai (Hiratsuka f.) Faull in J. Arnold Arbor., xxviii, p. 311, 1947. (Syn. Milesina hashiokai Hiratsuka f.).
- philippinensis (Syd.) Faull in J. Arnold

Arbor., xxviii, p. 311, 1947. (Syn. [Milesina philippinensis Syd. and] Milesia tenuis

Monacrosporium ambrosium Gadd & Loos in Trans. Brit. mycol. Soc., xxxi, p. 17, 1947

in galleries of Xyleborus fornicatus.—Ceylon.

Mycena albicolor A. H. Smith, North American species of Mycena, p. 82, 1947 on Thuja plicata.—Oregon, U.S.A. Type in Herb. Univ. Mich.

- albidula (Peck) A. H. Smith, North American species of Mycena, p. 93, 1947. (Syn. Omphalia albidula Peck).

albissima A. H. Smith, North American species of Mycena, p. 84, 1947 on mossy redwood log.—California, U.S.A. Type in Herb. Univ. Mich.

alnicola A. H. Smith var. odora A. H. Smith, North American species of Mycena, p. 331, 1947 on dead alder tree.—Washington State, U.S.A.

- arenaria A. H. Smith, North American species of Mycena, p. 376, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

atkinsoniana A. H. Smith nom. nov., North American species of Mycena, p. 144, 1947. (Syn. M. fagicola A. H. Smith, non

Grog.).

- bisphaerigera (Lange) A. H. Smith, North American species of Mycena, p. 449, 1947. (Syn. Omphalia bisphaerigera Lange).

- brownii A. H. Smith, North American species of Mycena, p. 363, 1947 on decaying stems of Rubus.—Washington State, U.S.A. Type in Herb. Univ. Mich.

species of Mycena, p. 135, 1947.—New York State, U.S.A. Type in Atk. Herb., Cornell

cheboyganensis A. H. Smith, North American species of Mycena, p. 221, 1947 on sphagnum.—Michigan, U.S.A. Type in Herb. Univ. Mich.

cineraria A. H. Smith, North American species of Mycena, p. 450, 1947 on wet soil.—Washington State, U.S.A. Type in Herb. Univ. Mich.

- cylindrospora A. H. Smith, North American species of Mycena, p. 101, 1947 on old rhododendron leaves.—Tennessee, U.S.A.

Trype in Herb. Univ. Mich.

- delicatella (Peck) A. H. Smith, North
American species of Mycena, p. 161, 1947.
(Syn. Agaricus (Collybia) delicatellus Peck).

- epipterygia (Fr.) S. F. Gray var. lignicola A. H. Smith, North American species of Mycena, p. 428, 1947 on conifer wood.—

Washington State, U.S.A. Type in Herb.

- filiformis A. H. Smith, North American species of Mycena, p. 83, 1947 on fallen beech leaves.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- flavoalba (Fr.) Quélet var. microspora A. H. Smith, North American species of Mycena, p. 168, 1947.—Washington State, U.S.A.

fuliginella A. H. Smith, North American species of Mycena, p. 372, 1947 on logs and stumps of Douglas fir.—Washington State, U.S.A. Type in Herb. Univ. Mich.—gaultheri A. H. Smith, North American

species of Mycena, p. 51, 1947 on dead leaves of Gaultheria shallon.—Washington State, U.S.A. Type in Herb. Univ. Mich.

griseoviridis A. H. Smith, North American species of Mycena, p. 418, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
— A. H. Smith var. cascadensis A. H.

Smith, North American species of Mycena, p. 420, 1947 on conifer logs.—Washington State, U.S.A. Type in Herb. Univ. Mich.

- hymenocephala (A. H. Smith) A. H. Smith, North American species of Mycena, p. 385, (Syn. Collybia hymenocephala A. H. 1947. Smith).

- incarnatifolia A. H. Smith, North American species of Mycena, p. 318, 1947 on a black-cherry log.—Michigan, U.S.A. Type in Herb. Univ. Mich.

invisibilis Josserand in Bull. Soc. mycol. Fr., lix, p. 16, 1943 on dry fronds of Platycerium alcicorne and on Sphagnum .- France.

- kalalochensis A. H. Smith, North American species of Mycena, p. 99, 1947 on debris of red alder and thimbleberry.—Washington

State, U.S.A. Type in Herb. Univ. Mich.

- kauffmaniana A. H. Smith, North American species of Mycena, p. 260, 1947 on wood.

- Washington State, U.S.A. Type in Herb.

Univ. Mich. Univ. Mich.

- kuehneriana A. H. Smith, North American species of Mycena, p. 190, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- lilacifolia (Peck) A. H. Smith, North American species of Mycena, p. 414, 1947. (Syn. Agaricus lilacifolius Peck).

litoralis A. H. Smith, North American species of Mycena, p. 98, 1947 on fern debris.

Oregon, U.S.A. Type in Herb. Univ. Mich.

majalis Lundell nom. nov. in Fungi exs. Suecici, No. 401, 1941. (Syn. M. vernalis

H. v. Post ex Lundell, non Vel.). - marginella (Fr.) Quélet var. rugosodisca (Peck) A. H. Smith, North American species of Mycena, p. 395, 1947. (Syn. Agaricus

(Omphalia) rugosodiscus Peck). - mcmurphyi (Murr.) A. H. Smith, North American species of Mycena, p. 93, 1947. (Syn. Omphalopsis mcmurphyi Murr.).

- misera (Fr.) A. H. Smith, North American species of Mycena, p. 369, 1947. (Syn. Agaricus (Collybia) miser Fr.).

olida Bres. var. americana A. H. Smith, North American species of Mycena, p. 153, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich

- pallida (Murr.) A. H. Smith, North American species of Mycena, p. 361, 1947. (Syn. Omphalopsis pallida Murr.).

papillata (Peck) A. H. Smith, North American species of Mycena, p. 96, 1947. (Syn. Omphalia papillata Peck)

- paucilamellata A. H. Smith, North American species of Mycena, p. 97, 1947 on fallen twigs of Sequoia sempervirens.—California, U.S.A. Type in Herb. Univ. Mich.

plumbea (Fr.) Sacc. var. robusta A. H. Smith, North American species of Mycena, p. 249, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.

pseudoclavicularis A. H. Smith, North American species of Mycena, p. 374, 1947.— Oregon, U.S.A. Type in Herb. Univ. Mich.

pseudogrisea (Murr.) A. H. Smith, North American species of Mycena, p. 378, 1947. (Syn. Omphalopsis pseudogrisea Murr.).

(syn. Omphatopsis pseudogrisea Murr.).

- pseudogrisella A. H. Smith, North American species of Mycena, p. 124, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- pseudoinclinata A. H. Smith, North American species of Mycena, p. 327, 1947.—
Tennessee, U.S.A. Type in Herb. Univ. Mich.

and Herb. Univ. Tenn.

pusillissima (Peck) A. H. Smith, North American species of Mycena, p. 100, 1947.

(Syn. Omphalia pusillissima Peck).
- rickenii A. H. Smith, North American species of Mycena, p. 158, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

rubrotincta A. H. Smith nom. nov., North American species of Mycena, p. 334, 1947. (Syn. M. tenuicula Murrill, non Karst.).

semivestipes (Peck) A. H. Smith, North American species of Mycena, p. 324, 1947. (Syn. Omphalia semivestipes Peck).

- serotina (Peck) A. H. Smith, North American species of Mycena, p. 375, 1947. (Syn. Omphalia serotina Peck).

- setulosa A. H. Smith, North American species of Mycena, p. 80, 1947 on bark of Liriodendron tulipifera.--Tennessee, U.S.A. Type in Herb. Univ. Mich.

subcana A. H. Smith, North American species of Mycena, p. 73, 1947 on dead coniferous trees.—California, U.S.A. Type in Herb. Univ. Mich.

- subconcolor A. H. Smith, North American species of Mycena, p. 365, 1947.—California, U.S.A. Type in Herb. Univ. Mich.

- subfusca A. H. Smith, North American species of Mycena, p. 261, 1947 on débris in wet places.—Washington State, U.S.A. Type in Herb. Univ. Mich.

- subimmaculata (Murr.) A. H. Smith, North American species of Mycena, p. 92, 1947. (Syn. Omphalopsis subimmaculata Murr.).

subvestita A. H. Smith nom. nov., North American species of Mycena, p. 95, 1947. (Syn. Omphalia vestita Peck, non M. vestita Velen.).

swartzii (Fr.) A. H. Smith, North American species of Mycena, p. 123, 1947. (Syn. Agaricus fibula var. swartzii Fries).

tenuiceps A. H. Smith, North American species of Mycena, p. 305, 1947 on beech logs. -Tennessee, U.S.A. Type in Herb. Univ.

thujina A. H. Smith, North American species of Mycena, p. 361, 1947 on logs of Thuja occidentalis.—Ontario, Canada. Type in Herb. Univ. Mich.

translucentipes (Murr.) A. H. Smith, North American species of Mycena, p. 156, (Syn. Omphalopsis translucentipes Murr.).

turbinata (Murr.) A. H. Smith, North

American species of Mycena, p. 379, 1947. (Syn. Omphalopsis turbinata Murr.).

species of Mycena, p. 398, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

viscosa (Sec.) Maire var. iodiolens A. H. Smith, North American species of Mycena, p. 423, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.

Mycenella kuehneri Romagnesi in Bull. Soc. mycol. Fr., lvi, p. 63, 1940.—France.

MYCOKLUYVERIA Ciferri & Redaelli in Mycopathologia, iv, p. 56, 1947. [Proposed for Mycoderma Pers., which is considered a nomen confusum].

cerevisiae (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Myco-

derma cerevisiae Desm.).

decolorans (Will) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma decolorans Will).

glutinis-farinulae (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma glutinis-farinulae Desm.).

- lafari (Janke) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma lafari Janke).

tannica (Asai) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma tannica Asai)

- valida (Leb.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma valida Leberle).

- vini (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma vini Desm.)

Mycosphaerella clematidina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 144, 1947 on Clematis recta.—Austria.

dictamni Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 145, 1947 on Dictamnus albus.

hambergii (Romell & Sacc.) Petrak in Medd. Götebergs bot., xvii, p. 137, 1947. (Syn. Sphaerella confinis Karst. subsp. hambergii Romell & Sacc.).

- myricae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 7, 1943 on Myrica rubra.

-Formosa. [In Japanese].

n

ıs

1-

ts

- taeniographoides Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 142, 1947 on Siler trilobum.—Austria.

- thironi Guyot in Bull. Soc. mycol. Fr., lxii, p. 83, 1946 on Vicia sativa.—France.

Mycotorula chalmersi (Castellani) Redaelli & Ciferri in Mycopathologia, iv, p. 38, 1947. [Syn. Endomyces chalmersi Castellani]

- krausi (Ota) Redaelli & Ciferri in Mycopathologia, iv, p. 38, 1947. (Syn. Cryptococcus krausi Ota).

- messanensis Redaelli & Ciferri in Mycopathologia, iv, p. 40, 1947 on man [Homo sapiens].—Italy.

pseudotropicalis (Castellani) Redaelli & Ciferri in Mycopathologia, iv, p. 37, 1947. (Syn. Endomyces pseudotropicalis Cast.).

NANNFELDTIA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 18, 1947.—Discomycetes. atra Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 18, 1947 on Carex firma.—Austria.

Naucoria centunculus Fr. f. luxurians Romagnesi in Bull. Soc. mycol. Fr., Iviii, p. 149, 1942 on a fallen branch.—France.

- Fr. var. obscura Romagnesi in Bull. Soc.

mycol. Fr., lviii, p. 149, 1942 on a fallen trunk.-France.

siparia Fr. f. umbonata Romagnesi in Bull. Soc. mycol. Fr., lviii, p. 149, 1942.— France.

NEOBROOMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 5, 1947.—Sphaeriales.
- ciliata Petrak in Sydowia, Ann. mycol.,

Ser. II, i, p. 5, 1947 on Phlomis brevilabris. Svria.

Neovossia macrospora Petrak in Medd. Göteborgs bot., xvii, p. 114, 1947 on Pennisetum japonicum.—Kiangsu, China. *NOTOTHYRITES Cookson in Proc. Linn.

Soc. N.S.W., Ixxii, p. 208, 1947.—Fossil Microthyriaceae. Type not stated.

airensis Cookson in Proc. Linn. N.S.W., lxxii, p. 209, 1947 in Sentinel Rock beds, Victoria, Australia.

setiferus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 209, 1947 from the Vegetable Creek matrix.—Kerguelen Island and Kiandra, New South Wales, Australia.

OCELLARIELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 98, 1947.—Discomycetes. - buxi (Capron) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 99, 1947. (Syn. Trochila buxi Capron).

Oidium phlomidis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 132, 1940 on Phlomis fruticosa.—Greece.

Oligonema schweinitzii (Berk.) G. W. Martin in Mycologia, xxxix, p. 460, 1947. (Syn. Physarum schweinitzii Berk.).

*Omphalia cyathella Favre & Schweers in Bull. Soc. mycol. Fr., lviii, p. 105, 1942.—

Ophiobolus sambuci J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 49, 1940 on Sambucus nigra.—Greece.

smyrnii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Smyrnium rotundifolium.—Greece.

OPHIOSPORELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 21, 1947.—Sphaero-

Ann. mycol., Ser. II, i, p. 22, 1947. (Syn. Cylindrosporium komarowii Jacz.).

*Panus ramosus Métrod in Rev. Mycologie, N.S., xi, p. 80, 1946.—France.

*Paranthostomella decaspermi Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 370, 1942 on Decaspermum fruticosum.—Formosa. [In Japanese].

Parasterina oleae-chrysophyllae E. Castellani in Nuovo G. bot. ital., liii, p. 218, 1947 on Olea chrysophylla.—Abyssinia.

Passalora eragrostidis Viégas in Bragantia, vi, p. 386, 1946 on Eragrostis ciliaris.

Peniophora alienata Lundell in Fungi exs. Suecici, No. 1043, 1941 on decaying Alnus glutinosa.—Sweden.

laurentii Lundell nom. nov. in Fungi exs. Suecici, No. 1342, p. 23, 1946. (Syn. Merulius lepidus Romell, non P. lepida Bres.).

*Pestalozzia eriobotryae-japonicae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 9, 1943 on Eriobotrya japonica.—Formosa. [In Japanese].

- insueta Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 7, 1947 on Phlomis brevilabris.-

Pezicula morthieri (Fuckel) Groves in Mycologia, xxxix, p. 329, 1947. (Syn. Cenangium morthieri Fuckel).

Peziza limosa (Grelet) Nannfeldt in Fungi exs. Suecici, No. 373, 1941. (Syn. Galactinia castanea (Quél.) Boud. var. limosa Grelet).

plebeia (Le Gal) Nannfeldt in Fungi exs. Suecici, No. 1373, 1946. (Syn. Galactinia

plebeia Le Gal).

Phacidium infestans Karst. var. hikmetae Bremer, Işmen, Karel, & H. and M. Özkan in Rev. Fac. Sci. Univ. Istanbul, Sér. B, xii, p. 164, 1947 on Pinus silvestris.—Turkey.

Phaeochorella zonata Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 122, 1947 on Leguminosae.—Philippine Islands.

Phaeodimeriella negrii E. Castellani in Nuovo G. bot. ital., liii, p. 215, 1947 on Randia dumetorum.—Eritrea.

Phaeodothis hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 29, 1947 on Senecio mariettae.—Belgian Congo.

- rapaneae Hansford in Proc. Linn. Soc. Lond., clix, p. 30, 1947 on Rapanea.—Belgian

Congo.

Phaeophleospora elaeocarpi Bond in Ceylon J. Sci., Sect. A, xii, p. 185, 1947 on Elaeo-carpus ?amoenus.—Ceylon.

PHAEOTHYRIUM Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 12, 1947.—Sphaeropsidales.

pulchellum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 12, 1947 on Aegiceras corniculatum.—Hainan, China.

Phakopsora hengshanensis Tai in Farlowia, iii, p. 98, 1947 on Ficus martini?-Hunan, China.

Phanerococcus rapaneae Hansford in Proc. Linn. Soc. Lond., clix, p. 28, 1947 on Rapanea.—Belgian Congo.

Phleospora hageniae E. Castellani in Nuovo G. bot. ital., liii, p. 227, 1947 on Hagenia abyssinica.—Abyssinia.

Phlyctidium apophysatum Canter in Trans. Brit. mycol. Soc., xxxi, p. 95, 1947 on Mou-

geotia.—England.

Phoma amygdali-communis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Amygdalus communis.-Greece.

campanulae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Campanula sibthorpiana.—Greece.

cyparissiae Guyot in Bull. Soc. mycol. Fr., lxii, p. 75, 1946 on Euphorbia cyparissias. France.

inulae-viscosae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Inula viscosa.—Greece.

onopordi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Onopordon illyricum.—Greece.

peponis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Cucurbita pepo.—Greece.

pini-nigrae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109,

1940 on Pinus nigra.—Greece.

pruni-domesticae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athenes, i, p. 107, 1940 on Prunus domestica.—Greece. sanguisorbae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Poterium sanguisorba. Greece.

- scolymi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Scolymus hispanicus.—Greece.

smyrnii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Smyrnium rotundifolium.—Greece.

spartii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Spartium junceum.—Greece.

subtruncata Guyot in Bull. Soc. mycol. Fr., lxii, p. 76, 1946 on Koeleria gracilis.—France. verbasci-thapsi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, p. 108, 1940 on Verbascum thapsus.-Greece.

PHOMACHORELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 125, 1947. Sphaeropsidales.

- parinarii Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 126, 1947 on Parinarium capense. -South Africa.

Phragmidium handelii Petrak in Medd. Göteborgs bot., xvii, p. 121, 1947 on Rosa glomerata.—North-west Yunnan, China.

- sikangense Petrak in Medd. Göteborgs bot., xvii, p. 123, 1947 on Rubus pungens .- Sikang, China.

PHRAGMODISCUS Hansford in Proc. Linn. Soc. Lond., elix, p. 31, 1947.—Xylariaceae. - arundinariae Hansford in Proc. Linn. Soc. Lond., clix, p. 31, 1947 on Arundinaria alpina.—Uganda.

Phyllachora cymbispora T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxv, p. 184, 1947 on Eurya japonica.-

India.

- eragrostidis Petrak in Medd. Göteborgs bot., xvii, p. 139, 1947 on Eragrostis ferruginea .-Kwangtung, China. [Cfr. P. eragrostidis Doidge, 1942, Suppl. 6, p. 70].

fici-variolosae Petrak in Medd. Göteborgs bot., xvii, p. 141, 1947 on Ficus variolosa.—

Kwangtung, China.

hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 29, 1947 on Acanthaceae. Belgian Congo.

*Phyllosticta catechu Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 8, 1943 on Areca catechu.—Formosa. [In Japanese].

galegae Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 105, 1940 on Galega officinalis.—Greece.

grevilleae Gadd apud Bond in Ceylon J. Sci., Sect. A, xii, p. 189, 1947 on Grevillea robusta.—Ceylon.

stygia Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 105, 1940 on Globularia stygia.—Greece.

Phyllostictina paederiae Petrak in Medd. Göteborgs bot., xvii, p. 149, 1947 on Paederia

scandens.-Kwangsi, China.

vaccinii Demaree & Wilcox in Phytopathology, xxxvii, p. 496, 1947 on Vaccinium ashei. -North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

Physalospora heterostemmae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 8, 1947 on Heterostemma tanjorense.—India.

pterolobii T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 7, 1947 on Pterolobium indicum.—India.

Physarum stellatum (Massee) G. W. Martin in Mycologia, xxxix, p. 461, 1947. (Syn. Lepidoderma stellatum Massee).

ville, Md. ts .0

n

it

18

ρf

1-

ts

Piricularia dubiosa (Speg.) Viégas in Bragantia, vi, p. 387, 1946. (Syn. Fusicladium? dubiosum Speg.)

PLACOSTROMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 9, 1947.—Pyreno-

-macrospora Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 9, 1947 on Castanopsis ceratacantha.-Kweichow, China. Plenodomus haematites Petrak in Sydowia,

Ann. mycol., Ser. II, i, p. 135, 1947 on

Clematis vitalba.—Austria.

syriacus Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 42, 1947 on Phlomis brevilabris.—Syria. Pleospora centaureae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 47, 1940 on Centaurea solstitialis.—Greece.

coronillae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 47, 1940 on Coronilla emeroides.—Greece.

eryngii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 47, 1940 on Eryngium campestre. Greece.

*PLOCHMOPELTINITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 212, 1947.— Fossil Micropeltaceae.

masoni Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 212, 1947 in carbonaceous sandstone.—Kerguelen Island

Polyporus lineatus Overholts, Suppl. 3, p. 28, is a later homonym of P. lineatus Pers. (1827). Pompholyx occidentale Zeller in Mycologia, xxxix, p. 293, 1947.—California, U.S.A. Type in Zeller Herb.

*Poria excelsa Lundell in Fungi exs. Suecici, No. 1328, 1946. (As nom. nov. based on *Poria*

rhodella ('Fr.') Cooke, vix Polyporus rhodellus fendzleri (Berk. & Curt.) Lowe in Lloydia,

x, p. 50, 1947. (Syn. Polyporus (Resupinati) fendzleri Berk. & Curt.). - oleracea Davidson & Lombard in Mycologia, xxxix, p. 317, 1947 on white oak wood.

- U.S.A. Type in Mycol. Coll. B.P.I., Belts-

Protohydnum subgelatinosum (Karst.) Lundell in Fungi exs. Suecici, No. 1433, 1947. (Syn. Hydnum subgelatinosum Karst.).

Puccinia achilleicola Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 46, 1947 on Achillea spp.—Persia.

agrostidicola Tai in Farlowia, iii, p. 115, 1947 on Agrostis.-Kansu, China

arundinellae-setosae Tai in Farlowia, iii, p. 114, 1947 on Arundinella setosa.—Yunnan, China.

- asystasiae E. Castellani in Nuovo G. bot. ital., liii, p. 222, 1947 on Asystasia ansellioides.—Abyssinia.

bromicola (E. B. Mains) Guyot in Uredineana, ii, p. 52, 1947. (Syn. P. rubigo-vera (DC.) Wint. f. sp. bromicola Mains).

bromi-maximi Guyot in Uredineana, ii,

- Dromi-maximi Guyot in *Orewneana*, ii, p. 50, 1947 on *Bromus maximus*, France and N. Afr., and on *Bromus* spp., widespread. - cinnamomi Tai in *Farlowia*, iii, p. 125, 1947 on *Cinnamomum*.—Szechuan, China. - clematidicola Tai in *Farlowia*, iii, p. 124, 1947 on *Clematis connata*.—Yunnan, China.

delphinensis Guyot in *Uredineana*, ii, p. 58, 1947 on Teucrium aureum.—France.

- difonzoi Lindquist in Notas Mus. La Plata, xi, Bot. 54, p. 377, 1947 on Senecio benthamii. -Argentina.

dracaenae E. Castellani in Nuovo G. bot.

ital., liii, p. 223, 1947 on Dracaena steudneri. -Abyssinia

eragrostidis-ferrugineae Tai in Farlowia, iii, p. 116, 1947 on Eragrostis ferruginea. Yunnan, China.

festucae-ovinae Tai in Farlowia, iii, p. 116, 1947 on Festuca ovina.—Yunnan, China.

gaudiniana Guyot in Uredineana, ii, p. 56, 1947 on Gaudinia fragilis.—France and N. Africa.

glycyrhizae Tai in Farlowia, iii, p. 125, 1947 on Glycyr[r]hiza aspera.—Kansu, China. - hunzikeri Lindquist in Notas Mus. La Plata, Bot., xi, 54, p. 380, 1947 on Oreo-myrrhis andicola.—Argentina.

impatientis-uliginosae Tai in Farlowia, iii, p. 126, 1947 on Impatiens uliginosa. Yunnan, China.

koeleriae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 72, 1940 on Koeleria phleoides.—Greece.

- kwanhsienensis Tai in Farlowia, iii, p. 118, 1947 on Bambusa.—Szechuan, China.

lomatogonii Petrak in Medd. Göteborgs bot., xvii, p. 127, 1947 on Lomatogonium bicoronatum.—Szechuan, China.

milii-effusi Dupias in Bull. Soc. mycol. Fr., lxi, p. 61, 1945 on Milium effusum.—France.
polygonicola Tai in Farlowia, iii, p. 122,

1947 on Polygonum chinense.—Hunan, China. solani-giganteae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxv,

p. 180, 1947 on Solanum giganteum.—India. - stenothecae Guyot in Uredineana, ii, p. 57, 1947 on Hieracium staticifolium.—French Alps and Switzerland.

taliensis Tai in Farlowia, iii, p. 123, 1947 on Polygonum paleaceum var. pubifolium .-Yunnan, China.

taygetea Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 71, 1940 on Cirsium.—Greece.

veratricola Tai in Farlowia, iii, p. 120, 1947 on Veratrum taliense.—Yunnan, China. vulpiana Guyot in Uredineana, ii, p. 53,

1947 on Vulpia.—France and N. Africa. yunnanensis Tai in Farlowia, iii, p. 123,

1947 on Polygonum cymosum.—Yunnan, China

PYCNODERMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 111, 1947.— Myriangiales.

circinans (Syd.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 112, 1947. (Syn. Pycnoderma circinans Syd.).

yrenopeziza capsulicola Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 32, 1947 on Silene acaulis.—Austria.

Pyrenophora carthami J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Carthamus ruber.—Greece.

centranthi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Centranthus ruber.—Greece.

euphorbiae Guyot in Bull. Soc. mycol. Fr., lxii, p. 85, 1946 on Euphorbia paralias.-France.

Radulum rude (Pers.) Lundell in Fungi exs. Suecici, No. 1412, 1947. (Syn. Sistotrema rude Pers.).

Ramularia chorisiae Viégas in Bragantia, vi,

p. 389, 1946 on *Chorisia*.—Brazil. doliariae Viégas in *Bragantia*, vi, p. 390, 1946 on Ficus doliaria.—Brazil.

- mirim Viégas in Bragantia, vi, p. 390, 1946 on Baccharis punctulata.—Brazil.

Ravenelia indigoferae-scabridae Tai in Farlowia, iii, p. 106, 1947 on Indigofera scabrida.—Yunnan, China.

- macrocapitula Tai in Farlowia, iii, p. 106, 1947 on Indigofera hancockii.—Yunnan, China.

*Rhacomyces dedyi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 71, 1942 on Aphaenops hustachei.—France.

grassei Lepesme in Bull. Soc. mycol. Fr., lviii, p. 73, 1942 on Duvalius veluchianus.-France.

- maublanci Lepesme in Bull. Soc. mycol. Fr., lviii, p. 78, 1942 on Duvalius baldensis. -France.

- reymondi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 66, 1942 on Trechus distigma. France.

- vayssierei Lepesme in Bull. Soc. mycol. Fr., lviii, p. 65, 1942 on Trechus quadristriatus.—France.

Rhinotrichum alterosum Viégas in Bragantia, vi, p. 391, 1946 on Meliola.—Brazil.

Rhizophidium columnare Canter in Trans. Brit. mycol. Soc., xxxi, p. 135, 1947 on Spirotaenia condensata.—England.

*Rhodophyllus eximius Romagnesi in Bull. Soc. mycol. Fr., lx, p. 99, 1944.—France.

pyrospilus Romagnesi in Bull. Soc. mycol.

Fr., lx, p. 96, 1944.—France.

Rhodotorula martyniae-fragantis Ruiz in An. Inst. Biol. Univ. Méx., xviii, p. 41, 1947 in floral nectar of Martynia fragrans.— Mexico.

- minuta (Saito) Harrison var. coralloides Ruiz in An. Inst. Biol. Univ. Méx., xiv, p. 121, 1943 on man (Homo sapiens).—Mexico.

Rhyzidium variabile Canter in Trans. Brit. mycol. Soc., xxxi, p. 100, 1947 on Spirogyra. -England.

Ripartites albido-incarnatus (Britzelmayr) Métrod in Rev. Mycologie, N.S., xi, p. 76, 1946. (Syn. Inocybe albido-incarnata Britzel-

Russula adusta Fr. f. rubens Romagnesi in Bull. Soc. mycol. Fr., lxi, p. 71, 1943.-France.

amarissima Romagnesi & Gilbert apud Romagnesi in Bull. Soc. mycol. Fr., lix, p. 71, France.

- anatina Romagnesi in Bull. Soc. mycol. Fr., lxii, p. 68, 1946. (As nom. nov. based on R. palumbina sensu Melzer & Zvara, non Quél.). delicula Romagnesi in Bull. Soc. mycol. Fr.,

lxi, p. 37, 1945.—France. — lutensis Romagnesi & Le Gal apud Romagnesi in Bull. Soc. mycol. Fr., lvi, p. 66, 1940. -France.

- melitodes Romagnesi in Bull. Soc. mycol. Fr., lix, p. 71, 1943.—France.

*- pseudoluteoviridans Niolle in Bull. Soc. mycol. Fr., lx, p. 101, 1944. (As nom. nov. based on R. luteoviridans sensu Niolle, non.

rutila Romagnesi in Bull. Soc. mycol. Fr., lxii, p. 59, 1946.—France.

straminea Malençon in Bull. Soc. mycol. Fr., lviii, p. 45, 1942.—France.

Rutstroemia conformata (Karst.) Nannfeldt in Fungi exs. Suecici, No. 1174, 1942. (Syn. Peziza conformata Karst.).

Sarcosphaera ammophila (Dur. & Mont.)

Kirschst. in Notizbl. bot. Gart. Berl., XV, p. 828, 1943. [Syn. Peziza ammophila Dur. & Mont.].

ulbrichiana Kirschst. in Notizbl. bot. Gart. Berl., xv, p. 826, 1943 on soil.—Germany. Scleroderma arenicola Zeller in Mycologia,

xxxix, p. 295, 1947.—Oregon, U.S.A.

furfurellum Zeller in *Mycologia*, xxxix, p. 296, 1947.—Mississippi, U.S.A. Type in p. 200, Zeller Herb.

- subviscidum Zeller in Mycologia. xxxix, p. 296, 1947.—Oregon, U.S.A. Type in Zeller Herb.

Sclerotium ignotum Viégas in Bragantia, vi, p. 560, 1946 on leaves of undetermined plant. -Brazil.

Scopella ascotela (Syd.) T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 67, 1947. (Syn. Blastospora ascotela Svd.)

SCOPÉLLOPSIS T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 62, 1947.—Uredinales.

dalbergiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 62, 1947 on Dalbergia paniculata.—India. Type in Herb. Coimbatore and Herb. Crypt. Ind.

Orient., New Delhi. Sebacina uvida (Fr.) Bres. var. appollinis Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 75, 1940 on rotten Abies. -Greece.

Secotium aurantium Zeller in Mycologia, xxxix, p. 292, 1947.—Cuba.

Selenophoma chondrillae (Nikol.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. Falcispora chondrillae Nikol.).

linicola Vanterpool in Mycologia, xxxix, p. 346, 1947 on Linum usitatissimum .-

Saskatchewan, Canada. Septoidium araruvae Viégas in *Bragantia*, vi, p. 392, 1946 on Centrolobium tomentosum.

—Brazil.

- Ioranthacearum Viégas in Bragantia, vi, p. 393, 1946 on Loranthaceae.—Brazil.

Septoria allorgei Guyot in Bull. Soc. mycol. Fr., lxii, p. 77, 1946 on Melica ciliata.

aquilina J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 124, 1940 on Pteridium aquilinum.—Greece.

buchtormensis Petrak in Medd. Göteborgs bot., xvii, p. 151, 1947 on Seseli buchtormense.
—Shansi, China.

drogochiensis Petrak in Medd. Göteborgs bot., xvii, p. 152, 1947 on Senecio erythro-pappus.—Sikang, China.

erythrinae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 10, 1947 on Erythrina.—India. miscanthina Petrak in Medd. Göteborgs


bot., xvii, p. 156, 1947 on Miscanthus sinensis. Kwangsi, China.

pentarrhini E. Castellani in Nuovo G. bot. ital., liii, p. 227, 1947 on Pentarrhinum insi-pidum.—Eritrea.

platycodontis Petrak in Medd. Göteborgs bot., xvii, p. 157, 1947 on Platycodon grandi-florum.—Shansi, China.

rajkoffii Bubák ex Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 125, 1940 on Cynanchum acutum.—Greece.

- sikangensis Petrak in Medd. Göteborgs bot., xvii, p. 159, 1947 on Lactuca graciliflora.-Sikang, China.



sileris Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 128, 1947 on Siler trilobum .-Austria.

thespesiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 11, 1947 on Thespesia populnea.—India.

-vindobonensis Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 130, 1947 on Libanotis montana .- Austria.

Seynesia polystachiae E. Castellani in Nuovo G. bot. ital., liii, p. 219, 1947 on Polystachia.-Abyssinia.

Sirococcus inulae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 113, 1940 on Inula viscosa.—Greece.

SIRODOMUS Petrak in Sydowia, mycol., Ser. II, i, p. 157, 1947.—Sphaeropsidales.

montanus (v. Höhn.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 157, 1947. (Syn. Peckia montana v. Höhn.).

Sistotrema muscicola (Pers.) Lundell in Fungi exs. Suecici, No. 1415, 1947. (Syn. Hydnum muscicola Pers.).

- vitellina (Plowr.) Lundell in Fungi exs. Suecici, No. 1021, 1941. (Syn. Thelephora vitellina Plowr.).

Sphaceloma curcumae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 6, 1947 on Curcuma.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; and I.M.I., Kew; Inst. Biol., São Paulo.

- oleanderi Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 5, 1947 on Nerium oleander.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.

- osyridis Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 3, 1947 on Osyris wightiana.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.

-santali Thirumalachar in Trans. Brit.
mycol. Soc., xxxi, p. 2, 1947 on Santalum album.-India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.

Sphacelotheca smithii Petrak in Medd. Göteborgs bot., xvii, p. 115, 1947 on Polygonum.— Szechuan, China.

Sphaerulina amygdali J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 41, 1940 on Amygdalus communis. Greece.

Spondylocladium nigerrimum Viégas in Bragantia, vi, p. 394, 1946 on Manihot.-Brazil.

Sporodesmium syntrichiae Racovitza in Rev. Mycologie, N.S., xi, p. 88, 1946 on Syntrichia inermis.—France.

Sporotrichum columbiense Sprague in Mycologia, xxxix, p. 350, 1947 on Agropyron spicatum.—Montana, U.S.A.

Stagonospora sexseptata (Trail) Guyot in Bull. Soc. mycol. Fr., lxii, p. 78, 1946. (Syn. Stagonospora aquatica Sacc. var. sexseptata

Steganosporium centaureae Rayss in Bull. Soc. mycol. Fr., lxii, p. 38, 1946 on Centaurea dumulosa.—Palestine.

STEGOPHORELLA Petrak in Sydowia, Ann.

mycol., Ser. II, i, p. 15, 1947.—Sphaeriales.
-lagerheimii Petrak in Sydowia, Ann.
mycol., Ser. II, i, p. 15, 1947 on Bidens andicola.—Ecuador.

Stemphylium consortiale (Thum.) Groves & Skolko var. minus (Ruehle) Neergaard, Addition to Danish species of Alternaria and Stemphylium, 1945. (Syn. S. ilicis Tengw. var. minus (Ruehle) Neergaard, op. cit., p. 323).

Stigmatea hageniae E. Castellani in Nuovo G. bot. ital., liii, p. 216, 1947 on Hagenia abyssinia.—Abyssinia.

- hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 33, 1947 on Rubiaceae. Belgian Congo.

*Streptomyces bikiniensis Johnstone & Waksman in Proc. Soc. exp. Biol., N.Y., lxv, p. 294, 1947 from soil.—Bikini Atoll (Mar. shall Islands).

Strobilomyces kalimpongensis Bose in J. Dep. Sci. Calcutta Univ., N.S., ii, p. 82, 1946 on dead wood.-India.

Stylopage rhabdoides Drechsler in Myco. logia, xxxix, p. 262, 1947 on Amoeba verru-cosa.—Colorado, U.S.A.

Synchytrium oxalidis M. T. Cook in Myco. logia, xxxix, p. 351, 1947 on Oxalis repens. Louisiana, U.S.A.

- ranunculi M. T. Cook in Mycologia, xxxix, p. 354, 1947 on Ranunculus pusillus.—Louisiana, U.S.A.

Telimenella gangraena (Fr.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 79, 1947. (Šyn. Sphaeria gangrena Fr.).

Teratosperma meliolae Hansford in Proc. Linn. Soc. Lond., clix, p. 41, 1947 on Meliola conopharyngiae.-Uganda.

Terfezia Iongii Gilkey in *Mycologia*, xxxix, p. 448, 1947.—New Mexico, U.S.A. Type in Oregon State College.

THRYPTOSPORA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 52, 1947.—Pyrenomycetes.

- s**ingularis** Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 52, 1947 on Phlomis brevilabris.-Syria.

Tilletia sphenopodis Rayss in Bull. Soc. mycol. Fr., lxii, p. 25, 1946 on Sphenopus divaricatus.—Syria.

Torulopsis neoformans [(Sanf.) Red.] var. albida (Saito) W. Kaufmann in Zbl. Bakt., Abt. 2, evi, p. 442, 1944. (Syn. T. albida (Saito) Lodder).

orbiculata Ruiz in An. Inst. Biol. Mex., xiv, p. 381, 1943 on man (Homo sapiens) .-Mexico.

- sexta Redaelli & Ciferri 'nom. nov.' in Mycopathologia, iv, p. 29, 1947. (Based on Torula N. 6 Will, 1916).

Trametes albo-carneo-gilvida (Romell) Lundell in Fungi exs. Suecici, No. 1331, 1946. (Syn. Polyporus albo-carneo-gilvidus Rommell).

Tremella foliacea Pers. ex Fr. var. fimbriata (Pers. ex Fr.) Lundell in Fungi exs. Suecici, No. 940, 1941. (Syn. T. fimbriata Pers. ex Fr.)

Tricholoma distinguendum Lundell nom. nov. in Fungi exs. Suecici, No. 1101, 1942. (Syn. Agaricus cartilagineus Fr. of 1857, non 1821).

*Tricholomopsis flammula Métrod in Rev. Mycologie, N.S., xi, p. 77, 1946 on wood.—

*TRICHOPELTINITES Cookson in Proc. Linn. Soc., N.S.W., lxxii, p. 211, 1947.— Fossil Trichopeltaceae.

* pulcher Cookson in Proc. Linn. Soc., N.S.W., lxxii, p. 211, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

*Trichophyton otae Dowding in Canad. J. Res., Sect. E, xxii, p. 71, 1944 on man [Homo

sapiens .- Canada.

Tritirachium brumpti (Langeron & Lichaa) Langeron in Ann. Parasit. hum. comp., xxii, p. 97, 1947. (Syn. Beauveria brumpti Langeron & Lichaa).

- epigeum (Brunaud) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn.

Sporotrichum epigeum Brunaud).

- rubrum (Baquis & Cardone) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Verticillium rubrum Baquis & Cardone).

shiotae (Kuru) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Isaria

shiotae Kuru).

- viannai (de Mello) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Trichophyton viannai de Mello).

Tubifera microsperma (Berk. & Curt.) G. W. Martin in Mycologia, xxxix, p. 461, 1947. (Syn. Licea microsperma Berk. & Curt.).

Tylostoma albiceps Long & Ahmad in Farlowia, iii, p. 257, 1947.—India.

- albocretaceum Long & Ahmad in Farlowia, iii, p. 243, 1947.—India.

- amnicola Long & Ahmad in Farlowia, iii, p. 243, 1947.—India.

asperum Long in Lloydia, x, p. 128, 1947.

-Texas, U.S.A. - balanoides Long & Ahmad in Farlowia, iii, p. 242, 1947.—India.

cineraceum Long in Lloydia, x, p. 123,

1947 in soil.—Afghanistan. - crassipes Long & Ahmad in Farlowia, iii,

p. 256, 1947.—India. dumeticola Long in Lloydia, x, p. 117, 1947.—Brazil.

- evanescens Long & Ahmad in Farlowia, iii, p. 235, 1947.—India.

exitum Long & Ahmad in Farlowia, iii, p. 254, 1947.—India.

hygrophilum Long & Ahmad in Farlowia,

iii, p. 238, 1947.—India. - inonotum Long & Ahmad in Farlowia, iii,

p. 246, 1947.—India.

membranaceum Long & Ahmad in Farlowia, iii, p. 251, 1947.—India.

operculatum Long & Ahmad in Farlowia, iii, p. 256, 1947.—India.

orogrande Long in Lloydia, x, p. 123, 1947

in soil.—New Mexico, U.S.A.

perplexum Long & Ahmad in Farlowia, iii, p. 257, 1947.—India.

pluriosteum Long & Ahmad in Farlowia, iii, p. 235, 1947.—India.

polymorphum Long in Lloydia, x, p. 129, 1947.—New Mexico, U.S.A.

psilophilum Long & Ahmad in Farlowia,

ii, p. 242, 1947.—India.

puncticulosum Long & Ahmad in Farlowia, iii, p. 246, 1947.—India.

punctilabratum Long in *Lloydia*, x, p. 134, 1947.—North Africa. Type in Lloyd Myc.

rivulosum Long in Lloydia, x, p. 122, 1947. —Hawaiian Islands.

- sedimenticola Long & Ahmad in Farlowia, iii, p. 237, 1947.—India.

subsquamosum Long & Ahmad in Farlowia, iii, p. 241, 1947.—India.

- vulgare Long & Ahmad in Farlowia, iii, p. 248, 1947.—India.

Uncinula bischofiae Wei in Bot. Bull. Acad. Sinica, i, p. 209, 1947 on Bischofia trifoliata. -Chengtu, China.

Uredo arundinis-donacis Tai in Farlowia, iii, p. 133, 1947 on Arundo donax,-Yunnan. China.

- cissi Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 98, 1943 on Cissus pteroclada.—Formosa. [In Japanese].

cynodontis-dactylis Tai in Farlowia, iii, p. 132, 1947 on Cynodon dactylon.—Yunnan,

China.

*- dioscoreicola Sawada in Trans. nat. Hist. Taiwan, xxxiii, p. 98, 1943 on Dioscorea doryophora.—Formosa. [In Japanese].

- querci Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 99, 1943 on Quercus variabilis.—Formosa. [In Japanese].

*- smilacis Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 100, 1943 on Smilax china. -Formosa. [In Japanese].

Uromyces beckeropsidis E. Castellani in Nuovo G. bot. ital., liii, p. 224, 1947 on Beckeropsis nubica.—Eritrea.

chevalieri Guyot in Uredineana, ii, p. 60, 1947 on Drimiopsis.—Chari, Tropical Africa.

garanbiensis (Hirats. f. & Hashioka) Sawada [? n. comb.] in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 10, 1943. (Syn. Uredo garanbiensis Hirats. f. & Hashioka).

- melosporus (Therry) Syd. var. aethio-picus E. Castellani in Nuovo G. bot. ital., liii, 224, 1947 on Alchemilla ellenbeckii.

Abyssinia.

- sophorae-viciifoliae Tai in Farlowia, iii, p. 109, 1947 on Sophora viciifolia.—Yunnan, China.

Uropyxis antarctica (Speg.) Lindquist in Notas Mus. La Plata, Bot., xi, 54, p. 372, 1947. (Syn. Puccinia antarctica Speg.).

Ustilago anomala Kunze var. carnea (Liro) Hirschhorn in Farlowia, iii, p. 78, 1947. (Syn. Ustilago carnea Liro).

- reticulispora Petrak in Medd. Göteborgs bot., xvii, p. 116, 1947 on Polygonum bungeanum.-Shansi, China.

Xenomeris alpina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 101, 1947 on Vaccinium vitis-idaea.—Austria.

Xylaria sicula Pass. & Beltr. f. major Ciccarone in Nuovo G. bot. ital., N.S., liii, p. 357, 1947 on fallen leaves of Olea.—Kenya.

Zoöpage pachyblasta Drechsler in Mycologia, xxxix, p. 391, 1947 on Amoebae.—Colorado, U.S.A.

- toechospora Drechsler in Mycologia, xxxix, p. 402, 1947 on Euglypha laevis.—Colorado, U.S.A.

virgispora Drechsler in Mycologia, xxxix, 384, 1947 on Amoebae.—Wisconsin,

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Bryophyta, and Pteridophyta those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

Acanthaceae
Phyllachora hendrickxii
Asystasia anselloides
Puccinia asystasiae
Hypoestes paniculata
Meliola hypoëstes

ACERACEAE
Acer platanoides
Asteromella velata

1

ALGAE
Cocconeis pediculus
Chytridium cocconeidis

Mougeotia

Phlyctidium apophysatum

Nitzschia sigmoidea

Chytridium versatile von

Chytridium versatile var. acaule Spirogyra

Rhyzidium variabile
Spirotaenia condensata
Rhizophidium columnare
ANACARDIACEAE
Anacardium occidentale

Botrytis anacardii
Mangifera indica
Diplodia recifensis
APOCYNACEAE

Conopharyngia
Dictyoasterina conopharyngiae
Nerium oleander

Sphaceloma oleanderi Vinca major Diplodina vincae

Araliaceae
Acanthopanax trifoliatum
Meliola acanthopanacis
Aralia decaisneana
Aecidium araliae
Meliola araliicola

Asclepiadaceae Cynanchum acutum Septoria rajkoffii Heterostemma tanjorense Physalospora heterostemmae

Physalospora heterostemmae Pentarrhinum insipidum Septoria pentarrhini

Balsaminaceae Impatiens Meliola impatientis var. densa Impatiens uliginosa Puccinia impatientis-uliginosae Berberidaceae

Berberis morrisonensis

Aecidium berberidis-morrisonensis
Bombacaceae
Chorisia

Ramularia chorisiae Bryophyta

Aneura
Cladochytrium aneurae
Porella
Leptosphaeria porellae

Syntrichia inermis Sporodesmium syntrichiae

Campanula sibthorpiana
Phoma campanulae
Platycodon grandiflorum
Septoria platycodontis

CAPRIFOLIACEAE Lonicera $Helminthosporium?\ lonicerae$ Lonicera japonica Irenina lonicerae Sambucus nigra Microdiplodia sambuci Ophiobolus sambuci CARYOPHYLLACEAE Silene acaulis $Pyrenopeziza\ capsulicola$ CELASTRACEAE Gymnosporia lepidota Hysterostomella gymnosporiae CHENOPODIACEAE Salsola gemmascens $Amp ar{hididy} mella\ verrucos a$ COMPOSITAE Achillea Puccinia achilleicola Ageratum conyzoides

Ageratum conyzoides
Cladosporium versicolor
Baccharis punctulata
Ramularia mirim
Bidens andicola

Stegophorella lagerheimii Cacalia sonchifolia Helminthosporium cacaliae Carthamus ruber

Pyrenophora carthami
Centaurea dumulosa
Steganosporium centaureae
Centaurea solstitialis

Centaurea solstitialis
Pleospora centaurea
Cirsium
Puccinia tavaetea

Puccinia taygetea Hieracium staticifolium Puccinia stenothecae Inula hirta Asteromella inulae

Inula viscosa
Phoma inulae-viscosae
Sirococcus inulae
Lactuca graciliflora
Septoria sikangensis

Onopordon illyricum
Phoma onopordi
Scolymus hispanicus
Phoma scolymi

Senecio benthamii Puccinia difonzoi Senecio erythropappus Septoria drogochiensis Senecio mariettae

Phaeodothis hendrickxii CRASSULACEAE

Sedum aizoon
Aecidium shansiense
CRUCIFERAE

Brassica oleracea Ascochyta oleracea var. tumida Crambe tatarica Aecidium crambes

Fibigia clypeata

Erysiphe communis f. fibigiae

CUCURBITACEAE
Citrullus vulgaris
Marssonina melonis
Cucumis melo var. reticulatus
Marssonina melonis

a see under

CUCURBITACEAE (continued) Cucurbita pepo Phoma peponis CYPERACEAE Carex firma Nannfeldtia atra

DIAPENSIACEAE Diapensia lapponica Apiothyrium arcticum DIOSCOREACEAE Dioscorea alata Himantia corticalis Dioscorea dorvophora

Uredo dioscoreicola EBENACEAE Euclea latidens Irenina eucleae ELAEOCARPACEAE Elaeocarpus ? amoenus Phaeophleospora elaeocarpi ERICACEAE Agauria salicifolia Meliola agauriae Arbutus andrachne Cylindrosporium arbuti Rhododendron croceum Lophodermium vagulum Vaccinium ashei Phyllostictina vaccinii

Vaccinium australe Dothichiza caroliniana Gloeocercospora inconspicua Vaccinium vitis-idaea Xenomeris alpina EUPHORBIACEAE Bischofia trifoliata Uncinula bischofiae

Euphorbia cyparissias Phoma cyparissiae Euphorbia erinacea Ĝuignardia euphorbiae Euphorbia paralias

 $ar{D}iplodinar{a}$ arenicola Pyrenophora euphorbiae Macaranga

Asterina macarangae Manihot

Spondylocladium nigerrimum Securinega virosa Aecidium securinegae

FAGACEAE Castanea sativa $Exosporina\ fawcetti$ Castanopsis ceratacantha Placostromella macrospora Castanopsis formosana Meliola castanopsina Castanopsis stipitata Meliola fusispora Meliola shiiae

Castanopsis subacuminata Meliola subacuminata Castanopsis taiwaniana Meliola taiwaniana

Cyclobalanopsis glauca Meliola cyclobalanopsina Meliola taityuensis

Cyclobalanopsis ternaticupula Irenina cyclobalanopsicola Cyclobalanopsis ternaticupula f. arisanensis Irene arisanensis

Quercus variabilis Uredo querci

FAGACEAE (continued) Synaedrys amygdalifolia Irene lithocarpicola Synaedrys amygdalifolia f. castanopsisifolia Irene castanopsisifoliae Meliola subpellucida Synaedrys brevicaudata Meliola lithocarpina $Meliola\ ramuli \bar{c}ola$ Synaedrys kawakamii Meliola kawakamii Synaedrys kodaihoensis Meliola kodaihoensis Synaedrys konishii Irene konishii Synaedrys lepidocarpa Meliola kiraiensis Synaedrys shinsuiensis Irene sinsuiensis FLACOURTIACEAE Casearia engleri Asterina caseariicola Meliola caseariicola Scolopia rhamniphylla Meliola flacourtiacearum Aphanomyces laevis Chytriomyces parasiticus Meliola Rhinotrichum alterosum Meliola conopharyngiae Teratosperma meliolae Septoideum didymopanacis Cladobotryum australe FUNGI FOSSILES Oleinites willisii Asterothyrites delicatissimus

Asterothyrites minutus Euthyrites oleinitus Trichopeltinites pulcher GENTIANACEAE Lomatogonium bicoronatum Puccinia lomatogonii GLOBULARIACEAE

Globularia stygia Phyllosticta stygia GRAMINEAE Agropyron spicatum Sporotrichum columbiense Agrostis Puccinia agrostidicola Andropogon Hendersonia kwangsiensis Arundinaria alpina Phragmodiscus arundinariae Arundinella setosa Puccinia arundinellae-setosae Arundo donax Uredo arundinis-donacis Bambusa Puccinia kwanhsienensis Beckeropsis nubica Uromyces beckeropsidis Brachypodium pinnatum Coleroa graminis Bromus maximus Puccinia bromi-maximi Cymbopogon polyneuros Colletotrichum ciliatum Uredo cynodontis-dactylis

Cynodon dactylon Eragrostis ciliaris Passalora eragrostidis

GRAMINEAE (continued) Eragrostis ferruginea Phyllachora eragrostidis Petrak Puccinia eragrostidis-ferrugineae Festuca ovina Puccinia festucae-ovinae Gaudinia fragilis Puccinia gaudiniana Koeleria albescens Leptosphaeria clavata Koeleria gracilis $Leptos \stackrel{\smile}{p}haeria\ clavata$ Phoma subtruncata Koeleria phleoides Puccinia koeleriae Melica ciliata Septoria allorgei Milium effusum Puccinia milii-effusi Miscanthus sinensis Septoria miscanthina Olyra micrantha Helminthosporium olyrae Paspalum dilatatum Marasmius paspali Pennisetum japonicum Neovossia macrospora Phleum boehmeri Leptosphaeria sequana Sesleria coerulea Microdiplodia granulosa Sesleria varia Diplodina pannonica Sphenopus divaricatus Tilletia sphenopodis Vulpia Puccinia vulpiana GUTTIFERAE Hypericum lanceolatum Didymella muhavurensis

HIPPOCRATEACEAE
Salacia senegalensis
Linotexis deightonii

INSECTA Anopheles crucians Coelomomyces bisymmetricus Coelomomyces keilini Coelomomyces lativittatus Coelomomyces sculptosporus Anopheles punctipennis Coelomomyces cribrosus Coelomomyces quadrangulatus var. irregu-Coelomomyces sculptosporus Anopheles quadrimaculatus Coelomomyces punctatus Aphaenops hustachei Rhacomyces dedyi Dromius linearis Laboulbenia colasi Duvalius baldensis Rhacomyces maublanci Duvalius veluchianus Rhacomyces grassei Stegomyia scutellaris Coelomomyces quadrangulatus var. lamborni Trechus distigma Rhacomyces reymondi Trechus quadristriatus Rhacomyces vayssierei Xyleborus fornicatus Monacrosporium ambrosium

Invertebrata (other than Insecta)
Amoeba
Acaulopage ischnospora
Zoöpage pachyblasta
Zoöpage virgispora
Amoeba verrucosa
Stylopage rhabdoides
Euglypha laevis
Zoöpage toechospora
Leptomyxa
Acaulopage crobylospora

Juglandaceae
Juglans regia
Exosporina fawcetti
Juncaceae
Juncus maritima
Hendersonia arundinis var. maritima

LABIATAE Calamintha acinos $Diplodia\ calaminthae$ Phlomis brevilabris Didymella syriaca Neobroomella ciliata Pestalozzia insueta Plenodomus syriacus Thryptospora singularis Phlomis fruticosa Oidium phlomidis Stachys cretica Macrophoma stachydis Teucrium aureum Puccinia delphinensis LAURACEAE Cinnamomum Puccinia cinnamomi

LEGUMINOSAE Phaeochorella zonata Acacia orfota Linochora acaciae Alhagi camelorum $Erysiphe\ alhagii$ Astragalus onobrychis Ascochytella astragalina Astragalus sinicus Epicoccum sinense Bauhinia championi Meliola bauhiniicola Campylotropis polyantha Aecidium campylotropidis Centrolobium tomentosum Septoidium araruvae Coronilla emeri

Coniothyrium asperulum
Coronilla emeroides
Pleospora coronillae
Dalbergia paniculata
Scopellopsis dalbergiae
Erythrina
Septoria erythrinae
Euchresta horsfieldii var. formosana
Meliola euchrestae
Galega officinalis
Phyllosticta galegae

Genista tinctoria

Leptosphaeria genistae var. microspora
Glycyrrhiza aspera

Puccinia glycyrhizae
Indigofera

Cercosporella indigoferae Indigofera hancockii Ravenelia macrocapitula Indigofera scabrida Ravenelia indigoferae-scabridae Leguminosae (continued)
Leptoderris
Deightonia rhombispora
Machaerium

Helminthosporium machaerii

Mucuna capitata

Cercospora mucunae-capitatae

Pithecolobium lucidum Irenina pithecolobii Pseudarthria hookeri

Acrospeira pseudarthriae

Pterolobium indicum

Physalospora pterolobii
Sophora viciifolia

Aecidium anningense Uromyces sophorae-viciifoliae

Spartium junceum Phoma spartii Vicia sativa

Mycosphaerella thironi

? Vigna

**Meliola hendrickxiana

Liliaceae

Dracaena steudneri
Puccinia dracaenae
Drimiopsis

Uromyces chevalieri Smilax aspera

Smilax aspera
Cymbothyrium sudans
Smilax china

Aecidium smilacis-chinae Uredo smilacis

Veratrum taliense Puccinia veratricola

Linaceae Linum usitatissimum Selenophoma linicola

Loranthaceae Septoidium loranthacearum

MAGNOLIACEAE
Liriodendron tulipifera
Mycena setulosa
Magnolia glauca

Magnolia glauca
Hemisphaeropsis magnoliae

MALPIGHIACEAE
Hiptage bengalensis
Irenopsis hiptages
MALVACEAE

Thespesia populnea
Septoria thespesiae
MARTYNIACEAE

Martynia fragrans
Rhodotorula martyniae-fragraniis

Moraceae Artocarpus integrifolia Botrytis artocarpi

Entopeltis ruwenzoriensis Ficus doliaria Ramularia doliariae Ficus foveolata

Chaetothyrium dictyosporum Ficus martini?

Phakopsora hengshanensis Ficus variolosa

Phyllachora fici-variolosae
MUSACEAE

Musa cavendishii Cercospora musaecola Myricaceae

Myrica Meliola myricicola Myrica rubra Mycosphaerella myricae MYRSINACEAE
Aegiceras corniculatum
Phaeothyrium pulchellum

Rapanea
Phaeodothis rapaneae
Phanerococcus rapaneae

MYRTACEAE
Decaspermum fruticosum
Paranthostomella decaspermi

Luma
Cylindrocladium candelabrum

Syzygium guineense f. angustifolium Lembosia peyronelii

OLEACEAE

Olea Xylaria sicula Olea chrysophylla

Parasterina oleae-chrysophyllae

Osmanthus asiaticus Cercospora osmanthi-asiatici

Onagraceae Godetia hybrida Colletotrichum godetiae

Orchidaceae Polystachia Seynesia polystachiae

Oxalidaceae Oxalis repens Synchytrium oxalidis

PALMAE

Areca catechu

Phyllosticta catechu

Passifloraceae Passiflora

Cladosporium maracuja

PINACEAE
Abies alba
Dimeriella terrieri
Chamaecyparis thyoides

Gymnosporangium hyalinum Cupressus funebris

Gymnosporangium tsingchenense Keteleeria elveyniana

Cronartium keteleeriae
Pinus nigra

Phoma pini-nigrae Pinus sylvestris Collostroma gelatinosum Eriosporopsis albida

Phacidium infestans var. hikmetae Thuja plicata

Mycena albicolor
PITTOSPORACEAE
Pittosporum sinense

Coniothyrium pittospori PLATANACEAE

Platanus orientalis
Eutypa lata f. platani
Polygalaceae
Securidaea

Irenina securidacae

Polygonum Polygonum

Sphacelotheca smithii Polygonum bungeanum Üstilago reticulispora

Polygonum chinense Puccinia polygonicola Polygonum cymosum Puccinia yunnanensis

Polygonum paleaceum var. pubifolium Puccinia taliensis

PRIMULACEAE Lysimachia omeiensis Cercoseptoria smithii PROTEACEAE Grevillea robusta Cladochaete coronata Phyllosticta grevilleae PTERIDOPHYTA Pteridium aquilinum Septoria aquilina RANUNCULACEAE Clematis connata Puccinia clematidicola Clematis recta Mycosphaerella clematidina Clematis vitalba Leptosphaeria grignonnensis Plenodomus haematites Ranunculus pusillus Synchytrium ranunculi ROSACEAE Alchemilla ellenbeckii Uromyces melosporus var. aethiopicus Amygdalus communis Phoma amygdali-communis Sphaerulina amygdali Cotoneaster adpressa Gymnosporangium sikangense Crataegus oxyacantha Macrophoma crataegi Eriobotrya japonica Pestalozzia eriobotryae-japonicae Hagenia abyssinica Phleospora hageniae Stigmatea hageniae Parinarium capense Phomachorella parinarii Photinia serrulata Gymnosporangium wenshanense Poterium sanguisorba Phoma sanguisorbae Prunus domestica Phoma pruni-domesticae Rosa cymosa Gerwasia rosae Rosa glomerata Phragmidium handelii Rubus pungens Phragmidium sikangense RUBIACEAE Stigmatea hendrickxii Adina cordifolia Cercospora adinae Mephitidia chinensis Meliola mephitidiae Paederia scandens Phyllostictina paederiae Randia Asterinella randiae Randia dumetorum Phaeodimeriella negrii RUTACEAE Citrus grandis $Exosporina\ fawcetti$ Citrus Îimonia Exosporina fawcetti Citrus sinensis Exosporina fawcetti Dictamnus albus Mycosphaerella dictamni Fagara laurentii Meliola yangambiensis

Teclea

Limacinia hendrickxii

SALICACEAE Salix cavaleriei Melampsora salicis-cavaleriei SANTALACEAE Osyris wightiana Sphaceloma osyridis Santalum album Sphaceloma santali SAXIFRAGACEAE Hydrangea Helminthosporium coronatum Hydrangea chinensis Irenina hydrangeae Pileostegia viburnoideis Meliola pileostegiae SCROPHULARIACEAE Pedicularis gracilis Coleosporium pedicularidis Rhinanthus crista-galli Diplodina rhinanthi Verbascum thapsus Phoma verbasci-thapsi SIMARUBACEAE Irvingia wombolu Meliola irvingiae SOLANACEAE Solanum giganteum Puccinia solani-giganteae Solanum lycocarpum Cladosporium solanicola STYRACACEAE Styrax suberifolius Meliola styracis

THEACEAE
Eurya japonica
Phyllachora cymbispora
THYMELAEACEAE
Peddiaea fischeri
Meliola peddiicola
TROPAEOLACEAE
Tropaeolum major
Heterosporium tropaeoli

Umbelliferae Bupleurum sibthorpianum Heteropatella polychaeta Eryngium campestre Pleospora eryngii Eryngium multifidum Macrophoma eryngii Libanotis montana Septoria vindobonensis Oreomyrrhis andicola Puccinia hunzikeri Seseli buchtormense Septoria buchtormensis Siler trilobum Ascochyta vindebonensis Dothiorella sileris Mycosphaerella taeniographoides Septoria sileris Smyrnium rotundifolium Ŏphiobolus smyrnii Phoma smyrnii


VALERIANACEAE
Centranthus ruber
Pyrenophora centranthi
VERBENACEAE
Callicarpa formosana
Meliola callicarpicola

Vertebrata
Homo sapiens
Acremonium ossicola
Actinomyces pelletieri var. hodeidae
Glenospora viridobrunnea
Glenosporopsis amazonica
Mycotorula messanensis
Rhodotorula minuta var. coralloides
Torulopsis orbiculata
Trichophyton otae

VITACEAE
Cissus pteroclada
Uredo cissi
Vitis vinifera
Exosporium sultanae

ZINGIBERACEAE Curcuma Sphaceloma curcumae

The Editor gratefully acknowledges the assistance of Drs. G. C. Ainsworth and D. P. Rogers in supplying the details of certain citations.



INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. I

Part 17

1948

Acaulopage baculispora Drechsler in Mycologia, xl, p. 93, 1948 on Amoeba .- Maryland, U.S.A.

 gyrinodes Drechsler in Mycologia, xl, p. 98, 1948 on Amoeba.-Maryland, U.S.A.

Achorella (as 'Achroella') plectroniae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 34, 1948 on Plectronia didyma.-India.

Acrospermum savulescui André Racovitza in Bull. Sect. sci. Acad. roum., xxiii, p. 402, 1941 on dead leaves of Brachythecium.

Rumania.

Aecidium senecionis-macrophylli T. & O. Săvulescu in Mem. Sect. sci. Acad. roum., Ser. 3, xvii, p. 139, 1942 on Senecio macrophyllus.—Rumania.

-terminaliae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 43, 1948 on Terminalia bellerica.—India.

Albugo chardineae Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 248, 1947 on Chardinia orientalis.—Turkey.

Aleuria proteana Boud. var. slavkoviensis Neuwirth in Studia bot. Čechoslov., vii, p. 172,

1946.—Moravia, Czechoslovakia.

Alternaria cookei (Sacc.) Bremer, Işmen, Karel, & H. & M. Öznan in Rev. Fac. Sci. Istanbul, Ser. B, xiii, p. 42, 1948. (Syn. Macrosporium cookei Sacc.).

Apiocarpella minor R. Sprague apud Greene in Amer. Midl. Nat., xxix, p. 454, 1948 on Calamagrostis canadensis.—Wisconsin,

U.S.A.

Armillaria decorosa (Peck) A. H. Smith & Walters in Mycologia, xxxix, p. 622, 1947. (Syn. Agaricus (Tricholoma) decorosus Peck).

- luteovirens [(Alb. & Schw.)] f. alba A. H. Smith apud Smith & Walters in Mycologia, xxxix, p. 625, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.

Arthrobotryum cycadicola Thirumalachar in Bull. Torrey bot. Cl., lxxv, p. 175, 1948 on Cycas circinalis.—India. Type in Herb. Crypt. Ind. Orient. and I.M.I., Kew.

Ascochyta phleina Sprague in Mycologia, xl,

p. 181, 1948 on Phleum pratense.—Minnesota, U.S.A. Type in Mycol. Coll., U.S.D.A.

Ascochytella lilloana Petrak in Sydowia,
Ann. mycol., Ser. 2, i, p. 303, 1947 on Poa lanigera.—Argentina.

Ascophanus brunneus Kanouse in Mycologia, xxxix, p. 638, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.

granulatus (Fr.) Speg. var. robustus (Starb.) Kanouse in Mycologia, xxxix, p. 640, 1947. (Syn. Humaria granulata var. robusta Starb.).

velenovskyi Kanouse nom. nov. in Mycologia, xxxix, p. 640, 1947. (Syn. A. granula- | tus Velenovsky (1934), non A. granulatus (Fr.) Speg. (1879)).

Asterina mascagniae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 290, 1947 on Mascagnia chlorocarpa var. paradoxa.—Brazil.

Asterinella bangii Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 289, 1947 on Vismia tomentosa.—Bolivia.

Asteromella pistaciarum Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 253, 1947 on Pistacia vera.—Turkey.

ASTOMELLA Thirumalachar in New Phytol., xlvi, p. 271, 1947.—Perisporiales.

- neolitseae Thirumalachar in New Phytol., xlvi, p. 272, 1947 on Neolitsea zeylanica.-India.

Bartalinia nolinae Pollack in Mycologia, xxxix, p. 620, 1947 on dead leaves of Nolina microcarpa.—Arizona, U.S.A. Type in U.S.D.A.

Belonioscypha miniata Kanouse in Mycologia, xxxix, p. 640, 1947 on dead Carex.— Oregon, U.S.A. Type in Herb. Univ.

Boletinus kunmingensis Chiu in Mycologia, xl, p. 199, 1948.—Yunnan, China.

punctatipes Snell & Dick var. pinetorum Ĉhiu in Mycologia, xl, p. 200, 1948.—Yunnan, China.

Boletus albofarinaceus Chiu in Mycologia, xl, p. 209, 1948.—Yunnan, China.

- atroviolaceus (v. Höhn.) Chiu in Mycologia, xl, p. 203, 1948. (Syn. Suillus atroviolaceus v. Höhn.).

brunneissimus Chiu in Mycologia, xl, p. 228, 1948.—Yunnan, China.

cheoi Chiu in Mycologia, xl, p. 215, 1948.-Yunnan, China.

instabilis Chiu in Mycologia, xl, p. 215, 1948.—Yunnan, China. magnificus Chiu in Mycologia, xl, p. 221,

1948.—Yunnan, China.

minutus Chiu in Mycologia, xl, p. 201, 1948.—Yunnan, China.

moravicus Vacek in Studia bot. Čecho-slov., vii, p. 36, 1946.—Moravia, Czechoslo-

nigropunctatus Chiu in Mycologia, xl, p. 214, 1948.—Yunnan, China.

pseudostrobilomyces Chiu in Mycologia, xl, p. 212, 1948.—Yunnan, China.

- punctato-fumosus Chiu in Mycologia, xl, p. 207, 1948.—Yunnan, China.

punctilifer Chiu in Mycologia, xl, p. 216,

1948.—Yunnan, China. puniceus Chiu in *Mycologia*, xl, p. 217, 1948.—Yunnan, China.

roseolus Chiu in Mycologia, xl, p. 208, 1948.—Yunnan, China.

rugosellus Chiu in Mycologia, xl, p. 219, 1948.—Yunnan, China.

sinicus Chiu in Mycologia, xl, p. 220, 1948. —Yunnan, China.

subpaludosus Chiu in Mycologia, xl, p. 213, 1948.—Yunnan, China. subsplendidus Chiu in Mycologia, xl,

p. 222, 1948.—Yunnan, China. taianus Chiu in Mycologia, xl, p. 220, 1948.

-Yunnan, China.

-violaceo-fuscus Chiu in Mycologia, xl, p. 210, 1948.—Yunnan, China. virens Chiu in Mycologia, xl, p. 206, 1948.—

Yunnan, China. -yunnanensis Chiu in Mycologia, xl, p. 217,

1948.—Yunnan, China. Botryodiplodia clusiae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 301, 1947 on Clusia

alba.—South America. Bovista citrina (Berk. & Br.) Bottomley in Bothalia, iv, p. 580, 1948. (Syn. Lycoperdon citrinum Berk. & Broome).

oblongispora (Lloyd) Bottomley in Bothalia, iv, p. 580, 1948. (Syn. Bovistella oblongispora Lloyd).

umbrina Bottomley in Bothalia, iv, p. 580, 1948.—South Africa.

Bremia lactucae Regel f. chinensis Ling & Tai in Trans. Brit. Mycol. Soc., xxviii, p. 24, 1945 on Lactuca chinensis. Chengtu, China.

- lactucae Regel f. ovata (Saw.) Ling & Tai in Trans. Brit. Mycol. Soc., xxviii, p. 24, 1945. (Syn. Bremia ovata Saw.).

-lactucae Regel f. sonchicola (Schlecht.) Ling & Tai in Trans. Brit. Mycol. Soc., xxviii, p. 24, 1945. (Syn. Botrytis sonchicola Schlecht.).

lactucae Regel f. taraxaci (Ito & Tokunaga) Ling & Tai in Trans. Brit. Mycol. Soc., xxviii, p. 24, 1945. (Syn. Bremia taraxaci Ito & Tokunaga).

Brettanomyces italicus Verona & Florenzano in R.C. Accad. Lincei, Ser. 8, iii, p. 385, 1947 in grapes.—Italy.

Bulgariastrum tumifaciens T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 33, 1948 on Capparis sepiaria.—India.

Burrillia ajrekari Thirumalachar in Mycologia, xxxix, p. 607, 1947 on Monochoria vaginalis.—India. Type in Herb. Crypt. India Orient. and Herb. I.M.I., Kew.

Caeoma saxifragae-aquaticae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 207, 1947 on Saxifraga aquatica.—France.

Calospora crataegi Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, p. 434, 1940 on dead branches of Crataegus monogyna.—Rumania.

Calvatia incerta Bottomley in Bothalia, iv, p. 576, 1948.—South Africa.

Camarosporium smilacicola (as 'smilacicolum') Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 222, 1947 on Smilax aspera.— France.

Cantharellus floccosus Schw. f. excavatus A. H. Smith & Morse in Mycologia, xxxix, 525, 1947.—California, U.S.A. Type in Morse Coll.

- f. rainieriensis A. H. Smith & Morse in Mycologia, xxxix, p. 521, 1947.—Washington State, U.S.A.

-f. wilsonii A. H. Smith & Morse in

Mycologia, xxxix, p. 523, 1947.—California U.S.A. Type in Morse Coll. & Herb. Univ. Mich.

kauffmanii A. H. Smith apud Smith & Morse in Mycologia, xxxix, p. 516, 1947. Oregon and Washington State, U.S.A.

pseudoclavatus A. H. Smith & Morse in Mycologia, xxxix, p. 505, 1947.—Michigan and California, U.S.A.

subalbidus A. H. Smith & Morse in Myco. logia, xxxix, p. 510, 1947.—Washington State, Oregon, and California, U.S.A.

wilkinsae Morse apud A. H. Smith & Morse in Mycologia, xxxix, p. 528, 1947. California, U.S.A.

Catacauma davillae Viégas in Bragantia, vii, p. 108, 1947 on Davilla rugosa.—Brazil.

Gercoseptoria sublineolata (Thüm.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 236, 1947. (Syn. Septoria sublineolata Thüm.).

Cercospora acanthi-longifolii Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 484, 1940 on Acanthus longifolius. Rumania.

calonchobae Viégas in Bragantia, vii, p. 32 1947 on Calonchoba echinata.—Brazil.

cardopatii Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2. l, p. 260, 1947 on Cardo patium corymbosum.—Turkey.

molucellae Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 261, 1947 on Molu. cella levis .- Turkey.

psoraleae-bituminosae Săvulescu Sandu in Mem. Sect. sci. Acad. Roum., Ser. 3, xv, p. 485, 1940 on Psoralea bituminosa, Rumania.

stylogynis Viégas in Bragantia, vii, p. 113, 1947 on Stylogyne ambigua.—Brazil.

Cercosporella karelii Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 262, 1947 on Vitex agnus-castus.—Turkey.

Chaetopyrena hederae-helicis Săvulescu & Hulea in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 450, 1940 on Hedera helix.—Rumania.

Chlorociboria aeruginascens (Nyl.) Kanouse in *Mycologia*, xxxix, p. 641, 1947. (Syn. Chlorosplenium aeruginascens (Nyl.) Karst.). Ciboria alni (O. Rostr.) Buchwald in Friesia, iii, p. 257, 1947. (Syn. Sclerotinia alni 0. Rostr.). [This is a later homonym and synonym of C. alni (Maul) Whetzel, 1945, Suppl. 13, p. 148.].

- batschiana (Zopf) Buchwald in Friesia, iii, p. 255, 1947. (Syn. Sclerotinia batschiana Zopf).

Cladosporium baptisiae Greene in Amer. Midl. Nat., xxxix, p. 456, 1948 on Baptisia leucophaea.-Wisconsin, U.S.A.

- jacarandae Viégas in Bragantia, vii, p. 33, 1947 on Jacaranda.—Brazil.

Coleroa hepaticola André Racovitza in Bull. Sect. sci. Acad. roum., xxiii, p. 251, 1941 on Lophozia.—Rumania.

Colletotrichum clusiae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 306, 1947 on Clusia. -Brazil.

Coniothecium richardiae (Mercer) Jauch in An. Soc. cient. argent., exliv, p. 456, 1947. (Syn. Phoma richardiae Mercer).

Coniothyrium iranicum Esfandiari in Sydowia, Ann. mycol., Ser. 2, i, p. 163, 1947 on Punica granatum.—Iran.

stipae Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 462, 1940 on dead leaves of Stipa capillata.—Rumania.

Cordyceps olivascens Mains in Mycologia, xxxix, p. 537, 1947 on remains of insect. Alabama, U.S.A. Type in Herb. Univ. Mich.

-salebrosa Mains in Mycologia, xxxix, p. 541, 1947 from imago of a beetle.—Panama Canal Zone. Type in Herb. Univ. Mich.

venezuelensis Mains in Mycologia, xxxix, p. 543, 1947 on lepidopterous larvae.— Venezuela. Type in Herb. Dept. Plant Path., Cornell Univ.

washingtonensis Mains in Mycologia, xxxix, p. 535, 1947 from buried lepidopterous larvae.—Washington State, U.S.A. Type in

Herb. Univ. Mich.

(Schulz.) Murrill in Coriolus populinus Lloydia, x, p. 258, 1947. [Syn. Polyporus

populinus Schulz.].

Corticium sulfureo-isabellinum Litschauer apud Pilát in Acta Mus. nat. Prag., ii B, p. 43, 1940 on decayed cortex of Abies alba,-Hungary and Austria.

*Cortinarius calochrous (Pers.) f. violas-cens Henry in Rev. Mycologie Suppl., viii,

p. 5 (& p. 46), 1943.—France.

— claroflavus Henry in Rev. Mycologie Suppl., viii, p. 24, 1943.—Europe.

*- coerulescens (Sch.) f. decipiens Henry in Rev. Mycologie Suppl., viii, p. 16, 1943.-

- coerulescentinus Henry in Rev. Mycologie Suppl., viii, p. 14, 1943.—Europe. *- cookianus Henry in Rev. Mycologie Suppl.,

viii, p. 19, 1943 (Based in part on Cooke's Illustrations Pl. 707-13).—Europe. elegantissimus Henry in Rev. Mycologie

Suppl., viii, p. 25, 1943.—Europe.
*—flavescentius Henry in Rev. Mycologie
Suppl., viii, p. 28, 1943.—Europe.

fulvo-ochrascens Henry in Rev. Mycologie Suppl., viii, p. 10, 1943.—Europe.

napus (Fr.) f. secretani Henry in Rev. Mycologie Suppl., viii, p. 45, 1943.—Europe. paramoenolens Henry in Rev. Mycologie Suppl., viii, p. 7, 1943.—Europe. — polychrous Henry in Rev.

MycologieSuppl., viii, p. 12 and 32, 1943.—Europe.

- pseudonapus Henry in Rev. Mycologie Suppl., viii, p. 45, 1943.—Europe. *— subatkinsonianus Henry in Rev. Mycologie Suppl., viii, p. 5 (& p. 46), 1943 (based in part on C. arcuatus sensu Ricken). - Europe. subvirentophyllus Henry in Rev. Mycologie Suppl., viii, p. 33, 1943.—Europe.

Coryneum dacicum Săvulescu & Ĥulea in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 474,

1940 on Sorbus dacica.—Rumania.

Crepidotus roseus Singer in *Lilloa*, xiii, p. 87, 1947 on dead wood of *Ficus*.—Florida, U.S.A. Type in Farlow Herb., Cambridge, Mass.

Cristulariella pyramidalis Waterman & Marshall in Mycologia, xxxix, p. 692, 1947 on Acer negundo.—Connecticut, U.S.A. Type in U.S.D.A., &c.

Cucurbitaria ephedricola Esfandiari nom. nov. in Sydowia, Ann. mycol., Ser. 2, i, p. 162, 1947. (Syn. Fenestella ephedrae Rehm, non C. ephedrae Tassi).

pontica Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 417, 1940 on dead branches of Quercus pedunculata.

Rumania.

Cylindrosporium koenigii Thirumalachar in Bull. Torrey bot. Cl., lxxv, p. 177, 1948 on Murraya koenigii.—India. Type in Herb. Crypt. Ind. Orient. and I.M.I., Kew.

Dasycypha capitata (Peck) Kanouse in *Mycologia*, xxxix, p. 646, 1947. (Syn. Peziza capitata Peck).

Dendryphium obstipum Pollack in Mycologia, xxxix, p. 617, 1947 on Colocasia escu-lenta.—China. Type in U.S.D.A. *DERMOSPORIDIUM Carini in Arq. Inst.

Biol., S. Paulo, xi, p. 94, 1940.—? Chytridiales.

*- hylarum Carini in Arq. Inst. Biol., S. Paulo, xi, p. 94, 1940 on Hyla rubrum.-Brazil.

Dictyolus pusillus Angèle Racovitza in Bull. Sect. sci. Acad. roum., xxviii, p. 632, 1946 on Acetabula vulgaris.—Rumania.

Didymella hierochloes Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 267, 1947 on Hierochloë fraseri.—New Zealand.
- pleosporae Petrak in Sydowia, Ann. mycol.,

Ser. 2, i, p. 268, 1947 on Pleospora verhoeffenii.—Kerguelen Island.

Didymosphaeria maclurae Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 421, 1940 on dead branches of Maclura aurantiaca.-Rumania.

Diplodina polytricha André Racovitza in Bull. Sect. Acad. sci. roum., xxiii, p. 250, 1941 in dead sporogonia of Polytrichum formosum.-Rumania.

Discina olympiana Kanouse in Mycologia, xxxix, p. 648, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.

Discinella washingtonensis Kanouse in Mycologia, xxxix, p. 650, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.

Disciseda castanea (Lév.) Bottomley in Bothalia, iv, p. 568, 1948. (Syn. Bovista castanea Lév.).

Doassansiopsis nymphaeae (Syd.) Thirumalachar in Mycologia, xxxix, p. 604, 1947. (Syn. Doassansia nymphaeae Syd.).

Dothiorella pedrosensis (Bub. & Frag.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 225, 1947. (Syn. Macrophoma pedrosensis Bub. & Frag.).

- santaremica Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 302, 1947 on Clusia.— Brazil.

Durella polytrichina (Karst.) André Racovitza in Bull. Sect. sci. Acad. roum., xxix, p. 58, 1946. (Syn. Patinellaria polytrichina Karst.).

Epicoccum plagiochilae André Racovitza in Bull. Sect. sci. Acad. roum., xxvii, p. 37, 1944 on Plagiochila asplenioides var. major.— Rumania.

Exarmidium clypeatum Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 314, 1947 on Pinus sylvestris.—Austria.

Fomitiporia cryptacantha (Mont.) Murrill in Lloydia, x, p. 253, 1947. (Syn. Poria cryptacantha Mont.).

punctata (Fr.) Murrill in Lloydia, x, p. 254, 1947. (Syn. Poria punctata (Fr.) Karst.).

Fulvidula flava (Bres.) Singer in Rev. Mycologie, N.S., v, p. 12, 1940. (Syn. Naucoria flava Bres.).

Fulvifomes demidoffii (Lév.) Murrill in Lloydia, x, p. 276, 1947. [Syn. Fomes demidoffii Lév.].

Fusarium bulbigenum Cooke & Massee var. coffeae Alvarez Garcia in J. Agric. P.R., xxix, p. 8, 1945 on Coffea arabica.—Porto

oxysporum Schl. emend. Sny. & Hans. f. mathioli Baker in Phytopathology, xxxviii, p. 402, 1948 on Mathiola [or Matthiola] incana.—California, U.S.A.

Fuscoporia carteri (Berk. ex Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 10, 1948. (Syn. Polyporus carteri Berk.).

-contigua (Pers. ex Fr.) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 4, 1947. (Syn. Boletus contiguus Pers.).

dryophila (Murrill) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 11, 1948. (Syn. Fomitoporia dryophila Murr.).

-ferrea (Pers.) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 7, 1948. (Syn. Poria ferrea Pers.).

inermis (Ellis & Everhart) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 12, 1948. (Syn. Poria inermis Ell. & Ev.) - laevigata (Fries) Cunningham in Bull. Plt

Dis. Div., D.S.I.R., N.Z. 73, p. 9, 1948. (Syn. Polyporus laevigatus Fr.). punctata (Fries) Cunningham in Bull. Plt

Dis. Div., D.S.I.R., N.Z. 73, p. 11, 1948. (Syn. Polyporus punctatus Fr.) tawhai Cunningham in Bull. Plt Dis. Div.

D.S.I.R., N.Z. 73, p. 8, 1948 on dead wood associated with an active white rot .- New Zealand.

- uncinata (Weir) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 73, p. 3, 1948. (Syn. Poria uncinata Weir).

Gaillardiella caryocana Viégas in Bragantia, vii, p. 107, 1947 on Caryocar villosum.— Brazil. Geastrum dissimile Bottomley in Bothalia,

iv, p. 592, 1948.—South Africa. Gibbera conferta (Fr.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 200, 1947. (Syn. Sphaeria conferta Fr.).

-elegantula (Rehm) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 200, 1947. (Syn. Venturia elegantula Rehm).

ericophila (Link) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 199, 1947. (Syn. Antennaria ericophila Link).

- myrtilli (Cooke) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 200, 1947. (Šyn. Venturia myrtilli Cooke).

pulchella (Cooke & Peck) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 200, 1947. (Šyn. Venturia pulchella Peck).

Gloeosporium bolleyi R. Sprague in Phytopathology, xxxviii, p. 135, 1948 on Gramineae.
—North Dakota, U.S.A.

brunneo-maculatum Greene in Midl. Nat., xxxix, p. 455, 1948 on Trillium grandiflorum.—Wisconsin, U.S.A.

Gloniopsis buxi Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 211, 1947 on Buxus sempervirens.—France.

Gymnoglossum radiatum (Lloyd) Bottomley in Bothalia, iv, p. 499, 1948. (Syn. Hymenogaster radiatus Lloyd).

Hapalophragmium anamalaiense T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 41, 1948 on Derris eualata. India.

HELICOMINA Olive in Mycologia, xl, p. 16, 1948.—Moniliales.

caperoniae Olive in Mycologia, xl, p, 17,

1948 on Caperonia castaneifolia.—Louisiana,

Helminthosporium heringerianum Viégas in Bragantia, vii, p. 32, 1948 on Tipuana speciosa.—Brazil.

Hendersonia dactylonis Esfandiari in Sydo. wia, Ann. mycol., Ser. 2, i, p. 166, 1947 on Cynodon dactylon.—Iran.

mouiensis Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 275, 1947 on Koeleria glomerata,-Hawaii.

-rockiana Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 274, 1947 on Koeleria glomerata. Humaria albocincta (Berk. & Curt.) Kanouse

in Mycologia, xxxix, p. 655, 1947. (Syn. Peziza albocincta Berk. & Curt.). coprinaria (Cooke) Kanouse in Mycologia,

xxxix, p. 655, 1947. (Syn. Peziza coprinaria Cooke).

Cooke).
crucipila (Cooke & Phill.) Kanouse in
Mucologia. xxxix, p. 655, 1947. (Syn. Mycologia, xxxix, p. 655, Peziza crucipila Cooke & Phill.). -diplotricha (Rehm) Kanouse in Mycologia,

xxxix, p. 656, 1947. (Syn. Lachnea diplo. tricha Rehm).

erinacea (Schw.) Kanouse in Mycologia, xxxix, p. 656, 1947. (Syn. Peziza erinaceus Schw. ex Fr.).

-lusatiae (Cooke) Kanouse in Mycologia, xxxix, p. 656, 1947. (Syn. Peziza lusatiae Cooke)

-melaloma (Fr.) Kanouse in Mycologia, xxxix, p. 656, 1947. (Syn. Peziza melaloma

stellata Kanouse in Mycologia, xxxix, p. 657, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.

theleboloides (Fr.) Kanouse in Mycologia, xxxix, p. 658, 1947. (Syn. Peziza thelebo. loides Fr.).

Humarina washingtonensis Kanouse in Mycologia, xxxix, p. 659, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.

Hyalopeziza pteridis Kanouse in Mycologia, xxxix, p. 660, 1947 on old stems of Pteris. Washington State, U.S.A. Type in Herb. Univ. Mich.

Hygrophorus poetarum Heim in Bull. Soc. *mycol. Fr.*, lxiii, p. 127, 1947 (publ. 1948) as `Hygrophorus"(Limacium) poetarum'.-France and Switzerland.

psittacinus Fr. ex Schaeff. var. abietinus Ĥeim in Bull. Soc. mycol. Fr., lxiii, p. 131, 1947 (publ. 1948) as 'Hygrophorus (Hygrocybe) psittacinus Fr. ex Schaeff. var. abietinus'.—France.

Hypoderma handelii Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 371, 1947 on Cunninghamia.—China.

Hysterostoma pavettae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 36, 1948 on Pavetta indica.—India.

Kirschsteiniella inaequalis (H. Fabre) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 213, 1947. (Syn. Amphisphaeria inaequalis Ĥ. Fabre).

Lachnaster miniatus Kanouse in Mycologia, xxxix, p. 662, 1947 on Pteridium aquilinum. -Washington State, U.S.A. Type in Herb. Univ. Mich.

Lepiota pseudo-lilacea Huysman in Bull. Soc. Linn. Lyon, xvi, p. 183, 1947.—Holland and France.

Leptochlamys thecicola (B. & Br.) André Racovitza in Bull. Sect. sci. Acad. roum., xxx, p. 125, 1947. (Syn. Sphaeropsis thecicola B. & Br.)

LEPTOPELTINA Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 240, 1947.—Leptopeltaceae. Type not stated. [Cfr. Leptopeltina

Speg., 1923].

-filicina (Lib.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 240, 1947. (Syn. Aylographum filicinum Lib.).

jaapi (Řehm) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 240, 1947. (Syn. Aporia jaapii Rehm).

Leptopeltis aquilina (Fr.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 237, 1947. (Syn.

Xyloma aquilinum Fr.).
LEPTOPELTOPSIS Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 243, 1947.—Lepto-

nebulosa Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 244, 1947 on Athyrium filix-

femina.—Jugoslavia.

Leptosphaeria avenaria Weber f. sp. triticea T. Johnson in Canad. J. Res., Sect. C, xxv, p. 262, 1947 on Triticum vulgare and T. durum.—Canada.

- caricis-firmae Petrak in Sudowia, Ann. mycol., Ser. 2, i, p. 315, 1947 on Carex firma. -Austria.

- mendozana Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 294, 1947 on Trisetum longiglume.—Argentina. *— swertiae Thirumalachar in Bull. Torrey bot.

Cl., lxxv, p. 176, 1948 on Swertia.—India. Leptothyrium carpini Săvulescu & Sandu in

Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 468, 1940 on Carpinus betulus.—Rumania. Letendraea fuscospora (Plowr.) Petch in

Naturalist, Hull, 1947, No. 822, p. 94. (Syn. Nectria fuscospora Plowr.).

Leucopaxillus albissimus [(Peck) Singer] var. monticola Singer & A. H. Smith in Mycologia, xxxix, p. 730, 1947.—Idaho, U.S.A.

- septentrionalis Singer & A. H. Smith in Mycologia, xxxix, p. 726, 1947.—Oregon,

U.S.A. and Ontario, Canada.

Linotexis argentinensis Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 292, 1947 on Salacia micrantha .- Paraguay.

Lophodermium ginzbergeri Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 300, 1947 on Eryngium paniculatum.—Brazil.

occultum Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 271, 1947 on Spinifex australis. Australia.

Lycoperdon duthiei Bottomley in Bothalia, iv, p. 555, 1948.—South Africa.

qudenii Bottomley in Bothalia, iv, p. 559, 1948.—South Africa.

MACROMETRULA Donk & Singer apud Singer in Mycologia, xl, p. 264, 1948.— Agaricaceae.

rubriceps (Cooke & Massee) Donk Singer apud Singer in Mycologia, xl, p. 264, 1948. (Syn. Agaricus rubriceps Cooke & Mass.).

Macrosporium anatolicum A. Săvulescu in Bull. Sect. sci. Acad. roum., xxvi, p. 709, 1944 on Carthamus tinctorius.—Turkey.

Marssonina celtidis Bremer apud Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 256, 1947 on Celtis tournefortii.—Turkey.

Melanconium nectandrae Viégas in Bragantia, vii, p. 112, 1947 on Nectandra.-Brazil.

Melanops pedrosensis (Bub. & Frag.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 215, 1947. (Syn. Guignardia pedrosensis Bub. & Frag.).

Melanotus eccentricus (Murr.) Singer in Lilloa, xiii, p. 87, 1947. (Syn. Crepidotus

eccentricus Murr.).

- fumosifolius (Murr.) Singer in Lilloa, xiii, p. 87, 1947. (Syn. Crepidotus fumosifolius Murr.).

- subcuneiformis (Murr.) Singer in Lilloa, xiii, p. 87, 1947. (Syn. Crepidotus subcuneiformis Murr.).

Meliola pontualii Vital in Bol. Agric., Pernambuco, xiv, p. 337, 1947 on Ipomoea pes-

caprae.—Brazil.

Microsphaera alni [(Wallr.) Wint.] var. cinnamomi Olive in Mycologia, xl, p. 8, 1948 on Camphora cinnamomi.—Louisiana, U.S.A.

*Microsporum domesticum Webb in Macleod & Muende, Practical Handbook of the Pathology of the Skin, 2nd Ed., p. 364, 1940 on man and the cat.—England.

pyrenaicum Microthyrium Petrak Sydowia, Ann. mycol., Ser. 2, i, p. 216, 1947 on Carex pyrenaica.—France.

MOESZOPELTIS Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 241, 1947.—Leptopeltaceae.

gregaria Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 241, 1947 on Phegopteris polypodioides.—Norway.

*Monochaetia muscicola Nicot-Toulouse in Rev. Mycologie, N.S., xii, p. 130, 1947 on Cephalozia bicuspidata.—France.

Montagnites arenarius (DC.) Morse in Mycologia, xl, p. 256, 1948. (Syn. Agaricus arenarius DC.).

*Mucor ramiger Fosteris in Bull. Sect. sci. Acad. roum., xxv, p. 241, 1943 on excreta of a cat.—Rumania.

*Mycenella lasiosperma (Bres.) sensu Kühner f. minor Locquin in Rev. Mycologie, viii, p. 3, 1943.—France.

Mycocalicium rappii Nádvornik in Ann. mycol., Berl., xl, p. 139, 1942 on Sabal palmeto.—Florida, U.S.A.

reticulatum Nádvornik in Ann. mycol., Berl., xl, p. 139, 1942 on wood.—S. Carolina, U.S.A.

victoriae (Kn.) Nádvornik in Ann. mycol., Berl., xl, p. 138, 1942. (Syn. Calicium victoriae Kn.).

Mycosphaerella danubialis O. Săvulescu in Bull. Sect. sci. Acad. roum., xxii, p. 308, 1940 on Oryza sativa.—Rumania.

-pueraricola Weimer & Luttrell in Phytopathology, xxxviii, p. 350, 1948 on Pueraria thunbergiana.—Georgia, U.S.A. Type in B.P.I., Washington and R.B.G., Kew.

Myrioconium affine (Desm.) Buchwald in Friesia, iii, p. 301, 1947. (Syn. Epidochium affine Desm.

MŸRIOGONÍUM Cain in Mycologia, xl, p. 158, 1948.—Ascomycetes.

odontiae Cain in Mycologia, xl, p. 159, 1948 on Odontia sudans.—Austria. Type in Univ. Toronto Crypt. Herb.

MYRIOSCLEROŤÍNIA Buchwald Friesia, iii, p. 289, 1947.—Sclerotiniaceae. Type, M. scirpicola.

-curreyana (Berk.) Buchwald in Friesia,

iii, p. 291, 1947. (Syn. Peziza curreyana Berk.).

- duriaeana (Tul.) Buchwald in Friesia, iii, p. 299, 1947. (Syn. Peziza duriaeana Tul.). - scirpicola (Rehm) Buchwald in Friesia,

iii, p. 296, 1947. (Syn. Sclerotinia scirpicola Rehm).

- sulcata (Whetz.) Buchwald in Friesia, iii, p. 301, Whetzel). 301, 1947. (Syn. Sclerotinia sulcata

- vahliana (Rostr.) Buchwald in Friesia, iii, p. 302, 1947. (Syn. Sclerotinia vahliana Rostr.).

NEOGIBBERA Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 191, 1947.—Pyrenomycetes. Type not stated.

- aterrima (Cooke & Wint.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 191, 1947. (Syn. Dimerosporium aterrimum Cooke & Wint.).

- elegans (Syd.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 191, 1947. (Syn. Dimerium elegans Syd.).

- hamata (Penz. & Sacc.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 191, 1947. (Syn. Dimerosporium hamatum Penz. & Sacc.).

sinensis Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 192, 1947 on Quercus semicarpi-folia.—Sikang, China.

NEOMUNKIA Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 329, 1947.—Sphaeropsi-

- sydowii Petrak in Sydowia, Ann. mycol. Ser. 2, i, p. 329, 1947 on Chusquea.—Ecuador. NEOPÁXILLUS Singer in Mycologia, xl,

p. 262, 1948.—Agaricaceae.
-echinosporus Singer in Mycologia, xl, p. 262, 1948.—Brazil. Type in Farlow Herb.

Neosphaeropsis iranica Esfandiari in Sydowia, Ann. mycol., Ser. 2, i, p. 164, 1947 on Ononis leiosperma .- Iran.

Neottiella ricciaecola (Corda) André Racovitza in Bull. Sect. sci. Acad. Roum., xxix, p. 56, 1942. (Syn. Humaria leucoloma (Hedw.) Boud. var. ricciaecola Corda).

Nummularia ubatubensis Viégas in Bragantia, vii, p. 27, 1947 on unknown tree.—Brazil.

Ombrophila lysichitonis Kanouse in Mycologia, xxxix, p. 672, 1947 on Lysichiton camtschatcense.—Washington State, U.S.A. Type in Herb. Univ. Mich.

Oncospora anatolica Petrak apud Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 255, 1947 on Quercus coccifera.—Turkey.

Orcadella singularis (Jahn) Santesson in Svensk bot. Tidskr., xlii, p. 46, 1948. (Syn. Licea singularis Jahn).

Ormathodium ambrosiae Olive in Mycologia, xl, p. 14, 1948 on Ambrosia trifida. Louisiana, U.S.A.

- costaricense (Speg.) Olive in Mycologia, xl, p. 16, 1948. (Syn. Dendryphium costaricense Speg.).

Otthia crataegi Fuckel var. minor Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 416, 1940 on Crataegus oxyacantha.-Rumania.

Penzigia handelii Petrak in Sydowia, Ann.

mycol., Ser. 2, i, p. 354, 1947.—China. Perischizon brasiliense Viégas in *Bragantia*, vii, p. 29, 1947 on Araucaria brasiliana. Brazil.

Phaeochorella artocarpi T. S. & K. Rama. krishnan in Proc. Indian Acad. Sci., Sect. B. xxvii, p. 37, 1948 on Artocarpus lakoocha,-India.

Phaeomarasmius distans (Peck) Singer in Lilloa, xiii, p. 83, 1947. (Syn. Crepidotus distans Peck).

Phaeopeltosphaeria irregularis Wehmeyer apud G. W. Martin in Pacific Sci., ii, p. 74, 1948 on dead wood of Bursera graveolens. Galapagos.

Phaeoseptoria poae Sprague in Mycologia, xl, p. 190, 1948 on Poa canbyi.—Montana, U.S.A. Type in Mycol. Coll., U.S.D.A.

Phialea cyathoidea var. minutula (Sacc.) Kanouse in Mycologia, xxxix, p. 680, 1947 on herbaceous stems. (Syn. Phialea minutula Sacc.).

- olympiana Kanouse in Mycologia, xxxix, p. 681, 1947 on herbaceous stems.—Wash. ington State, U.S.A. Type in Herb. Univ.

pallida Kanouse in Mycologia, xxxix, p. 681, 1947 on dead Delphinium.—Washington State, U.S.A. Type in Herb. Univ. Mich.

Phleospora idahoensis Sprague in Mycologia, xl, p. 180, 1948 on Festuca idahoensis.— Idaho, U.S.A. Type in Mycol. Coll., U.S.D.A. Phoma funariae André Racovitza in Bull.

Sect. sci. Acad. roum., xxii, p. 250, 1941 on dead capsules of Funaria hygrometrica.-Rumania.

scutellariae Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 448, 1940 on Scutellaria altissima.—Rumania.

Phomopsis diospyri Bongini in Ann. Sper.

Agr., N.S., ii, p. 114, 1948 on Diospyros kaki. —Italy.

 muscorum André Racovitza in Bull. Sect. sci. Acad. roum., xxiii, p. 249, 1941 on dead pedicels of Amblystegium pachyrhizon.-Rumania.

Phyllachora andicola (Speg.) Viégas in Bragantia, vii, p. 28, 1947. (Syn. Plowrightia andicola Speg.).

bogotensis Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 297, 1947 on Tetracera acuminata.
—Colombia.

derridicola Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 264, 1947 on Derris uliginosa.—Fiji. drepanocarpi Petrak in Sydowia, Ann.

mycol., Ser. 2, i, p. 299, 1947 on Drepanocarpus ferox.—S. America.

simabicola Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 296, 1947 on Simaba maiana.-Brazil.

tirolensis Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 320, 1947 on Carex firma.

Phyllosticta cacaliae Greene in Amer. Midl. Nat., xxxix, p. 453, 1948 on Cacalia tuberosa.
—Wisconsin, U.S.A.

epichloes Thirumalachar in Bull. Torrey bot. Cl., lxxv, p. 176, 1948 on Epichloe cine-rea.—India. Type in Herb. Crypt. Ind. Orient., and I.M.I., Kew.

-healdii Sprague in Mycologia, xl, p. 182, 1948 on Panicum huachucae.—Nebraska, U.S.A. Type in Mycol. Coll., U.S.D.A.

penstemonicola Greene in Amer. Midl. Nat., xxxix, p. 453, 1948 on Penstemon hirsutus.—Wisconsin, U.S.A.

Physisporinus borbonicus (Pat.) Murrill in *Lloydia*, x, p. 251, 1947. (Syn. *Poria bor*bonica Pat.).

- carneopallens (Berk.) Murrill in Lloydia, x, p. 251, 1947. (Syn. Polyporus carneopallens

Pirottaea scabiosicola Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 324, 1947 on Scabiosa.—Austria.

Plasmopara megasperma Săvulescu in Bull. Sect. sci. Acad. roum., xxiv, p. 57, 1941 on Scorzonera humilis.—Rumania.

- sphaerosperma Săvulescu in Bull. Sect. sci. Acad. roum., xxiv, p. 65, 1941 on Trago-

pogon dubius.—Rumania.

Platystomum compressum (Pers.) Trevisan var. microsporum (Sacc.) Săvulescu & Sandu in Mem. Sect. sci. Acad. Roum., Ser. 3, xv, p. 415, 1940. (Syn. Lophidium compressum var. microsporum Sacc.).

Pleospora aradensis Petrescu in Bull. Sect. sci. Acad. roum., xxiv, p. 567, 1942 on

Lycium vulgare.—Rumania. - dusenii Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 270, 1947 on Festuca arenaria.-Polynesia.

Pleuroflammula chocoruensis Singer in Lilloa, xiii, p. 88, 1947 on wood.—New Hampshire, U.S.A.

puberula (Peck) Singer in Lilloa, xiii, p. 85, 1947. (Syn. Crepidotus puberula Peck).

Polyporus subrubescens (Murrill) Murrill in Lloydia, x, p. 266, 1947. (Syn. Scutiger subrubescens Murrill).

Poria adiposa (Berk. & Broome) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 13, 1947. (Syn. Polyporus adiposus Berk. & Br.).

- aroha Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 39, 1947 on Beil-schmiedia tawa.—New Zealand.

-coprosmae Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 38, 1947 on Coprosma.—New Zealand.

cordylina Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 39, 1947 on Cordyline australis.—New Zealand.

-curreyana (Berk.) Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 16, 1947. (Syn. Polyporus curreyanus Berk.).

hunua Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 39, 1947 on Beilschmiedia tawa.—New Zealand.

- manuka Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 38, 1947 on Leptospermum scoparium.—New Zealand.

novaezelandiae Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 40, 1947 on

Metrosideros.—New Zealand.

otakou Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 38, 1947 on Nothofagus fusca.—New Zealand.

oviforma Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 35, 1947 on Nothopanax.—New Zealand.

pirongia Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 39, 1947 on Hedycarya arborea.—New Zealand.

- rata Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 40, 1947 on Metrosideros robusta.—New Zealand.

- subserpens (Murrill) Murrill in Lloydia, x, p. 245, 1947. (Syn. Trametes subserpens Murrill).

weraroensis Cunningham in Bull. Plt Dis. Div., D.S.I.R., N.Z. 72, p. 40, 1947 on Co-prosma grandifolia.—New Zealand.

Prillieuxina sinensis Petrak in Sydowia,

Ann. mycol., Ser. 2, i, p. 351, 1947 on Sabia gracilis.—China.

Pseudonectria crozalsiana (Grelet) André Racovitza in Bull. Sect. sci. Acad. roum., xxix, p. 72, 1946. (Syn. Neottiella crozalsiana Grelet).

Puccinia ankarensis Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 249, 1947 on Lactuca? viminea.—Turkey.
- cardui-carlinoidis Petrak in Sydowia,

Ann. mycol., Ser. 2, i, p. 208, 1947 on Carduus carlinoides.—France.

garhadioli Esfandiari in Sydowia, Ann.

mycol., Ser. 2, i, p. 161, 1947 on Garhadiolus hedypnois.—Iran.

- luculenta (Syd.) T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 38, 1948. (Syn. Aecidium luculentum Syd.).

vernoniae-monosis T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvii, p. 42, 1948 on Vernonia monosis.-India.

Ramularia anatolica Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 258, 1947 on Wiedemannia orientalis.—Turkey.

dacica Săvulescu & Hulea in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 478, 1940 on Petasites officinalis.—Rumania.

- helminthiae Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 259, 1947 on Helminthia echioides.—Turkey.

- hesperidis Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Ser. 3, xv, p. 477, 1940 on Hesperis tristis.—Rumania.

sidae Olive in Mycologia, xl, p. 11, 1948 on Sida.—Louisiana, U.S.A.

Rhabdoclema olyrae (Speg.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 307, 1947. (Syn. Cylindrosporium olyrae Speg.).

Rhachomyces girardi Lepesme & Tempere in Bull. Soc. mycol. Fr., lxiii, p. 205, 1947 (publ. 1948) on Aphaenops ochsi subsp. reymondi.—France.

Rhizophydium chitinophilum Antikajian in Mycologia, xxxix, p. 613, 1947 on chitin.— New York City, U.S.A.

Rhodophyllus niphoides Romagnesi in Bull. Soc. mycol. Fr., lxiii, p. 198, 1947 (publ. 1948 as R. niphoides Romagn. nom. nov., for Cooke sub Entoloma speculum, Fr.) .-France.

Rhodosticta coluteae Bremer apud Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 251, 1947 on Colutea cilicica.—Turkey.

Roesleria brasiliana Viégas in Bragantia, vii, p. 34, 1947 on Spondias lutea.—Brazil.

RONNIGERIA Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 310, 1947.—Leptopeltaceae.

arctica (Oud.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 310, 1947. (Syn. Microthyrium arcticum Oud.).

Rutstroemia microspora Kanouse in Mycologia, xxxix, p. 684, 1947 on old branches.— Washington State, U.S.A. Type in Herb. Univ. Mich.

Sarcosphaera amplissima (Fr.) Kanouse in Mycologia, xxxix, p. 685, 1947. Peziza amplissima Fr.).

Selenophoma exigua Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 304, 1947 on Sisy-rinchium micranthum.—Brazil.



proximella Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 226, 1947 on Foeniculum. France.

Septoria acericola Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 227, 1947 on Acer monspessulanum.—France.

avenae Frank f. sp. triticea J. Johnson in Canad. J. Res., Sect. C, xxv, p. 263, 1947 on Triticum durum.—Canada.

glycericola Sprague in Mycologia, xl, p. 183, 1948 on Glyceria striata.—Oregon, U.S.A. Type in Mycol. Coll., U.S.D.A.

-karelli Petrak apud Bremer & Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 254, 1947 on Tordylium syriacum.-Turkey.

parvimaculans Greene in Amer. Midl. Nat., xxxix, p. 455, 1948 on Kuhnia eupatorioides. -Wisconsin, U.S.A.

sleumeri Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 229, 1947 on Mulgedium alpinum. -France.

Solenia svrcekii Pilát in Bull. Soc. mycol. Fr., lxiii, p. 203, 1947 (publ. 1948) on rotten wood of frondose trees.—Bohemia (Czechoslovakia).

SPERMOSPORA Sprague in Mycologia, xl, p. 177, 1948.—Moniliaceae.

subulata (Sprague) Sprague in Mycologia, xl, p. 178, 1948. (Syn. Cercosporella subulata Sprague).

Sphaerodothis magnifica Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 265, 1947 on Triodia pumila.—New Zealand.

SPHINCTRINELLA Nádvorník in mycol., Berl., xl, p. 138, 1942.—Helotiales.

calicioides Nádvornik in Ann. mycol., Berl., xl, p. 138, 1942 on wood of Cedrus.—Iowa, U.S.A.

Spilosticta cinerascens (Fleischh.) Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 197, 1947. (Syn. Sphaerella cinerascens Fleischhack).

Stagonospora aristolochiae-siphonis Săvulescu & Sandu in Mem. Sect. sci. Acad. roum., Sect. 3, xv, p. 462, 1940 on Aristolochia sipho.—Rumania.

glycericola Sprague in Mycologia, xl, p. 189, 1948 on Glyceria striata.—Minnesota, U.S.A. Type in Mycol. Coll., U.S.D.A.

-maculata (Grove) Sprague in Mycologia, xl, p. 189, 1948. (Syn. Stagonospora subseriata (Desm.) Sacc. var. maculata Grove).

polytaeniae Greene in Amer. Midl. Nat., xxxix, p. 454, 1948 on Polytaenia nuttallii.—

Wisconsin, U.S.A. triodiae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 273, 1947 on Triodia exigua. New Zealand.

Strobilomyces glabriceps Chiu in Mycologia, xl, p. 229, 1948.—Yunnan, China.

Stylopage rhicnacra Drechsler in Mycologia, xl, p. 102, 1948 on Amoeba.—Maryland, U.S.A.

Tetracrium incarnatum G. W. Martin in Pacific Sci., ii, p. 75, 1948 on dead stem of Opuntia.—Galapagos.

THALLOSPORA Olive in Mycologia, xl,

p. 11, 1948.—Moniliaceae.

aspera Olive in Mycologia, xl, p. 12, 1948 on Veronica peregrina.—Louisiana, U.S.A.

Torula bowdichiae Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 308, 1947 on Bowdichia virgilioides.—Brazil.

Trichodothis zernyi Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 280, 1947 on Ocotea usam. barensis.—Tanganyika.

Tricholoma helviodor Pilát & Svrček in Studia bot. Čechoslov., vii, p. 2, 1946 .-Bohemia, Czechoslovakia.

TRICHOMONASCUS Jackson in Myco-

logia, xxxix, p. 712, 1947.— 'Aspergillaceae' [Eurotiales].

- mycophagus Jackson in Mycologia, xxxix, p. 712, 1947 on Corticium confluens.— Ontario, Canada.

Trichophyton quinckeanum (Zopf) Macleod & Muende, Practical Handbook of the Patho. logy of the Skin, 2nd Ed., p. 361, 1940. (Syn. Oidium quinckeanum Zopf).

Tuberculina hyalospora Esfandiari in Sydowia, Ann. mycol., Ser. 2, i, p. 167, 1947 on Tranzschelia punctata.—Iran.

Ustilago sleumeri Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 206, 1947 on Alopecurus gerardi.—Andorra.

symbiotica Grasso in R.C. Accad. Lincei, Ser. 8, iii, p. 612, 1947 on Triticum vulgare with Tilletia .- Italy.

XENODIMERIUM Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 190, 1947.—Pyrenomycetes.

- mycophilum Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 190, 1947 on Quercus, Pasania and Lithocarpus.—Philippines, etc. XENOLACHNE Rogers in Mycologia, xxxix,

p. 561, 1947.—Hyaloriaceae.

flagellifera Rogers in Mycologia, xxxix, p. 562, 1947 on Hyaloscypha atomaria.— Oregon, U.S.A.

ZERNYA Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 277, 1947.—Sphaeropsidales.

clypeata Petrak in Sydowia, Ann. mycol., Ser. 2, i, p. 277, 1947 on ? Eugenia.—Brazil.

HOST INDEX

For Phanerogams see under families; for Fungi, Bryophyta, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

Acanthus longifolius

Cercospora acanthi-longifolii

ACERACEAE

Acer monspessulanum

Septoria acericola

Acer negundo

Cristulariella pyramidalis

ANACARDIACEAE

Pistacia vera

Asteromella pistaciarum

Spondias lutea

Roesleria brasiliana

ARACEAE

Colocasia esculenta

Dendryphium obstipum

Lysichiton camtschatcense

Ombrophila lysichotonis

ARALIACEAE

Hedera helix

Chaetopyrena hederae-helicis

Nothopanax

Poria oviforma

ARISTOLOCHIACEAE

Aristolochia siphonis

Stagonospora aristolochiae-siphonis

BETULACEAE

Carpinus betulus

Leptothyrium carpini

BIGNONIACEAE

Jacaranda

Cladosporium jacarandae

BRYOPHYTA

Amblystegium pachyrhizon Phomopsis muscorum

Brachythecium

Acrospermum savulescui Cephalozia bicuspidata

Monochaetia muscicola

Funaria hygrometrica

Phoma funariae Lophozia

Coleroa hepaticola Plagiochila asplenioides var. major

Epicoccum plagiochiles Polytrichum formosum

Ďiplodina polytricha

BURSERACEAE

Bursera graveolens

Phaeopeltosphaeria irregularis

BUXACEAE

Buxus sempervirens

Gloniopsis buxi

CACTACEAE

Opuntia

Tetracrium incarnatum

CAPPARIDACEAE

Capparis sepiaria

Bulgariastrum tumifaciens CARYOCARACEAE

Caryocar villosum

Gaillardiella caryocana

COMBRETACEAE

Terminalia bellerica

Aecidium terminaliae

COMPOSITAE

Ambrosia trifida

Ormathodium ambrosiae

Compositae (continued)

Cacalia tuberosa

Phyllosticta cacaliae

Cardopatium corymbosum Cercospora cardopatii

Carduus carlinoides

Puccinia cardui-carlinoidis

Carthamus tinctorius

Macrosporium anatolicum

Chardinia orientalis

Albugo chardineae Garhadiolus hedypnois

Puccinia garhadioli

Helminthia echioides

Ramularia helminthiae

Kuhnia eupatorioides Septoria parvimaculans

Lactuca chinensis

Bremia lactucae f. chinensis

Lactuca? viminea

Puccinia ankarensis

Mulgedium alpinum

Septoria sleumeri

Petasites officinalis

Ramularia dacica

Scorzonera humilis

Plasmopara megasperma

Senecio macrophyllus Aecidium senecionis-macrophylli

Tragopogon dubius

Plasmopara sphaerosperma

Vernonia monosis Puccinia vernoniae-monosis

CONVOLVULACEAE

Ipomoea pes-caprae

Meliola pontualii

CRUCIFERAE

Hesperis tristis

Ramularia hesperidis

Matthiola incana

Fusarium oxysporum f. mathioli

CYCADACEAE

Cycas circinalis

Arthrobotryum cycadicola

CYPERACEAE

Carex firms

Leptosphaeria caricis-firmae

Phyllachora tirolensis

Carex pyrenaica

Microthyrium pyrenaicum

DILLENIACEAE

Davilla rugosa

Catacauma davillae

Tetracera acuminata Phyllachora bogotensis

DIPSACACEAE

Scabiosa

 $Pirottaea\ scabiosicola$

EBENACEAE

Diospyros kaki

Phomopsis diospyros EUPHORBIACEAE

Caperonia castaneifolia

 $\Hat{Helicomina\ caperoniae}$

FAGACEAE

Lithocarpus

Xenod $ar{i}$ merium mycophilum

FAGACEAE (continued) Nothofagus fusca Poria otakou Pasania Xenodimerium mycophilum Quercus Xenodimerium mycophilum Quercus coccifera Oncospora anatolica Quercus pedunculata Cucurbitaria pontica Quercus semicarpifolia Neogibbera sinensis FLACOURTIACEAE Calonchoba echinata Cercospora calonchobae FUNGI Acetabula vulgaris Dictyolus pusillus Corticium confluens Trichomonascus mycophagus Epichloe cinerea Phyllosticta epichloes Hyaloscypha atomaria Xenolachne flagellifera Odontia sudans Myriogonium odontiae Pleospora verhoeffenii $Diar{d}ymella~pleosporae$ Tranzschelia punctata Tuberculina hyalospora GENTIANACEAE Swertia Leptosphaeria swertiae GRAMINEAE Gloeosporium bolleyi Alopecurus gerardi Ustilago sleumeri Calamagrostis canadensis $Apiocarpella\ minor$ Chusquea Neomunkia sydowii Cynodon dactylon

Hendersonia dactylonis Festuca arenaria Pleospora dusenii Festuca idahoensis $Phleospora\ idahoensis$ Glyceria striata Septoria glycericola Stagonospora glycericola Hierochloë fraseri Didymella hierochloes Koeleria glomerata Hendersonia moviensis Hendersonia rockiana Oryza sativa $My cosphaerella\ danubialis$ Panicum huachucae Phyllosticta healdii Phleum pratense Ascochyta phleina Poa canbyi Phaeoseptoria poae Poa lanigera Ascochytella lilloana Spinifex australis Lophodermium occultum Stipa capillata Coniothyrium stipae Triodia exigua Stagonospora triodiae Triodia pumila Sphaerodothia magnifica

GRAMINEAE (continued)
Trisetum longiglume
Leptosphaeria mendozana
Triticum durum
Leptosphaeria avenaria f. sp. triticea
Septoria avenae f. sp. triticea
Triticum vulgare
Leptosphaeria avenaria f. sp. triticea
Ustilago symbiotica
Guttiferae
Clusia

Colletotrichum clusiae Dothiorella santaremica Clusia alba Botryodiplodia clusiae Vismia tomentosa Asterinella bangii

HIPPOCRATACEAE
Salacia micrantha
Linotexis argentinensis

INSECTA

Cordyceps olivascens
Aphaenops ochsi
Rhachomyces girardi
Elateridae
Cordyceps salebrosa
Lepidoptera
Cordyceps venezuelensis
Cordyceps washingtonensis
INVERTEBRATA (other than Insecta)
Amoeba
Acaulopage baculispora
Acaulopage gyrinodes
Stylopage rhichacra
IRIDACEAE
Sisyrinchium micranthum

Šelenophoma exigua

Labiatae Molucella levis Cercospora molucellae Scutellaria altissima Phoma scutellariae Wiedamannia orientalis Ramularia anatolica LAURACEAE Beilschmiedia tawa Poria aroha Poria hunua Camphora cinnamomi Microsphaera alni var. cinnamomi Nectandra $Melanconium\ nectandrae$ Neolitsea zeylanica Astomella neolitseae Ocotea usambariensis Trichodothis zernyi LEGUMINOSAE

Baptisia leucophaea
Cladosporium baptisiae
Bowdichia virgilioides
Torula bowdichiae
Colutea cilicica
Rhodosticta coluteae
Derris eualata
Hapalophragmium anamalaiense
Derris uliginosa
Phyllachora derridicola
Drepanocarpus ferox
Phyllachora drepanocarpi
Ononis leiosperma
Neosphaeropsis iranica

LEGUMINOSAE (continued) Psoralea bituminosa Cercospora psoraleae-bituminosae

Pueraria thunbergiana Mycosphaerella pueraricola

Tipuana speciosa

Helminthosporium heringerianum

LILIACEAE Cordyline australis Poria cordylina

Nolina microcarpa Bartalinia nolinae Smilax aspera

Camarosporium smilacicola

Trillium grandiflorum Gloeosporium brunneo-maculatum

MALPIGHIACEAE

Mascagnia chlorocarpa var. paradoxa Asterina mascagniae

MALVACEAE Sida

Ramularia sidae

MONIMIACEAE Hedycarya arborea Poria pirongia

MORACEAE Artocarpus lakoocha Phaeochorella artocarpi

Maclura aurantiaca Didymosphaeria maclurae

MYRSINACEAE Stylogyne ambigua Cercospora stylogynis MYRTACEAE

? Eugenia Zernya clypeata Leptospermum scoparium Poria manuka

Metrosideros Poria novaezelandiae Metrosideros robusta Poria rata

PALMAR Sabal palmeto Mycocalicium rappii

PINACEAE Araucaria brasiliana Perischizon brasiliense

Sphinctrinella calicioides Cunninghamensia Hypoderma handelii

Pinus sylvestris Exarmidium clypeatum

PONTEDERIACEAE Monochoria vaginalis Burrillia ajrekari

PTERIDOPHYTA Athyrium filix-femina Leptopeltopsis nebulosa Phegopteris polypodioides

Moeszopeltis gregaria PUNICACEAE Punica granatum Coniothyrium iranicum RANUNCULACEAE Delphinium Phialea pallida ROSACEAE Crataegus monogyna

Calospora crataegi Crataegus oxyacantha

Otthia crataegi Sorbus dacica Coryneum dacicum

RUBIACEAE Coffea arabica

Fusarium bulbigenum var. coffeae

Coprosma $Poria\ coprosmae$ Coprosma grandifolia Poria weraroensis Pavetta indica Hysterostoma pavettae

Plectronia didyma Achorella plectroniae

RUTACEAE Murrava koenigii

Cylindrosporium koenigii

SABIACEAE Sabia gracilis Prillieuxina sinensis SAXIFRAGACEAE Saxifraga aquatica

Caeoma saxifragae-aquaticae SCROPHULARIACEAE

Penstemon hirsutus Phyllosticta penstemonicola

Veronica peregrina
Thallospora aspera SIMARUBACEAE

Simaba maiana Phyllachora simabicola SOLANACEAE

Lycium vulgare Pleospora aradensis

ULMACEAE Celtis tournefortii Marssonina celtidis UMBELLIFERAE Eryngium paniculatum Lophodermium ginzbergeri Foeniculum Selenophoma proximella Polytaenia nuttallii Stagonospora polytaeniae Tordylium syriacum Septoria karelii

VERBENACEAE Vitex agnus-castus Cercosporella karelii VERTEBRATA Felis domestica Microsporum domesticum Homo sapiens Microsporum domesticum Hyla rubrum Dermosporidium hylarum

The Editor gratefully acknowledges the assistance of Dr. G. C. Ainsworth in supplying the details of certain citations.

PRINTED IN GREAT BRITAIN AT THE UNIVERSITY PRESS OXFORD BYCHARLES BATEY PRINTER TO THE UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. I

Part 18

1949

Achlya crenulata Ziegler in Mycologia, xl, p. 336, 1948 in water.—S. Carolina, U.S.A.

†*Acrothecium rubi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 93, 1943 on Rubus conduplicatus.—Formosa. [In Japanese].

Alnicola pseudoamarescens as 'A. (Naucoria) pseudoamarescens' Kuhner & Romagnesi in Ann. scient. Franche-Comté, ii, p. 42, 1947. -France.

†*Amastigis artemisiae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 87, 1943 on Artemisia lactiflora.—Formosa. [In Japanese. Amastigis is an invalid change of Amastigosporium].

Amazonia leeae Hansf. & Thirum. in Farlowia, iii, p. 287, 1948 on Leea macrophylla.

Amphichaeta muscicola (Nicot-Toulouse) Nicot-Toulouse in Rev. Mycologie, N.S., xiii, 58, 1948. (Syn. Monochaetia muscicola Nicot-Toulouse).

Anellaria semi-ovata (Sow. ex Fr.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 185, 1948. (Syn. Agaricus semi-ovatus Sow. ex Fr.).

Anthopeziza floccosa (Schw.) Kanouse in Mycologia, xl, p. 491, 1948. (Syn. Peziza floccosa Schw.).

Aporomyces szaboi Bänhegyi in Bot. Közl., xli, p. 51, 1944 on Pelochares versicolor .-Hungary.

Armatella cinnamomi Hansf. & Thirum. in Farlowia, iii, p. 286, 1948 on Cinnamomum zeylanicum.—India.

Ascochyta allii Petr. (This *Index*, p. 164). See also *A. allii* Lobik, *Bol. Rast.*, xvii, p. 173, 1928, and A. allii Hollos, Bot. Közlem., xxv, p. 126, 1929.

avenae (Petrak) Sprague & A. G. Johnson in Mycologia, xl, p. 297, 1948. (Syn. Ascochy-

tella avenae Petrak).

†*- dichrocephalae Sawada in Rep. Gort Res. Inst. Formosa 85, p. 71, 1943 on Dichrocephala latifolia.—Formosa. [In Japanese].

- ligulariae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 71, 1943 on Ligularia tussi-laginea.—Formosa. [In Japanese]. -melongenae Padmanabhan in Indian J.

agric. Sci., xvii, p. 395, 1947 on Solanum melongena.—India.

utahensis Sprague in Mycologia, xl, p. 295, 1948 on Agropyron inerme.—Utah, U.S.A. Asperisporium acori Tehon in Mycologia, xl,

p. 321, 1948 on Acorus calamus.—Illinois, U.S.A.

Asterina brandisiae Hansford in Farlowia, iii, p. 278, 1948 on Brandisia sp.—China.

cansjericola Hansford & Thirumalachar in Farlowia, iii, p. 304, 1948 on Cansjera rheedii. -India.

- dichapetali Hansford & Thirumalachar in Farlowia, iii, p. 305, 1948 on Dichapetalum gelonioides.-India.

jasmini Hansford in Farlowia, iii, p. 278, 1948 on Jasminum sp.—China.

- linderae Hansford in Farlowia, iii, p. 279,

1948 on Lindera sp.—China.
-lobeliae Hansford. (This Index, p. 177).
See also A. lobeliae F. L. Stevens & Ryan,

B.P. Bishop Mus. Bull., xix, p. 74, 1925. - mysorensis Hansford & Thirumalachar in Farlowia, iii, p. 307, 1948 on Ficus sp.-

India. Asterolibertia mangiferae Hansford Thirumalachar in Farlowia, iii, p. 303, 1948 on Mangifera indica.—India.

BAGNISIMITRULA Imai in Bot. Mag., Tokyo, Ivi, p. 525, 1942. Geoglossaceae.

saccardoa (Bagnis) Imai in Bot. Mag., Tokyo, lvi, p. 525, 1942. (Syn. Mitrula saccardoa Bagnis).

Boletus chalybaeus (Sing.) Murrill in Lloydia, xi, p. 26, 1948. (Syn. Leccinum chalybaeum Singer).

- flaviceps Murrill in Lloydia, xi, p. 34, 1948. -Florida, U.S.A.

- floridanus (Sing.) Murrill in *Lloydia*, xi, p. 23, 1948. [Syn. *B. frostii* Peck subsp. floridanus Singer].

fulvipallidus Murrill in Lloydia, xi, p. 34, 1948.—Florida, U.S.A.

- hemixanthus (Sing.) Murrill in Lloydia, xi, p. 24, 1948. (Syn. Xerocomus hemiwanthus Sing.).

- hypoxanthus (Sing.) Murrill in *Lloydia*, xi, p. 24, 1948. (Syn. *Xerocomus hypoxanthus* Singer).

- luteus L. ex Fr. var. cothurnatus (Sing.) Murrill in Lloydia, xi, p. 24, 1948. [Syn. Suillus cothurnatus Singer].

-merulioides (Schw.) Coker & Beers var. proximus (Sing.) Murrill in Lloydia, xi, p. 28, 1948. (Syn. Gyrodon proximus Singer). - minor (Sing.) Murrill in Lloydia, xi, p. 24,

1948. (Syn. Tylopilus minor Singer).
pallidiceps Murrill in Lloydia, xi, p. 35,

1948.—Florida, U.S.A.

purpurellus Murrill in Lloydia, xi, p. 35, 1948.—Florida, U.S.A.

scaber Bull, ex Fr. var. chalybaeus (Sing.) Murrill in Lloydia, xi, p. 26, 1948. [Syn. Leccinum chalybaeum Singer].

's Some of the species listed in this Index from Sawada's paper in Rep. Govt. Res. Inst. Formosa 85, 1943, though marked by him "sp. nov." were probably described by him at an earlier date. Brachysporium dioscoreae Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Ser. xxx, p. 34, 1948 on Dioscorea trifida.—Belgian Congo.

Calocybe cyanea Singer in Pap. Mich. Acad. Sci., xxxii, p. 126, 1946.—Brazil.

cyanella Singer in Pap. Mich. Acad. Sci., xxxii, p. 124, 1946.—Florida, U.S.A.

-rubra Rick ex Singer in Pap. Mich. Acad. Sci., xxxii, p. 126, 1946.—Brazil.

Cantharellus fujisanensis Imai in Bot. Mag., Tokyo, lv, p. 519, 1941.—Japan.

Catacauma elaeocarpi Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 57, 1948 on Elaeocarpus munroi.—India.

Cephalosporium fici Tims & Olive in Phytopathology, xxxviii, p. 70 carica.—Louisiana, U.S.A. 708, 1948 on Ficus

-gregatum Allington & Chamberlain in Phytopathology, xxxviii, p. 797, 1948 on Glycine max.—Central U.S.A.

Cercospora achyranthina Thirumalachar & Chupp in Mycologia, xl, p. 352, 1948 on Achyranthis aspera.—India.

bangalorensis Thirumalachar & Chupp in Mycologia, xl, p. 353, 1948 on Aristolochia indica .- India.

†*- bidentis-pilosae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 98, 1943 on Bidens pilosa.
—Formosa. [In Japanese].

*— callicarpicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 100, 1943 on Callicarpa formosana.—Formosa. [In Japanese. Cf. C. callicarpicola Naito 1940, this Index, p. 3]

camptothecae Tai in Lloydia, xi, p. 39, 1948 on Camptotheca acuminata.—Szechuan, China.

- capparidicola Hansford & Thirumalachar in Farlowia, iii, p. 307, 1948 on Capparis sepiaria.—India.

-celtidis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 100, 1943 on Celtis sinensis. Formosa. [In Japanese].

- chengtuensis Tai in *Lloydia*, xi, p. 40, 1948 on *Lycium chinensis*.—Szechuan, China. - clauseniae Thirumalachar & Chupp in

Mycologia, xl, p. 354, 1948 on Clausenia will-denowii.—India.

- coriariae Tai in Lloydia, xi, p. 43, 1948 on Coriaria sinica.—Szechuan, China. [See also C. coriariae Chupp in J. Dep. Agric. P.R., xiv, p. 285, 1930].

difformis Tehon in Mycologia, xl, p. 322, 1948 on Viola (papilionacea?).—Illinois, U.S.A. †*- diospyri-erianthae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 103, 1943 on Dios-

pyros eriantha.—Formosa. [In Japanese].
†*— diospyri-morrisianae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 104, 1943 on Diospyros morrisiana.—Formosa. [In Japanesel.

elaeidis Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér., xxx, p. 35, 1948 on Elaeis guineensis.—Belgian Congo.

- eugeniae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 104, 1943 on Eugenia javanica. -Formosa. [In Japanese, Cf. C. eugeniae

Rangel) Chupp 1945, this Index, p. 132].
-fagarae Hansford. (This Index, p. 178).
See also C. fagarae Yamamoto in Trans.
Sapporo Nat. Hist. Soc., xiii, p. 140, 1934. fagaricola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 105, 1943 on Fagara nitida. Formosa. [In Japanese].

†*- fici-harlandii Sawada in Rep. Govt Ree, Inst. Formosa 85, p. 106, 1943 on Figure har. landi.—Formosa [In Japanese].

†*—fici-septicae Sawada in Rep. Govt Res.

Inst. Formosa 85, p. 106, 1943 on Figure septica.—Formosa. [In Japanese].

forrestiae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 107, 1943 on Forrestia chinensis.—Formosa. [In Japanese].

†* gomphrenae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 107, 1943 on Gomphrena globosa.—Formosa. [In Japanese. Cf. C. gomphrenae Ray 1944, this Index, p. 98].
- holarrhenae Thirumalachar & Chupp in

Mycologia, xl, p. 355, 1948 on Holarrhem antidysenterica.—India.

*- ilicis-micrococcae Sawada in Rep. Govi Res. Inst. Formosa 85, p. 109, 1943 on Ilea micrococca.—Formosa. [In Japanese].

– ipomoeae-indicae Šawada in Rep. Gov Res. Inst. Formosa 85, p. 110, 1943 on Ipo. moea indica.—Formosa. [In Japanese].

- jujubae Chowdhury in *Indian J. agric. Sci.*, xvi, p. 525, 1946 on *Zizyphus jujuba.*—India - justiciae Tai in Lloydia, xi, p. 47, 1948 on Justicia procumbens.—Szechuan, China.

- justiciaecola Tai in *Lloydia*, xi, p. 47, 1948 on Justicia.—Szechuan, China.

kallarensis Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 68, 1948 on Ficus sp.-India.

- lactucae-sativae Sawada in Rep. Govi Res. Inst. Formosa 85, p. 111, 1943 on Lactura sativa.—Formosa. [In Japanese]. (C. lactucae Welles cited as a syn.).

 lagerstroemiicola Sawada in Rep. Govi Res. Inst. Formosa 85, p. 112, 1943 on Lagerstroemia subcostata. Formosa. [In] Japanese]

lettsomiae Thirumalachar & Chupp in Mycologia, xl, p. 356, 1948 on Lettsomia elliptica.—India.

- lingi Tai in Lloydia, xi, p. 49, 1948 on Oenothera.—Szechuan, China.

- liquidambaris Sawada in Rep. Govt Res. Inst. Formosa 85, p. 112, 1943 on Liquidambar formosana.—Formosa. [In Japanese]. [See also C. liquidambaris Cooke & Ellis]

– machili Sawada in Rep. Govt Res. Inst. Formosa 85, p. 113, 1943 on Machilus husa-

*myriactidis Sawada in Rep. Govt Res.
Inst. Formosa 85, p. 117, 1943 on Myriactis longipedunculata.—Formosa. [In Japanese]. mysorensis Thirumalachar & Chupp in Mycologia, xl, p. 357, 1948 on Pouzolzia ben-

nettiana.-India. - odoratissimi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 110, 1943 on Jasminum odoratissimum.—Formosa. [In Japanese].

panacis Thirumalachar & Chupp in Mycologia, xl, p. 358, 1948 on Panax fruticosa.-India.

paramignyae Thirumalachar & Chupp in Mycologia, xl, p. 358, 1948 on Paramignya sp.—India.

- petila Thirumalachar & Chupp in Mycologia, xl, p. 359, 1948 on Euphorbia pulcherrima-India.

- phyllanthi Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 30, 1943 [also in Rep. Govl Res. Inst. Formosa 85, p. 118, 1943] on Phyllanthus niruri.—Formosa. [In Japanese]. [See also C. phyllanthi Chupp, 1931].

pileae Tai in Lloydia, xi, p. 51, 1948 on Pilea.—Szechuan, China.

†*—plagiogyriae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 119, 1943 on Plagiogyria euphlebia.—Formosa. [In Japanese].

*— polygoni Sawada in Rep. Govt Res. Inst.

Formosa 85, p. 119, 1943 on Polygonum hydropiper.—Formosa. [In Japanese].

premnae E. Castellani in Nuovo G. bot. ital., N.S., liv, p. 783, 1947 on Premna schimperi.

__Ttalv.

pruni-yedoensis Sawada in *Trans. nat.* Hist. Soc. Taiwan, xxxiii, p. 32, 1943 [also in Rep. Govt Res. Inst. Formosa 85, p. 120, 1943] on Prunus yedoensis.—Formosa. [In Japanese].

†*- sapii-sebiferi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 121, 1943 on Sapium sebiferum.—Formosa. [In Japanese].

- sapindicola Tai in *Lloydia*, xi, p. 52, 1948 on Sapindus mukorasis.—Szechuan, China.

- shoreae Thirumalachar & Chupp in Mycologia, xl, p. 360, 1948 on Shorea talura,-India.

- sororiae Tehon in Mycologia, xl, p. 323, 1948 on Viola sororia.—Illinois, U.S.A.

†*- symploci Sawada in Rep. Govt Res. Inst. Formosa 85, p. 122, 1943 on Symplocos crataegoides var. chinensis.—Formosa. [In Japanesel.

- szechuanensis Tai in Lloydia, xi, p. 54, 1948 on Pisum sativum.-Szechuan, China. †*- taihokuensis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 123, 1943 on Glochidion

hongkongense.—Formosa. [In Japanese].
-unamunoi E. Castellani nom. nov. (as '(Unam.) nobis)' in Riv. Agric. subtrop. trop., xlii, p. 27, 1948. (Syn. Cercospora capsici Unam., non Heald & Wolf).

- viburnicola Tai in *Lloydia*, xi, p. 54, 1948 on *Viburnum cylindricum*.—Yunnan, China. [See also C. viburnicola Ray, 1941, this Index.

p. 66]. - violae-kiusianae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 126, 1943 on Viola kiusiana.—Formosa. [In Japanese].

waltheriae Thirumalachar & Chupp in Mycologia, xl, p. 361, 1948 on Waltheria indica.—India.

wrightiae Thirumalachar & Chupp in Mycologia, xl, p. 362, 1948 on Wrightia tinctoria.—India.

†*Cercosporella boehmeriae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 90, 1943 on Boehmeria frutescens var. concolor.—Formosa. [In Japanese].

indigoferae Hansford. (This Index, p. 204). See also C. indigoferae Miura, Fl. Manchuria,

iii, p. 500, 1928.

†*Cerebella ischaemicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 128, 1943 on Ischaemum timorense.—Formosa. [In Japa-

Chaconia baphiae (Cumm.) Thirumalachar & Cummins in Mycologia, xl, p. 421, 1948. (Syn. Ypsilospora baphiae Cumm.).

Chaetomium erectum Skolko & Groves in Canad. J. Res., xxvi, p. 277, 1948 on germinating seeds of Petroselinum hortense.— Canada.

- reflexum Skolko & Groves in Canad. J. Res., xxvi, p. 279, 1948 on germinating seeds of Capsicum annuum.—Canada.

Chaetothyrium mysorensis Hansford & Thirumalachar in Farlowia, iii, p. 301, 1948

on Salacia sp.—India. Chlorophyllum molybdites (Mey.) Massee var. luteolosperma Sing. in Pap. Mich. Acad. Sci., xxxii, p. 139, 1946.—Florida, U.S.A.

Chytridium rhizophydii Karling in Mucologia, xl, p. 333, 1948 on Rhizophydium nodu-losum.—New York, U.S.A.

Cibarocoryne [Cibalocoryne ?] affinis (Durand) Imai in Bot. Mag., Tokyo, lvi, p. 526, 1942. (Syn. Geoglossum affine Durand).

- barlae (Boud.) Imai in Bot. Mag., Tokyo, lvi, p. 526, 1942. (Syn. Geoglossum barlae

bogoriensis (P. Henn. & Nym.) Imai in Bot. Mag., Tokyo, lvi, p. 526, 1942. (Syn. Geoglossum bogoriense P. Henn. & Nym.).

glutinosa (Pers. ex Fr.) Imai in Bot. Maq. Tokyo, Ivi, p. 525, 1942. (Syn. Geoglossum glutinosum Pers. ex Fr.).

peckiana (Cooke) Imai in Bot. Mag., Tokyo, lvi, p. 525, 1942. (Syn. Geoglossum peckianum Cooke).

*Cladosporium araliae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 91, 1943 on Aralia decaisneana.—Formosa. In Japanese].

†*- caesalpiniae Sawada in Rep. Govt Res.

Inst. Formosa 85, p. 91, 1943 on Caesalpinia nuga.—Formosa. [In Japanese].

*— daphniphylli Sawada in Rep. Govt Res. Inst. Formosa 85, p. 91, 1943 on Daphniphyllum glaucescens.—Formosa. [In Japa-

†*- lactucae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 92, 1943 on Lactuca indica.-Formosa. [In Japanese].

- tectonae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 92, 1943 on Tectona grandis.— Formosa. [In Japanese].

versicolor Bond. (This Index, p. 204). See also C. versicolor Dangeard in Le Bota-

niste, xxii, p. 455, 1931. Claviceps litoralis Kawatani in Bot. Mag., Tokyo, lix, p. 90, 1946 on Elymus mollis .-Janan.

Clitocybe mundula (Lasch) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 153, 1948. [Syn. Agaricus mundulus Lasch].

straminea Métrod. (This Index, p. 205). See also C. straminea Cleland in Trans. &

Proc. R. Soc. S. Australia, lv, p. 154, 1931. Coleopuccinia kunmingensis Tai in Acta agriculturae, i, p. 97, 1948 on Cotoneaster franchetii.—Yunnan, China.

Colletotrichum anthurii (Allesch.) Neergaard. (This Index, p. 205). See also C. anthurii Delacroix in Bull. Soc. Myc. Fr., xiii, p. 110, 1897.

- artabotrydis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 81, 1943 on Artabotrys uncinata.—Formosa. [In Japanese].

consociatum Lindquist in Notas del Museo de La Plata, xiii, p. 40, 1948 on Solidago chilensis.—Argentina.

— hydrangeae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 82, 1943 on Hydrangea chinensis.—Formosa. [In Japanese].

† See footnote on p. 237.

†*— pachyrrhizi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 82, 1943 on Pachyrrhizus erosus.—Formosa. [In Japanese].

†*- plantaginis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 83, 1943 on Plantago sawadai. -Formosa. [In Japanese].

*Coprinus neglectus Reijnders in Rec. Trav. bot. néerland., xli, p. 293, 1948. A nomen provisorium for C. miser Auct.

Coriolus azureus (Fries) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 75, p. 7, 1948. (Syn. Polystictus azureus Fr.).

cinnabarinus (Jacq. ex Fr.) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 75, p. 8, 1948. (Syn. Polyporus cinnabarinus Fr.).

*Corticium dealbans Tunstall & Sarmah in Memor. Tocklai exp. Sta. Indian Tea Ass. 16, p. 76, 1947 on Camellia sinensis.—India.

- definitum Jackson in Canad. J. Res., xxvi, p. 149, 1948 on coniferous wood.—Ontario, Canada.

- delectabile Jackson in Canad. J. Res., xxvi, p. 145, 1948 on deciduous wood.—Ontario, Canada.

- electum Jackson in Canad. J. Res., xxvi, p. 146, 1948 on wood of Pinus sp.—Ontario, Canada.

eximum Jackson in Canad. J. Res., xxvi, p. 152, 1948 on bark of Pinus strobus. Ontario, Canada.

-invisitatum Jackson in Canad. J. Res., xxvi, p. 155, 1948 on debris.-Ontario, Canada.

- notabile Jackson in Canad. J. Res., xxvi, p. 156, 1948 on wood of Picea mariana.-Ontario, Canada.

- praestans Jackson in Canad. J. Res., xxvi, p. 148, 1948 on bark.—Ontario, Canada.

probatum Jackson in Canad. J. Res., xxvi, p. 155, 1948 on decayed coniferous wood. Ontario, Canada.

-reconditum Jackson in Canad. J. Res., xxvi, p. 154, 1948 on bark of Pinus strobus.-Ontario, Canada.

Cortinarius kauffmanianus Henry. (This Index, p. 205). See also C. kauffmanianus A. H. Smith in Pap. Mich. Acad. Sci. xvii, p. 163, 1933.

striatulus Henry. (This Index, p. 206). See also C. striatulus Cleland in Trans. & Proc. R. Soc. S. Australia, lii, p. 221, 1928.

Cudonia spathulata Imai in Bot. Mag., Tokyo, lvi, p. 524, 1942.—Japan.

Cylindrosporium castaneae (Lév.) Krenner in Bot. Közl., xli, p. 126, 1944. (Syn. Septoria castaneae Lév.).

Cystoderma amianthina var. longispora (Kühner) Locquin in Bull. Soc. linn. Lyon, xiv, p. 94, 1945. [Syn. Lepiota amianthina var. longispora Kühner].

paradoxum Smith & Singer in Mycologia,

xl, p. 454, 1948.—Oregon, U.S.A.
- subpurpureum Smith & Singer in Mycologia, xl, p. 457, 1948.—Oregon, U.S.A.

Dacrymyces abietinus var. triseptata Olive in Mycologia, xl, p. 598, 1948 on dead pine. Louisiana, U.S.A.

Dasyscypha capitata (Peck) Kanouse. (This Index, p. 227). See also D. capitata (Peck) Le Gal in Rev. Mycol., iv, p. 29, 1939.

†*Dendrographium bambusae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 129, 1943 on Bambusa oldhami.—Formosa. [In Japa. nese]

Desmella berberidis (Lagerh.) Thiruma. lachar & Cummins in Mycologia, xl, p. 420, 1948. (Syn. Sphenospora berberidis Lagerh.).

quitensis (Lagerh.) Thirumalachar & Cum. mins in Mycologia, xl, p. 420, 1948. (Syn. Uropyxis quitensis Lagerh.).
-tenella (Jacks. & Holw.) Thirumalachar &

Cummins in Mycologia, xl, p. 420, 1948. (Syn. Edythea tenella Jacks. & Holw.).

Dictyonella alangii Hansford & Thirumala. char in Farlowia, iii, p. 285, 1948 on Alangium begoniifolium.—India.

Dimeriella salaciae Hansford & Thiruma. lachar in Farlowia, iii, p. 300, 1948 on Salacia sp.—India.

Diplodina buddleiae C. Moreau in Rev. Myco. logie, N.S., xi, p. 43, 1946 on Buddleia lindley. ana and B. thyrsoides .- France. (Correction

of entry in this Index, p. 182).
- rhinanthi Guyot. (This Index, p. 206).
See also D. rhinanthi Hollos in Math. Term.

Közlem., xxxv, p. 25, 1926. Dothidea azmati Chowdhury in Indian J. agric. Sci., xvi, p. 521, 1946 on Setaria palmifolia.—India.

Dothiorella pedrosensis (Bub. & Frag.) Petrak. (This Index, p. 227). See also D. pedrosensis (Bub. & Frag.) Petr. in Beil. Repert. Spec. Nov. Fedde, xlii, p. 253, 1927.

Eccilia nivea Velenovsky. (This Index, p. 182) See also E. nivea Rick in Lilloa, iii, p. 439, 1938.

- straminipes (Mass.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 171, 1948. (Syn. Agaricus straminipes Massee).

Englerodothis grovei (Sacc.) E. Castellani in Nuovo G. bot. ital., N.S., lv, p. 66, 1948. (Syn. Phaeodothis grovei Sacc.).

Eriomycopsis chinensis Hansford in Farlowia, iii, p. 280, 1948 on Asterina linderae.— China.

Erysiphe alhagii Bremer. (This Index, p. 207). See also E. alhagi Sorok. in Rev. Mycol., xi, p. 147, 1889.

Fomes robustus var. taxodii Baxter in Pap. Mich. Acad. Sci., xxxii, p. 193, 1946 on Taxodium distichum.—Georgia, U.S.A.

Fomitopsis cuneata (Lloyd) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 76, p. 4, 1948. (Syn. Fomes cuneatus Lloyd)

hemitephra (Berk.) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 76, p. 2, 1948. (Syn. Polyporus hemitephrus

ochroleuca (Berk.) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 76, p. 5, 1948. (Syn. Polyporus ochroleucus Berk.).

scutellata (Schw.) Cunningham in D.S.I.R. New Zealand, Plant Dis. Div. Bull. 76, p. 6, 1948. (Syn. Polyporus scutellatus Schw.) See also F. scutellata (Schw.) Bondarzev & Singer in Ann. mycol., Berl., xxxix, p. 55, 1941.

Fusarium orthoceras App. & Wr. var. lathyri Bhide & Uppal in Phytopathology, xxxviii, p. 565, 1948 on Lathyrus sativus.-India.

_ oxysporum f. fabae Yu & Fang in Phytopathology, xxxviii, p. 590, 1948 on Vicia faba. -China.

xylarioides Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér. xxx, p. 42, 1948 on Coffea

excelsa.—Belgian Congo.

†*Fusicladium alopecuri Sawada in Rep. Govt Res. Inst. Formosa 85, p. 93, 1943 on geniculatus.—Formosa. Alopecurus Japanese].

Galactinia pseudosuccosa Le Gal f. macrospora Le Gal in Rev. de Mycologie, x, p. 95,

1945.—Madagascar.

Galerina hypnorum (Schrank ex Fr.) Kühner var. evelata Sing. in Pap. Mich. Acad. Sci., xxxii, p. 146, 1946.—New Hampshire, U.S.A.

Geaster pluriosteus Long & Stouffer in Mycologia, xl, p. 553, 1948.—New Mexico, U.S.A.

xylogenus Long & Stouffer in Mycologia, xl, p. 563, 1948 on rotting log of Pinus ponderosa.—New Mexico, U.S.A.

Gliocladium aureum Rader in Phytopathology, xxxviii, p. 450, 1948 on Daucus carota.—New York, U.S.A.

†*Gloeosporium passifloricolum Sawada in Rep. Govt Res. Inst. Formosa 85, p. 79, 1943 on Passiflora quadrangularis.—Formosa. [In

- rotundimaculatum Sawada in Rep. Govt Res. Inst. Formosa 85, p. 80, 1943 on Citrus poonensis.—Formosa. [In Japanese].

- siameae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 80, 1943 on Cassia siamea.-

Formosa. [In Japanese].

*Glomerella major Tunstall & Sarmah in Memor. Tocklai exp. Sta. Indian Tea Ass. 16, p. 73, 1947 on Camellia sinensis. [But see G. major Tunstall in Trans. Brit. mycol. Soc., xix, p. 332, 1935.]

Gomphidius leptocystis Singer in Pap. Mich. Acad. Sci., xxxii, p. 148, 1946.—B.C., Canada. ochraceus Kauffm. ssp. muscigenus Singer in Pap. Mich. Acad. Sci., xxxii, p. 149, 1946.—North America.

septentrionalis Singer in Pap. Mich. Acad. Sci., xxxii, p. 149, 1946.—N.E. North America.

-smithii Singer in Pap. Mich. Acad. Sci., xxxii, p. 150, 1946.—Oregon, U.S.A.

-smithii var. xanthobasis Singer in Pap. Mich. Acad. Sci., xxxii, p. 150, 1946.-Mass., U.S.A.

- subroseus Kauffm. var. homobasis Singer in Pap. Mich. Acad. Sci., xxxii, p. 150, 1946.

–[? Michigan, U.S.A.].

- vinicolor Peck ssp. californicus Singer in Pap. Mich. Acad. Šci., xxxii, p. 149, 1946.-[California, U.S.A.].

Guignardia ilicis-formosanae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 30, 1943 on Ilex formosana.—Formosa. [In Japanese]. nilagiriaca Ramakrishnan, T. S. & Rama-

krishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 56, 1948 on a Papilionaceous plant.-India.

- pruni-persicae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 31, 1943 on Prunus persica.—Formosa. [In Japanese].

†*— rubi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 31, 1943 on Rubus nagasawanus. -Formosa. [In Japanese].

Hariotula capparidis Hansford & Thirumalachar in Farlowia, iii, p. 301, 1948 on Capparis sepiaria.—India.

convolvuli Hansford & Thirumalachar in Farlowia, iii, p. 302, 1948 on Convolvulus sp. -India.

Helicogloea sebacinoidea Olive in Mycologia, xl, p. 588, 1948 on dead Quercus.-Louisiana,

†*Helminthosporium arundinis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 94, 1943 on Arundo formosana.—Formosa. [In Japanese].

- biforme Mason & Hughes apud Chesters in Trans. Brit. mycol. Soc., xxx, p. 114, 1948 on rotten roots from soil.—England.

canephorae Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér. xxx, p. 37, 1948 on Coffea canephora.—Belgian Congo.

- coronatum Viégas. (This Index, p. 207). See also H. coronatum Berk. & Curt., J. linn.

Soc. Lond., x, p. 361, 1869.

†*- elephantopi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 95, 1943 on Elephantopus mollis.—Formosa. [In Japanese].

fimbristylidis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 95, 1943 on Fimbristylis

*— panici Sawada in Rep. Gort Res. Inst. Formosa 85, p. 96, 1943 on Panicum plicatum. —Formosa. [In Japanese]. [See also H. panici Stev., 1918].

portulacae Rader in Mycologia, xl, p. 344, 1948 on Portulaca oleracea.—New York, U.S.A.

Helotium firmum Velenovsky. (This Index, p. 184). See also H. firmum (Pers.) Karst. in Not. Sällsk. Faun. Fl. Fenn., viii, p. 206, 1866 (?).

ulmariae Velenovsky. (This Index, p. 184). See also H. ulmariae Roum. in Rev. Myc.,

iv, p. 102, 1882.

Humaria albocincta (Berk. & Curt.) Kanouse. (This Index, p. 228). See also H. albocincta (B. & C.) Rehm, Ascom., no. 453, 1878; Ber. Naturh. Ver. Augsburg, xxvi, p. 110, 1881.

- melaloma (A. & S.) Kanouse. (This Index, p. 228). See also H. melaloma (A. & S.) Karst. in Acta Soc. Faun. Fl. Fenn., ii, p. 120, 1885.

- theleboloides (Fr.) Kanouse. (This Index, p. 228). See also H. theleboloides (Fr.) Rehm, Ascom., no. 604, 1881; Hedwigia, xxi, p. 66, 1882.

Hydropus africanus Singer in Pap. Mich. Acad. Sci., xxxii, p. 127, 1946.—Liberia.

Hygrophorus borealis Peck f. salmoneus Coker in J. Elisha Mitchell sci. Soc., lxiv.

p. 137, 1948.—North Carolina, U.S.A.

- mycenoides Velenovsky. (This *Index*, p. 185). See also *H. mycenoides* A. H. Smith & Hesler, this Index, p. 80.

obrusseus Fr. f. pusillus Imai in Bot. Mag., Tokyo, lv, p. 446, 1941.—Japan.

pallidus Velenovsky. (This Index, p. 185). See also H. pallidus Peck in Bull. Torrey bot. Cl., xxix, p. 69, 1902.

purpureo-badius Imai in Bot. Mag., Tokyo, lv, p. 447, 1941 as 'H. (Limacium) purpureobadius'.—Japan.

- quietus Kühner in Ann. scient. Franche-Comté, ii, p. 42, 1947 as 'H. (Hygrocybe) quietus'.—France.

subvitellinus Imai in Bot. Mag., Tokyo, lv, p. 448, 1941 as 'H. (Hygrocybe) subvitellinus'.

Hymenostilbe australiensis Mains nom. nov. in Mycologia, xl, p. 411, 1948. (Syn. Stilbum formicarum Cooke & Massee, non H. formicarum Petch).

Inocybe pudica Kuhner in Ann. scient. Franche-Comté, ii, p. 42, 1947.—France.

- subvatricosa Imai in *Bot. Mag., Tokyo*, lv, p. 516, 1941.—Japan.

Irene styracicola Yamamoto var. minor Hansford in *Farlowia*, iii, p. 269, 1948 on Styrax benzoin.—China.

Irenina buddleiae Hansford in Farlowia, iii, p. 270, 1948 on Buddleia sp.—Kwangsi, China.
(?) — castanopsidis Hansford in Farlowia, iii,

p. 271, 1948 on Castanopsis tibetana.-China. cheoi Hansford in Farlowia, iii, p. 272, 1948 on Ficus sp.—China.

- cyclobalanopsicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 219, 1941. (Correction of entry in this Index, p. 208).

lonicerae Hansford in Farlowia, iii, p. 272, 1948 on *Lonicera* sp.—China. malloti Hansford & Thirumalachar in

Farlowia, iii, p. 289, 1948 on Mallotus albus. -India.

pothodis Hansford & Thirumalachar in Farlowia, iii, p. 288, 1948 on Pothos scandens.

quercina Hansford in Farlowia, iii, p. 273, 1948 on *Quercus*.—China. - rosae Hansford in *Farlowia*, iii, p. 273, 1948

on Rosa roxburghii.—China.

Irenopsis mysorensis Hansford & Thirumalachar in Farlowia, iii, p. 287, 1948 on Lasio-siphon ericocephalus.—India.

†*Kmetia ampelopsidis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 126, 1943 on Ampelopsis heterophylla var. hancei.—Formosa. [In Japanese]

 dioscoreae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 127, 1943 on Dioscorea alata.
—Formosa. [In Japanese].

†*Kordyana polliniae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 54, 1943 on Pollinia japonica.—Formosa. [In Japanese].

Lachnea aurantia Velenovsky. (This *Index*, p. 186). See also *L. aurantia* (Rodw.) Sacc. in Syll. Fung., xxiv, p. 1176, 1928.

Lachnum sphaerocephalum (Wallr.) Nannf. (This Index, p. 208). See also L. sphaero-cephalum (Wallr.) Rehm in Ann. mycol., Berl., xi, p. 395, 1913.

Lactarius avellaneus (Murr.) Murrill. (This Index, p. 186). See also L. avellaneus Imai in Bot. Mag., Tokyo, xlix, p. 608, 1935.

lacunarum (Romagn.) Lange. (The entry in this Index, p. 186 is antedated by that on p. 135).

Laternea brasiliensis (Fischer) Long & Stouffer in Lloydia, xi, p. 64, 1948. (Syn. Clathrus brasiliensis Fischer).

Leccinum scabrum (Bull. ex Fr.) S. F. Gray var. chalybaeum (Sing.) Murrill in Lloydia, xi, p. 26, 1948. (Syn. Leccinum chalybaeum Singer).

Lepiota atro-vinosa Imai in Bot. Mag., Tokyo, lv, p. 444, 1941.—Japan.

haematites (B. & Br.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 149, 1948. [Syn. Agaricus haematites Berk. & Br.].

- hetieriana Locquin nom. nov. in Bull. Soc. linn. Lyon, xiv, p. 94, 1945. (For L. hetieri sensu Lange).

- langei Locquin nom. nov. in Bull. Soc. linn. Lyon, xiv, p. 95, 1945. (For L. rufescens sensu Lange).

pseudo-lilacea Huysman in Bull. Soc. linn.

Lyon, xvi, p. 183, 1947.—Holland.

rhodorhiza (Romagn. & Locq.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 98, 1945. (Syn. L. setulosa var. rhodorhiza Romagn. & Locq. in op. cit., xiv, p. 23, 1945).

Leptosphaeria canephorae Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér. xxx, p. 22, 1948 on Coffea canephora.—Belgian Congo.

- cavanillesii de Urries in $\bar{A}n. Jard. \bar{b}ot. Madr.$ vi, pp. 337, 349, 1945 on Lavandula sp.—Spain. Leptostromella solani Tehon in Mycologia, xl, p. 317, 1948 on stems of Solanum caroli-

nense.-Illinois, U.S.A. Leptothyrium anthelmintici Tehon in Myco.

logia, xl, p. 314, 1948 on dead stems of Cheno. nodiumambrosioidesanthelminticum.-Illinois, U.S.A.

avenae Tehon in Mycologia, xl, p. 315, 1948 on Avena sativa.—Illinois, U.S.A.

fimbriatum Tehon in Mycologia, xl, p. 315, 1948 on leaves of Smilax hispida.—Illinois, U.S.A.

Leucocoprinus affinis (Velen.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 51, 1945. (Syn. Lepiota affinis Velen.).

badhami (Berk. & Br.) Locquin in Bull. Soc. linn. Lyon, xii, p. 15, 1943. (Syn. Agaricus badhami B. & Br.).

biornatus (Berk. & Br.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. (Syn. Agaricus biornatus B. & Br.).

-brebissonii (Godey) Locquin in Bull. Soc. linn. Lyon, xii, p. 41, 1943. [Syn. not cited].

- brunnescens (Peck) Locquin in Bull. Soc. linn. Lyon, xiv, p. 93, 1945. [Syn. not cited]. - carneifolius (Gill.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 93, 1945. [Syn. not cited]. - cinerascens (Quél.) Locquin in Bull. Soc.

linn. Lyon, xiv, p. 93, 1945. [Syn. not cited]. - coccineo-basalis (Locquin) Locquin in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. (Syn. L. mastoideus ssp. coccineo-basalis Locq).

cretaceus (Bull. ex Fr.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 93, 1945. [Syn. Agaricus cretaceus Bull. ex Fr.].

fuliginosus (Barla) Locquin in Bull. Soc.

linn. Lyon, xiv, p. 92, 1945. [Syn. not cited]. - gueguenii (Sacc.) Locquin in Bull. Soc. linn. Lyon, xii, p. 75, 1943. [Syn. not cited].

-heterosporus (Locquin) Locquin in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. (Syn. Lepio-

tophyllum heterosporum Locq.).
- holosericeus (Fr.) Locquin in Bull. Soc. linn. Lyon, xii, p. 95, 1943. (Syn. Agaricus holosericeus Fr.).

-ianthinus (Cooke) Locquin in Bull. Soc. linn. Lyon, xiv, p. 94, 1945. [Syn. not cited]. licmophora (Rea) Locquin in Bull. Soc. linn. Lyon, xiv, p. 94, 1945. [Syn. not cited].

lilacino-granulosus (Henn.) Locquin in Bull. Soc. linn. Lyon, xii, p. 95, 1943. [Syn. not cited].

- Iuteus (With.) Locquin in Bull. Soc. linn. Lyon, xii, p. 41, 1943. [Syn. not cited].

macrorhizus Locquin in Bull. Soc. linn. Lyon, xii, p. 80, 1943.—France.

_ mastoideus (Fr.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 46, 1945. (Syn. Agaricus mastoideus Fr.).

- maublancii Locquin ? nom. nov. in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. [Syn. not cited).

meleagris (Auct.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 93, 1945. [Syn. Lepiota meleagris Auct.].

- olgae (Velen.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. [Syn. not cited].

- permixtus (Barla) Locquin in Bull. Soc. linn. Lyon, xiv, p. 91, 1945. [Syn. Lepiota permixta Barla].

prominens (Fr.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 92, 1945. (Syn. Agaricus prominens Fr.).

pudicus [(Bull. ex Fr.)] Locquin in Bull. Soc. linn. Lyon, xiv, p. 53, 1945. [Syn. Agaricus pudicus Bull. ex Fr].

- puellaris (Fr.) Locquin in Bull. Soc. linn. Lyon, xiv, p. 91, 1945. (Syn. Agaricus puellaris Fr.).

rubescens (Duf.) Locquin in Bull. Soc. linn. Lyon, xii, p. 42, 1943. [Syn. not cited].

sublittoralis (Kühner) Locquin in Bull. Soc. linn. Lyon, xiv, p. 93, 1945. [Syn. not

— tenellus (Boud.) Locquin in Bull. Soc. linn. Lyon, xii, p. 95, 1943. [Syn. not cited]. LEUCOGLOSSUM Imai in Bot. Mag., Tokyo,

lvi, p. 524, 1942. Geoglossaceae. - durandii (Teng) Imai in Bot. Mag., Tokyo, lvi, p. 524, 1942. (Syn. Trichoglossum duran-

MACROLEPIOTA Singer in Pap. Mich. Acad. Sci., xxxii, p. 141, 1946. Leucocopri-

- procera (Scop. ex Fr.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 141, 1946. (Syn. Lepiota procera Auct.).

†*Macrophoma magnoliae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 70, 1943 on Magnolia pumila.—Formosa. [In Japanese]. - sporoboli Sprague in Mycologia, xl, p. 300,

1948 on dead leaves of Sporobolus giganteus. -Arizona, U.S.A. Macrosporium carthami Săvulescu. (This

Index, p. 188). See also M. carthami Rodigin. in Ann. Saratov. Agr. Inst., i, p. 190, 1939. †*- ricini Sawada in Rep. Govt Res. Inst. Formosa 85, p. 97, 1943 on Ricinus communis. -Formosa. [See also M. ricini Yoshii,

Marasmiellus anthocephalus (Sacc.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 130, 1946. (Syn. Marasmius anthocephalus Sacc.).

- caespitosus (Pat.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 129, 1946. (Syn. Clitocybe caespitosa Pat.).

- nigripes (Schw.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 130, 1946. (Syn. Heliomyces nigripes (Schw.) Morgan).

- ramealis (Bull. ex Fr.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 130, 1946. (Syn. Marasmius ramealis (Bull. ex Fr.) Fr.).

-rugulosus (Berk. & Curt.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 130, 1946. (Syn. Marasmius rugulosus Berk. & Curt.)

tricolor (Alb. & Schw. ex Fr.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 128, 1946. (Syn. Agaricus tricolor A. & S. ex Fr.).

-tricolor (Alb. & Schw. ex Fr.) Singer f. americana Singer in Pap. Mich. Acad. Sci., xxxii, p. 128, 1946.—Mass., U.S.A.

Marasmius acervatus (Fr.) Pearson Dennis in Trans. Brit. mycol. Soc., xxxi, p. 158, 1948. (Syn. Agaricus acervatus Fr.). [See also M. acervatus (Fr.) Karst. in Bidr. Finl. Nat. Folk, xlviii, p. 103, 1889].

cryptomeriae Imai in Bot. Mag., Tokyo, lv, 658, p. 450, 1941 on fallen leaves of Cryptomeria japonica.—Japan.

†*Marsonia rosae-laevigatae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 83, 1943 on Rosa laevigata.—Formosa. [In Japanese].

Melampsora kiusiana Hiratsuka f. in Bot. Mag., Tokyo, lvii, p. 281, 1943 on Salix subopposita.-Japan.

Melanotus fumosifolius (Murr.) Singer. (This Index, p. 229). See also M. fumosifolius (Murr.) Murr. in Mycologia, x, p. 16, 1918.

Meliola actinodaphnes Hansford in Farlowia, iii, p. 274, 1948 on Actinodaphne sp.—China. bangalorensis Hansford & Thirumalachar

in Farlowia, iii, p. 290, 1948 on Ficus sp. India.

brandisiae Hansford in Farlowia, iii, p. 275,

1948 on Brandisia sp.—China. cansjerae Hansford & Thirumalachar in Farlowia, iii, p. 290, 1948 on Cansjera rheedii. -India.

- castanopsidis Hansford in Farlowia, iii, p. 275, 1948 on Castanopsis tibetana.—China.

- cissampelicola Hansford & Thirumalachar in Farlowia, iii, p. 291, 1948 on Cissampelos convolvulacea.—India. - dichapetali Hansford & Thirumalachar in

Farlowia, iii, p. 292, 1948 on Dichapetalum gelonioides.—India.

elaeagni Hansford & Thirumalachar in Farlowia, iii, p. 292, 1948 on Elaeagnus latifolia.—India.

ficicola Hansford & Thirumalachar in Farlowia, iii, p. 293, 1948 on Ficus sp.—India.

gardneriae Hansford & Thirumalachar in $\overline{Farlowia}$, iii, p. 293, 1948 on Gardneria sp. India.

- heyneae (as 'heyniae') Hansford & Thirumalachar in Farlowia, iii, p. 294, 1948 on Heynea trijuga.—India.

· holarrhenae as ('holarrheniae') Hansford & Thirumalachar in Farlowia, iii, p. 294, 1948 on Holarrhena antidysenterica.—India.

ichnocarpi Hansford & Thirumalachar in Farlowia, iii, p. 295, 1948 on Ichnocarpus frutescens.—India.

- koelreuteriae Hansford in Farlowia, iii, p. 276, 1948 on Koelreuteria sp.—China. - kweichowensis Hansford in Farlowia, iii,

p. 277, 1948 on Styrax benzoin.-China.

kydiae-calycinae Hansford & Thirumalachar in Farlowia, iii, p. 296, 1948 on Kydia calycina.—India.

ovatipoda Hansford & Thirumalachar in Farlowia, iii, p. 297, 1948 on Ficus sp.—India.

symplocicola Yamamoto var. chinensis Hansford in Farlowia, iii, p. 277, 1948 on Symplocos setchuenensis.—China.

- tabernaemontanicola Hansford & Thirumalachar in Farlowia, iii, p. 298, 1948 on Tabernaemontana sp.—India.

toddaliicola Hansford var. indica Hansford & Thirumalachar in Farlowia, iii, p. 299, 1948 on Toddalia asiatica.—India.

zizyphi Hansford & Thirumalachar in Farlowia, iii, p. 299, 1948 on Zizyphus rugosa.

Microglossum rickii Imai in Bot. Mag., Tokyo, lvi, p. 523, 1942.—Japan.

Microstoma protracta (Fr.) Kanouse in Mycologia, xl, p. 486, 1948. (Syn. Peziza protracta Fr.). Milesina formosana Hiratsuka f. & Hashioka

in Bot. Mag., Tokyo, lv, p. 267, 1941 on Diplazium kawakamii.—Formosa.

morrisonensis Hiratsuka f. in Bot. Mag., Tokyo, lvii, 279, 1943 on Dryopteris paleacea.

- niitakensis Hiratsuka f. in Bot. Mag., Tokyo, lvii, 280, 1943 on Peranema cyathe-

oides.—Japan.

Mycena fragilis Velenovsky. (This Index, p. 190). See also M. fragilis (Fr.) Murr. in Mycologia, iv, p. 73, 1912.

-fuyoensis Imai in Bot. Mag., Tokyo, lv, p. 448, 1941.—Japan. paralactea Imai in Bot. Mag., Tokyo, lv,

p. 449, 1941.—Japan.

pseudovulgaris Velenovsky. (This Index, p. 190). See also M. pseudovulgaris Kühner, Genre Mycena, p. 393, 1938.

- umeae Imai in *Bot. Mag., Tokyo*, lv, p. 450, 1941 on dead branches.—Japan.

*Mycosphaerella entadae Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 340, 1942 on Entada phaseoloides.—Formosa. [In Japa-

- fici-wightianae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 33, 1943 on Ficus wightiana.—Formosa. [In Japanese].
- myricae Sawada. (This Index, p. 212).

See also M. myricae Miles in Mycologia, xviii, p. 165, 1926.

Mycotorula chalmersi, M. krausi, M. messanensis, M. pseudotropicalis. (This Index, p. 212; see also p. 152).

Myrothecium jollymannii Preston in Trans. Brit. mycol. Soc., xxxi, p. 272, 1948 on dried leaves of Nicotiana tabacum.—Nyasaland.

-striatisporum Preston in *Trans. Brit.* mycol. Soc., xxxi, p. 275, 1948 from clay soil. -New Zealand.

†*Napicladium musae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 97, 1943 on Musa cavendishi.—Formosa. [In Japanese].

Naucoria confragosa (Fr.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 143, 1946. (Syn. Pholiota confragosa (Fr.) Karst.).

Nectaromyces rattus Negroni & Daglio in An. Soc. cient. argent., exliv, p. 489, 1947 in the spleen of a rat.—Argentina.

Octomyxa brevilegniae Pendergrass in J. Elisha Mitchell sci. Soc., lxiv, p. 133, 1948 on Brevilegnia linearis.—South Carolina, U.S.A.

Olpidium allomycetos Karling in Amer. J. Bot., xxxv, p. 508, 1948 on Allomyces anomalus.—Louisiana, U.S.A.

rhizophlyctidis Sparrow in Mycologia, xl, p. 449, 1948 on Rhizophlyctis.—Marshall Islands. Omphalina oreades Singer in Pap. Mich.

Acad. Sci., xxxii, p. 123, 1946.—New Hampshire, U.S.A.

Omphalotus olearius (DC. ex Fr.) Singer in Pap. Mich. Acad. Sci., xxxii, p. 133, 1946. (Syn. Agaricus olearius DC.). †*Ophionectria globosa Sawada in Rep. Govt Res. Inst. Formosa 85, p. 24, 1943 on Eurya japonica.—Formosa. [In Japanese].

Ormathodium fici Tims & Olive in Phyto.

pathology, xxxviii, p. 711, 1948 on Ficus carica.—Louisiana, U.S.A.

†*ORTHOCHAETA Sawada in Rep. Govt Res. Inst. Formosa 85, p. 22, 1943.—Erysiphaceae. [In Japanese].

– acalyphae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 23, 1943 on Acalypha australis var. lanceolata.—Formosa. [In Japanese].

Pachybasium erectum Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér. xxx, p. 39, 1948 on Elaeis guineensis.—Belgian Congo.

Papulospora stoveri Warren in Mycologia, xl, p. 400, 1948 from soil; parasitic on Rhizoctonia solani.—Ohio, U.S.A.

Parodiella gloeosporidia Steyaert in Bull. Soc. Bot. Belg., lxxx, IIe Sér. xxx, p. 23, 1948 on Elaeis guineensis.—Belgian Congo.

Penicillium aculeatum Raper & Fennell in Mycologia, xl, p. 535, 1948 on textiles.

Florida, U.S.A.

capsulatum Raper & Fennell in Mycologia, xl, p. 528, 1948 on an optical instrument. Panama Canal Zone.

diversum Raper & Fennell in Mycologia, xl, p. 539, 1948 on mouldy leather.—Pennsylvania, U.S.A.

diversum Raper & Fennell var. aureum Raper & Fennell in Mycologia, xl, p. 541, 1948.—U.S.A.

- helicum Raper & Fennell in Mycologia, xl,

p. 515, 1948 from soil.—Sweden. lapidosum Raper & Fennell in Mycologia, xl, p. 524, 1948 on canned blueberries.—U.S.A. - lavendulum Raper & Fennell in Mycologia,

xl, p. 530, 1948.—Illinois, U.S.A.

levitum Raper & Fennell in Mycologia, xl, p. 511, 1948 on modelling clay.—New York, U.S.A.

- parvum Raper & Fennell in Mycologia, xl, p. 508, 1948 from soil.—Nicaragua. piceum Raper & Fennell in Mycologia, xl,

p. 533, 1948.—Source unknown. rotundum Raper & Fennell in Mycologia, xl, p. 518, 1948 on wood.—Panama.

- striatum Raper & Fennell in *Mycologia*, xl, p. 521, 1948 on canned blueberries.— ? U.S.A.

Peniophora compta Jackson in Canad. J. Res., Sect. C, xxvi, p. 138, 1948 on decayed coniferous wood.—Ontario, Canada

cymosa Rogers & Jackson in Canad. J. Res., Sect. C, xxvi, p. 133, 1948 on coniferous wood.—Ontario, Canada.

- hamata Jackson in Canad. J. Res., Sect. C, xxvi, p. 133, 1948 on coniferous wood.— Ontario, Canada.

inornata Jackson & Rogers in Canad. J. Res., Sect. C, xxvi, p. 139, 1948 on coniferous wood.—Ontario, Canada.

-lauta Jackson in Canad. J. Res., Sect. C, xxvi, p. 129, 1948 on bark of *Thuja occidentalis*.—Ontario, Canada.

perexigua Jackson in Canad. J. Res., Sect. C, xxvi, p. 132, 1948 on bark of Tsuga canadensis.—Ontario, Canada.

probata Jackson in Canad. J. Res., Sect. C, xxvi, p. 134, 1948 on wood of Pinus.— Ontario, Canada. pusilla Jackson in Canad. J. Res., Sect. C, xxvi, p. 137, 1948 on bark of Tsuga canadensis.—Quebec, Canada.

- ralla Jackson in Canad. J. Res., Sect. C, xxvi, p. 136, 1948 on bark and wood of Abies

balsamea.—Ontario, Canada.

Peronospora cortusae Gäumann & Blumer in Ber. schweiz. bot. Ges., lvii, p. 250, 1947 on Cortusa matthioli.—Switzerland.

- tozziae Gäumann & Blumer in Ber. schweiz. bot. Ges., lvii, p. 255, 1947 on Tozzia alpina.

-Switzerland.

*Pestalozzia aucoumeae Moreau in Rev. de Mycologie, xiii, Supp. Colon. No. 1, p. 15, 1948 on Aucoumea klaineana.—Gabon.

*_ bischofiae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 84, 1943 on Bischofia javanica.
—Formosa. [In Japanese].

**Phaeodothis ligustri Sawada in Rep. Govt Res. Inst. Formosa 85, p. 28, 1943 on Ligustrum nokoensis.—Formosa. [In Japanese]. †*Phaeosphaerella melongenae Sawada in

Rep. Govt Res. Inst. Formosa 85, p. 34, 1943 on Solanum melongena.-Formosa.

Japanese.]

Pholiota maackiae Singer in Pap. Mich. Acad. Sci., xxxii, p. 142, 1946.—U.S.S.R.

Pholiotina rugosa (Peck) Singer in Pap. Mich. Acad. Sci., xxxii, p. 148, 1946. (Syn. Pholiota rugosa Peck).

Phoma dianthi Lagière. (This Index, p. 192). See also P. dianthi Bubák in Ann. mycol.,

Berl., xiii, p. 30, 1915.

*- hibisci-esculenti Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 33, 1943 [and also in Rep. Govt Res. Inst. Formosa 85, p. 68, 1943] on Hibiscus esculentus.—Formosa. [In Japanese].

-smyrnii J. Politis. (This *Index*, p. 213). See also *P. smyrnii* Da Camara in *Anais* Inst. Sup. Agron., iii, p. 100, 1930.

Phomopsis viterbensis Camici in Ann. Sper. agr., Ñ.S., ii, p. 560, 1948 on Castanea vesca. -Italy.

†*Phyllachora arthraxonis-hispidi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 25, 1943 on Arthraxon hispidus var. typicus.-Formosa. [In Japanese].

†*— indocalami Sawada in Rep. Govt Res. Inst. Formosa 85, p. 25, 1943 on Indocalamus niitakayamensis.—Formosa. [In Japanese].

†*— miscanthi-japonici Sawada in Rep. Govt Res. Inst. Formosa 85, p. 26, 1943 on Miscanthus japonicus.—Formosa. [In Japa-

†*- pachinensis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 27, 1943 on Bambusa pachinensis.—Formosa. [In Japanese].

†*Phyllosticta alpiniae-kelungensis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 59, 1943 on Alpinia kelungensis.—Formosa. [In Japanese].

†*- araliae-cordatae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 59, 1943 on Aralia cordata.—Formosa. [In Japanese].

- artemisiae-lactiflorae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 60, 1943 on Artemisia lactiflora.—Formosa. [In Japa-

-barleriae da Costa & Mundkur in Proc. nat. Inst. Sci. India, xiv, p. 56, 1948 on Bar-

leria.—India.

- bischofiae da Costa & Mundkur in Proc.

nat. Inst. Sci. India, xiv, p. 56, 1948 on Bischofia.—India.

-butleri da Costa & Mundkur nom. nov. in Proc. nat. Inst. Sci. India, xiv, p. 59, 1948. (Syn. Phyllosticta hoyae Diedicke, non Allescher).

- capparidis-heyneanae da Costa & Mundkur in Proc. nat. Inst. Sci. India, xiv, p. 57, 1948 on Capparis heyneana.—India.

†*- caricaecola Sawadain Rep. Govt Res. Inst. Formosa 85, p. 60, 1943 on Carica papaya. Formosa. [In Japanese].

- cryptotaeniae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 61, 1943 on Cryptotaenia canadensis.-Formosa. [In Japanese].

— cymbidii Sawada in Rep. Govt Res. Inst. Formosa 85, p. 62, 1943 on Cymbidium aloifolium.—Formosa. [In Japanese].

galegae Maire. (This Index, p. 213). See also P. galegae Garbowski in Bull. Soc. mycol. Fr., xxxix, p. 243, 1924.

†*- gordoniicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 62, 1943 on Gordonia axillaris.—Formosa. [In Japanese].

†*- kawakamii Sawada in Rep. Govt Res. Inst. Formosa 85, p. 63, 1943 on Dioscorea alata.—Formosa. [In Japanese].

-liquidambaricola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 64, 1943 on Liquidambar formosana.—Formosa. [In Japanese].
— melongenae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 65, 1943 on Solanum

melongena.—Formosa. [In Japanese]. moringicola da Costa & Mundkur in Proc.

nat. Inst. Sci. India, xiv, p. 60, 1948 on Moringa.-India.

myroxyli da Costa & Mundkur in Proc. nat. Inst. Sci. India, xiv, p. 60, 1948 on Myroxylon tolniferum.—India.

* papayicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 65, 1943 on Carica papaya.—

Formosa. [In Japanese].

- rubi-adenotrichopodi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 66, 1943 on Rubus adenotrichopodus.—Formosa. [In Japanese].

sedgwickii da Costa & Mundkur in Proc. nat. Inst. Sci. India, xiv, p. 61, 1948 on

Grewia tiliaefolia.—India.

- siameae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 66, 1943 on Cassia siamea. Formosa. [In Japanese].

- thladianthae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 67, 1943 on Thladiantha formosana.—Formosa. [In Japanese].

- yugokwa Sawada in Rep. Govt Res. Inst. Formosa 85, p. 67, 1943 on Magnolia pumila. -Formosa. [In Japanese].

Pleurotus floridanus Singer in Pap. Mich. Acad. Sci., xxxii, p. 134, 1946.-Florida, U.S.A.

Pluteus cervinus (Schaeff.) Fr. var. eximius (W. G. Sm.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 169, 1948. [Syn. Agaricus eximius W. G. Sm.].

cinereus Quél. var. venosus Vacek in Studia bot. Čechoslov., ix, p. 47, 1948 on wood.

-Czechoslovakia.

Polycephalomyces paludosus Mains in *Mycologia*, xl, p. 414, 1948 on a lepidopterous larva.-Michigan, U.S.A.

-ramosus (Peck) Mains in Mycologia, xl, p. 414, 1948. (Syn. Stilbum ramosum Peck). Polyporus abietinus Fr. f. fuscoviolaceus (Fr.) Baxter in Pap. Mich. Acad. Sci., xxxii, p. 202, 1946 on coniferous wood. (Syn. Irpex fuscoviolaceus Fr.).

- abietinus f. thelephoroides $\operatorname{Baxterin} Pap$. Mich. Acad. Sci., xxxii, p. 203, 1946 on coniferous wood.—Washington, U.S.A.
- oviformus (Cunningham) Cunningham in

Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div., 74, p. 34, 1948. (Syn. Poria oviforma Cunningham).

-rosularis Cunningham in Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div., 74, p. 36, 1948 on rotting logs of Nothofagus.—New Zealand.

-rosulatus Cunningham in Bull. N.Z. Dep. sci. industr. Res. Fl. Dis. Div., 74, p. 36, 1948 on wood.—New Zealand.

- sepium (Berk.) Cunningham in Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div., 74, p. 33, 1948. (Syn. Trametes sepium Berk.).

Poria diospyri Baxter in Pap. Mich. Acad. Sci., xxxii, p. 191, 1946 on Diospyros virginiana.—Oklahoma, U.S.A.

herbicola Baxter in Pap. Mich. Acad. Sci., xxxii, p. 190, 1946.—Michigan, U.S.A. - subserpens (Murr.) Murrill. (This Index,

p. 231). See also P. subserpens (Murr.) Weir in Bull. U.S. Dept. Agric. 1380, p. 91, 1926. Psathyra microspora Velenovsky. (Thi

Index, p. 193). See also P. microspora Imai in Jour. Fac. Agr. Hokkaido Univ., xliii, p. 294, 1938.

solitaria Velenovsky. (This Index, p. 193). See also P. solitaria Karst. in Meddel. Soc. Faun. Fl. Fenn., xvi, p. 102, 1889.

Psathyrella fibrillosa (Pers. ex Fr.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 184, 1948. (Syn. Agaricus fibrillosus Pers. ex Fr.). [See also P. fibrillosa '(Fr. ex Pers.)' Maire in Mem. Soc. Sci. Nat. Maroc., xlv, p. 113, 1938].

gordoni (B. & Br.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 184, 1948. [Syn. Agaricus gordoni Berk. & Br.].

gossypina (Bull. ex Fr.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 184, 1948. (Syn. Agaricus gossypinus Bull. ex Fr.).

-nolitangere (Fr.) Pearson & Dennis in

Trans. Brit. mycol. Soc., xxxi, p. 184, 1948. (Syn. Agaricus nolitangere Fr.).

pennata (Fr.) Pearson & Dennis var. annulata (Pearson) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 185, 1948. [Syn. Psathyra pennata var. annulata Pearson].

Puccinia arisanensis Hiratsuka f. & Hashioka nom. nov. in Bot. Mag., Tokyo, lv, p. 270, 1941. (Syn. Uredo zehneriae Thümen)

geraniiphila Lindquist in Notas del Museo de La Plata, xiii, p. 69, 1948 on Geranium sp. -Argentina.

graminis Pers. f. agropyri Mehta Prasada (as '(Pers.) Mehta & Prasada') in Indian J. Agric. Sci., xvii, p. 149, 1948 on Agropyron semicostatum and A. longearista--India

hakodatensis Hiratsuka f. in Bot. Mag., Tokyo, lvi, p. 379, 1942 on Carex sp.—Japan. - koeleriae J. Politis. (This Index, p. 214). See also P. koeleriae Arthur in Mycologia,

i, p. 247, 1909.

- Iupinicola Gäumann in Ber. schweiz. bot. Ges. lvii, p. 247, 1947 on Lupinus benthami. California, U.S.A.

sakamotoi Hiratsuka f. & Yoshinaga in Bot. Mag., Tokyo, lvi, p. 377, 1942 on Disty. lium racemosum.—Japan.

smilacis-sieboldii Hiratsuka f. in Bot. Mag., Tokyo, Ivi, p. 377, 1942 on Smilar

sieboldii.-Japan.

sphaeralceae Gäumann in Ber. schweiz. bot. Ges., Ivii, p. 248, 1947 on Sphaeralcea ambigua.—California, U.S.A.

themedae Hiratsuka f. nov. nom. in Bot, Mag., Tokyo, lvi, p. 379, 1942. (Syn. Uredo

themedae Dietel).

thomasiana Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 60, 1948 on Ocimum gratis. simum .- India.

tricholaenae (Syd.) Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 63, 1948. (Syn.

Diorchidium tricholaenae Syd.).

tweediana (Speg.) Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 62, 1948. (Syn. Aecidium tweedianum Speg.).

wentii Gäumann in Ber. schweiz. bot. Ges., lvii, p. 246, 1947 on Haplopappus acradenius var. eremophilus.—California, U.S.A.

Pucciniastrum ishiuchii Hiratsuka f. in Bot. Mag., Tokyo, lvii, p. 280, 1943 on Deutzia scabra var. crenata.—Japan.

Pulveroboletus gentilis (Quél.) Singer. (This Index, p. 194). See same comb. by Singer in Farlowia, ii, p. 300, 1945.

Pyrenochaeta elymi Sprague in Mycologia, xl, p. 299, 1948 on dead leaf tips of Elymus glaucus.—Utah, U.S.A.

terrestris (Hansen) Gorenz, Walker, & Larson in Phytopathology, xxxviii, p. 838, 1948. (Syn. Phoma terrestris Hansen).

Pyrenophora Iolii Dovaston in Trans. Brit. mycol. Soc., xxxi, p. 252, 1948 in culture from Lolium italicum.—Scotland.

Pythium indicum Balakrishnan in Proc. Indian Acad. Sci., xxvii, Sect. B, p. 172, 1948 on Hibiscus esculentus.—India.

periplocum Drechsler var. coimbator-ense Balakrishnan in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 31, 1948 in water.-India.

†*Ramularia puerariae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 89, 1943 on Pueraria thunbergiana.—Formosa. [In Japanese].

†*— rumicis-crispi Sawada in Rep. Govt Res. Inst. Formosa 85, p. 89, 1943 on Rumex cris-pus.—Formosa. [In Japanese].

Resupinatus chilensis Singer in Pap. Mich. Acad. Sci., xxxii, p. 134, 1946.—Chile.

Rhizoctonia carotae Rader in Phytopathology, xxxviii, p. 444, 1948 on Daucus carota.-New York, U.S.A.

Rhizophydium marshallense Sparrow in Mycologia, xl, p. 450, 1948 on Rhizophlyctis.
—Marshall Islands.

nodulosum Karling in Mycologia, xl, p. 328, 1948 on dead human hair, &c.—New York, U.S.A.

planktonicum Canter apud Canter & Lund in New Phytol., xlvii, p. 259, 1948 on Asterionella formosa.—England.

Rhodocybe truncata (Fr.) Singer. Index, p. 194; see also p. 170).

Rhodosticta coluteae Bremer. (This Index, p. 231). See also R. coluteae Maire in Bull. Soc. mycol. Fr., xlvi, p. 240, 1930.

Ripartites strigiceps (Fr.) Singer. (This Index, p. 195). See also R. strigiceps (Fr.) Karst. in Bidr. Finl. Nat. Folk, xxxii, p. 478,

Rostkovites brevipes (Peck) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus brevipes

Peck). Russula albonigroides Singer in Pap. Mich. Acad. Sci., xxxii, p. 109, 1946.—Liberia.

anatina Romagnesi. (This Index, p. 215). See also Bull. Soc. mycol. Fr., lxi, p. 35, 1946. brasiliensis Singer in Pap. Mich. Acad.

Sci., xxxii, p. 108, 1946.—Brazil.

heterophylla Fr. var. virginea (Cooke & Massee) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 166, 1948. [Syn. Russula virginea Cooke & Massee].

- hoehnelii Singer in Pap. Mich. Acad. Sci., xxxii, p. 110, 1946.-Java.

- liberiensis Singer in Pap. Mich. Acad. Sci.,

xxxii, p. 112, 1946.—Liberia. patriotica Murrill nom. nov. in Mycologia, xl, p. 635, 1948. (Syn. Russula tricolor Murr. [this Index, p. 155], non Heim).

-vinosa Lindb. ssp. occidentalis Singer in Pap. Mich. Acad. Sci., xxxii, p. 114, 1946.—

Western U.S.A.

Rutstroemia microspora Kanouse. (This Index, p. 231). See also R. microspora Velenovsky, Mon. Disc. Bohem., p. 232, 1934.

Sarcosphaera ammophila (Dur. & Mont.) Kirschstein. (This *Index*, p. 215). See also S. ammophila (Dur. & Lev.) Moesz in Bot. Közlem, xi, p. 196, 1912; also this Index,

Schizostoma argentinense (Speg.) Long in Lloydia, xi, p. 58, 1948. (Syn. Tylostoma argentinense Speg.).

Scleromitrula brassicae (Hammerl.) Imai in Bot. Mag., Tokyo, lvi, p. 525, 1942. (Syn. Mitrula brassicae Hammerl.).

Sclerotinia spermophila Noble in Trans. Brit. mycol. Soc., xxx, p. 90, 1948 on seeds of white clover from New Zealand.

Sclerotium bataticola Taub. ssp. intermedia Reichert & Hellinger in Palestine J. Bot., R. Ser., vi, p. 138, 1947 on cotton and tobacco. -Palestine.

-bataticola Taub. ssp. sesamica Reichert & Hellinger in Palestine J. Bot., R. Ser., vi, p. 138, 1947 on Sesame.—Palestine.

-bataticola Taub. ssp. typica Reichert & Hellinger in Palestine J. Bot., R. Ser., vi, p. 137, 1947 on bean, &c.—Palestine.

†*Scolecotrichum musae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 93, 1943 on Musa cavendishii.—Formosa. [In Japanese]. [See also S. musae Zimm., 1902].

Sebacina variseptata Olive in *Mycologia*, xl, p. 595, 1948 on wood.—Louisiana, U.S.A. †*Septoria crawfurdiae Sawada in Rep. Govt

Res. Inst. Formosa 85, p. 73, 1943 on Craw-furdia japonica.—Formosa. [In Japanese]. - crepidis-japonicae Sawada in Rep. Govt

Res. Inst. Formosa 85, p. 74, 1943 on Crepis japonica.—Formosa. [In Japanese]. - elymi f. elymina (J. J. Davis) Sprague in Mycologia, xl, p. 304, 1948. (Syn. S. bromi var. elymina J. J. Davis). †*- melongenae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 74, 1943 on Solanum melongena.—Formosa. [In Japanese].

†*— modonia Sacc. var. brevispora Sawada in Rep. Govt Res. Inst. Formosa 85, p. 75, 1943 on Sonchus arvensis.-Formosa. [In Japanese].

oenanthis-stoloniferae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 75, 1943 on Oenanthe stolonifera.—Formosa. [In Japa-

- peucedanicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 76, 1943 on Peucedanum decursivum.—Formosa. [In Japanese].

- pirina Sawada in Rep. Govt Res. Inst. Formosa 85, p. 76, 1943 on Pyrus serotina. Formosa. [In Japanese]

platycodontis Petr. (This Index, p. 215). See also S. platycodonis Syd., Ann. mycol., Berl., xi, p. 116, 1913.

rajkoffii Bubák ex Maire & Politis. (This Index, p. 215). See also S. rajkoffi Bub. & Moesz in Magyar Bot. Lapok, xxi, p. 10, 1923.

- xanthiicola Sawada in Rep. Govt Res. Inst. Formosa 85, p. 77, 1943 on Xanthium strumarium.—Formosa. [In Japanese].

Sordaria curvispora Cain apud Cain & Groves in Canad. J. Res., Sect. C, xxvi, p. 492, 1948 on seed of Daucus carota L. var. sativa.—California, U.S.A.

inaequalis Cain apud Cain & Groves in Canad. J. Res., Sect. C, xxvi, p. 489, 1948 on seed of Daucus carota L. var. sativa.--Minnesota, U.S.A.

†*Sphaceloma asteris Sawada in Rep. Govt Res. Inst. Formosa 85, p. 78, 1943 on Aster sublatus.—Formosa. [In Japanese].

Sphaeropsis akebiae C. Mireau. (This Index, p. 195). See also S. akebiae Dearn. in Mycologia, xvi, p. 161, 1924.

Stagonospora sexseptata (Trail) Guyot. (This Index, p. 216). See also S. sexseptata

(Trail) Tehon in Mycologia, xxv, p. 248, 1933. Stephanotheca oleae Hansford & Thirumalachar in Farlowia, iii, p. 303, 1948 on Olea dioica.-India.

†*STEREOSORUS Sawada in Rep. Govt Res. Inst. Formosa 85, p. 45, 1943.—Ustilaginales. [In Japanese].

- monochoriae Sawada in Rep. Govt Res. Inst. Formosa 85, p. 45, 1943 on Monochoria vaginata.—Formosa. [In Japanese].

Stictopatella iridis Tehon in Mycologia, xl, p. 320, 1948 on leaves of Iris shrevei.— Illinois, U.S.A.

Stilbum burmense Mains in Mycologia, xl, p. 410, 1948 on a flying ant.—Burma.

Suillellus austrinus (Sing.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus austrinus Singer).

-floridanus (Sing.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus floridanus (Sing.) Murr.).

- hypocarycinus (Sing.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus hypocarycinus Singer).

subvelutipes (Peck) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus subvelutipes Peck). weberi (Sing.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus weberi Singer).

Suillus pseudogranulatus (Murr.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Boletus pseudogranulatus Murr.).

— ruber Singer & Sipe in Pap. Mich. Acad. Sci., xxxii, p. 103, 1946.—Oregon, U.S.A.

Teloconia kamtschatkae (Anders.) Hiratsuka f. in *Bot. Mag.*, *Tokyo*, lvii, p. 283, 1943. (Syn. *Puccinia kamtschatkae* Anderson).

Termitomyces congolensis (Beeli) Singer in Pap. Mich. Acad. Sci., xxxii, p. 137, 1946.

(Syn. Lepiota congolensis Beeli).

Tomentella biennis (Fr.) A. M. Rogers in Mycologia, xl, p. 634, 1948. (Syn. Thelephora biennis Fr.).

*Torula acidophila Owen & Mobley in Food Res., xiii, p. 281, 1948 on Periplaneta ameri-

cana.-Louisiana, U.S.A.

Tremella rufobrunnea Olive in *Mycologia*, xl, p. 591, 1948 on wood.—Louisiana, U.S.A. Tricholoma hybridum Kuhner in *Ann.*

scient. Franche-Comté, ii, p. 42, 1947.—France.
—infumatum (Bres.) Pearson & Dennis in
Trans. Brit. mycol. Soc., xxxi, p. 151, 1948.
(Syn. Collybia infumata (Bres.) Rea).

— orirubens Quél. var. guttatum (Schaeff.)
Pearson & Dennis in Trans. Brit. mycol. Soc.,
xxxi, p. 151, 1948. [Syn. Agaricus guttatus
Schaeff. ex Fr.].

- pergamenum (Cooke) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 151, 1948.

[Syn. Agaricus pergamenus Cooke].

— sejunctum (Sow.) Fr. var. coryphaeum (Fr.) Pearson & Dennis in Trans. Brit. mycol. Soc., xxxi, p. 151, 1948. [Syn. Agaricus coryphaeus Fr.].

Tubaria thermophila Singer in Pap. Mich. Acad. Sci., xxxii, p. 145, 1946.—Florida,

U.S.A.

Tylopilus pisciodorus (Murr.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Gyroporus pisciodorus* Murr.).

— praeanisatus (Murr.) Murrill in Lloydia, xi, p. 29, 1948. (Syn. Gyroporus praeanisatus Murr.).

Uraecium nothopegiae Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 59, 1948 on Nothopegia.—India.

Uredinopsis komagatakensis Hiratsuka f. in Bot. Mag., Tokyo, Ivii, 279, 1943 on Athy-

rium yokoscense.—Japan.

Uredo dioscoreicola Sawada. (This Index, p. 217). See also U. dioscoreicola Kern et al. in Ann. mycol., Berl., xxxi, p. 24, 1933.

*— nephelii Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 33, 1943 [also in Rep. Govt Res. Inst. Formosa 85, p. 53, 1943] on Nephe. lium litchi.—Formosa. [In Japanese].

polygalicola (as 'polygalaecola') Hiratsuka
 f. nom. nov. in Bot. Mag., Tokyo, Ivi, p. 379,
 1942. (Syn. Uredo polygalae Dietel, non

Kalchbr.).

Uromyces acori Ramakrishnan & Ranga. swami in Curr. Sci., xvii, p. 241, 1948 on Acorus calamus.—India. —loculiformis Ramakrishnan, T. S. &

Ramakrishnan, K. in *Proc. Indian Acad.* Sci., Sect. B, xxviii, p. 65, 1948 on Chlorophytum attenuatum.—India.

— scirpi-maritimi Hiratsuka f. & Yoshinaga in Bot. Mag., Tokyo, lvi, p. 376, 1942 on Scirpus maritimus.—Japan.

— tessariae (Speg.) Lindquist in Notas Museo La Plata, xiii, 58, p. 37, 1948. (Syn. Uredo tessariae Speg.).

- wellingtonica Ramakrishnan, T. S. & Ramakrishnan, K. in Proc. Indian Acad. Sci., Sect. B, xxviii, p. 66, 1948 on Sporobolus indicus.—India.

†*Ustilago eleocharidis Sawada in Rep. Govt Res. Inst. Formosa 85, p. 39, 1943 on Eleocharis dulcis.—Formosa. [In Japanese].

— sporoboli-tremuli Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 58, 1948 on *Sporobolus tremulus*.—India.

†*Vermicularia nigronitentis Sawadain Rep. Govt Res. Inst. Formosa 85, p. 70, 1943 on Phyllostachys makinoi.—Formosa. [In Japanese].

Verticillium menisporoides Petch in Trans. Brit. mycol. Soc., xxxi, p. 299, 1948 on a dead

spider.—Britain.

Xanthoconium affine (Peck) Singer. (This Index, p. 197). See also X. affine (Peck) Singer in Mycologia, xxxvi, p. 361, 1944.

Xenostele neolitseae Ramakrishnan, T. S. & Ramakrishnan, K. (This *Index*, p. 197). See also X. neolitseae Teng, this *Index*, p. 48.

 takakumensis Hiratsuka f. in Bot. Mag., Tokyo, lvi, p. 376, 1942 on Fiwa longifolia.— Japan.

Xerocomus indicus Singer in Pap. Mich. Acad. Sci., xxxii, p. 104, 1946.—India.

† See footnote on p. 237.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta and Vertebrata.

ACANTHACEAE

Barleria Phyllosticta barleriae

Justicia

 $Cercospora\ justiciae cola$

Justicia procumbens Cercospora justiciae

ALANGIACEAE

Alangium begoniifolium

Dictyonella alangii

ALGAE

Asterionella formosa

Rhizophidium planktonicum

AMARANTACEAE

Achyranthes aspera Cercospora achyranthina

Gomphrena globosa Cercospora gomphrenae

Sesame

Sclerotium bataticola ssp. sesamica

Anacardiaceae

Mangifera indica

Asterolibertia mangiferae

Nothopegia sp.

Uraecium nothopegiae

ANONACEAE

Artabotrys uncinata

Colletotrichum artabotrydis

APOCYNACEAE

Holarrhena antidysenterica

Cercospora holarrhenae Meliola holarrhenae

Ichnocarpus frutescens

Meliolā ichnocarpi Tabernaemontana

Meliola tabernaemontanicola

Wrightia tinctoria

Cercospora wrightiae

AQUIFOLÍACEAE Ilex formosana

Guignardia ilicis-formosanae

Ilex micrococca

Cercospora ilicis-micrococcae

ARACEAE

Acorus calamus

Asperisporium acori

Uromyces acori

Pothos scandens

Irenina pothodis

ARALIACEAE

Aralia cordata

Phyllosticta araliae-cordatae

Aralia decaisneana

Cladosporium araliae

Panax fruticosa Cercospora panacis

ARISTOLOCHIACEAE

Aristolochia indica

Cercospora bangalorensis

BOMBACACEAE

Waltheria indica

Cercospora waltheriae

BURSERACEAE

Aucoumea klaineana

Pestalozzia aucoumeae

CAPPARIDACEAE

Capparis heyneana

Phyllosticta capparidis-heyneanae

CAPPARIDACEAE (continued)

Capparis sepiaria

Cercospora capparidicola

Hariotula capparidis

CAPRIFOLIACEAE

Lonicera

Irenina lonicerae

Viburnum cylindricum

Cercospora viburnicola

CARICACEAE

Carica papaya

Phyllosticta caricaecola

 $Phyllosticta\ papayicola$

CHENOPODIACEAE

Chenopodium ambrosioides anthelminticum

Leptothyrium anthelmintici

COMMELINACEAE

Forrestia chinensis

Cercospora forrestiae

COMPOSITAE

Artemisia lactiflora

Amastigis artemisiae

Phyllosticta artemisiae

Aster sublatus

Sphaceloma asteris

Bidens pilosa

Cercospora bidentis-pilosae

Crepis japonica

Septoria crepidis-japonicae Dichrocephala latifolia

Ascochyta dichrocephalae

Elephantopus mollis

Helminthosporium elephantopi

Haplopappus acradenius var. eremophilus

Puccinia wentii

Lactuca indica

Cladosporium lactucae Lactuca sativa

Cercospora lactucae-sativae

Ligularia tussilaginea

Ascochyta ligulariae Myriactis longipedunculata

Cercospora myriactidis

Solidago chilensis

Colletotrichum consociatum Sonchus arvensis

Septoria modonia var. brevispora

Xanthium strumarium Septoria xanthiicola

CONVOLVULACEAE

Convolvulus

Hariotula convolvuli

Ipomoea indica

Cercospora ipomoeae-indicae

Lettsomia elliptica

Cercospora lettsomiae

CORIARIACEAE

Coriaria sinica

Cercospora coriariae

CUCURBITACEAE

Thladiantha formosana

Phyllosticta thladianthae

CYPERACEAE

Carex Puccinia hakodatensis

Eleocharis dulcis

Ustilago eleocharidis

Fimbristylis annua Helminthosporium fimbristylidis Cyperaceae (continued) Scirpus maritimus Uromyces scirpi-maritimi

DICHAPETALACEAE
Dichapetalum gelonioides
Asterina dichapetali
Meliola dichapetali
DIOSCOREACEAE
Dioscorea alata
Kmetia dioscoreae
Phyllosticta kawakamii
Dioscorea trifida
Brachysporium dioscoreae
DIPTEROCARPACEAE
Shorea talura
Cercospora shoreae

EBENACEAE Diospyros eriantha Cercospora diospyri-erianthae Diospyros morrisiana Cercospora diospyri-morrisianae Diospyros virginiana Poria diospyri ELAEAGNACEAE Elaeagnus latifolia Meliola elaeagni ELAEOCARPACEAE Elaeocarpus munroi Catacauma elaeocarpi EUPHORBIACEAE Acalypha australis var. lanceolata Orthochaeta acalyphae Bischofia Phyllosticta bischofiae Bischofia javanica Pestalozzia bischofiae Daphniphyllum glaucescens Cladosporium daphniphylli Euphorbia pulcherrima Cercospora petila Glochidion hongkongense Cercospora taihokuensis Mallotus albus Irenina malloti Phyllanthus niruri Čercospora phyllanthi Ricinus communis Macrosporium ricini Sapium sebiferum Cercospora sapii-sebiferi FAGACEAE

Phomopsis viterbensis
Castanopsis tibetana
Irenina castanopsidis
Meliola castanopsidis
Quercus
Helicogloea sebacinoidea
Irenina quercina
FUNGI
Allomyces anomalus
Olpidium allomycetos
Asterina linderae
Eriomycopsis chinensis
Rhizophlyctis
Olpidium rhizophlyctidis
Rhizophydium marshallense
Rhizophydium nodulosum
Chytridium rhizophydii

Castanea vesca

GENTIANACEAE Crawfurdia japonica Septoria crawfurdiae

GERANIACEAE Geranium sp. Puccinia geraniiphila GRAMINEAE Agropyron inerme Ascochyta utahensis Agropyron longearistatum Puccinia graminis f. agropyri Agropyron semicostatum Puccinia graminis f. agropyri Alopecurus geniculatus Fusicladium alopecuri Arthraxon hispidus var. typicus Phyllachora arthraxonis-hispidi Arundo formosana Helminthosporium arundinis Avena sativa Leptothyrium avenae Bambusa oldhami Dendrographium bambusae Bambusa pachinensis Phyllachora pachinensis Elymus glaucus Pyrenochaeta elymi Indocalamus niitakayamensis $Phyllachora\ indocalami$ Ischaemum timorense Cerebella ischaemicola Miscanthus japonicus Phyllachora miscanthi-japonici Panicum plicatum Helminthosporium panici Phyllostachys makinoi Vermicularia nigronitentis Pollinia japonica Kordyana polliniae Setaria palmifolia Dothidea azmati Sporobolus giganteus Macrophoma sporoboli Sporobolus indicus Uromyces wellingtonica Sporobolus tremulus Ustilago sporoboli-tremuli

HAMAMELIDACEAE
Distylium racemosum
Puccinia sakamotoi
Liquidambar formosana
Cercospora liquidambaris
Phyllosticta liquidambaricola
HIPPOCRATEACEAE
Salacia
Chaetothyrium mysorensis
Dimeriella salaciae

Insecta
Ants
Stilbum burmense
Lepidoptera
Polycephalomyces paludosus
Pelochares versicolor
Aporomyces szabói
Periplaneta americana
Torula acidophila
IRDACEAE
Iris shrevei
Stictopatella iridis

Labiatae
Lavandula
Leptosphaeria cavanillesii
Ocimum gratissimum
Puccinia thomasiana

T.ATTRACEAE Actinodaphne Meliola actinodaphnes Cinnamomum zeylanicum Armatella cinnamomi Fiwa longifolia Xenostele takakumensis

Lindera Asterina linderae Machilus kusanoi Cercospora machili

LEGUMINOSAE Guignardia nilagiriaca Caesalpinia nuga

Cladosporium caesalpiniae Cassia siamea

Gloeosporium siameae Phyllosticta siameae Entada phaseoloides Mycosphaerella entadae Glycine max

Cephalosporium gregatum Lathyrus sativus

Fusarium orthoceras Lupinus benthami Puccinia lupinicola Mucuna capitata

Cercospora mucunae-capitatae Myroxylon tolniferum

Phyllosticta myroxyli Pachyrrhizus erosus Colletotrichum pachyrrhizi Pisum sativum Cercospora szechuanensis

Pueraria thunbergiana Ramularia puerariae Trifolium repens $Sclerotini \hat{a}\ spermophila$

Vicia faba Fusarium oxysporum f. fabae

LILIACEAE Chlorophytum attenuatum Uromyces loculiformis Smilax hispida

Leptothyrium fimbriatum Smilax sieboldii

Puccinia smilacis-sieboldii

LOGANIACEAE Buddleia Irenina buddleiae Buddleia lindleyana Diplodina buddleiae Buddleia thyrsoides Diplodina buddleiae Gardneria

Meliola gardneriae LYTHRACEAE Lagerstroemia subcostata Cercospora lagerstroemiicola

MAGNOLIACEAE Magnolia pumila Macropĥoma magnoliae Phyllosticta yugokwa MALVACEAE

Gossypium Sclerotium bataticola ssp. intermedia Hibiscus esculentus Phoma hibisci-esculenti Pythium indicum

Kyďia calycina Meliola kydiae-calycinae Sphaeralcea ambigua Puccinia sphaeralceae

MELIACEAE Heynea trijuga Meliola heyneae MENISPERMACEAE

Cissampelos convolvulacea Meliola cissampelicola

MORACEAE Ficus

Asterina mysorensis Cercospora kallarensis Irenina cheoi Meliola bangalorensis Meliola ficicola Meliola ovatipoda

Ficus carica Cephalosporium fici Ormathodium fici Ficus harlandi

Cercospora fici-harlandii

Ficus septica Cercospora fici-septicae

Ficus wightiana Mycosphaerella fici-wightianae

MORINGACEAE Moringa Phyllosticta moringicola MUSACEAE

Musa cavendishi Napicladium musae Scolecotrichum musae

MYRICACEAE Myrica rubra Mycosphaerella myricae MYRTACEAE Decaspermum fruticosum

Paranthostomella decaspermi Eugenia javanica Čercospora eugeniae

NYSSACEAE Camptotheca acuminata $Cercospora\ camptothecae$

OLEACEAE Jasminum Asterina jasmini Jasminum odoratissimum Cercospora odoratissimi Ligustrum nokoensis $Phaeodothis\ ligustri$ Olea dioica Stephanotheca oleae Osmanthus asiaticus Cercospora osmanthi-asiatici

Oenothera Cercospora lingi OPILIACEAE Cansjera rheedii Asterina cansjericola Meliola cansjerae ORCHIDACEAE Cymbidium aloifolium Phyllosticta cymbidii

ONAGRACEAE

PALMAE Areca catechu Phyllosticta catechu Elaeis guineensis Cercospora elaeidis Pachybasium erectum Parodiella gloeosporidia

Passifloraceae
Passiflora quadrangularis
Gloeosporium passifloricolum
Pinaceae
Cryptomeria japonica
Marasmius cryptomeriae
Pinus ponderosa
Geaster xylogenus
Taxodium distichum

Thuja occidentalis
Peniophora lauta
Tsuga canadensis
Peniophora perexigua
Peniophora musilla

Fomes robustus taxodii

Peniophora pusilla
PLANTAGINACEAE
Plantago sawadai

Colletotrichum plantaginis
Polygonaceae
Polygonum hydropiper

Cercospora polygoni
Rumex crispus

Ramularia rumicis-crispi

Pontederiaceae Monochoria vaginata Stereosorus monochoriae

Portulaca oleracea

Helminthosporium portulacae

Primulaceae Cortusa matthioli Peronospora cortusae

PTERIDOPHYTA
Athyrium yokoscense
Uredinopsis komagatakensis
Diplazium kawakamii
Milesina formosana
Dryopteris paleacea

Milesina morrisonensis Peranema cyatheoides Milesina niitakensis Plagiogyria euphlebia Cercospora plagiogyriae

RHAMNACEAE
Zizyphus jujuba
Cercospora jujubae
Zizyphus rugosa
Meliola zizyphi

Rosaceae Cotoneaster franchetii Coleopuccinia kunmingensis Eriobotrya japonica

Pestalozzia eriobotryae-japonicae Prunus persica

Guignardia pruni-persicae Prunus yedoensis Cercospora pruni-yedoensis Pyrus serotina

Septoria pirina Rosa laevigata Marsonia rosae-laevigatae

Rosa roxburghii
Irenina rosae
Rubus adenotrichopus
Phyllosticta rubi-adenotrichopodi

Rubus conduplicatus Acrothecium rubi Rubus nagasawanus Guignardia rubi

RUBIACEAE
Coffea canephora
Helminthosporium canephorae
Leptosphaeria canephorae

Rubiaceae (continued)
Coffea excelsa
Fusarium xylarioides
Rutaceae
Citrus poonensis
Gloeosporium rotundimaculatum
Clausenia willdenowii
Cercospora clauseniae
Fagara nitida
Cercospora fagaricola
Paramignya
Cercospora paramignyae

Meliola toddaliicola var. indica

SALICACEAE
Salix subopposita
Melampsora kiusiana
SAPINDACEAE
Koelreuteria
Meliola koelreuteriae

Toddalia asiatica

Meliola koelreuteriae
Nephelium litchi
Üredo nephelii
Sapindus mukorasis
Čercospora sapindicola
SANIFRAGACEAE

Deutzia scabra var. crenata Pucciniastrum ishiuchii Hydrangea chinensis Colletotrichum hydrangeae

SCROPHULARIACEAE Brandisia Asterina brandisiae Meliola brandisiae

Tozzia alpina
Peronospora tozziae
SOLANACEAE

Capsicum annuum
Chaetomium reflexum
Lycium chinensis
Cercospora chengtuensis

Nicotiana
Sclerotium bataticola ssp. intermedia
Solanum carolinense

Leptostromella solani Solanum melongena Aschochyta melongenae Phaeosphaerella melongenae Phyllosticta melongenae Septoria melongenae

STYRACACEAE
Styrax benzoin
Irene styracicola var. minor
Meliola kweichowensis
SYMPLOCACEAE

Symplocos crataegoides var. chinensis Cercospora symploci Symplocos setchuenensis

Meliola symplocicola var. chinensis

THEACEAE
Camellia sinensis
Corticium dealbans
Glomerella major
Eurya japonica
Ophionectria globosa
Gordonia axillaris
Phyllosticta gordoniicola
THYMELAEACEAE

Lasiosiphon ericocephalus
Irenopsis mysorensis
TILIACEAE
Grewis tilisefolis

Grewia tiliaefolia Phyllosticta sedgwickii ULMACEAE Celtis sinensis

Cercospora celtidis

UMBELLIFERAE

Cryptotaenia canadensis Phyllosticta cryptotaeniae Daucus carota

Gliocladium aureum Rhizoctonia carotae

Daucus carota var. sativa Sordaria curvispora Sordaria inaequalis

Oenanthe stolonifera Septoria oenanthis-stoloniferae

Petroselinum hortense Chaetomium erectum

Peucedanum decursivum Septoria peucedanicola

URTICACEAE

Boehmeria frutescens var. concolor Cercosporella boehmeriae

Pilea Cercospora pileae Pouzolzia bennettiana Cercospora mysorensis VERBENACEAE Callicarpa formosana $Cercos pora\ callicar picola$ Premna schimperi

Cercospora premnae Tectona grandis Cladosporium tectonae

VERTEBRATA

Rattus Nectaromyces rattus

VIOLACEAE Viola kiusiana

Cercospora violae-kiusianae Viola papilionacea Cercospora difformis

Viola sororia

Cercospora sororiae


VITACEAE Ampelopsis heterophylla var. hancei Kmetia ampelopsidis Leea macrophylla


Amazonia leeae

ZINGIBERACEAE Alpinia kelungensis Phyllosticta alpiniae-kelungensis

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash, particularly for noting later homonyms, and of Dr. R. W. G. Dennis for supplying details of certain citations.

PRINTED IN GREAT BRITAIN AT THE UNIVERSITY PRESS OXFORD BY CHARLES BATEY PRINTER TO THE UNIVERSITY





INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. I

Part 19

1949

Acanthostigma glabrescens Petrak in Sydowia, ii, p. 318, 1948 on a Discomycete.-Ecuador.

Achlya intricata Beneke in J. Elisha Mitchell sci. Soc., lxiv, p. 261, 1948 on Crataegus twigs in water.—Illinois, U.S.A.

sparrowii Reischer in Mycologia, xli, p. 339, 1949 from soil.—New Jersey, U.S.A.

Aecidium cissicola Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 170, 1948 on Cissus sp.-

- dorsteniae-walleri Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 172, 1948 on Dorstenia walleri.—Africa.

ghesquierei Hendrickx nom. nov. in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. A. solani Beeli, 1923 non Mont., 1852).

— le-testuanum Cantournet in Bull. Soc.

mycol. Fr., lxiv, p. 174, 1948 on Impatiens irvingi.—Africa.

- marsdeniae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 56, 1949 on Marsdenia volubilis.—Madras, Îndia.

Aleuria pectinospora Svrček in Studia bot. Čechoslov., ix, p. 136, 1948 on soil and dead Picea excelsa.—Czechoslovakia.

Alnicola scolecina (Fr.) Kühner var. fellea Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 214, 1948.—Switzerland.

Amanita agglutinata (Berk. & Curt.) Murr. in Lloydia, xi, p. 104, 1948. (Syn. Agaricus agglutinatus Berk. & Curt.).

- cokeriana Singer nom. nov. in Sydowia, ii, p. 34, 1948. (Syn. A. recutita sensu Coker, non Fr.).

gemmata (Fr.) Gill. var. volvata (Murr.) Murr. in Lloydia, xi, p. 104, 1948. (Syn. Venenarius gemmatus var. volvatus Murr.).

- mairei Foley in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 118, 1949 under Pinus halepensis.—North Africa.

- mappa (Fr.) Murr. var. tenuipes (Murr.) Murr. in Lloydia, xi, p. 105, 1948. Venenarius mappa var. tenuipes Murr.)

- rubens (Scop.) Murr. in Lloydia, xi, p. 104, 1948. (Syn. Agaricus rubens Scop.). spretella (Murr.) Murr. in Lloydia, xi, p. 105,

1948. (Syn. Venenarius spretellus Murr.). Amauroderma fuscoporia Wakefield apud Wakef. & Talbot in Bothalia, iv, p. 948, 1948.—South Africa.

Amazonia sideroxyli Hansford in Proc. Linn. Soc. Lond., clx, p. 128, 1949 on Sideroxylon. Philippines.

tetrorchidii Hansford in Mycol. Pap. C.M.I., 23, p. 19, 1948 on Tetrorchidium didymostemon.—Uganda.

Angiopsora ampelopsidis (Dietel & Sydow) Thirumalachar & Kern in Mycologia, xli,

p. 288, 1949. (Syn. Phakopsora ampelopsidis Diet. & Syd.).

hansfordii (Cumm.) Thirumalachar &

Kern in Mycologia, xli, p. 286, 1949. (Syn. Phakopsora hansfordii Cumm.). - melaena (Sydow) Thirumalachar & Kern

in *Mycologia*, xli, p. 286, 1949. (Syn. Phakopsora melaena Sydow).

meliosmae (Kusano) Thirumalachar & Kern in Mycologia, xli, p. 288, 1949. (Syn. Phakopsora meliosmae Kusano).

venezuelana (Sydow) Thirumalachar & Kern in Mycologia, xli, p. 287, 1949. (Syn. Phakopsora venezuelana Sydow).

Anthostomella lodhii Ahmad in Sydowia, ii, p. 72, 1948 on Palmae.-Pakistan.

ANTIMANOPSIS Petrak in Sydowia, ii, p. 46, 1948.—Melanconiales.

aequatoriensis Petrak in Sydowia, ii.

p. 46, 1948 on Adenaria.—Ecuador.

APHANODICTYON Huneycutt in J. Elisha Mitchell Sci. Soc., lxiv, p. 279, 1948.-Saprolegniaceae.

papillatum Huneycutt in J. Elisha Mitchell Sci. Soc., lxiv, p. 279, 1948.—North Carolina, U.S.A.

Arcangeliella magna (Parks) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Macowanites magnus Parks).

Armatella yatesii Hansford in Proc. Linn. Soc. Lond., clx, p. 151, 1949 on Neolitsea. Philippines.

Ascochyta ilicicola Politis in Mém. Soc. Hist. nat. Afr. Nord., Hors-sér., ii, p. 268, 1949 on Ilex aquifolium.—Greece.

orobi Sacc. f. macrocarpa Rayss in Bull. Soc. mycol. Fr., lxii, p. 34, 1946 on Ono-brychis cornuta.—France.

Aspergillus mattletii Hendrickx nom. nov. in Publ. Inst. nat. Étude agron. Congo belge, Sér. Sci., xxxv, p. 7, 1948. (Syn. A. giganteus

(Mattlet) Dodge, 1935 non Wehmer, 1907). Asterina anisoptericola Hansford in Proc.

Linn. Soc. Lond., clx, p. 142, 1949 on Anisoptera thurifera.—Philippines.—champereiae Hansford in Proc. Linn. Soc. Lond., clx, p. 149, 1949 on Champereia

cumingiana.—Philippines.

omphaleae Petrak in Sydowia, ii, p. 319, 1948 on Omphalea.—Ecuador.

- rizalensis Hansford in Proc. Linn. Soc. Lond., clx, p. 147, 1949 on Anisoptera

thurifera.—Philippines.
- submegas (P. Henn.) Hansford in Proc. Linn. Soc. Lond., clx, p. 148, 1949. (Syn. Seynesia submegas P. Henn.).

Asterolibertia anisopterae (Sydow) Hansford in Proc. Linn. Soc. Lond., clx, p. 139, 1949. (Syn. Asterina anisopterae Syd.).

- bakeri (Sydow) Hansford in Proc. Linn.



Soc. Lond., clx, p. 139, 1949. (Syn. Asterina bakeri Syd.).

gibbosa (Gaill.) Hansford in Proc. Linn. Soc. Lond., clx, p. 141, 1949. (Syn. Asterina gibbosa Gaill.).

licaniae (Cooke) Hansford in Proc. Linn. Soc. Lond., elx, p. 140, 1949. (Syn. Asterina licaniae Cooke).

licaniicola Hansford in Proc. Linn. Soc. Lond., clx, p. 140, 1949 on Licania sp.-- nodulosa (Speg) [as '(Cooke)'] Hansford in

Proc. Linn. Soc. Lond., clx, p. 141, 1949. (Syn. Asterina nodulosa Speg.). ulei Hansford in Proc. Linn. Soc. Lond., clx,

p. 142, 1949 on Malpighiaceae.—Brazil.

Asteroma arctii Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead stems of Arctium.—Greece.

Asteromella urgineae Bremer apud Bremer & Petrak in Sydowia, ii, p. 311, 1948 on Urginea maritima.—Turkey.

ASTERONECTRIOIDEA Cantournet Bull. Soc. mycol. Fr., lxiv, p. 178, 1948.-Sphaeropsidales.

heveicola Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 178, 1948 on Hevea brasiliensis.—

ASTEROSCUTULA Petrak in Sydowia, ii, p. 59, 1948.—Sphaeropsidales.

sydowii Petrak in Sydowia, ii, p. 59, 1948 on Lauraceae.-Ecuador.

Asterostromella rumpiana Talbot apud Wakefield & Talbot in Bothalia, iv, p. 939, 1948 on wood.—South Africa.

Astraeus pteridis (Shear) Zeller in Mycologia, xl, p. 654, 1948. (Syn. Scleroderma pteridis Shear).

Baeodromus dominicana (Kern) Thirumalachar & Kern in Mycologia, xli, p. 284, 1949. (Syn. Phakopsora dominicana Kern).

Bagnisiopsis capparidis Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 1, 1946 on dead Capparis aphylla.—India.

Beauveria alba (Limber) Saccas in Rev. de Mycologie, xiii, p. 64, 1948. (Syn. Tritirachium album Limber).

-dependens (Limber) Saccas in Rev. de Mycologie, xiii, p. 64, 1948. (Syn. Tritirachium dependens Limber).

– heimii Śaccas in Rev. de Mycologie, xiii, p. 63, 1948 on paper.—France.

spicata (Ferr.) Saccas in Rev. de Mycologie, xiii, p. 64, 1948. (Syn. Tritirachium spicatum (Ferr.) Limber).

*Boletus polyporoides Gentilli in W. Aust. Nat., i, p. 143, 1948.—Australia.

Botryosphaeria prosopidis Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 3, 1946 on dead *Prosopis spicigera*.-India.

Bovistella atrobrunnea Zeller in Mycologia, xl, p. 649, 1948.—Michigan, U.S.A.

Bremia ganglioniformis (Casp.) Shaw in Mycologia, xli, p. 326, 1949. (Syn. Peronospora ganglioniformis Casp.).

Callistosporium galerinoides Singer in Sydowia, ii, p. 29, 1948.—Florida, U.S.A. Calonectria mindoensis Petrak in Sydowia, ii, p. 323, 1948 on Bambuseae.—Ecuador.

Camarosporium cisti Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on dead Cistus.—Greece.

— mirabile Petrak in Sydowia, ii, p. 236, 1948 on Festuca filiformis.—Teneriffe.

platani Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on dead Platanus orientalis.—Greece.

Candida olei (v. Tiegh.) Ciferri, Verona, & Luparini in Mycopathologia, iv, p. 256, 1948. (Syn. Saccharomyces olei v. Tiegh.). Catacauma torrendiella Batista in Bol.

Agric., Pernambuco, xv, p. 132, 1948 on Cocos nucifera.—Brazil.

Cephalosporium eichhorniae Padwick in Mycol. Pap. C.M.I., 17, p. 10, 1946 on Eichhornia crassipes.—India.

sclerotigenum Moreau (This Index, p. 165). A Latin diagnosis of C. sclerotigenum Moreau em. Valenta is given in Acta Soc. Sci. nat. Morav., xx, 6, p. 4, 1948.

Cercoseptoria quercina Bremer & Petrak in Sydowia, ii, p. 313, 1948 on Quercus.

Cercospora bremeri Petrak apud Bremer & Petrak in Sydowia, ii, p. 312, 1948 on Morus nigra.—Turkey.

- cardamines Losa España in An. Jard. bot. Madr., vi, p. 453, 1945 on Cardamine pratensis.—Spain.

salvadorae Maire in Botaniste, xxxiv, p. 308, 1949 on Salvadora persica.—Sahara, Africa. trismeriae Petrak in Sydowia, ii, p. 379,

1948 on Trismeria.—Ecuador. CERINOMYCES Martin in Mycologia, xli, p. 82, 1949.—Tremellales. Type, C. pallidus.

canadensis (Jacks. & Martin) Martin in Mycologia, xli, p. 85, 1949. (Syn. Ceracea canadensis Jacks. & Martin).

crustulinus (Bourd. & Galz.) Martin in Mycologia, xli, p. 85, 1949. (Syn. Ceracea crustulina Bourd. & Galz.).

pallidus Martin in Mycologia, xli, p. 83, 1949 on rotted Quercus.—Iowa, U.S.A. CHAETOMELANOPS Petrak in Sydowia,

ii, p. 68, 1948.—Dothideales. - aequatoriensis Petrak in Sydowia, ii, p. 68, 1948 on leaves of an unknown tree.

Ecuador. *Chaetosphaeria stenostachyae Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, 224, . 221, 1942 on Ischurochloa stenostachya.-Formosa. [In Japanese].

Chrysocelis indica T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 49, 1949 on Justicia betonica.—Madras, India.

Chytriomyces tabellariae (Schröter) Canter in Trans. Brit. mycol. Soc., xxxii, p. 16, 1949. (Syn. Phlyctidium tabellariae Schröter).

Ciliaria umbrorum (Fr.) Boud. var. cancrina Le Gal & Romagnesi apud Le Gal in Bull. Soc. mycol. Fr., lxi, p. 52, 1945.—France.

Cintractia scleriicola Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 169, 1948 on Scleria centralis.—Africa.

Cladosporium aequatoriense Petrak in Sydowia, ii, p. 380, 1948 on Mikania.-Ecuador.

- bruhnei Linder nom. nov. in Bull. nat. Mus. Can. 97, p. 259, 1947. (Syn. Hormo-dendron hordei Bruhne, non C. hordei Pass.)

gynoxidicola [as 'gynoxidicolum'] Petrak in Sydowia, ii, p. 381, 1948 on Gynoxis.— Ecuador.

Clavaria cristata (Holmsk.) Pers. mutans (Burt) Möller in Fungi of the Faroes, Part I, p. 117, 1945. (Syn. Clavaria mutans - sanguinaria Heim in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 153, 1949.-Madagascar.

Clitopilus incrustatus Singer in Sydowia, ii, p. 38, 1948 on wood.—Florida, U.S.A. CLYPEOCERIOSPORA da Camara in Agron.

lusit., viii, p. 30, 1946.—Sphaeriales.

- rubi da Camara in Agron. lusit., viii, p. 31, 1946 on Rubus.-Portugal.

Clypeolella zizyphi (Yates) Hansford in Proc. Linn. Soc. Lond., clx, p. 152, 1949. (Syn. Asterina zizyphiae Yates).

Clypeosphaeria phillyreae da Camara in Agron. lusit., viii, p. 31, 1946 on Phillyrea latifolia.—Portugal.

Clypeothecium sacchari Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 2,

1946 on dead Saccharum munja.—India. Coccomyces consociatus Petrak in Sydowia, ii, p. 66, 1948 on Cavendishia.-Ecuador.

Coleosporium satyrii Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 7, 1946 on Satyrium nepalense.-India.

Colletotrichum dasturii Roy in J. Indian Bot. Soc., xxvii, p. 101, 1948 on Piper betle.— Bengal, India.

stevensii Roy nom. nov. in J. Indian bot. Soc., xxvii, p. 101, 1948. (Syn. Colletotrichum piperis Stevens, non Petch).

Collybia alkalivirens Singer in Sydowia, ii, p. 27, 1948.—Virginia, U.S.A.

langei Favre nom. nov. in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 85, 1948. (Syn. Collybia misera Fr. forma Lange).

- obscura Favre nom. nov. in Beitr. Kryptogamenft. Schweiz, x, 3, p. 87, 1948. (Syn.

Marasmius fuscopurpureus Rick, non al.).
- vulgaris Sing. nom. nov. in Pap. Mich.
Acad. Sci., xxxii, p. 121, 1946. (For C. ignobilis sensu auct. Amer., non Karst.). Coltricia aureo-fulva (Lloyd) Cunningham

in Bull. Dep. sci. industr. Res. N.Z. 77, 9, 1948. (Syn. Polyporus aureo-fulvus p. 9, Lloyd).

- dependens (Berk. & Curt.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 2, 1948. (Śyn. Polyporus dependens Berk. & Curt.).

- laeta (Cooke) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 8, 1948. (Syn. Polyporus laetus Cooke).

oblectans (Berk.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 3, 1948. (Syn. Polyporus oblectans Berk.).

salpincta (Cooke) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 6, 1948. (Syn. Polystictus salpinctus Cooke).

schweinitzii (Fries) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 7, 1948. (Syn. Polyporus schweinitzii Fr.).

strigosa Cunningham in Bull. Dep. sci. industr. Res. N.Z. 77, p. 4, 1948.—New Zealand.

Coniophora papillosa Talbot apud Wakefield & Talbot in Bothalia, iv, p. 939, 1948 on wood.—South Africa.

Coniothyrium dianthicola Alcalde in An. Jard. bot. Madr., vi, p. 411, 1945 on Dianthus brachyanthus.-Spain.

tungurahuense Petrak in Sydowia, ii, p. 367, 1948 on Phyllachora piptocarphae.— Ecuador.

Conocybe detrusa (Peck) Sing. in Sydowia, ii, p. 36, 1948. (Syn. Cortinarius detrusus *Coprinus hexagonosporus Josserand in Rev. de Mycologie, xiii, p. 83, 1948. France.

var. stephanosporus Josserand in Rev. de Mycologie, xiii, p. 86, 1948.—France. - melo Favrein Beitr. Kryptogamenft. Schweiz,

x, 3, p. 215, 1948.—Switzerland.

myceliocephalus Lange in Mycologia, xl, p. 742, 1948.—Texas, U.S.A.

- subpurpureus Smith in Mycologia, xl,

p. 684, 1948.—Michigan, U.S.A. Corticium gloeosporum Talbot apud Wakefield & Talbot in Bothalia, iv, p. 940, 1948 on wood.-South Africa.

- lundellii Bourd. apud J. Eriksson in Svensk bot. Tidskr., xliii, p. 56, 1949 on Picea abies.-Sweden.

-luteocystidiatum Talbot apud Wakefield & Talbot in Bothalia, iv, p. 941, 1948 on wood.—South Africa.

tumulosum Talbot apud Wakefield & Talbot in Bothalia, iv, p. 941, 1948 on wood. -South Africa.

Cortinarius adalberti Favre nom. nov. in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 104, 1948. (Syn. Hydrocybe pateriformis Rick., non Fr.).

- betulinus Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 213, 1948.—Switzerland.

hinnuleus Sow. var. radicata Henry in Bull. Soc. mycol. Fr., lvii, p. 19, 1941 .-France.

pulchripes Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 213, 1948.—Switzerland.

pusillus Möller in Fungi of the Faröes, Part I, p. 233, 1945.—Faröe Islands.

speciosus Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 213, 1948.—Switzerland.
- striaepilus Favre in Beitr. Kryptogamenfl.

Schweiz, x, 3, p. 213, 1948.—Switzerland. validus Favre in Beitr. Kryptogamenfl.

Schweiz, x, 3, p. 214, 1948.—Switzerland. Corynelia sydowii Petrak in Sydowia, ii, p. 324, 1948 on ?Eugenia.—Ecuador. CREBROTHECIUM Routien in Mycologia,

xli, p. 184, 1949.—Endomycetales.

- ashbyi (Guill.) Routien in Mycologia, xli, p. 185, 1949. (Syn. Eremothecium ashbyi Guilliermond). (Syn. Eremothecium ashbyi

Cronartium fici T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 50, 1949 on Ficus.—Madras, India.

Cudoniella borealis Linder in Bull. nat. Mus. Can. 97, p. 253, 1947 on moss.—Canada. muscorum Linder in Bull. nat. Mus. Can.

97, p. 253, 1947 on moss.—Canada. Cylindrocolla longispora da Camara in Agron. lusit., viii, p. 65, 1946 on Agave americana.—Portugal.

DACRYOPINAX Martin in Lloydia, xi, p. 116, 1948.—Tremellales. Type, D. elegans.

- elegans (Berk. & Curt.) Martin in Lloydia, xi, p. 116, 1948. (Syn. Guepinia elegans Berk. & Curt.).

fissus (Berk.) Martin in Lloydia, xi, p. 116, 1948. (Syn. Guepinia fissa Berk.).

- spathularia (Šchw.) Martin in *Lloydia*, xi, 116, 1948. (Syn. Merulius spathularia p. 116. Schw.).

Dasyscyphella indica Cash in Mycologia, xl, p. 724, 1948 on mossy bark.—India.

Davincia sydowiana Petrak in Sydowia, ii, p. 43, 1948 on dead stems of herbs.-Ecuador.

*Pebaryomyces cavensis Giovannozzi in Mycopathologia, iv, p. 263, 1948 on fermenting tobacco.-Italy.

- marylandii Giovannozzi in Mycopathologia, iv, p. 262, 1948 on fermenting tobacco.

- nicotianae Giovannozzi in Mycopathologia, iv, p. 262, 1948 on fermenting tobacco. -Italy.

- var. minor Giovannozzi in Mycopathologia, iv, p. 262, 1948 on fermenting tobacco. -Italy.

DERMATOSORUS Sawada in Mycologia, xli, p. 267, 1949.—Ustilaginales.

- eleocharidis Sawada in Mycologia, xli, p. 268, 1949 on Eleocharis dulcis.—China.

Dictyuchus pseudoachlyoides Beneke in J. Elisha Mitchell Sci. Soc., lxiv, p. 263, 1948.—Illinois, U.S.A.

Didymosphaeria armeriae da Camara in Agron. lusit., viii, p. 29, 1946 on Armeria pungens .- Portugal.

polyspora Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 176, 1948 on Hevea brasiliensis.

verrucispora Ahmad in Sydowia, ii, p. 74, 1948 on dead Gossypium.—Pakistan. Dimeriella pumila Petrak in Sydowia, ii,

328, 1948 on Chusquea serrulata. p. 328, Ecuador.

Dimerium liabinum Petrak in Sydowia, ii, p. 330, 1948 on Liabum.—Ecuador.

tungurahuense Petrak in Sydowia, ii, p. 331, 1948 on Disterigma.—Ecuador.

Diplodia calycotomes-villosae Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on dead Calycotome villosa .-Greece.

carpinicola Politis in Mém. Soc. Hist, nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on dead Carpinus duinensis.—Greece.

Diplodina canariensis Petrak in Sydowia, ii, p. 234, 1948 on Festuca filiformis.—Teneriffe. Domingoella deightoni Hansford in Proc.

Linn. Soc. Lond., clx, p. 118, 1949 on Schiffnerula.—Sierra Leone.

Echidnodes sydowii Petrak in Sydowia, ii, p. 61, 1948 on Lauraceae.—Ecuador.

Ectrogella besseyi Sparrow & Ellison in Mycologia, xli, p. 33, 1949 on Olpidiopsis schenkiana.-Michigan, U.S.A.

Elasmomyces alpinus (Zeller) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Macowanites alpinus Zeller).

– rodwayi (Massee) Zeller in *Mycologia*, xl, p. 642, 1948. (Syn. Secotium rodwayi Massee). Elsinoë mattirolianum Arnaud & Bitan-court in Mycologia, xli, p. 322, 1949 on Arbutus unedo .- Italy.

Endocochlus binarius Drechsler in Mycologia, xli, p. 245, 1949 on Amoeba papyracea.
—North Carolina, U.S.A.

ENDODESMIDIÚM Canter in Trans. Brit. mycol. Soc., xxxii, p. 72, 1949.—Chytridiales.

formosum Canter in Trans. Brit. mycol. Soc., xxxii, p. 73, 1949 on Netrium oblongum, Cylindrocystis crassa, and C. brebissonii. England.

Entoloma fusco-tomentosum Möller in Fungi of the Farces, Part I, p. 251, 1945.-

Farce Islands.

-lividum Fries var. pratense Niolle in Bull. Soc. mycol. Fr., lxiv, p. 253, 1948.— France.

Entyloma eleocharidis (Saw.) Ling in Myco. logia, xli, p. 255, 1949. (Syn. Ustilago eleocharidis Saw.).

- scirpicola Thirumalachar & Dickson in Amer. J. Bot., xxxvi, p. 404, 1949 on Scirpus articulatus.—India.

Exobasidium angustisporum Linder in Bull. nat. Mus. Can. 97, p. 271, 1947 on

Arctostaphylos alpina.—Canada.
- celtidis T. S. & K. Ramakrishnan in Proc.
Indian Acad. Sci., Sect. B, xxix, p. 9, 1949 on Celtis tetrandra.—India.

nilagiricum T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 7, 1949 on Gordonia obtusa.—India. - triseptatum T. S. & K. Ramakrishnan in

Proc. Indian Acad. Sci., Sect. B, xxix, p. 10, 1949 on Vaccinium leschnaultii.—India.

Favolus beelii Hendrickx nom. nov. in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. F. alutaceus Beeli, non Berk. & Mont.).

Fayodia bisphaerigera (Lange) Kühn. var. anthracobia Favre in Beitr. Kryptogamenft. Schweiz, x, 3, p. 213, 1948.—Switzerland.

 var. longicystis Favre in Beitr. Krypto. gamenft. Schweiz, x, 3, p. 213, 1948.-Switzerland.

Fomes awhitu Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 16, 1948 on bark and wood.-New Zealand.

endozonus (Fries) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 13, 1948. (Syn. Polyporus endozonus Fr.).

- inermis (Ellis & Everhart) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 14, 1948. (Syn. Poria inermis Ell. & Ev.).

mastoporus (Lév.) Cooke forma rugosus Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 18, 1948.—New Zealand.

scruposus (Fries) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 11, 1948. (Syn. Polyporus scruposus Fr.).

uncatus Cunningham in Bull. Dep. sci. industr. Res. N.Z. 79, p. 3, 1948 on dead trees.—New Zealand.

zuluensis Wakefield apud Wakef. & Talbot in Bothalia, iv, p. 948, 1948 on wood. -South Africa.

Fusarium oxysporum Schl. ex Fr. f. raphani Kendrick & Snyder in Phytopathology, xxxii, p. 1033, 1942 on Raphanus sativus var. longipinnatus.—California, U.S.A.

Fuscoporia contigua (Pers. ex Fr.) Cunningham in Bull. Pl. Dis. Div., D.S.I.R., N.Z. 73, p. 4, 1948. (Syn. Boletus contiguus Pers.). [Correction of entry on p. 228].

Galeropsis cucullata (Shope & Seaver) Pilát in Studia bot. Čechoslov., ix, p. 181, 1948. (Syn. Bolbitius cucullatus Shope & Seaver). [See Mycologia, xxxv, p. 410; transfer made by Singer in 1936].

paradoxa (Mattir.) Pilát in Studia bot. Cechoslov., ix, p. 184, 1948. (Syn. Galera paradoxa Matt.).

Geastrum schweinitzii (Berk. & Curtis) Zeller in Mycologia, xl, p. 649, 1948. (Syn. Coilomyces schweinitzii Berk. & Curtis).

Gibbera sydowiana Petrak in Sydowia, ii, p. 333, 1948 on leaves of an unknown plant.— Ecuador.

Gibellula formicarum Mains in Mycologia, xli, p. 309, 1949 on ants.-Liberia.

Gloeosporium pachybasioides Alcalde in An. Jard. bot. Madr., vi, p. 412, 1945 on

Dianthus brachyanthus.—Spain.
*Gnomonia fimicola Moreau in Bull. Soc. mycol. Fr., lxiv, p. 244, 1948 on dung.-

Goplana indica T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 48, 1949 on Beilschmiedia roxburghiana.-Madras, India.

Grandinia bicolor Talbot apud Wakefield & Talbot in Bothalia, iv, p. 947, 1948 on wood.

-South Africa.

Guignardia caricae (March. & Stey.) Hendrickx in Publ. Inst. nat. Etude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. Laestadia caricae March. & Stey.).

-citricarpa Kiely in *Proc. Linn. Soc.* N.S.W., lxxiii, p. 259, 1948 on decaying leaves of Citrus.—New South

Australia.

- lonchocarpi (March. & Stey.) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. Laestadia lonchocarpi March. & Stey.).

Gymnoglossum cambodgense (Pat.) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster cambodgensis Pat.).

- candidum (Harkness) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Hymenogaster candidus Harkness).

- connectens (Bucholtz) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster connectens Bucholtz).

elasmomycetoides (Zeller) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster elasmomycetoides Zeller).

- foetidum (Coker & Couch) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Hymenogaster foetidus Coker & Couch).

globosum (Harkness) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Hymenogaster globosus Harkness).

- majus (Zeller & Dodge) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster major Zeller & Dodge).

megasporum (Zeller & Dodge) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster megasporus Zeller & Dodge).

olivaceum (Zeller) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Dendrogaster olivaceus Zeller).

- radiatum (Lloyd) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Hymenogaster radiatus Lloyd).

- utriculatum (Harkness) Zeller in Mycologia, xl, p. 643, 1948. (Syn. Hymenogaster utriculatus Harkness).

Hansenula castellii Ciferri, Verona, Luparini in Mycopathologia, iv, p. 252, 1948 on olives and in olive oil.—Italy.

Hebeloma helodes Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 214, 1948.— Switzerland.

Helminthosporium buchloës Lefebvre & Johnson in Mycologia, xli, p. 204, 1949 on Buchloë dactyloides.—Kansas, U.S.A.

-sorghicola Lefebvre & Sherwin in Mycologia, xl, p. 714, 1948 on Sorghum vulgare var. sudanense.—Georgia, U.S.A.

- vignicola (Kawamura) Olive in Mycologia, xli, p. 355, 1949. (Syn. Cercospora vignicola

Kawamura).

Helotium suzai Svrček in Studia bot. Čecho-

slov., ix, p. 135, 1948 on dead Lupinus polyphyllus.-Czechoslovakia.

taborense Svrček in Studia bot. Čechoslov., ix, p. 135, 1948 on old cone scales of Picea excelsa.—Czechoslovakia.

Hendersonia roblediae Petrak in Sydowia, ii, p. 57, 1948 on Robledia eupatorii.-Ecuador.

Hirsutella liberiana Mains in Mycologia, xli, p. 306, 1949 on an ant.—Liberia.

ramosa Mains in Mycologia, xli, p. 308, 1949 on fragments of a lepidopterous larva. Nova Scotia, Canada.

Humaria ahmadii Cash in Mycologia, xl, p. 725, 1948.—Pakistan.

bipolaris Svrček in Studia bot. Čechoslov., ix, p. 138, 1948 on soil.—Czechoslovakia.

pallidisetosa Cash in Mycologia, xl, p. 725, 1948.—India.

Humarina plumbeo-atra Cash in Mycologia, xl, p. 726, 1948.—India.

umbrina Cash in Mycologia, xl, p. 726, 1948.—Pakistan.

zizyphi Cash in Mycologia, xl, p. 727, 1948 on dead branches of Zizyphus jujuba.-India.

Hydnangium nigrescens Zeller in Mycologia,xl, p. 641, 1948.—New York, U.S.A.

Hydnangium vesiculosum (Coker & Couch) Zeller in Mycologia, xl, p. 641, 1948. (Syn. Gymnomyces vesiculosus Coker & Couch).

Hygrocybe acuta Möller in Fungi of the Farces, Part I, p. 143, 1945.—Farce Islands. - brevispora Möller in Fungi of the Faröes, Part I, p. 142, 1945.—Faröe Islands.

ingrata Jensen & Möller apud Möller in Fungi of the Faröes, Part I, p. 136, 1945.— Faröe Islands.

f. minor Möller in Fungi of the Faröes, Part I, p. 137, 1945.—Faröe Islands. laeta (Pers.) Fr. f. curtipes Möller in

Fungi of the Faröes, Part I, p. 150, 1945.-Faröe Islands.

marchii (Bres.) Möller in Fungi of the Faröes, Part I, p. 152, 1945. (Syn. Hygrophorus marchii Bresadola).

miniato-alba (Pat.) Möller in Fungi of the Faröes, Part I, p. 154, 1945. (Syn. Hygrophorus miniato-albus Pat.).

ovina (Bull.) Möller in Fungi of the Faröes, Part I, p. 137, 1945. (Syn. Agaricus ovinus Bull.).

- tristis (Pers.) Möller in Fungi of the Faröes, Part I, p. 140, 1945. (Syn. Hygrophorus tristis (Pers.) Bres.).

Hymenochaete fasciculata Talbot apud Wakefield & Talbot in Bothalia, iv, p. 943, 1948 on wood.—South Africa.

ochromarginata Talbot apud Wakefield & Talbot in Bothalia, iv, p. 944, 1948 on wood.—South Africa.

Hypocrella chusqueae Petrak in Sydowia, ii, p. 334, 1948 on Bambuseae.—Ecuador.

Hypoxylon deustum (Hoff. ex Fries) Grev. f. conidiophorum (Bres.) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. Ustulina vulgaris Tul. f. conidiophora Bres.).

f. madagascariense (P. Henn.) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. Ustulina vulgaris Tul. f. madagascariensis P. Henn.).

Inocybe corydalina Quél. var. montana Möller in Fungi of the Farces, Part I, p. 228, 1945.—Faröe Islands.

- hirtella Bres. var. paupera Möller in Fungi of the Faröes, Part I, p. 227, 1945.—Faröe Islands.

- lacera Fr. f. subsquarrosa Möller in Fungi of the Faröes, Part I, p. 226, 1945.—Faröe Islands.

- nana Möller in Fungi of the Faröes, Part I, p. 224, 1945.—Faröe Islands.

pusilla Möller in Fungi of the Faröes, Part I, p. 225, 1945.—Faröe Islands.

Inonotus nothofagi Cunningham in Bull. Dep. sci. industr. Res. N.Z. 78, 1948 on Nothofagus.—New Zealand.

Irene dombeyae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 16, 1948 on Dombeya buetneri.—Sierra Leone.

Irenina aegiphilae Hansford in Proc. Linn. Soc. Lond., clx, p. 134, 1949 on Aegiphila alata.-Dominica.

- anthocleistae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 51, 1948 on Anthocleista frezoulsii.—Sierra Leone.

barbacenniae Hansford in Proc. Linn. Soc. Lond., elx, p. 136, 1949 on Barbacennia purpurea.—Brazil.

callista (Rehm) Hansford in Proc. Linn. Soc. Lond., clx, p. 134, 1949. (Syn. Meliola callista Rehm).

capparidis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 3, 1948 on Capparis erythrocarpa.—Sierra Leone.

- combreti Stev. var. major Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 12, 1948 on Combretum mooreani.—Sierra

-cyclobalanopsicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 219, 1941 on Cyclobalanopsis ternaticupula.—Formosa.

[Correction of entry on p. 208]. deightonii Hansford apud Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 7, 1948 on Caloncoba echinata.—Sierra Leone.

diospyricola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 48, 1948 on Diospyros heudelotii.—Sierra Leone.

- ekebergiae (Doidge) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 42, 1948. (Syn. Irene ekebergiae Doidge).

hansfordii Stev. var. densa Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 19,

1948 on Alchornea cordifolia.—Sierra Leone. - hippocrateae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 39, 1948 on Hippocratea clematoides.—Uganda.

linocieriae (Syd.) Hansford in Proc. Linn. Soc. Lond., clx, p. 128, 1949. (Syn. Meliola linocieriae Syd.).

pileae Hansford in Proc. Linn. Soc. Lond., clx, p. 125, 1949 on Pilea parietaria.—Porto Rico.

pipturi Hansford in Proc. Linn. Soc. Lond., clx, p. 125, 1949 on Pipturus arborescens. Philippine Islands.

plumeriae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 53, 1948 on Plumeria rubra.—Sierra Leone.

premnae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 68, 1948 on Premna hispida.—Sierra Leone.

sarcocephali Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 58, 1948 on Sarcocephalus esculentus.—Sierra Leone.

- schlegeliae (Stev.) Hansford in Proc. Linn. Soc. Lond., clx, p. 132, 1949. (Syn. Meliola glabroides Stev. var. schlegeliae

symphoniae Hansford in Proc. Linn. Soc. Lond., clx, p. 120, 1949 on Symphonia gabunensis.—Uganda.

terminaliae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 12, 1948 on Terminalia ivorensis.—Sierra Leone.

tetracerae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 6, 1948 on Tetracera potatoria.—Sierra Leone.

thunbergiae-chrysopidis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 67, 1948 on Thunbergia chrysops.—Sierra Leone.

- ugandensis (Hansf.) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 38, 1948. (Syn.

Irene ugandensis Hansf.).

var. antiaridis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 38, 1948 on Antiaris africana.—Gold Coast. Irenopsis acridocarpicola

Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 18, 1948 on Acridocarpus plagiopterus.—Sierra Leone.

cathormionis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 25, 1948 on Cathormion altissimum.—Sierra Leone.

collicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 16, 1948 on Cola nitida.—

Sierra Leone.

coronata (Speg.) Stev. var. christianae (Deight.) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 15, 1948. (Syn. Meliola coronata Speg. var. christianae Deighton).

malpighiae Hansford in Proc. Linn. Soc. Lond., clx, p. 121, 1949 on Malpighia glabra.

-Costa Rica.

- mikaniae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 64, 1948 on Mikania scandens.—Sierra Leone.

njalaensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 15, 1948 on Cola nitida.

Sierra Leone.

tarrietiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 15, 1948 on Tarrietia utilis.—Sierra Leone.

- triumfettae (Stev.) Hansf. & Deight. var. glyphaeicola (Deight.) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 15, 1948. (Syn. Meliola triumfettae Stev. var. glyphaeicola Deighton).

— var. vanderystii (Beeli) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 14, 1948. (Syn. Meliola triumfettae Stev. var.

vanderystii Beeli).

Isoachlya toruloides Kauffman & Coker var. paucispora Moreau in Bull. Soc. mycol.

Fr., lxiv, p. 227, 1948.—France.
ITERSONILIA Derx in Bull. Bot. Gard. Buitenzorg, Ser. III, xvii4, p. 471, 1948.— Sporobolomycetaceae.

perplexans Derx in Bull. Bot. Gard. Buitenzorg, Ser. III, xvii⁴, p. 471, 1948 on Althaea rosea.—?Holland.

KERNELLA Thirumalachar nom. nov. in Mycologia, xli, p. 97, 1949. (Syn. Kernia Thirum. 1946, non Nieuwl. 1916).

lauricola (Thirum.) Thirumalachar in Mycologia, xli, p. 97, 1949. (Syn. Kernia lauricola Thirum.).

Laccaria laccata (Scop.) Berk. et Br. var. montana Möller in Fungi of the Faröes, Part I, p. 269, 1945.—Faröe Islands.

Lachnea mariae Svrček in Studia bot. Čechoslov., ix, p. 137, 1948 on dead Larix europea.—Czechoslovakia.

Lactarius allochrous Singer in Sydowia, ii, p. 41, 1948.—Florida, U.S.A.

caeruleitinctus Murrill in Lloydia, xi, p. 92,

1948.—Florida, U.S.A.

- clitocybiformis Murrill in Lloydia, xi, p. 93, 1948.—Florida, U.S.A. floridanus Beards. & Burl. var. glaber

(Murr.) Murr. in Lloydia, xi, p. 89, 1948. (Syn. Lactaria torminosa var. glabra Murr.).

jecorinus Fr. var. monticola Möller in Fungi of the Faröes, Part I, p. 156, 1945.— Faröe Islands.

- paucifluus Murrill in Lloydia, xi, p. 93, 1948.—Florida, U.S.A.

- purgatorii Singer in Sydowia, ii, p. 42, 1948.—Massachusetts, U.S.A.

- subisabellinus Murrill in Lloydia, xi, p. 93,

1948.—Florida, U.S.A.

Lactocollybia angiospermarum Singer in Sydowia, ii, p. 32, 1948 on wood.—Florida,

*Lambertella bouchetii Grelet in Rev. de Mycologie, xiii, p. 134, 1948 on a decayed root.-France.

Lembosia fallaciosa (Sydow) Hansford in Proc. Linn. Soc. Lond., clx, p. 152, 1949. (Syn. Asterina fallaciosa Syd.).

-lophopetali (Rehm) Hansford in Proc. Linn. Soc. Lond., clx, p. 152, 1949. (Syn. Asterina lophopetali Rehm).

Lepista rickenii Singer in Sydowia, ii, p. 26, 1948.—Europe.

Leptonia intermedia Möller in Fungi of the Farões, Part I, p. 241, 1945.—Farõe Islands. Leptosphaeria capparidicola Mundkur and Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 4, 1946 on dead Capparis aphylla.—India.

- phyllachoricola Petrak in Sydowia, ii, p. 337, 1948 on Phyllachora disseminata.— Ecuador.

- tungurahuensis Petrak in Sydowia, ii, p. 338, 1948 on Phyllachora tungurahuensis.— Ecuador.

LEUCOAGARICUS (Locquin) Singer in Sydowia, ii, p. 35, 1948. (Syn. Leucocoprinus subgen. Leucoagaricus Locquin). Type, L. macrorhizus

excoriatus (Schaeff. ex Fr.) Singer in Sydowia, ii, p. 35, 1948. (Syn. Lepiota excoriata Auct.).

- macrorhizus (Locquin) Sing. in Sydowia, ii, p. 35, 1948. (Syn. Leucocoprinus macrorhizus Locquin).

- rubrotinctus (Peck) Singer in Sydowia, ii, p. 36, 1948. (Syn. Lepiota rubrotincta Peck). LOPHOTRICHUS Benjamin in Mycologia, xli, p. 347, 1949.—Chaetomiaceae. Type, L. ampullus.

- ampullus Benjamin in Mycologia, p. 347, 1949 on goat dung.—Illinois, U.S.A. martinii Benjamin in Mycologia, xli, p. 349, 1949 on dung.—Peru.

Macrophoma antirrhini da Camara in Agron. lusit., viii, p. 42, 1946 on Antir-

rhinum majus.—Portugal.

- aphyllantis Alcalde in An. Jard. bot. Madr., vi, p. 409, 1945 on Aphyllanthes monspeliensis .- Spain.

- asphodeli Ahmad in Sydowia, ii, p. 79, 1948 on dead Asphodelus tenuifolius.—Pakistan. triticina Ahmad in Sydowia, ii, p. 79, 1948

on dead Triticum.-Pakistan.

Macrosporium convolvuli Losa España in An. Jard. bot. Madr., vi, p. 460, 1945 on Polygonum convolvulus.—Spain.

Marasmiellus fibula (Bull. ex Fr.) Sing. in Sudowia, ii, p. 32, 1948. (Syn. Omphalia fibula (Bull. ex Fr.) Quél.).

icterinus Singer in Sydowia, ii, p. 30, 1948 on wood.—Florida, U.S.A.

Marasmius linderi Singer in Sydowia, ii, p. 33, 1948.—Liberia.

ruforotula Singer in Sydowia, ii, p. 34, 1948 on wood.—Florida, Ŭ.S.A.

Massarina graminicola Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 4, 1946 on dead Eleusine flagellifera.—India. Melampsora stereospermi T. S. & K.

Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 51, 1949 on Stereospermum tetragonum.—Madras, India.

Melanconium majusculum da Camara in Agron. lusit., viii, p. 63, 1946 on Prunus

persica.—Portugal.

Melanoleuca cavipes Métrod in Bull. Soc. mycol. Fr., lxiv, p. 164, 1948.—France. - contracta Métrod in Bull. Soc. mycol. Fr., lxiv, p. 159, 1948.—France.

- humilis (Fries ex Persoon) Métrod in Bull. Soc. mycol. Fr., lxiv, p. 158, 1948. [Syn. not cited1.

intervenosa Métrod in Bull. Soc. mycol. Fr., lxiv, p. 160, 1948.—France.

- leucophylla Métrod in Bull. Soc. mycol. Fr., lxiv, p. 161, 1948.—France.

nigripes Métrod in Bull. Soc. mycol. Fr., lxiv, p. 164, 1948.—France.

- stridula (Fries) Métrod in Bull. Soc. mycol. Fr., lxiv, p. 154, 1948. [Syn. not cited].

subpulverulenta (Persoon) Métrod in Bull. Soc. mycol. Fr., lxiv, p. 159, 1948. [Syn. not cited).

Melanopsichium eleusinis (Kulkarni) Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 1, 1946. (Syn. Ustilago eleusinis Kulkarni).

esculentum (P. Henn.) Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 2, 1946. (Syn. Ustilago esculenta P. Henn.).

Meliola achyrospermi Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 70, 1948 on Achyrospermumoblongifolium.—Sierra Leone. - aequatoriensis Petrak in Sydowia, ii,

p. 339, 1948 on Viburnum tinoides.—Ecuador. aethiops Sacc. var. caesalpiniae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 22, 1948 on Caesalpinia sappan.—Sierra Leone.

- var. flexuosa Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 22, 1948 on Delonix regia.—Sierra Leone.

— var. minor Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 22, 1948 on Cassia siamea.—Sierra Leone.

albizziae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 26, 1948 on Albizzia gummifera.—Sierra Leone.

- var. zygiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 26, 1948 on Albizzia zygia.—Sierra Leone.

amaraliae Hansford & Deighton in Mycol Pap. C.M.I., 23, p. 63, 1948 on Amaralia heinsioides.-Sierra Leone.

anacardii Zimm. var. minor Hansford in

Proc. Linn. Soc. Lond., clx, p. 127, 1949 on Anacardium occidentale.—Philippine Islands. - anisophylleae Hansford & Deighton in

Mycol. Pap. C.M.I., 23, p. 13, 1948 on Anisophyllea laurina.—Sierra Leone.

apiculata Hansford in Proc. Linn. Soc. Lond., clx, p. 137, 1949 on Scleria.—Puerto Rico.

arundinis Pat. var. angulosa Hansford in Proc. Linn. Soc. Lond., clx, p. 138, 1949 on Phragmites.—Philippine Islands.
baphiae-nitidae Hansford & Deighton in

Mycol. Pap. C.M.I., 23, p. 33, 1948 on Baphia nitida.—Gold Coast.

baphiae-polygalaceae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 34, 1948 on Baphia polygalacea.—Sierra Leone.
berliniae Hansford & Deighton in Mycol.

Pap. C.M.I., 23, p. 23, 1948 on Berlinia heudelotiana.—Sierra Leone.

bignoniacearum Stevens var. tabebuiae Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 133, 1949 on *Tabebuia berterii.*—San Domingo.

bonamiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 65, 1948 on Bonamia cymosa.—Sierra Leone.

brillantaisiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 68, 1948 on Brillantaisia nitens.—Sierra Leone.

butyrospermi Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 51, 1948 on Butyrospernum parkii.—Gold Coast.—calami Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 73, 1948 on Calamus

deeratus.—Sierra Leone.

- canthii Hansf. var. leonensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 59, 1948 on Mitragyna stipulosa.—Sierra Leone.

capensis (Kalchbr. & Cooke) Theiss. var. allophyllicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 45, 1948 on Allophyllus [Allophylus] africanus.—Gold Coast.

var. blighiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 45, 1948 on Blighia sapida.—Sierra Leone.

var. lecaniodisci Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 46, 1948 on Lecaniodiscus cupanioides.—Sierra Leone.

var. thomasii (Hansf.) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 45, 1948. (Syn. Meliola thomasii Hansf.).

carapae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 43, 1948 on Carapa procera.—Sierra Leone.

carpolobiicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 4, 1948 on Carpolobia lutea.—Sierra Leone.

cissampeli Hansf. & Stev. var. tiliacorae Hansford & Deighton in Mycol. Pap. C.M.I.,

23, p. 3, 1948 on *Tiliacora*.—Sierra Leone.
- cissi-caesiae Hanford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 41, 1948 on *Cissus* caesia.—Sierra Leone.

copaiferae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 25, 1948 on Copaifera copallifera.—Sierra Leone.

danielliae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 22, 1948 on Daniellia thurifera.—Sierra Leone.

dioscoreae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 71, 1948 on Dioscorea.-Sierra Leone.

dioscoreicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 71, 1948 on Dioscorea. Sierra Leone.

- diospyri Syd. var. yatesiana (Trotter) Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 50, 1948. (Syn. Meliola yatesiana Trotter).

- dissotidis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 11, 1948 on Dissotis

paucistellata.—Sierra Leone.
distictidis Hansford in Proc. Linn. Soc.

Lond., clx, p. 132, 1949 on Distictis lactiflora, -San Domingo.

entadae Hansford in Proc. Linn. Soc. Lond... clx, p. 124, 1949 on Entada gigans.—San Domingo.

erithalidis (Ciferri) Hansford in Proc. Linn. Soc. Lond., clx, p. 130, 1949. (Syn. Meliola kaduae Stev. var. erithalidis Ciferri).

erythrophlei Hansford & Deighton in - erythrophiei Hausidiu & Deignton m Mycol. Pap. C.M.I., 23, p. 24, 1948 on Erythrophleum guineense.—Sierra Leone. - fagarae-martinicensis Hansford in Proc.

Linn. Soc. Lond., clx, p. 126, 1949 on Fagara martinicensis.—San Domingo.
- forsteroniae (Stev.) Hansford in Proc.

Linn. Soc. Lond., clx, p. 129, 1949. (Syn. Meliola tabernaemontanae Speg. var. forsteroniae Stevens).

- franciscana Hansford in Proc. Linn. Soc. Lond., elx, p. 123, 1949 on Leguminosae.

garciniae Yates var. mangostana (Sacc.) Hansford in Proc. Linn. Soc. Lond., clx, p. 120, 1949. (Syn. Meliola mangostana Sacc.).

hippocrateicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 39, 1948 on Hippocratea?richardiana.—Sierra Leone.

- hirsuta Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 50, 1948 on Diospyros heudelotii.—Sierra Leone.

homalii-dolichophylli Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 7, 1948 on Homalium dolichophyllum.—Sierra Leone.

hugoniae Hansford & Deighton on Mycol. Pap. C.M.I., 23, p. 5, 1948 on Hugonia planchonii.—Sierra Leone.

hymenocardiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 20, 1948 on Hymenocardia lyrata.—Sierra Leone.
- ilicicola Hansford in Proc. Linn. Soc. Lond.,

clx, p. 126, 1949 on Ilex montana.—San Domingo.

interrupta Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 71, 1948 on Dracaena mannii.-Gold Coast.

janeirensis Hansford in Proc. Linn. Soc. Lond., clx, p. 121, 1949 on Croton.—Brazil. khayae Hansf. var. minor Hansford &

Deighton in Mycol. Pap. C.M.I., 23, p. 44,

1948 on Khaya grandifoliola.—Gold Coast. kibirae Hansf. & Stev. var. leonensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 59, 1948 on Randia hispida.—Sierra

— var. randiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 60, 1948 on Randia maculata.—Sierra Leone.

- koniaensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 41, 1948 on Rutaceae.— Sierra Leone.

leonensis Hansford & Deighton in Mycol.

Pap, C.M.I., 23, p. 13, 1948 on Harungana madagascariensis.—Sierra Leone.

linacearum Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 6, 1948 on Ochthocosmus atricanus—Sierra Leone. thocosmus africanus.—Sierra Leone.

linocieriicola Hansford in Proc. Linn. Soc.

Lond., clx, p. 129, 1949 on Linocieria cumingiana.—Philippine Islands.

loranthi Gaill. var. bangwensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 40, 1948 on Loranthus bangwensis.—Gold Coast. maesobotryae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 21, 1948 on Maesobotrya sparsiflora.—Gold Coast.

- malouetiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 55, 1948 on Malouetia heudelotii.—Sierra Leone.

manotis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 47, 1948 on Manotes longiflora.—Sierra Leone.

mauritiae Stev. var. ancistrophylli Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 73, 1948 on Ancistrophyllum secundiflorum.—Sierra Leone.

- var. raphiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 73, 1948 on

Raphia gracilis.—Sierra Leone.

mezoneuri Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 23, 1948 on Mezoneurum

benthamiani.—Sierra Leone.

- microspora Pat. & Gaill. var. ceratothecae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 67, 1948 on Ceratotheca sesamoides.—Sierra Leone.

- millettiae-rhodanthae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 35, 1948 on Millettia rhodantha.—Sierra Leone.

millettiae-sanaganae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 35, 1948 on Millettia sanagana.—Sierra Leone.

- mucunae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 36, 1948 on Mucuna urens,-Sierra Leone.

napoleonae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 10, 1948 on Napoleona heudelotii.-Sierra Leone.

newbouldiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 66, 1948 on Newbouldia laevis.—Sierra Leone.

ochthocosmi Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 5, 1948 on Ochthocosmus africanus.—Sierra Leone.

ochthocosmicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 5, 1948 on Ochthocosmus africanus.—Sierra Leone.

ormocarpi Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 30, 1948 on Ormocarpum verrucosum.—Sierra Leone.

ostryoderridis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 34, 1948 on Ostryoderris leucobotrya.—Sierra Leone. var. leptoderridis Hansford & Deighton

in Mycol. Pap. C.M.I., 23, p. 35, 1948 on Leptoderris fasciculata.—Sierra Leone.

ourateae Hansford & Deighton in Mycol.

Pap. C.M.I., 23, p. 8, 1948 on Ouratea flava. Sierra Leone.

pandanicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 74, 1948 on Pandanus candelabrum.—Sierra Leone.
- phoebes Hansford in Proc. Linn. Soc.

Lond., elx, p. 136, 1949 on Phoebe costari-cana.—Costa Rica.

physostigmatis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 33, 1948 on Physostigma venenosum.—Sierra Leone.

piptadeniae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 27, 1948 on Piptadenia elliotii.—Sierra Leone.

platysepali Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 33, 1948 on Platysepalum. -Sierra Leone.

- popowiae Doidge var. tenuis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 2, 1948 on Uvaria afzelii.—Sierra Leone.

premnae Hansford in Proc. Linn. Soc. Lond., clx, p. 135, 1949 on Premna odorata.—

Philippine Islands.

- pseudospondiadis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 46, 1948 on Pseudospondias microcarpa.—Sierra Leone. psychotriae Earle var. densa Hansford &

Deighton in Mycol. Pap. C.M.I., 23, p. 62,

1948 on Morinda lucida.—Gold Coast.

pterocarpicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 37, 1948 on Pterocarpus santalinoides.—Sierra Leone.

randiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 60, 1948 on Randia genipifora.—Sierra Leone.

rizalensis Syd. var. viticis (Hansf.) Hansford & Deighton in Mycol. Pap. C.M.I., 23, 70, 1948. (Syn. M. clerodendricola P. Henn. var. viticis Hansf.).

-roureae Syd. var. major Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 48, 1948 on Connarus africanus.—Sierra Leone.

scabriseta Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 36, 1948 on Dalbergia.-Gold Coast.

- scytopetali Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 14, 1948 on Scytopetalum

rap. C.M.I., 23, p. 14, 1948 on Segiopetatum tieghemi.—Sierra Leone.

- setariae Hansford & Deighton in Mycol.

Pap. C.M.I., 23, p. 75, 1948 on Setaria chevalieri.—Sierra Leone.

smeathmanniae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 8, 1948 on Smeathmannia laevigata.—Sierra Leone.

sorindeiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 47, 1948 on Sorindeia juglandifolia.—Sierra Leone.

sterculiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 17, 1948 on Sterculia tragacantha.—Sierra Leone.

stizolobii Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 31, 1948 on Mucuna (Stizolobium) aterrima.—Sierra Leone.

- var. desmodii-salicifolii Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 31, 1948 on Desmodium salicifolium.—Sierra Leone.

var. eriosematis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 31, 1948 on Eriosema glomeratum.—Sierra Leone.

subdentata Pat. var. microspora Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 72,1948 on Sansevieria liberica. - Gold Coast. sydowi Hansford in Proc. Linn. Soc. Lond.,

clx, p. 122, 1949 on Leguminosae.—Costa Rica. thunbergiicola Hansford & Deighton in

Mycol. Pap. C.M.I., 23, p. 68, 1948 on Thunbergia cynanchifolia.—Sierra Leone.
-tunkiaensis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 63, 1948 on Randia genipiflora.—Sierra Leone.

ulei Hansford in Proc. Linn. Soc. Lond.,

clx, p. 132, 1949 on Scrophulariaceae.—Brazil. usteriae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 52, 1948 on Usteria guineensis.—Sierra Leone.

vicina Syd. var. gaertnerae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 52, 1948 on Gaertnera paniculata.—Sierra Leone.

- var. minor Hansford & Deighton in

Mycol. Pap. C.M.I., 23, p. 59, 1948 on Virecta multiflora.—Sierra Leone.

vignae-gracilis Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 36, 1948 on Vigna gracilis.—Sierra Leone.

voacangae Hansf. & Stev. var. carpodini Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 55, 1948 on Carpodinus dulcis.—Sierra Leone.

-— var. conopharyngiae Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 54, 1948 on Conopharyngia longiflora.—Sierra Leone.

var. funtumiicola Hansford & Deighton in Mycol. Pap. C.M.I., 23, p. 54, 1948 on Funtumia africana.—Sierra Leone.

Metasphaeria cavanillesiana Alcalde in An. Jard. bot. Madr., vi, p. 404, 1945 on Scirpus holoschoenus .- Spain.

- didymelloidea Petrak in Sydowia, ii, p. 231, 1948 on Festuca filiformis.—Teneriffe.

- saccharicola (Mundkur & Ahmad) Ahmad in Sydowia, ii, p. 73, 1948. (Syn. Clypeosphaeria saccharicola Mundkur & Ahmad).

Micromphale perforans (Hofm. ex Fr.) Sing. in Sydowia, ii, p. 32, 1948. (Syn. Marasmius perforans (Hofm. ex Fr.) Fr.).

westii (Murr.) Sing. in Sydowia, ii, p. 32, 1948. (Syn. Marasmius westii Murr.).

Micromyces echinocystis Linder in Bull. nat. Mus. Can. 97, p. 240, 1947 on Zygnema and Mougeotia.—Canada.

- laevis Canter in Trans. Brit. mycol. Soc., xxxii, p. 88, 1949 on Mougeotia sp.—England. minimus Linder in Bull. nat. Mus. Can.

97, p. 239, 1947 on Zygnema.—Canada. wheldenii Linder in Bull. nat. Mus. Can. 97, p. 240, 1947 on Zygnema.—Canada.

Micromycopsis intermedia Canter in Trans. Brit. mycol. Soc., xxxii, p. 79, 1949 on Zygnema.—England.

- mirabilis Canter in Trans. Brit. mycol. Soc., xxxii, p. 82, 1949 on Closterium spp. England.

Micropeltis juniperi da Camara in Agron. lusit., viii, p. 36, 1946 on Juniperus nana.-Portugal.

Monochaetia quercina Politis in Mém. Soc. Hist. nat. Afr. Nord. Hors-sér., ii, p. 269, 1949 on Quercus lanuginosa.—Greece. MORGANELLA Zeller in Mycologia, xl,

p. 650, 1948.—Lycoperdales. mexicana Zeller in Mycologia, xl, p. 650,

1948 .- Mexico. Mycena flavo-alba (Fr.) Quél. sensu Pat. var.

amara Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.—Switzerland. [as 'Micena'] salicicola Losa España in An.

Jard. bot. Madr., vi, p. 442, 1945.—Spain. Mycoacia pinicola J. Eriksson in Svensk bot. Tidskr., xliii, p. 59, 1949 on dead Pinus mugo. -Sweden.

Mycosphaerella aequatoriensis Petrak in Sydowia, ii, p. 342, 1948 on ! Eugenia. Ecuador.

cucumis (Fautr. & Roum.) Chiu & Walker in J. agric. Res., lxxviii, p. 82, 1949. (Syn. Ascochyta cucumis Fautrey & Roumeguère).

elacidis (Beeli) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 7, 1948. (Syn. Sphaerella elaeidis Beeli).

- liabi Petrak in Sydowia, ii, p. 343, 1948 on Liabum pellalangense.—Ecuador. Mycosyrinx microspora Cantournet in Bull. Soc. mycol. Fr., lxiv, p. 167, 1948 on ?Cissus sp.—Africa.

Naematoloma campestre Smith in Myco-

logia, xl, p. 692, 1948.—U.S.A.
- humidicola (Murr.) Smith in Mycologia, xl, p. 693, 1948. (Syn. Naucoria humidicola Murrill)

- laeticolor Möller in Fungi of the Faröes, Part I, p. 192, 1945.—Faröe Islands. - petasiforme (Murrill) Smith in Mycologia,

xl, p. 694, 1948. (Syn. Psathyrella petasi. formis Murrill).

squamosum (Pers. ex Fr.) Sing. in Sydowia, ii, p. 36, 1948. (Syn. Hypholoma squamosum

- subfusisporum Möller in Fungi of the Faröes, Part I, p. 191, 1945.—Faröe Islands. Naucoria centunculus (Fr.) Gill. var. laevigata Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 214, 1948.—Switzerland.

- macrospora Lange var. borealis Möller in Fungi of the Farces, Part I, p. 213, 1945 .-Faröe Islands.

myosotis Fr. var. humilis Möller in Fungi of the Faröes, Part I, p. 214, 1945.—Faröe Islands.

- saliciphila Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 214, 1948.—Switzerland.

Nectria tungurahuana Petrak in Sydowia, ii, p. 345, 1948 on Polystomellaceae.-Ecuador.

Nematostigma arachnoideum Petrak in Sydowia, ii, p. 347, 1948 on Chusquea serrulata.—Ecuador.

- lantanae (Theiss.) Petr. in Sydowia, ii, p. 348, 1948. (Syn. Acanthostigma lantanae Theiss.).

Nidulariopsis iowensis (Walker) Zeller in Mycologia, xl, p. 657, 1948. (Syn. Sphaero-bolus iowensis Walker).

Nolanea hirtipes (Schum.) Fr. var. montana Möller in Fungi of the Farces, Part I, p. 236, 1945.—Faröe Islands.

Olivea tectonae (Racib.) Thirum. in Curr. Sci., xviii, p. 176, 1949. (Syn. Uredo tectonae

Olpidiopsis karlingiae Karling in *Mycologia*, xli, p. 271, 1949 on Karlingia rosea.—Maryland, U.S.A

Omphalia cincta Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.—Switzerland.

- flava (Cooke) Möller in Fungi of the Faröes, Part I, p. 260, 1945. (Syn. Omphalia umbellifera (L.) Fr. var. flava Cooke).

fusco-alba Möller in Fungi of the Faröes, Part I, p. 263, 1945.—Faröe Islands.

umbellifera (L.) Fr. f. bispora Möller in Fungi of the Farces, Part I, p. 258, 1945.— Faröe Islands.

Ophiobolus lapponicus L. Holm in Svensk bot. Tidskr., xlii, p. 343, 1948 on Astragalus frigidus.—Sweden.

nigromaculatus Rehm f. anthrisci L. Holm in Svensk bot. Tidskr., xlii, p. 345, 1948

on Anthriscus silvestris.—Sweden. ophioboloides (Sacc.) L. Holm in Svensk bot. Tidskr., xlii, p. 345, 1948. (Syn. Leptosphaeria ophioboloides Sacc.).

spirosporus Ahmad in Sydowia, ii, p. 75, 1948 on Saccharum spontaneum.—Pakistan. Ophiodothella sydowii Petrak in Sydowia, ii, p. 63, 1948 on Cavendishia.—Ecuador.

Panaeolus castaneifolius (Murrill) Smith in Mycologia, xl, p. 685, 1948. (Syn. Psilocybe castaneifolia Murrill).

- fontinalis Smith in Mycologia, xl, p. 690, 1948.—Michigan, U.S.A.

fraxinophilus Smith in Mycologia, xl, 686, 1948 on ash wood.—New York,

georgii Szemere in Acta Mycol. Hungarica (Budapest), 1, p. 47, 1944.—Hungary

olivaceus Möller in Fungi of the Faröes, Part I, p. 171, 1945.—Faröe Islands.

Panellus ringens (Fr.) Romagnesi in Bull. Soc. mycol. Fr., lxi, p. 38, 1945. (Syn. Panus ringens Fr.).

Parodiopsis melioloides (Berk. & Curt.) Arn. var. macrospora (Torrend) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. Parodiella melioloides (Berk. & Curt.) Wint. var. macrospora Torrend apud Beeli).

Peniophora arenata Talbot apud Wakefield & Talbot in Bothalia, iv, p. 944, 1948 on

wood.-South Africa.

Penzigia capparidis (Mundkur & Ahmad) Ahmad in Sydowia, ii, p. 73, 1948. (Syn. Bagnisiopsis capparidis Mundkur & Ahmad).

Peronospora astragali-purpurei Mayor & Viennot-Bourgin in Rev. Path. Vég., xxviii, 42, 1949 on Astragalus purpureus.-France.

- embergeri Mayor & Viennot-Bourgin in Rev. Path. Vég., xxviii, p. 37, 1949 on Euphorbia characias.—France.

Pestalotia aeruginea Steyaert in Bull. Jard. bot. Brux., xix, p. 186, 1948 on Camellia thea.—Belgian Congo.

carbonacea Steyaert in Bull. Jard. bot. Brux., xix, p. 183, 1948 on Euphorbia dawei.
—Belgian Congo.

- mayumbensis Steyaert in Bull. Jard. bot. Brux., xix, p. 176, 1948 on Elaeis guineensis. -Belgian Congo.

PHAEODOTHIORA Petrak in Sydowia, ii, p. 82, 1948.—Dothioraceae.

- sinensis Petrak in Sydowia, ii, p. 82, 1948 on Jasminum mesnyi.—China.

Phaeomarasmius carpophilus (Fr.) Sing. in Sydowia, ii, p. 37, 1948. (Syn. Naucoria carpophila (Fr.) Quél.). Phakopsora burserae (Sydow) Thirumala-

char & Kern in Mycologia, xli, p. 287, 1949. (Syn. Physopella burserae Sydow). Phleospora ulmea Politis in Mém. Soc. Hist.

nat. Âfr. Nord, Hors-sér., ii, p. 269, 1949 on Ulmus campestris.—Greece.

Phlyctochytrium magnum Linder in Bull. nat. Mus. Can. 97, p. 243, 1947 on Zygnema. -Canada.

Pholiota praticola Möller in Fungi of the Faröes, Part I, p. 231, 1945.—Faröe Islands. spumosa (Fr.) Sing. in Sydowia, ii, p. 37, 1948. (Syn. Flammula spumosa (Fr.) Karst.).

Phoma carlinae Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead Carlina graeca.—Greece.

- chenopodii Ahmad in Sydowia, ii, p. 79, 1948 on dead Chenopodium album.—Pakistan. graminis Ahmad in Sydowia, ii, p. 77,

1948 on dead Eleusine flagellifera.—Pakistan. mangiferae Ahmad in Sydowia, ii, p. 78, 1948 on dead Mangifera indica.—Pakistan.

nyctaginea F. Tassi var. boerhaaviae Ahmad in Sydowia, ii, p. 78, 1948 on dead Boerhaavia diffusa.—Pakistan.

polygoni-avicularis Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead Polygonum aviculare .-Greece.

psidii Ahmad in Sydowia, ii, p. 78, 1948 on

dead Psidium guajava.—Pakistan.

salicis-albae Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead Salix alba.—Greece.

- sambuci-ebuli Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead Sambucus ebulus.—Greece.

sibthorpii Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 267, 1949 on dead

Euphorbia sibthorpii.—Greece.

– zizyphina Ahmad in Sydowia, ii, p. 78, 1948 on dead Zizyphus jujuba.—Pakistan.

Phomatospora salvadorina Ahmad in Sydowia, ii, p. 74, 1948 on dead Salvadora oleoidis.—Pakistan.

Phomopsis diospyri Bongini (1948). [This Index, p. 230]. Cf. P. diospyri Zerova (1940). [This Index, p. 28].

mindoensis Petrak in Sydowia, ii, p. 369,

1948 on Palmeae.—Ecuador.

Phragmopeltis chrysochlamydis Petrak in Sydowia, ii, p. 371, 1948 on Chrysochlamys.-Ecuador.

Phyllachora clusiae Petrak in Sydowia, ii, p. 350, 1948 on Clusia.—Ecuador.

detecta Petrak in Sydowia, ii, p. 351, 1948 on ?Nectandra.—Ecuador. emarginata Petrak in Sydowia, ii, p. 354,

1948 on ? Eugenia. - Ecuador.

henningsii Hendrickx nom. nov. in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. P. eleusines P. Henn., non Speg.).

pichinchae Petrak in Sydowia, ii, p. 357, 1948 on Acalypha.—Ecuador.

piptocarphae Petrak in Sydowia, ii, p. 359, 1948 on Piptocarpha.—Ecuador.

-teneriffae Petrak in Sydowia, ii, p. 233, 1948 on Festuca agustini.—Teneriffe.

Phyllachorella cestri (Pat.) Petr. Sydowia, ii, p. 360, 1948. (Syn. Stigmatea cestri Pat.).

Phyllosticta cycadis Ahmad in Sydowia, ii, p. 77, 1948 on Cycas circinalis.—Pakistan.

ficina Ahmad in Sydowia, ii, p. 77, 1948 on Ficus elastica.—Pakistan.

*_ magnoliae-pumilae Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, 227, p. 290, 1942 on Magnolia pumila.—Formosa. [In Japanese 1.

Phytophthora himalayensis Dastur in Indian Phytopathology, i, p. 24, 1948 on Solanum tuberosum.—India.

Pistillina calyx Heim in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 152, 1949 in woods. -Madagascar.

Plasmopara hepaticae (Caspary) Shaw in Mycologia, xli, p. 334, 1949. (Syn. Peronospora hepaticae Casp.).

Platygloea brunnea (Martin) Martin in Lloydia, xi, p. 119, 1948. (Syn. Tjibodasia brunnea Martin).

decipiens Martin in Lloydia, xi, p. 119, 1948.—Panama.

Plenodomus helveticus Petrak in Sydowia, ii, p. 239, 1948 on Veronica bellidioides .-Switzerland.

Pluteus granulatus Bres. var. tenellus Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 213, 1948.—Switzerland.

Polyporus doidgeae Wakefield apud Wakef. & Talbot in Bothalia, iv, p. 948, 1948 on wood

of Acacia mollissima.—South Africa. patouillardii Rick var. con congoensis (Patouill. & Heim) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sei., xxxv, p. 8, 1948. (Syn. Xanthochrous patouillardii (Rick) Theiss. var. congoensis Patouill. & Heim).

- stewartae Coker in J. Elisha Mitchell Sci. Soc., lxiv, p. 295, 1948.-North Carolina,

- stramineus (Patouill.) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. Spongipellis stramineus Patouill.).

- var. africanus (Patouill. & Heim) Hendrickx in Publ. Inst. nat. Etude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. Spongipellis stramineus var. africanus

Patouill. & Heim).

Poria xantha (Fr.) Cooke f. pachymeres J. Eriksson nom. nov. in Svensk bot. Tidskr., xliii, p. 22, 1949. (Syn. Trametes cinereosulfurea Ferd. & Winge, &c.).

*Protomyces ixeridis-oldhami Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, 222, o. 130, 1942 on Ixeris oldhami.—Formosa. p. 130, ... [In Japanese].

Protubera brunnea (Zeller) Zeller in Mycologia, xl, p. 644, 1948. (Syn. Protophallus brunneus Zeller).

- jamaicensis (Murrill) Zeller in Mycologia, xl, p. 644, 1948. (Syn. Protophallus jamaicensis Murrill).

Psathyrella acutilamella Favre nom. nov. in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 150, 1948. (Syn. Psathyra gordonii Lange, non B.

- saponacea Möller in Fungi of the Faröes,

Part I, p. 179, 1945.—Faröe Islands. - typhae (Kalchbr.) Kühn var. sulcatotuberculosa Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 215, 1948.—Switzerland.

Pseudoplectania nigrella var. episphagnum Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.—Switzerland.

Psilocybe bulbosa (Peck) Smith in Mycologia, xl, p. 694, 1948. (Syn. Deconica bulbosa

cubensis (Earle) Sing. in Sydowia, ii, p. 37, 1948. (Syn. Stropharia cubensis Earle).

-fuliginosa (Murrill) Smith in Mycologia, xl, p. 697, 1948. (Syn. Atylospora fuliginosa

- lateritia (Murrill) Smith in Mycologia, xl, p. 698, 1948. (Syn. Psathyra lateritia Murrill).

mammillata (Murr.) Smith in Mycologia, xl, p. 700, 1948. (Syn. Psathyra mammillata Murrill).

- modesta (Peck) Smith in Mycologia, xl. p. 700, 1948. [Syn. not cited].

pallidispora (Murrill) Smith in Mycologia, xl, p. 701, 1948. [Syn. not cited].

p. 703, 1948. (Syn. Deconica pyrispora

tomentosa (Murrill) Smith in Mycologia, xl, p. 705, 1948. [Syn. not cited].

Puccinia aequitatis Cummins in Bull. Torrey bot. Cl., lxxvi, p. 35, 1949 on Benzoin.-Kwangsi, China

allii-cepulae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 15, 1946 on Allium cepa.-India.

- cara Cummins in Bull. Torrey bot. Cl., lxxvi, p. 35, 1949 on Benzoin.-Kwangsi China.

cinnamomicola Cummins in Bull. Torrey bot. Cl., lxxvi, p. 32, 1949 on Cinnamomum. Kwangsi, China.

clematidis-secalis Dupias in Bull. Soc. mycol. Fr., lxiv, p. 182, 1948 on Clematis vitalba and Secale cereale.—France. coronopsora Cummins in Bull.

bot. Cl., lxxvi, p. 36, 1949 on Lindera,-

Kweichow, China.

- ixeridis-oldhami Sawada in Trans. nat, Hist. Soc. Formosa, xxxii, 222, p. 131, 1942 on Ixeris oldhami.—Formosa. [In Japanese].

- jasminicola T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 53, 1949 on Jasminum flexile.—Madras. India.

lauricola Cummins in Bull. Torrey bot. Cl., Ixxvi, p. 38, 1949 on Lindera strychni-

folia.-Kwangsi, China.

machili Cummins in Bull. Torrey bot. Cl., lxxvi, p. 36, 1949 on Machilus.—Kwangsi, China.

machilicola Cummins in Bull. Torrey bot. Cl., Ixxvi, p. 36, 1949 on Machilus,—Kwei. chow, China.

morata Cummins in Bull. Torrey bot. Cl., lxxvi, p. 33, 1949 on Litsea.—Kwangsi, China.

Mundkur & Thirumalachar in operta Mycol. Pap. C.M.I., 16, p. 10, 1946 on Coix lachruma-jobi.-India.

scimitriformis Cummins in Bull. Torrey bot. Cl., lxxvi, p. 33, 1949 on Persea. Kwangsi, China.

seposita Cummins in Bull. Torrey bot. Cl., lxxvi, p. 33, 1949 on Benzoin.-Kwangsi, China

stapfiolae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 14, 1946 on Stapfiola bipinnata.—India.

tatrensis Urban in Studia bot. Čechoslov., ix, p. 57, 1948 on Geum reptans.-Czechoslovakia.

- ustalis Berk. var. pulsatillae (Kalchbr.) Linder in Bull. nat. Mus. Can. 97, p. 266, 1947. (Syn. Puccinia pulsatillae Kalchbr.).

Pyrrhoglossum stipitatum Singer in Sydowia, ii, p. 37, 1948 on wood.—British Guiana.

Pythium multisporum Poitras in Mycologia, xli, p. 171, 1949 from soil.—Illinois, U.S.A.

Radiigera cinnamomea Zeller in Mycologia, xl, p. 652, 1948.—Pennsylvania, U.Š.A.

Ramularia acroptili Bremer apud Bremer & Petrak in Sydowia, ii, p. 315, 1948 on Acroptilon picris.—Turkey.

Ravenelia acaciae-arabicae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 17, 1946 on Acacia arabica.—India.

Thiru--acaciae-concinnae Mundkur & Thiru-malachar in Mycol. Pap. C.M.I., 16, p. 18, 1946 on Acacia concinna.—India.

acaciae-sumae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 18, 1946 on Acacia suma.—India.

berkeleyi Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 19, 1946 on Cassia absus.—India.

- breyniae-patentis Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 21, 1946 on Breynia patens.-India.

kirganelliae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 22, 1946 on Phyllanthus reticulatus.—India.

- phyllanthi Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 24, 1946 on

Phyllanthus polyphyllus.-India.

Rhabdospora arctii Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on dead Arctium.-Greece.

Rhodopaxillus densifolius Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.-

Switzerland.

Rhodophyllus (Eccilia) undatus (Fr.) Quél. var. odorus Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.— Switzerland.

(Leptonia) tenellus Favre in Beitr. Kryptogamenfl. Schweiz, x, 3, p. 212, 1948.-

Switzerland.

*Rhodotorula mucilaginosa (Jörg.) Harrison var. kentuckyi Giovannozzi in Mycopathologia, iv, p. 264, 1948 on fermenting tobacco.

— var. scafatii Giovannozzi in Mycopathologia, iv, p. 264, 1948 on fermenting tobacco.

-Italy.

- polymorpha Giovannozzi in Mycopathologia, iv, p. 264, 1948 on fermenting tobacco. -Italy.

Rostrupia ammophilae (Syd.) Wilson in Proc. bot. Soc. Edinburgh, xxxiii, p. iv, 1940. (Syn. Uredo ammophilae Syd.).

Russula appalachiensis Singer in Sydowia, ii, p. 39, 1948.—Virginia, U.S.A.

- dadmunii Singer in Sydowia, ii, p. 39, 1948. -Massachusetts, U.S.Ă.

Saccobolus kerverni (Crouan) Boud. f. minor Rayss in *Palest. J. Bot.*, J. Ser., iv, p. 73, 1947.—Palestine.

Schiffnerula cassiae Hansford in Proc. Linn. Soc. Lond., clx, p. 151, 1949 on Cassia

kirkii.--Sierra Leone.

costaricensis Hansford in Proc. Linn. Soc. Lond., clx, p. 150, 1949 on Solanum laurifolium.—Costa Rica.

crotonis Hansford in Proc. Linn. Soc. Lond., clx, p. 149, 1949 on Croton gossypifolius.—Costa Rica.

- hippocrateae Hansford in Proc. Linn. Soc. Lond., clx, p. 116, 1949 on Hippocratea velutina.-Sierra Leone. - periplocae Hansford in Proc. Linn. Soc.

Lond., clx, p. 150, 1949 on Periploca nigrescens .- Sierra Leone.

- ricini Hansford in Proc. Linn. Soc. Lond.,

clx, p. 117, 1949 on Ricinus communis.-Sierra Leone. -scopariae Hansford in Proc. Linn. Soc.

Lond., clx, p. 117, 1949 on Scoparia dulcis.-Sierra Leone.

- solani Hansford in Proc. Linn. Soc. Lond., clx, p. 118, 1949 on Solanum melongena.-Sierra Leone.

spigeliae Hansford in Proc. Linn. Soc. Lond., clx, p. 117, 1949 on Spigelia anthelmia. -Sierra Leone.

Scopella fici Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 9, 1946 on Ficus. India.

Secotium albipes Zeller in Mycologia, xl, p. 657, 1948.—California, U.S.A. Septoria blumeri Petrak in Sydowia, ii, p.

241, 1948 on Lathyrus luteus.—Switzerland. calystegiae Losa España in An. Jard. bot. Madr., vi, p. 465, 1945 on Calystegia soldanella.—Spain.

coriaricola Petrak in Sydowia, ii, p. 373, 1948 on Coriaria.—Ecuador.

gynoxidina Petrak in Sydowia, ii, p. 375, 1948 on Gynoxis.—Ecuador.

- maireana Politis in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 268, 1949 on Rubia tinctorum.—Greece.

obclavata Petrak in Sydowia, ii, p. 237, 1948 on Festuca filiformis.—Teneriffe.

pichinchica Petrak in Sydowia, ii, p. 376. 1948 on ? Eugenia. - Ecuador.

Serpula domestica (Falck) Bondartzev in Přiroda, 1948, p. 41, 1948. (Syn. Merulius domestica Falck).

minor (Falck) Bondartzev in Příroda, 1948, p. 41, 1948. (Syn. Merulius minor

Falck).

Sorosporium beelii Zundel var. kinshasaensis (Beeli) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. S. panici Beeli var. kinshasaensis Beeli).

- digitariae (Kunze) Padwick in Mycol. Pap. C.M.I., 17, p. 8, 1946. (Syn. Uredo digi-

tariae Kunze).

Sphacelotheca bursa (Berk.) Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 6, 1946. (Syn. *Ustilago bursa* Berk.).
- isachnes (Syd.) Ling in *Mycologia*, xli,

p. 262, 1949. (Syn. Ustilago isachnes Syd.). Sphaerella broteriana Alcalde in An. Jard. bot. Madr., vi, p. 402, 1945 on Potentilla rupestris.—Spain.

Sphaeropsis cycadis Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 9, 1946

on Cycas circinalis.—India.

Sphaerulina quitensis Petrak in Sydowia, ii, p. 364, 1948 on Psammisia.—Ecuador. Stachybotryella bispora Hansford in Proc. Linn. Soc. Lond., clx, p. 149, 1949 on Memecylon subfurfuraceum.—Philippines.

STELLIGERA Heim in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 148, 1949.-

Clavariaceae.

- membranacea Heim in Mém. Soc. Hist. nat. Afr. Nord, Hors-sér., ii, p. 149, 1949 in woods.-Madagascar. (Nom. nud. in C.R. Acad. Sci., Paris, cevi, p. 1,920, 1938).

Stereum rimosum Berk. var. africanum Talbot apud Wakefield & Talbot in Bothalia. iv, p. 945, 1948 on wood.—South Africa.

*Stropharia laceriannula Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, 220, p. 26, 1942.—Formosa. [In Japanese].

merdaria Fr. f. macrospora Möller in Fungi of the Faröes, Part I, p. 195, 1945.-Farce Islands.

- var. exigua Möller in Fungi of the Faröes, Part I, p. 196, 1945.—Faröe Islands.

Stropharia stercoraria (Schum.) Fr. var. minor Möller in Fungi of the Faröes, Part I, p. 202, 1945.—Faröe Islands.

f. sterilis Möller in Fungi of the Faröes, Part I, p. 202, 1945.—Faröe Islands.

Synchytrium fragariae Zeller & Campbell in Phytopathology, xxxix, p. 150, 1949 on Fragaria.—U.S.A.
- phaseoli Patel, Kulkarni, & Dhande in

Curr. Sci., xviii, p. 171, 1949 on Phaseolus mungo.-India.

sambuci Cook in Mycologia, xli, p. 27, 1949 on Sambucus canadensis.—Louisiana, U.S.A.

Taphrina americana Mix in Trans. Kans. Acad. Sci., 1, p. 80, 1947 on Betula spp.

- bartholomaei Mix nom. nov. in Univ. Kansas Sci. Bull., xxxiii, p. 149, 1949. (Syn. Exoascus aceris Dearn. & Barth., non Lin-

- blechni Bresadola apud Mix in Trans. Kans. Acad. Sci., l, p. 77, 1947 on Blechnum sp.—Brazil.

darkeri Mix in Trans. Kans. Acad. Sci., 1, p. 82, 1947 on Acer circinatum.—Oregon, U.S.A.

- orientalis Mix in Trans. Kans. Acad. Sci.,

1, p. 80, 1947 on Pyrus lindleyi.—Japan.
padi Mix (as '(Jacz.) sp. nov.') in Trans.
Kans. Acad. Sci., 1, p. 81, 1947 on Prunus padus.-Sweden.

populi-salicis Mix in Trans. Kans. Acad. Sci., l, p. 78, 1947 on Populus fremontii, P. trichocarpa, and Salix laevigata.—California and Oregon, U.S.A.

thomasii Mix in Trans. Kans. Acad. Sci., l, p. 81, 1947 on Prunus ilicifolia.—California, U.S.A.

TELLIGIA Hendrickx nom. nov. in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. Moniliaceae, based on Gilletia Torrend, non Penz. & Sacc.

- cinnabarina (Torrend) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. Gilletia cinnabarina Torrend apud de Wildeman).

hecaphora fimbristylidis Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, Thecaphora fimbristylidis p. 4, 1946 on Fimbristylis monostachya.-India.

THRINACOSPORA Petrak in Sydowia, ii, p. 49, 1948.—Sphaeropsidales.

insignis Petrak in Sydowia, ii, p. 49, 1948 on Coriaria thymifolia.- Ecuador.

Tilletia alopecuri (Saw.) Ling in Mycologia, xli, p. 252, 1949. (Syn. Entyloma alopecuri Saw.).

Tolyposporella brachiariae Mundkur & Thirumalachar in Mycol. Pap. C.M.I., 16, p. 5, 1946 on Brachiaria distachya.—India.

Torrubiella confragosa Mains in Mycologia, xli, p. 305, 1949 on scale-insects.—Brazil.

- liberiana Mains in Mycologia, xli, p. 306, 1949 on an ant.-Liberia. - pulvinata Mains in Mycologia, xli, p. 303,

1949 on Opilionoidea.—Hawaii. Torsellia sydowii Petrak in Sydowia, ii, p.

377, 1948 on dead Sapium.—Ecuador. Torulopsis aggregata (Anderson) Mackinnon in Zimologia Médica, p. 106, 1946. [Syn. not cited].

- mucorugosa (Benham) Mackinnon in Zimología Médica, p. 107, 1946. [Syn. not

oleifabricae Ciferri, Verona, & Luparini in Mycopathologia, iv, p. 254, 1948 on olives and in olive oil.-Italy.

ovoidea (Anderson) Mackinnon in Zimologia Médica, p. 105, 1946. (Syn. Cryptococcus ovoideus Anderson).

Trametes cingulata Berk. f. obscurata (Bres.) Hendrickx in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., xxxv, p. 8, 1948. (Syn. Trametes picta Berk. f. obscurata Bres.).

tawa Cunningham in Bull. Dep. sci. industr. Res. N.Z. 80, p. 9, 1948 on bark.—New Zealand.

Tricholoma glaucoalbum Singer in Sydowia, ii, p. 28, 1948.—Virginia, U.S.A.

Tubercularia aequatoriensis Petrak in Sydowia, ii, p. 385, 1948 on wood.—Ecuador. Tylopilus appalachiensis Singer nom. nov. in Sydowia, ii, p. 38, 1948. (Syn. Boletus felleus var. minor Coker & Beers).

UNISETA Ciccarone in Nuovo G. bot. ital., N.S., liv, p. 15, 1947.—Melanconiales.

- flagellifera (Ell. & Everh.) Cicc. in Nuovo G. bot. ital., N.S., liv, p. 15, 1947. (Syn. Pestalozzia flagellifera Ell. & Everh.).

Uredo aristidae-acutiflorae Maire in Botan. iste, xxxiv, p. 308, 1949 on Aristida acutiflora.—Sahara, Africa.
- malabarica T. S. & K. Ramakrishnan in

Proc. Indian Acad. Sci., Sect. B, xxix, p. 55, 1949 on Bridelia retusa.-Madras, India.

terminaliae-paniculatae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxix, p. 56, 1949 on Terminalia paniculata.—Madras, India.

Uromyces gaeumanni Mayor & Viennot. Bourgin in Rev. Path. Vég., xxviii, p. 33, 1949 on Hippocrepis unisiliquosa.—France,

gausseni Mayor & Viennot-Bourgin in Rev. Path. Vég., xxviii, p. 38, 1949 on Dorycnopsis gerardi.—France.
- heimi Mayor & Viennot-Bourgin in Rev.

Path. Vég., xxviii, p. 47, 1949 on Medicago arborea.—France.

mangenoti Mayor & Viennot-Bourgin in Rev. Path. Vég., xxviii, p. 51, 1949 on Vicia pubescens.—France.

- vulpiae Losa España in An. Jard. bot. Madr., vi, p. 422, 1945 on Vulpia myurus.-Spain.

Ustilago bothriochloae-intermediae Padwick in Mycol. Pap. C.M.I., 17, p. 5, 1946 on Bothriochloa intermedia.-India.

vetiveriae Padwick in Mycol. Pap. C.M.I., 17, p. 5, 1946 on Vetiveria zizanoides.—India.

Valsaria salvadorina Mundkur & Sultan Ahmad in Mycol. Pap. C.M.I., 18, p. 6, 1946 on Salvadora oleoides.—India. tamaricis Mundkur & Sultan Ahmad in

Mycol. Pap. C.M.I., 18, p. 7, 1946 on dead Tamarix articulata.--India.

Valsella moricola Ahmad in Sydowia, ii, p. 72, 1948 on dead Morus alba.—Pakistan.

Venenarius agglutinatus (Berk. & Curt.) Murr. in Lloydia, xi, p. 101, 1948. (Syn. Agaricus agglutinatus Berk. & Curt.).

cylindrisporus (Beards.) Murr. in Lloydia, xi, p. 101, 1948. (Syn. Amanita cylindrospora Beardslee).

excelsus (Fr. sec. Coker) Murr. in Lloydia,

xi, p. 101, 1948. (Syn. Agaricus excelsus Fr.).
- flavoconius (Atk.) Murr. in Lloydia,
xi, p. 101, 1948. (Syn. Amanita flavoconiu

gemmatus (Fr.) Murr. in Lloydia, xi, p. 102, 1948. (Syn. Agaricus gemmatus Fr.) mappa (Fr.) Murr. var. tenuipes Murr. in Lloydia, xi, p. 104, 1948.—Florida

- roanokensis (Coker) Murr. in Lloydia, xi, 103, 1948. (Syn. Amanita roanokensis p. 103. Coker).

spretellus Murrill in Lloydia, xi, p. 105, 1948.—Florida, U.S.A.

vernus (Bull.) Murr. in Lloydia, xi, p. 104, 1948. (Syn. Agaricus vernus Bull.).

Volutella lohwagii Petrak in Sydowia, ii, p. 308, 1948 on a bone.—Austria.

XENOCHORA Petrak in Sydowia, ii, p. 52, 1948.—Sphaeropsidales.

sydowii Petrak in Sydowia, ii, p. 52, 1948 on

Inga .- Ecuador.

Xenostele indica Thirumalachar nom. nov. in Curr. Sci., xvii, p. 27, 1948. (Syn. X. neolitseae Ramakr., non Teng; this Index, pp. 48 and 197). Xylaria candelabrum Batista & Vital in Bol.

Agric., Pernambuco, xv, p. 176, 1948 on dead wood.—Brazil.

- cupressiformis Becc. f. brachipodia da Camara in Agron. lusit., viii, p. 25, 1946 on Bignonia tweldiana.—Portugal.

frustrulata Batista & Vital in Bol. Agric., Pernambuco, xv, p. 177, 1948 on decayed wood.—Brazil.

opulenta Batista & Vital in Bol. Agric., Pernambuco, xv, p. 176, 1948 on decayed wood.—Brazil.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta and Invertebrata.

ACANTHACEAE

Brillantaisia nitens Meliola brillantaisiae Justicia betonica

Chrysocelis indica

Thunbergia chrysopidis Irenina thunbergiae-chrysops

Thunbergia cynanchifolia Meliola thunbergiicola

ACERACEAE

Acer circinatum

Taphrina darkeri

AGAVACEAE Dracaena mannii

Meliola interrupta Sansevieria liberica

Meliola subdentata var. microspora

ALGAE

Closterium

Micromycopsis mirabilis Cylindrocystis brebissonii

Endodesmidium formosum

Cylindrocystis crassa

Endodesmidium formosum Mougeotia

Micromyces echinocystis

Micromyces laevis Netrium oblongum

Endodesmidium formosum

Zygnema

Micromyces echinocystis Micromyces minimus Micromyces wheldenii

Micromycopsis intermedia Phlyctochytrium magnum

AMARYLLIDACEAE Agave americana

Cylindrocolla longispora

ANACARDIACEAE Anacardium occidentale

Meliola anacardii var. minor Mangifera indica

Phoma mangiferae

Pseudospondias microcarpa Meliola pseudospondiadis Sorindeia juglandifolia

Meliola sorindeiae ANONACEAE

Uvaria afzelii

Meliola popowiae var. tenuis

APOCYNACEAE Carpodinus dulcis

Meliola voacangae var. carpodini

APOCYNACEAE (continued)

Conopharyngia longiflora

Meliola voacangae var. conopharyngiae

Funtumia africana

Meliola voacangae var. funtumiicola

Malouetia heudelotii Meliola malouetiae

Plumeria rubra

Irenina plumeriae

AQUIFOLIACEAE

Ilex aquifolium

Ascochyta ilicicola

Ilex montana

Meliola ilicicola

ASCLEPIADACEAE

Marsdenia volubilis

Aecidium marsdeniae

Periploca nigrescens Schiffnerula periplocae

Balsaminaceae

Impatiens irvingi

Aecidium le-testuanum

BETULACEAE

Betula

Taphrina americana

Carpinus duinensis

 $\vec{Diplodia}\ carpinicola$

BIGNONIACEAE

Bignonia tweldiana

 $reve{X}y$ laria cupressiformis ${f f}$. brachipodia

Distictis lactiflora

Meliola distictidis

Newbouldia laevis

Meliola newbouldiae Stereospermum tetragonum

Melampsora stereospermi

Tabebuia berterii

Meliola bignoniacearum var. tabebuiae

CAESALPINIACEAE

Berlinia heudelotiana

Meliola berliniae Caesalpinia sappan

Meliola aethiops var. caesalpiniae

Cassia absus

Ravenelia berkeleyi

Cassia kirkii


Schiffnerula cassiae

Cassia siamea

Meliola aethiops var. minor

Copaifera copallifera

Meliola copaiferae



CAESALPINIACEAE (continued) Daniellia thurifera Meliola danielliae Delonix regia Meliola aethiops var. flexuosa Erythrophleum guineense Meliola erythrophlei Mezoneurum benthamiani Meliola mezoneuri CAPPARIDACEAE Capparis aphylla Bagnisiopsis capparidis Leptosphaeria capparidicola Capparis erythrocarpa Irenina capparidis CAPRIFOLIACEAE Linocieria cumingiana Meliola linocieriicola Sambucus canadensis Synchytrium sambuci Sambucus ebulus Phoma sambuci-ebuli Viburnum tinoides Meliola aequatoriensis CARYOPHYLLACEAE Dianthus brachyanthus Coniothyrium dianthicola Gloeosporium pachybasioides CHENOPODIACEAE Chenopodium album Phoma chenopodii CISTACEAE Cistus Camarosporium cisti COMBRETACEAE Combretum mooreani Irenina combreti var. major Terminalia ivorensis Irenina terminaliae Terminalia paniculata Uredo terminaliae-paniculatae Compositae Acroptilon pieris
Ramularia acroptili Arctium Asteroma arctii Rhabdospora arctii Carlina graeca Phoma carlinae Gynoxis Cladosporium gynoxidicola Septoria gynoxidina Ixeris oldhami Protomyces ixeridis-oldhami Puccinia ixeridis-oldhami Liabum Dimerium liabinum Liabum pellalangense Mycosphaerella liabi Mikania Cladosporium aequatoriense Mikania scandens Irenopsis mikaniae Piptocarpha Phyllachora piptocarphae CONIFERAE Juniperus nana Micropeltis juniperi Larix europea Lachnea mariae Picea abies Corticium lundellii Picea excelsa

Aleuria pectinospora

Helotium taborense

CONIFERAE (continued) Pinus mugo Mucoacia pinicola CONNARACEAE Connarus africanus Meliola roureae var. major Manotes longiflora Meliola manotis CONVOLVULACEAE Bonamia cymosa Meliola bonamiae Calystegia soldanella Septoria calystegiae CORIARIACEAE Coriaria Septoria coriaricola Coriaria thymifolia Thrinacospora insignis CRUCIFERAE Cardamine pratensis Cercospora cardamines Raphanus sativus var. longipinnatus Fusarium oxysporum f. raphani CYCADACEAE Cycas circinalis Phyllosticta cycadis Sphaeropsis cycadis CYPERACEAE Eleocharis dulcis Dermatosorus eleocharidis Fimbristylis monostachya Thecaphora fimbristylidis Scirpus articulatus Entyloma scirpicola Scirpus holoschoenus Metasphaeria cavanillesiana Meliola apiculata Scleria centralis Cintractia scleriicola DILLENIACEAE Tetracera potatoria Irenina tetracerae Dioscorea Meliola dioscoreae Meliola dioscoreicola Anisoptera thurifera Asterina anisoptericola Asterina rizalēnsis

DIOSCOREACEAE DIPTEROCARPACEAE

EBENACEAE Diospyros heudelotii Irenina diospyricola Meliola hirsuta ERICACEAE Arbutus unedo Elsinoë mattirolianum Arctostaphylos alpina Exobasidium angustisporum Cavendishia Coccomyces consociatus Ophiodothella sydowii Disterigma Dimerium tungurahuense Psammisia Sphaerulina quitensis Vaccinium leschnaultii Exobasidium triseptatum EUPHORBIACEAE Acalypha

Phyllachora pichinchae

EUPHORBIACEAE (continued) Alchornea cordifolia Irenina hansfordii var. densa Breynia patens Ravenelia breyniae-patentis Bridelia retusa

Uredo malabarica

Croton Meliola janeirensis Croton gossypifolius Schiffnerula crotonis

Euphorbia characias Peronospora embergeri

Euphorbia dawei

Pestalotia carbonacea Euphorbia sibthorpii $\hat{P}homa\ sibthorpi\hat{i}$

Hevea brasiliensis Asteronectrioidea heveicola Didymosphaeria polyspora Hymenocardia lyrata

Meliola hymenocardiae Maesobotrya sparsiflora

Meliola maesobotryae Omphalea Asterina omphaleae

Phyllanthus polyphyllus Ravenelia phyllanthi Phyllanthus reticulatus Ravenelia kirganelliae

Ricinus communis Schiffnerula ricini Sapium

Torsellia sydowii Tetrorchidium didymostemon Amazonia tetrorchidii

FAGACEAE Nothofagus Inonotus nothofagi Quercus Cercoseptoria quercina Cerinomyces pallidus Quercus lanuginosa Monochetia quercina

FLACOURTIACEAE Caloncoba echinata

Irenina deightonii FUNGI Discomycete

Acanthostigma glabrescens Karlingia rosea Olpidiopsis karlingiae

Olpidiopsis schenkiana Ectrogella besseyi

Phyllachora disseminata Leptosphaeria phyllachoricola Phyllachora piptocarphae Coniothyrium tungurahuense Phyllachora tungurahuensis

Leptosphaeria tungurahuensis Polystomellaceae Nectria tungurahuana

Robledia eupatorii Hendersonia roblediae Schiffnerula

 $Domingoella\ deightoni$

GRAMINEAE Aristida acutiflora Uredo aristidae-acutiflorae Bambuseae Calonectria mindoensis Hypocrella chusqueae

GRAMINEAE (continued) Bothriochloa intermedia Ustilago bothriochloae-intermediae Brachiaria distachya Tolyposporella brachiariae Buchloë dactyloides Helminthosporium buchloës Chusquea serrulata Dimeriella pumila Nematostigma arachnoideum Coix lachryma-jobi Puccinia operta Eleusine flagellifera Massarina graminicola Phoma graminis Festuca agustini Phyllachora teneriffae Festuca filiformis

Camarosporium mirabile Diplodina canariensis Metasphaeria didymelloidea Septoria obclavata Ischurochloa stenostachya Chaetosphaeria stenostachyae

Phragmites Meliola arundinis var. angulosa

Saccharum munja Clypeothecium sacchari

Saccharum spontaneum Ophiobolus spirosporus Secale cereale Puccinia clematidis-secalis

Setaria chevalieri Meliola setariae

Sorghum vulgare var. sudanense $Helminthosporium\ sorghicola$ Stapfiola bipinnata

Puccinia stapfiolae Triticum

Macrophoma triticina Vetiveria zizanoides Ustilago vetiveriae Vulpia myurus

Uromyces vulpiae GUTTIFERAE

Chrysochlamys Phragmopeltis chrysochlamydis

Phyllachora clusiae Symphonia gabunensis Irenina symphoniae

HIPPOCRATEACEAE Hippocratea clematoides Irenina hippocrateae Hippocratea richardiana Meliola hippocrateicola Hippocratea velutina Schiffnerula hippocrateae HYPERICACEAE

Harungana madagascariensis Meliola leonensis

INSECTA Ants Gibellula formicarum Hirsutella liberiana Torrubiella liberiana Lepidoptera Hirsutella ramosa Scale insects Torrubiella confragosa Invertebrata (other than Insecta) Amoeba papyracea Endocochlus binarius Opilionoidea (Arachnida) Torrubiella pulvinata

Labiatae
Achyrospermum oblongifolium
Meliola achyrospermi
Lauraceae

Asteroscutula sydowii Echidnodes sydowii Beilschmiedia roxburghiana

Goplana indica Benzoin

Puccinia aequitatis
Puccinia cara
Puccinia seposita
Cinnamomum

Puccinia cinnamomicola

Puccinia coronopsora Lindera strychnifolia Puccinia lauricola

Litsea
Puccinia morata
Machilus

Puccinia machili Puccinia machilicola ?Nectandra

Phyllachora detecta Neolitsea

Armatella yatesii Persea

Puccinia scimitriformis
Phoebe costaricana
Meliola phoebes

LECYTHIDACEAE
Napoleona heudelotii
Meliola napoleonae

LEGUMINOSAE

Meliola franciscana

Meliola sydowi

Acacia arabica

Ravenelia acaciae-arabicae Acacia concinna

Ravenelia acaciae-concinnae Acacia mollissima

Polyporus doidgeae Acacia suma Ravenelia acaciae-sumae

Astragalus frigidus
Ophiobolus lapponicus
Astragalus purpureus

Peronospora astragali-purpurei Baphia nitida

Meliola baphiae-nitidae Baphia polygalacea

Meliola baphiae-polygalaceae Calycotome villosa

Ďiplodia calycotomes-villosae Dalbergia

Meliola scabriseta
Desmodium salicifolium
Meliola stizolobii var. desmodii-salicifolii
Dorycnopsis gerardi

Uromyces gausseni Entada gigans Meliola entadae

Eriosema glomeratum Meliola stizolobii var. eriosematis

Hippocrepis unisiliquosa Uromyces gaeumanni

Xenochora sydowii

LEGUMINOSAE (continued)
Lathyrus luteus
Septoria blumeri
Leptoderris fasciculata
Meliola ostryoderridis var. leptoderridis
Lupinus polyphyllus
Helotium suzai

Medicago arborea *Uromyces heimi*Millettia rhodantha *Meliola millettiae-rhodanthae*

Millettia sanagana

Meliola millettiae-sanaganae Mucuna aterrima

Meliola stizolobii Mucuna urens Meliola mucunae Onobrychis cornuta

Ascochyta orobi f. macrocarpa

Ormocarpum verrucosum Meliola ormocarpi Ostryoderris leucobotrya Meliola ostryoderridis Phaseolus mungo Synchytrium phaseoli Physoctimus venenosum

Physostigma venenosum Meliola physostigmatis Platysepalum

Meliola platysepali Prosopis spicigera Botryosphaeria prosopidis Pterocarpus santalinoides Meliola pterocarpicola

Vicia pubescens
Uromyces mangenoti
Vigna gracilis

Vigna gracilis Meliola vignae-gracilis

LILIACEAE
Allium cepa
Puccinia allii-cepulae
Aphyllanthes monspeliensis
Macrophoma aphyllantis
Asphodelus tenuifolius

Macrophoma asphodeli Urginea maritima Asteromella urgineae

LINACEAE
Hugonia planchonii
Meliola hugoniae

Ochthocosmus africanus
Meliola linacearum
Meliola ochthocosmi
Meliola ochthocosmicola

LOGANIACEAE
Anthocleista frezoulsii
Irenina anthocleistae
Gaertnera paniculata

Meliola vicina var. gaertnerae

Spigelia anthelmia
Schiffnerula spigeliae
Usteria guineensis
Meliola usteriae

LORANTHACEAE
Loranthus bangwensis
Meliola loranthi var. bangwensis

LYTHRACEAE
Adenaria
Antimanopsis acc

Antimanopsis aequatoriensis

MAGNOLIACEAE
Magnolia pumila
Phyllosticta magnoliae-pumilae
MALPIGHIACEAE
Asterolibertia ulei

MALPIGHIACEAE (continued) Acridocarpus plagiopterus Irenopsis acridocarpicola Malpighia glabra Irenopsis malpighiae

MALVACEAE Althea rosea

Itersonilia perplexans Gossypium

Didymosphaeria verrucispora MELASTOMACEAE

Dissotis paucistellata Meliola dissotidis Memecylon subfurfuraceum

Stachybotryella bispora

MELIACEAE

Carapa procera
Meliola carapae
Khaya grandifoliola
Meliola khayae var. minor

MENISPERMACEAE

Tiliacora

Meliola cissampeli var. tiliacorae

MIMOSACEAE Albizzia gummifera

Meliola albizziae

Albizzia zygia Meliola albizziae var. zygiae Cathormion altissimum

Irenopsis cathormionis Piptadenia elliotii Meliola piptadeniae

MORACEAE

Antiaris africana Irenina ugandensis var. antiaridis Dorstenia walleri

Aecidium dorsteniae-walleri

Cronartium fici Scopella fici Ficus elastica

Phyllosticta ficina Morus alba

Valsella moricola Morus nigra

Cercospora bremeri

MYRTACEAE ?Eugenia

Corynelia sydowii Mycosphaerella aequatoriensis Phyllachora emarginata Septoria pichinchica

Psidium guajava Phoma psidii

NYCTAGINACEAE Boerhaavia diffusa Phoma nyctaginea var. boerhaaviae

OCHNACEAE Ouratea flava Meliola ourateae **OLEACEAE**

Jasminum flexile Puccinia jasminicola Jasminum mesnyi

Phaeodothiora sinensis Phillyrea latifolia

Clypeosphaeria phillyreae OPILIACEAE Champereia cumingiana

Asterina champereiae ORCHIDACEAE Satyrium nepalense

Čoleosporium satyrii

PALMAE

Anthostomella lodhii Phomopsis mindoensis

Ancistrophyllum secundiflorum Meliola mauritiae var. ancistrophulli

Calamus deerati Meliola calami

Cocos nucifera Catacauma torrendiella

Elaeis guineensis Pestalotia mayumbensis

Raphia gracilis Meliola mauritiae var. raphiae

PANDANACEAE

Pandanus candelabrum Meliola pandanicola

PASSIFLORACEAE

Smeathmannia laevigata Meliola smeathmanniae

PEDALIACEAE

Ceratotheca sesamoides Meliola microspora var. ceratothecae

PIPERACEAE Piper betle Colletotrichum dasturii PLATANACEAE Platanus orientalis Camarosporium platani PLUMBAGINACEAE

Armeria pungens Didymosphaeria armeriae POLYGALACEAE

Carpolobia lutea Meliola carpolobiicola

POLYGONACEAE Polygonum aviculare

Phoma polygoni-aviculare Polygonum convulvulus Macrosporium convolvuli

POLYPODIACEAE Blechnum sp. Taphrina blechni PONTEDERIACEAE Eichhornia crassipes Cephalosporium eichhorniae

PTERIDOPHYTA Trismeria

Cercospora trismeriae

RANUNCULACEAE Clematis vitalba Puccinia clematidis-secalis RHAMNACEAE Zizyphus jujuba

Humarina zizyphi Phoma zizyphina RHIZOPHORACEAE

Anisophyllea laurina Meliola anisophylleae ROSACEAE

Crataegus Achlya intricata Fragaria

Synchytrium fragariae Geum reptans Puccinia tatrensis

Licania Asterolibertia licaniicola Potentilla rupestris Sphaerella broteriana Prunus ilicifolia Taphrina thomasii

Prunus padus Taphrina padi



ROSACEAE (continued) Prunus persica Melanconium majusculum Pyrus lindleyi Taphrina orientalis Rubus Clypeoceriospora rubi RUBIACEAE Amaralia heinsioides Meliola amaraliae Mitragyna stipulosa Meliola canthii var. leonensis Morinda lucida Meliola psychotriae var. densa Randia genipiflora Meliola randiae Meliola tunkiaensis Randia hispida Meliola kibirae var. leonensis Randia maculata Meliola kibirae var. randiae Rubia tinctorum Septoria maireana Sarcocephalus esculentus Irenina sarcocephali Virecta multiflora Meliola vicina var. minor RUTACEAE Meliola koniaensis Citrus Guignardia citricarpa Fagara martinicensis

SALICACEAE Populus fremontii Taphrina populi-salicis Populus trichocarpa Taphrina populi-salicis Salix alba Phoma salicis-albae Salix laevigata Taphrina populi-salicis SALVADORACEAE Salvadora oleoidis Phomatospora salvadorina Valsaria salvadorina Salvadora persica Cercospora salvadorae SAMYDACEAE Homalium dolichophyllum Meliola homalii-dolichophylli SAPINDACEAE Allophylus africanus Meliola capensis var. allophyllicola Blighia sapida Meliola capensis var. blighiae Lecaniodiscus cupanioides Meliola capensis var. lecaniodisci SAPOTACEAE Butyrospermum parkii Meliola butyrospermi Sideroxylon Amazonia sideroxyli SCROPHULARIACEAE Meliola ulei Antirrhinum majus

Macrophoma antirrhini

Meliola fagarae-martinicensis

SCROPHULARIACEAE (continued) Scoparia dulcis Schiffnerula scopariae Veronica bellidioides Plenodomus helveticus SCYTOPETALACEAE Scytopetalum tieghemii Meliola scytopetali SOLANACEAE Saracha jultomata Phoma oleracea f. sarachae Solanum laurifolium Schiffnerula costaricensis Solanum melongena Schiffnerula solani Solanum tuberosum Phytophthora himalayensis STERCULIACEAE Cola nitida Irenopsis coliicola Irenopsis njalaensis Dombeya buetneri Irene dombeyae Sterculia tragacantha Meliola sterculiae Tarrietia utilis Irenopsis tarrietiae

Tamaricaceae
Tamarix articulata
Valsaria tamaricis
THEACEAE
Camellia thea
Pestalotia aeruginea
Gordonia obtusa
Exobasidium nilagiricum

ULMACEAE
Celtis tetrandra
Exobasidium celtidis
Ulmus campestris
Phleospora ulmea
UMBELLIFERAE
Anthriscus silvestris
Ophiobolus nigromaculatus
URTICACEAE
Pilea parietaria
Irenina pileae
Pipturus arborescens
Irenina pipturi

VELLOZIACEAE Barbacennia purpurea Irenina barbacenniae Verbenaceae Aegiphila alata Īrenina aegiphilae Premna hispida Irenina premnae Premna odorata Meliola premnae VITACEAE Cissus Aecidium cissicola Mycosyrinx microspora Cissus caesia Meliola cissi-caesiae

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY CHARLES BATEY, PRINTER TO THE UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. I

PART 20

1950

ACROCLADIUM Petrak in Sydowia, iii, p. 263, 1949.—Hyphomycetes.

andinum Petrak in *Sydowia*, iii, p. 263, 1949 on ? *Hippocratea*.—Ecuador.

Amanitopsis floridana Murrill in Mycologia, xli, p. 490, 1949.—Florida, U.S.A.

Ancylistes netrii Couch in J. Elisha Mitchell sci. Soc., lxv, p. 132, 1949 on Netrium digitus. -North Carolina, U.S.A.

Anthopeziza protracta (Fr.) Nannfeldt in Svensk bot. Tidskr., xliii, p. 477, 1949. (Syn. Peziza protracta Fries)

Ascochyta hydrophylli-virginiani Greene in Amer. Midl. Nat., xli, p. 720, 1949 on Hydro-phyllum virginianum.—Wisconsin, U.S.A. - rudbeckiae (Ell. & Ev.) Greene in Amer.

Midl. Nat., xli, p. 753, 1949. (Syn. Phyllosticta rudbeckiae Ell. & Ev.).

Asteromella delphinii Petrak in Sydowia, iii, p. 315, 1949 on Delphinium.-Persia.

digitalis-ambiguae Arx in Sydowia, iii, p. 94, 1949 on Digitalis ambigua.—Switzer-land.

BARBARIELLA Middelhoek in Ned. kruidk.

Arch., lvi, p. 260, 1949.—Laboulbeniaceae.

- tubantica Middelhoek in Ned. kruidk.

Arch., lvi, p. 260, 1949 on Catops nigricans.— Holland.

BIMERIS Petrak in Sydowia, iii, p. 251, 1949. -Sphaeropsidales.

— aperta Petrak in Sydowia, iii, p. 251, 1949 on Oreopanax mucronulatus.- Ecuador.

Boletus floculosipes Murrill in Mycologia, xli, p. 491, 1949.—Florida, U.S.A.
BOTRYOCREA Petrak in Sydowia, iii, p. 140,

1949.—Nectrioidaceae.

- sclerotioides (v. Höhn.) Petrak in Sydowia, p. 141, 1949. (Syn. Stagonopsis sclerotioides

Botryotinia narcissicola (Gregory) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 137, 1949. (Syn. Sclerotinia narcissicola Gregory).

polyblastis (Gregory) Buchwald VetHøjsk., Aarsskr., no. 32, p. 137, 1949. (Syn. Sclerotinia polyblastis Gregory)

ricini (Godfrey) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 137, 1949. (Syn. Sclerotinia ricini Godfrey).

sphaerosperma (Gregory) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 137, 1949. (Syn. Sclerotinia sphaerosperma Gregory).

Botrytis fuckeliana Buchwald nom. nov. in K. VetHøjsk. Aarsskr., no. 32, p. 147, 1949, state of Botryotinia fuckeliana.

geranii Buchwald nom. nov. in K. VetHøjsk. Aarsskr., no. 32, p. 148, 1949. [Cf. B. geranii Seaver 1947, this Index p. 178].

porri Buchwald nom. nov. in K. VetHøjsk. $ar{A}arsskr.$, no. 32, p. 147, 1949, state of Botryotinia porri.

- ricini Buchwald nom. nov. in K. VetHøjsk. Aarsskr., no. 32, p. 148, 1949, state of Botryotinia ricini.

- sphaerosperma Buchwald nom. nov. in K. VetHøjsk. Aarsskr., no. 32, p. 148, 1949, state of Botryotinia sphaerosperma.

Bovista concinna Ahmad in Sydowia, iii, p. 335, 1949.—Pakistan.

Bremia graminicola Naoumoff var. indica Patel in Indian Phytopathology, i, p. 106, 1949 on Arthraxon lancifolius.-India.

Camarosporium shahvaricum Petrak in Sydowia, iii, p. 316, 1949 on Astragalus sp.-Persia.

Candida truncata Vanbreuseghem in Arch. belg. Derm. Syph., iv, p. 3, 1948 on infants [Homo sapiens] from Belgian Congo.

Cercospora lithospermi Chupp & Greene apud Greene in Amer. Midl. Nat., xli, p. 724, 1949 on Lithospermum croceum.—Wisconsin, U.S.A.

- salicis Chupp & Greene apud Greene in Amer. Midl. Nat., xli, p. 757, 1949 on Salix alba.—Wisconsin, U.S.A.

-trifidae Chupp nom. nov. apud Greene in Amer. Midl. Nat., xli, p. 725, 1949. (Syn. C. racemosa var. ambrosiae Seym. & Earle, non C. ambrosiae Auct.).

- triostei Chupp & Greene apud Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 247, 1947 on Triosteum perfoliatum.—Wisconsin, U.S.A.

Chytriomyces closterii Karling in Bull. Torrey bot. Cl., lxxvi, p. 352, 1949 on Closterium rostratum.—Maryland, U.S.A.
- fructicosus Karling in Bull. Torrey bot. Cl.,

lxxvi, p. 353, 1949 in soil.—Maryland, U.S.A. lucidus Karling in Bull. Torrey bot. Cl., lxxvi, p. 353, 1949 in soil.—Maryland, U.S.A.

Ciboria granigena (Quél.) Buchweld in K. VetHøjsk. Aarsskr., no. 32, p. 165, 1949. (Syn. Phialea granigena Quél.).

ploettneriana (Kirschst.) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 165, 1949. (Syn. Sclerotinia ploettneriana Kirschst.).

polygoni (Rehm) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 165, 1949. (Syn. Sclerotinia polygoni Reĥm).

tiliae (Reade) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 165, 1949. (Syn. Scierotinia tiliae Reade).

Cintractia fimbristylicola Pavgi & Mundkur in Indian Phytopathology, i, p. 108, 1949 on Fimbristylis complanata.—India.

peribebuyensis Spegazzini var. major Pavgi & Mundkur in *Indian Phytopathology*,

i, p. 109, 1949 on Cyperus sp.—India. Cistella stereicola (Cooke) Dennis in Mycol. Pap., C.M.I., 32, p. 60, 1949. (Syn. Peziza stereicola Cooke).

Cladosporium americanum Greene in Amer. Midl. Nat., xli, p. 723, 1949 on Prunus americana.—Wisconsin, U.S.A.

Clavaria microspora Josserand in Bull. Soc. mycol. Fr., lxiv, p. 31, 1948.—France.

*Clitopilus arwidssonii Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 58, 1948—Sweden.

Coltricia placodes (Kalchbr.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 15, 1949. (Syn. Polyporus placodes Kalchbr.).

Coniothyrium pallidospermum Greene in Amer. Midl. Nat., xli, p. 752, 1949 on Carya cordiformis.—Wisconsin, U.S.A.

Coprinus lagopus Fr. f. macrospermus Romagnesi in Rev. de Mycologie, x, p. 76, 1945.—France.

— utrifer Josserand in Bull. Soc. mycol. Fr., lxiv, p. 27, 1948 on dung.—France.

Cordyceps aurea Moureau in Mém. Inst. roy. colon. belg., vii, p. 21, 1949 on insects.—Belgian Congo.

— carnata Moureau in Mém. Inst. roy. colon.
 belg., vii, p. 10, 1949 on Paltothyreus tarsatus.
 —Belgian Congo.

 filiformis Moureau in Mém. Inst. roy. colon. belg., vii, p. 14, 1949 on insects.—Belgian Congo.

— furcata Moureau in Mém. Inst. roy. colon. belg., vii, p. 24, 1949 on Coleoptera.—Belgian Congo.

— lilacina Moureau in Mém. Inst. roy. colon. belg., vii, p. 52, 1949 on insects.—Belgian Congo.

 Iutea Moureau in Mém. Inst. roy. colon. belg.,
 vii, p. 41, 1949 on Hemiptera.—Belgian Congo.

— pseudoinsignis Moureau in Mém. Inst. roy. colon. belg., vii, p. 34, 1949 on insects.— Belgian Congo.

 rubri-punctata Moureau in Mém. Inst. roy. colon. belg., vii, p. 26, 1949 on Coleoptera.— Belgian Congo.

 truncata Moureau in Mém. Inst. roy. colon. belg., vii, p. 19, 1949 on insects.—Belgian Congo.

 variegata Moureau in Mém. Inst. roy. colon. belg., vii, p. 30, 1949 on insects.—Belgian Congo.

Coriolus conchifer (Schw.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 5, 1949. (Syn. Polyporus conchifer Schw.).

— sanguineus (Fr.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 17, 1949. (Syn. Polyporus sanguineus Fr.).

Cortinarius biveloides Henry in Bull. Soc. mycol. Fr., lxiv, p. 34, 1948.—France.
— privigno-fulvus Henry in Bull. Soc. mycol.

Fr. lxiv, p. 43, 1948.—France.
— privignoides Henry nom. nov. in Bull. Soc. mycol. Fr., lxiv, p. 40, 1948. (Syn. Cortinarius myingaye sporg. Pickers.)

mycol. Fr., IXIV, p. 40, 1948. (Syn. Cortinarius privignus sensu Ricken, non Fries).

— privignorum Henry nom. nov. in Bull. Soc. mycol. Fr., lxiv, p. 42, 1948. (Syn. Cortinarius

privignus sensu Britzelmayr, non Fr.).

— pseudo-crassus Josserand nom. nov. in Bull. Soc. mycol. Fr., lxiv, p. 18, 1948. (For

Hebeloma crassum sensu Ricken, non Fr.).

pseudo-privignus Henry in Bull. Soc.
mycol. Fr., lxiv, p. 41, 1948.—France.

Cortinellus quercicola Murrill in Lloydia, xii, p. 66, 1949 on diseased base of Quercus laurifolia.—Florida, U.S.A.

CREONECTE Petrak in Sydowia, iii, p. 256, 1949.—Sphaeropsidales.

— biparasitica Petrak in Sydowia, iii, p. 256, 1949 on Uromyces costaricensis.—Ecuador,

Crepidotus applanatus (Pers. ex Fr.) Karsten var. fulvifibrillosus (Murrill) Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 35, 1948. (Syn. Crepidotus fulvifibrillosus Murrill).

bresadolae Pilát nom. nov. in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 46, 1948. (Syn. C. pubescens Bres., non Fl. Dan.).

*— carpatorrossicus Pilát in Atlas des Champignons de l'Europe—vol. vi, Mono. graphie des espèces européennes du genre Crepidotus Fr., p. 70, 1948 on Hypnum.—Ukraine.

— cesatii Rab. var. gothoburgensis Pilát in Allas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 63, 1948 on Lonicera tatarica.—Sweden.

— larseni Pilát nom. nov. in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 74, 1948. (Syn. Crepidotus citrinus Larsen, non Petch).

*— macedonicus Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 22, 1948 on dead Fagus silvatica.— Yugoslavia.

— microsporus (Karsten sensu Romell) Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 56, 1948. (Syn. Claudopus variabilis var. microsporus Karsten).

*— mollis var. pseudoapplanatus Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 30, 1948.—Germany.

*— subepibryus Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 68, 1948 on mosses.

— subverrucisporus Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 51, 1948 on dead Robinia pseud-acacia.—Czechoslovakia.

— versutus var. subglobisporus Pilát in Acta Mus. nat. Pragae, ii. B, p. 74, 1940.— Carpathians.

*— wakefieldiae Pilát in Atlas des Champignons de l'Europe—vol. vi, Monographie des espèces européennes du genre Crepidotus Fr., p. 65, 1948 on wood.—England.

Curvularia subulata (Nees ex Fr.) Boedijn ex Gilman in A Manual of Soil Fungi, p. 303, 1945. (Syn. Helminthosporium subulatum Nees ex Fr.).

CYANOPATELLA Petrak in Sydowia, iii, p. 143, 1949.—Excipulaceae.

— iranica Petrak în Sydowia, iii, p. 143, 1949 on Zygophyllum sp.—Persia.

Dasyscypha acuta (Vel.) Dennis in Mycol. Pap., C.M.I., 32, p. 50, 1949. (Syn. Lachnum acutum Vel.).

— albidorosea (Rehm) Dennis in Mycol. Pap., C.M.I., 32, p. 30, 1949. (Syn. Pezizella albidorosea Rehm).

— apala (Berk. & Br.) Dennis in Mycol. Pap.,

C.M.I., 32, p. 25, 1949. (Syn. Peziza apala

Berk. & Br.)

- bicolor (Bull. ex Fr.) Fuckel var. rubi (Bres.) Dennis in Mycol. Pap., C.M.I., 32, p. 36, 1949. (Syn. Lachnum bicolor var. rubi

carneola (Sacc.) Sacc. var. longispora Dennis in Mycol. Pap., C.M.I., 32, p. 90, 1949 on dead Bromus erectus.—England.

- fuscescens (Pers. ex Fr.) Rehm var. fagicola (Phill.) Dennis in Mycol. Pap., C.M.I., 32, p. 38, 1949. (Syn. Lachnella brunneola var. fagicola Phill.).

granulosella (v. Höhn.) Dennis in Mycol. Pap., C.M.I., 32, p. 30, 1949. (Syn. Psilach-

num granulosellum v. Höhn.).

- helotioides (Rehm) Dennis in Mycol. Pap., C.M.I., 32, p. 49, 1949. (Syn. Lachnum helotioides Rehm).

nudipes (Fuckel) Sacc. var. minor Dennis in Mycol. Pap., C.M.I., 32, p. 90, 1949 on Epilobium hirsutum.—England.

- sydowii Dennis in Mycol. Pap., C.M.I., 32, p. 90, 1949 on Eriophorum angustifolium.-England.

Didymella cousiniae Petrak in Sydowia, iii, p. 277, 1949 on Cousinia.—Persia.

Diplodia diversispora Robak in Svensk bot. $\hat{T}idskr.$, xliii, p. 539, 1949 on dead spruce.— Norway.

- ribis Sacc. f. ribis-aurei (Brun.) Moreau in Bull. Soc. Linn. Normandie, v, p. 14, 1947. (Syn. Diplodia ribis Sacc. var. ribis-aurei Brun.).

Diplodina berberidina (Sacc.) Allesch. f. decaisneae C. Moreau in Bull. Soc. Linn. Normandie, v, p. 23, 1947 on Decaisnea insignis.—France.

*Dothidella eriosemae Moreau in Rev. de Mycologie, xiv, Supp. Col. No. 1, p. 18, 1949 on Eriosema spicatum.-French Guinea, Africa.

ENDOPLACODIUM Petrak in Sydowia, iii, p. 146, 1949.—Leptostromaceae.

nigrescens Petrak in Sydowia, iii, p. 146, 1949 on Astragalus sp.—Persia.

Erysiphe blumeri Mayor in Ber. schweiz. bot.

Ges., lix, p. 284, 1949 on Kentranthus angustifolius.—Switzerland & Spain.

Farysia orientalis Ling in Sydowia, iii, p. 130, 1949 on Carex baccans.—India.

Flammula gigantea (Lange) Sydowia, iii, p. 372, 1949. (Syn. Flammula carbonaria var. gigantea Lange).

Fomitopsis tasmanica (Berk.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 20, 1949. (Syn. Polyporus tasmanicus Berk.).

Fulvidula bellula (Peck) Josserand in Bull. Soc. mycol. Fr., lxiv, p. 23, 1948. (Syn. Naucoria bellula Peck).

Fusariella bizzozeriana (Sacc.) Hughes in Mycol. Pap., C.M.I., 28, p. 6, 1949. (Syn. Sporidesmium bizzozerianum Sacc.).

- concinna (Sydow) Hughes in Mycol. Pap., C.M.I., 28, p. 8, 1949. (Syn. Clasterosporium cincinnum Sydow).

obstipa (Pollack) Hughes in Mycol. Pap., C.M.I., 28, p. 9, 1949. (Syn. Dendryphium obstipum Pollack).

Fusarium lateritium Nees ex Fr. f. pini Hepting apud Snyder et al. in J. agric. Res., lxxviii, p. 378, 1949 on Pinus spp.—U.S.A.

oxysporum Fr. f. delphinii Laskaris in

Phytopathology, xxxix, p. 916, 1949 on Delphinium.—Connecticut, U.S.A.

- f. rhois Snyder & Hepting in J. agric. Res., lxxviii, p. 374, 1949 on Rhus typhina. Virginia, U.S.A.

Galerina unicolor (Fr. ex. Fl. Dan.) Moser in Sydowia, iii, p. 370, 1949. [Syn. not cited].

Geoglossum fallax Durand var. proximum (Imai & Minak.) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 214, 1941. (Syn. Geoglossum proximum Imai & Minakata).

var. subpumilum (Imai) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 215, 1941. (Syn. Geoglossum subpumilum Imai).

japonicum Imai in J. Fac. Agric. Hokkaido Univ. xlv, p. 210, 1941.—Japan.

Gloeosporium meinersii Sprague in Mycologia, xli, p. 494, 1949 on Phleum pratense.— Washington State, U.S.A.

var. alpinum Sprague in Mycologia, xli, p. 494, 1949 on Poa alpina.—Colorado, U.S.A.

Glomerella cingulata (Stonem.) Spauld. & Schrenk var. brevispora Wollenw. in Z. Parasitenk., xiv, p. 260, 1949 on decayed fruits, etc.—Germany.

- var. crassispora Wollenw. in Z. Parasitenk., xiv, p. 260, 1949 on Coffea arabica. Germany.

- var. migrans Wollenw. in Z. Parasitenk., xiv, p. 262, 1949 on Hypericum spp.—Ger-

many. - var. minor Wollenw. in Z. Parasitenk., xiv, p. 261, 1949 on Ficus edulis.—Germany. Gomphidius maculatus (Scop. ex Fr.) Fr.

var. furcatus (Peck) Sing. in Mycologia, xli, o. 477, 1949. (Syn. Gomphidius furcatus

- ochraceus Kauffman subsp. muscigenus Singer in *Mycologia*, xli, p. 472, 1949.—U.S.A. subsp. superiorensis (Kauffm. & Smith) Singer in Mycologia, xli, p. 472, 1949. (Syn. Gomphidius superiorensis Kauffman & Smith).

GYMNOMITRULA Imai nom. nov. in J. Fac. Agric. Hokkaido Univ., xlv, p. 172, 19 (Syn. Mitrula Pers., 1794, non Fr. 1821).

abietis (Fr.) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 173, 1941. (Syn. Mitrula abietis Fr.).

gracilis (Karst.) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 175, 1941. (Syn. Mitrula gracilis Karst.).

Haplographium calophylli Wiehe in Mycol. Pap., C.M.I., 29, p. 5, 1949 on Calophyllum inophyllum var. tacamaha.-Mauritius.

Haplosporella iranica Petrak in Sydowia, iii, p. 318, 1949 on Euphorbia.—Persia.

Helicogloea alba (Burt) Couch in Mycologia, xli, p. 435, 1949. (Syn. Septobasidium album Burt).

Helotium lactucae Losa in An. Jard. bot. Madr., viii, p. 319, 1947 on Lactuca? virosa,-

- lappae Losa in An. Jard. bot. Madr., viii, p. 320, 1947 on *Lappa* sp.—Spain.

Hendersonia foliicola Berg. var. longioro-spora Zaleski, St. Domański, & Wojciechowski in Acta Soc. bot. polon., xix, p. 136, 1948 on Juniperus communis.—Poland.

rumicis Losa in An. Jard. bot. Madr., viii, p. 303, 1947 on Rumex.—Spain.

shahvarica Petrak in Sydowia, iii, p. 320, 1949 on Onobrychis cornuta.—Persia

spartinae Greene in Amer. Midl. Nat., xli,

p. 756, 1949 on Spartina pectinata.—Wisconsin, U.S.A.

— zygophylli Petrak in Sydowia, iii, p. 321, 1949 on Zygophyllum atriplicoides.—Persia.

Hendersonula ağathi Young in Qd J. agric. Sci., v, p. 12, 1948 on Agathis palmerstoni.— Queensland, Australia.

astragalina Petrak in Sydowia, iii, p. 322,
 1949 on Astragalus sp.—Persia.

Heterochaete crassa Bodman in Mycologia, xli, p. 531, 1949.—Florida, U.S.A.

HETÉROCONIUM Petrak in Sydowia, iii, p. 264, 1949.—Hyphomycetes.

— citharexyli Petrak in Sydowia, iii, p. 265, 1949 on Citharexylum ilicifolium.— Ecuador. Hyaloscypha deparcula (Karst.) Nannfeldt apud Dennis in Mycol. Pap., C.M.I., 32, p. 74, 1949. (Syn. Peziza deparcula Karst.).

— lachnobrachya (Desm.) Nannf. var. araneocincta (Phill.) Dennis in Mycol. Pap., C.M.I., 32, p. 73, 1949. (Syn. Peziza araneocincta Phillips).

 puberula (Lasch) Nannfeldt apud Dennis in Mycol. Pap., C.M.I., 32, p. 73, 1949. (Syn. Peziza puberula Lasch).

— richonis (Boud.) Dennis in Mycol. Pap., C.M.I., 32, p. 66, 1949. (Syn. Urceolella richonis Boud.).

Hyalothyridium calamagrostidis Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 230, 1947 on Calamagrostis canadensis.—Wisconsin, U.S.A.

HYALOTRICHA Dennis in Mycol. Pap., C.M.I., 32, p. 90, 1949.—Hyaloscyphaceae. Type, H. corticicola.

— corticicola Dennis in Mycol. Pap., C.M.I., 32, p. 91, 1949 on Myrica gale.—England.

— crispula (Karst.) Dennis in Mycol. Pap., C.M.I., 32, p. 77, 1949. (Syn. Peziza crispula Karst.).

— trichodea (Phill. & Plowr.) Dennis in Mycol. Pap., C.M.I., 32, p. 76, 1949. (Syn. Peziza trichodea Phill. & Plowr.).

Hypoderma (as 'Hipoderma') asphodeli Losa in An. Jard. bot. Madr., viii, p. 316, 1947 on Asphodelus allus.—Spain.

Asphodelus albus.—Spain.

Hysterographium (as 'Hysteriographium')
hysterioides (Ell. & Everh.) Wehmeyer in
Mycologia, xli, p. 580, 1949. (Syn. Pleospora
hysterioides Ell. & Everh.).

IRANIELLA Petrak in Sydowia, iii, p. 135, 1949.—Sphaeriaceae.

— rechingeri Petrak in *Sydowia*, iii, p. 136, 1949 on dead branches.—Persia.

Irenina lonicerae Hansford, this *Index* p. 242; see also p. 208.

Karlingia asterocysta Karling in *Mycologia*, xli, p. 509, 1949 on chitinous substrata.—Maryland, U.S.A.

— chitinophila Karling in Mycologia, xli, p. 506, 1949 on chitinous substrata.—Maryland, U.S.A.

— curvispinosa Karling in Mycologia, xli, p. 511, 1949 on chitinous substrata.—Maryland, U.S.A.

dubia Karling in Mycologia, xli, p. 513, 1949
 on chitinous substrata.—Maryland, U.S.A.
 lobata Karling in Mycologia, xli, p. 515,

 lobata Karling in Mycologia, xli, p. 515, 1949 on cellulosic substrata.—Maryland, U.S.A.

— marylandia Karling in *Mycologia*, xli, p. 518, 1949 on cellulosic substrata.—Maryland, U.S.A.

Lachnella sambucina Losa in An. Jard. bot. Madr., viii, p. 322, 1947 on Sambucus ebulus. —Spain.

Lenzites unicolor (Fr.) Cunningham in Bull, Dep. sci. industr. Res. N.Z. 81, p. 21, 1949. (Syn. Daedalea unicolor (Bull.) Fr.).

Leotia Iubrica f. gigantea Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 239, 1941.— Japan.

f. kawamurae Imai in J. Fac. Agric.
Hokkaido Univ., xlv, p. 241, 1941.—Japan.
f. ochracea Imai in J. Fac. Agric.
Hokkaido Univ., xlv, p. 239, 1941.—Japan.

— f. parviaurantipes Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 244, 1941.— Japan.

f. towadensis Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 240, 1941.—Japan.
rutilans (Imai & Minak.) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 246, 1941. (Syn. Cudoniella rutilans Imai & Minakata).

Lepiota australis (Smith & Singer) Murr. in Lloydia, xii, p. 61, 1949. (Syn. Cystoderma australe Smith & Singer).

— igni-volvata Bousset & Josserand apud Josserand in Bull. Soc. mycol. Fr., lxiv, p. 7, 1948.—France.

Leptosphaeria allorgei Guyot in Rev. de Mycologie, xiv, p. 69, 1949 on Isatis tinctoria. —France.

arenaria Guyot in Rev. de Mycologie, xiv,
 p. 69, 1949 on Festuca arenaria.—France.
 carlinoides Losa in An. Jard. bot. Madr.,

viii, p. 305, 1947 on Carduus carlinoides.—
Spain.

cirsii-arvensis Losa in An. Jard. bot.
 Madr., viii, p. 306, 1947 on Cirsium arvense.
 Spain.

— martagoni Losa in An. Jard. bot. Madr., viii, p. 309, 1947 on Lilium martagon.— Spain.

— shahvarica Petrak in Sydowia, iii, p. 279,
 1949 on Cousinia multiloba.—Persia.
 — toleorensis Petrak in Sydowia, iii, p. 281

— tolgorensis Petrak in Sydowia, iii, p. 281, 1949 on Euphorbia.—Persia.

Leptothyrium pinastri Karst. var. maiorospora Zaleski, St. Domański, & Wojciechowski in *Acta Soc. bot. polon.*, xix, p. 137, 1948 on *Pinus strobus* and *P. silvestris.*—Poland.

Lophodermium aconiti Losa in An. Jard. bot. Madr., viii, p. 317, 1947 on Aconitum napellus.—Spain.

- juniperinum (Fr.) De Not. var. minorospora Zaleski, St. Domański, & Wojciechow-

spora Zaleski, St. Domański, & Wojciechowski in Acta Soc. bot. polon., xix, p. 116, 1948 on Juniperus communis.—Poland.

LOPHOPHACIDIUM Lagerberg in Svensk

bot. Tidskr., xliii, p. 436, 1949.—Hypodermataceae.

— hyperboreum Lagerberg in Svensk bot.

Tidskr., xliii, p. 436, 1949, on spruce.—

Tidskr., xliii, p. 436, 1949 on spruce.-Sweden.

*Madurella grisea Mackinnon, Ferrada, & Montemayor in An. Fac. Med. Montevideo, xxxiv, p. 290, 1949 on Homo sapiens.—South America.

Maravalia pterocarpi (Thirum.). Thirum. in Bull. Torrey bot. Cl., lxxvi, p. 339, 1949. (Syn. Mainsia pterocarpi Thirum.).

Marsonia gloeodes Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 231, 1947 on Fraxinus americana.—Wisconsin, U.S.A. *MEGACLADOSPORIUM Viennot-Bourgin, Les Champignons Parasites des Plantes Cultivées, i, p. 489, 1949.—Dematiaceae. Type not given.

- carpophilum (Thüm.) Viennot-Bourgin, Les Champignons Parasites des Plantes Cultivées, i, p. 489, 1949. (Syn. Cladosporium

carpophilum Thüm.).

- cerasi (Rabenh.) Viennot-Bourgin, Les
Champignons Parasites des Plantes Cultivées, i, p. 537, 1949. (Syn. Acrosporium cerasi Rabenh.).

crataegi (Aderh.) Viennot-Bourgin, Les Champignons Parasites des Plantes Cultivées. i, p. 539, 1949. (Syn. Fusicladium crataegi

Áderh.).

- depressum (Berk. & Br.) Viennot-Bourgin, Les Champignons Parasites des Plantes Cultivées, ii, p. 1503, 1949. (Syn. Cladosporium depressum Berk. & Br.).

pirinum (Lib.) Viennot-Bourgin in Les Champignon's Parasites des Plantes Cultivées, i, p. 489, 1949. (Syn. Fusicladium pirinum

(Lib.) Fuckel).

Melanoleuca melaleuca (Pers.) Pat. var. caespitosa Murr. in Lloydia, xii, p. 67, 1949. -Florida, U.S.A.

 pseudosordida (Sing.) Murr. in Lloydia,
 xii, p. 65, 1949. (Syn. Tricholoma pseudosordidum Sing.). - subfulvidisca Murrill in Lloydia, xii, p. 67,

1949.—Florida, U.S.A.

- subsilvatica Murrill in Lloydia, xii, p. 67, 1949.—Florida, U.S.A.

Microsphaera caulicola Petrak in Sydowia, iii, p. 284, 1949 on Astragalus.—Persia. MINDOA Petrak in Sydowia, iii, p. 248, 1949.

-Sphaeropsidales. – ingae Petrak in *Sydowia*, iii, p. 248, 1949 on

Inga punctata.—Ecuador. Morchella conica Pers. var. nigripes Moser

in Sydowia, iii, p. 184, 1949.—Austria.

- esculenta (L.) var. atrotomentosa Moser in Sydowia, iii, p. 189, 1949.—Austria. Mycosphaerella alpina Arx in Sydowia, iii, p. 68, 1949 on Festuca and Carex curvula.— Switzerland.

- digitalis-ambiguae Arx in Sydowia, iii, p. 92, 1949 on Digitalis ambigua.—Switzer-

- ligulicola Baker, Dimock, & Davis in Phytopathology, xxxix, p. 799, 1949 on Chrysanthemum morifolium.—North Carolina, U.S.A.

- limbalis (Pers.) Arx in Sydowia, iii, p. 87, 1949. (Syn. Phyllosticta limbalis Pers.).

- longissima (Fuckel) Arx in Sydowia, iii, 66, 1949. (Syn. Sphaerella longissima Fuckel).

— martagonis Arx in Sydowia, iii, p. 81, 1949 on Lilium martagon.—Switzerland.

- primulae (Auersw. & Heufl.) Arx in Sydowia, iii, p. 63, 1949. (Syn. Stigmatea primulae Auersw. & Heufl.).

pyrenaica (Speg.) Arx in Sydowia, iii, p. 64, 1949. (Syn. Sphaerella pyrenaica Speg.). tingens (Niessl) Arx in Sydowia, iii, p. 65,

1949. (Syn. Sphaerella tingens Niessl.). Myrianginella sabaleos (Weedon) Limber & Jenkins in *Mycologia*, xli, p. 550, 1949. (Syn. *Myriangium sabaleos* Weedon).

Myrioconium affine (Desm.) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 154, 1949. (Syn. Epidochium affine Desm.).

-longisclerotiale Buchwald nom. nov. in

K. VetHøjsk. Aarsskr., no. 32, p. 154, 1949, state of Sclerotinia longisclerotialis Whetz.

Myriosclerotinia longisclerotialis (Whetz.) Buchwald in K. VetHøjsk. Aarsskr., no. 32, p. 156, 1949. (Syn. Sclerotinia longisclerotialis Whetz.).

Naucoria subsphaerospora Josserand in Bull. Soc. mycol. Fr., lxiv, p. 22, 1948 on decayed stumps.—France.

Nematoctonus concurrens Drechsler in Mycologia, xli, p. 382, 1949 on Panagroliamus subelongatus and Ditylenchus.—Oregon, U.S.A. Nematostoma apertum (Pat.) Syd. & Petrak

apud Petrak in Sydowia, iii, p. 255, 1949. (Syn. Asteridium apertum Pat.).

arachnoideum (Petrak) Petrak in Sydowia, iii, p. 254, 1949. (Syn. Nematostigma arachnoideum Petrak).

· lantanae (Theiss.) Petrak in Sydowia, iii, p. 254, 1949. (Syn. Nematostigma lantanae (Theiss.) Petrak).

- miconiae (Syd.) Petrak in Sydowia, iii, p. 255, 1949. (Syn. Nematostigma miconiae Syd.).

naucinum (Syd.) Petrak in Sydowia, iii, p. 255, 1949. (Syn. Nematostigma naucinum

- siphocampyli (Syd.) Petrak in Sydowia, iii, p. 255, 1949. (Syn. Nematostigma siphocampyli Syd.).

NEOCUDONIELLA Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 233, 1941.—Geoglossaceae.

jezoensis (Imai) Imai in J. Fac. Agric. Hokkaido Univ., xly, p. 234, 1941. (Syn. Cudoniella jezoensis Imai).

NEOPELTIS Petrak in Sydowia, iii, p. 234, 1949.—Dictyopeltineae. Type N. sydowii. andina Petrak in Sydowia, iii, p. 236, 1949

on Hesperomeles glabrata.—Ecuador. sydowii Petrak in Sydowia, iii, p. 234, 1949 on leaves of an unknown plant.-Ecuador.

Niptera rosae Losa in An. Jard. bot. Madr., viii, p. 331, 1947 on Rosa sp.—Spain.

Ophiobolus leptosphaerioides Losa in An. Jard. bot. Madr., viii, p. 313, 1947 on Carduus carlinoides.—Spain.

scrophulariae Losa in An. Jard. bot. Madr., viii, p. 314, 1947 on Scrophularia alpestris.-Spain.

Oxyporus nobilissimus W. B. Cooke in Mycologia, xli, p. 444, 1949 on Tsuga heterophylla.-Washington State, U.S.A.

Panaeolus georgii Szemere in Acta mycol. hung., ii, p. 49, 1944.—Hungary.

Passalora cousiniae Petrak in Sydowia, iii, p. 328, 1949 on Cousinia.—Persia.

Penicillium asperum (Shear) Raper Thom, A Manual of the Penicillia, p. 263, 1949. (Syn. Carpenteles asperum Shear).

- cyclopium Westling var. echinulatum Raper & Thom, A Manual of the Penicillia, p. 497, 1949 from a culture.—Canada.

-fuscum (Sopp) Raper & Thom, A Manual of the Penicillia, p. 226, 1949. (Syn. Citromyces fuscus Sopp).

purpurrescens (Sopp) Raper & Thom, A Manual of the Penicillia, p. 177, 1949. (Syn. Citromyces purpurrescens Sopp).

Periconia macrospinosa Lefebvre & A. G. Johnson in Mycologia, xli, p. 417, 1949 on Sorghum vulgare.—Kansas, U.S.A. Peronospora gaeumanni Mayor in Ber. schweiz. bot. Ges., lix, p. 278, 1949 on Meconopsis cambrica.—Switzerland.

PESTALOTIOPSIS Steyaert in Bull. Jard. bot. Brux., xix, p. 300, 1949. Melanconiales. Type, P. guepini.

 aeruginea (Steyaert) Steyaert in Bull. Jard.
 bot. Brux., xix, p. 322, 1949. (Syn. Pestalotia aeruginea Steyaert).

— annulata (Berk. & Curt.) Steyaert in Bull. Jard. bot. Brux., xix, p. 316, 1949. (Syn.

Pestalotia annulata Berk. & Curt.).
— aquatica (Ell. & Ev.) Steyaert in Bull. Jard.
bot. Brux., xix, p. 334, 1949. (Syn. Pestalotia
aquatica Ell. & Ev.).

- baarnensis Steyaert in Bull. Jard. bot. Brux., xix, p. 342, 1949 on Rhododendron sp.

-? Holland.

— breviseta (Sacc.) Steyaert in *Bull. Jard. bot.*Brux., xix, p. 316, 1949. (Syn. Pestalotia breviseta Sacc.).

— calabae (West.) Steyaert in Bull. Jard. bot. Brux., xix, p. 308, 1949. (Syn. Pestalotia calabae West.).

carbonacea (Steyaert) Steyaert in Bull.
 Jard. bot. Brux., xix, p. 335, 1949. (Syn.
 Pestalotia carbonacea Steyaert).

— clavispora (Atk.) Steyaert in Bull. Jard. bot. Brux., xix, p. 335, 1949. (Syn. Pestalotia clavispora Atk.).

 crassiuscula Steyaert in Bull. Jard. bot.
 Brux., xix, p. 338, 1949 on Eucalyptus globulus.—Tanganyika Territory.

— cruenta (Syd.) Steyaert in Bull. Jard. bot. Brux., xix, p. 318, 1949. (Syn. Pestalotia cruenta Syd.).

— dichaeta (Speg.) Steyaert in Bull. Jard. bot. Brux., xix, p. 308, 1949. (Syn. Pestalotia dichaeta Speg.).

disseminata (Thuem.) Steyaert in Bull.
 Jard. bot. Brux., xix, p. 319, 1949. (Syn. Pestalotia disseminata Thuem.).

— fici Steyaert in Bull. Jard. bot. Brux., xix, p. 324, 1949 on Ficus sp.—Uganda.

— foedans (Sacc. & Ell.) Steyaert in Bull. Jard. bot. Brux., xix, p. 329, 1949. (Syn. Pestalotia foedans Sacc. & Ell.).

— funerea (Desm.) Steyaert in Bull. Jard. bot. Brux., xix, p. 340, 1949. (Syn. Pestalotia funerea Desm.).

— funerioides Steyaert in Bull. Jard. bot. Brux., xix, p. 345, 1949 on Cupressus sp.—Portugal.— gallica Steyaert in Bull. Jard. bot. Brux.,

xix, p. 308, 1949 on Camellia sp.—France. — glandicola (Cast.) Steyaert in Bull. Jard. bot. Brux., xix, p. 330, 1949. (Syn. Robillardia glandicola Cast.).

gracilis (Kleb.) Steyaert in Bull. Jard. bot.
 Brux., xix, p. 310, 1949. (Syn. Pestalotia gracilis Kleb.).

— guepini (Desm.) Steyaert in Bull. Jard. bot. Brux., xix, p. 312, 1949. (Syn. Pestalotia guepini Desm.).

Jard. bot. Brux., xix, p. 328, 1949. (Syn. Sporidesmium hypodermium Niessl).

— ilicis (West.) Steyaert in Bull. Jard. bot. Brux., xix, p. 340, 1949. (Syn. Pestalotia ilicis West.).

— japonica (Syd.) Steyaert in Bull. Jard. bot. Brux., xix, p. 335, 1949. (Syn. Pestalotia japonica Syd.).

— karstenii (Sacc. & Syd.) Steyaert in Bull. Jard. bot. Brux., xix, p. 305, 1949. (Syn. Pestalotia karstenii Sacc. & Syd.). — leucothoes (White) Steyaert in Bull. Jard. bot. Brux., xix, p. 319, 1949. (Syn. Pestalotia leucothoes White).

— macrospora (Ćes.) Steyaert in Bull. Jard. bot. Brux., xix, p. 344, 1949. (Syn. Pestalotia macrospora Ces.).

— maculiformans (Guba & Zeller) Steyaert in Bull. Jard. bot. Brux., xix, p. 329, 1949. (Syn. Pestalotia maculiformans Guba & Zeller).

— mangiferae (P. Henn.) Steyaert in Bull. Jard. bot. Brux., xix, p. 320, 1949. (Syn. Pestalotia mangiferae P. Henn.).

— mayumbensis (Steyaert) Steyaert in Bull. Jard. bot. Brux., xix, p. 320, 1949. (Syn. Pestalotia mayumbensis Steyaert).

— monochaetioides (Doyer) Steyaert in Bull. Jard. bot. Brux., xix, p. 309, 1949. (Syn. Pestalotia monochaetioides Doyer).

— natalensis (Van Beyma) Steyaert in Bull. Jard. bot. Brux., xix, p. 344, 1949. (Syn. Pestalotia natalensis Van Beyma).

— oxyanthi (Thuem.) Steyaert in Bull. Jard. bot. Brux., xix, p. 329, 1949. (Syn. Pestalotia oxyanthi Thuem.).

 paeoniae (Servazzi) Steyaert in Bull. Jard. bot. Brux., xix, p. 312, 1949. (Syn. Pestalotia paeoniae Servazzi).

 palmarum (Cooke) Steyaert in Bull. Jard. bot. Brux., xix, p. 322, 1949. (Syn. Pestalotia palmarum Cooke).

— papposa Steyaert in Bull. Jard. bot. Brux., xix, p. 325, 1949 on Cocos nucifera.—Sierra Leone.

— planimi (Vize) Steyaert in Bull. Jard. bot. Brux., xix, p. 325, 1949. (Syn. Pestalotia planimi Vize).

— royenae (Guba) Steyaert in Bull. Jard. bot. Brux., xix, p. 320, 1949. (Syn. Pestalotia royenae Guba).

— sonsensis (P. Henn.) Steyaert in Bull. Jard. bot. Brux., xix, p. 336, 1949. (Syn. Pestalotia sonsensis P. Henn.).

— stictica (Berk. & Curt.) Steyaert in Bull. Jard. bot. Brux., xix, p. 328, 1949. (Syn. Pestalotia stictica Berk. & Curt.).

-- theae (Saw.) Steyaert in Bull. Jard. bot. Brux., xix, p. 327, 1949. (Syn. Pestalotia theae Saw.).

theae (Saw.) Steyaert var. minor (Steyaert)
 Steyaert in Bull. Jard. bot. Brux., xix, p. 327,
 1949. (Syn. Pestalotia theae Saw. var. minor Steyaert).

 triseta (M. & Mme F. Moreau) Steyaert in Bull. Jard. bot. Brux., xix, p. 337, 1949.
 (Syn. Pestalotia funerea Desm. var. macrochaeta Speg. f. triseta M. & Mme F. Moreau).

— versicolor (Speg.) Steyaert in Bull. Jard. bot. Brux., xix, p. 336, 1949. (Syn. Pestalotia versicolor Speg.).

virgatula (Kleb.) Steyaert in Bull. Jard. bot.
 Brux., xix, p. 336, 1949. (Syn. Pestalotia virgatula Kleb.).

— westerdijkii Steyaert in Bull. Jard. bot. Brux., xix, p. 329, 1949 on Cocos nucifera.—Celebes Island, Dutch East Indies.

Pezizellaster serrata (Hoffm. ex Fr.) Dennis in Mycol. Pap., C.M.I., 32, p. 62, 1949. (Syn. Peziza serrata Hoffm. ex Fr.).

Phaeoseptoria festucae var. andropogonis R. Sprague apud Greene in Amer. Midl. Nat., xli, p. 722, 1949 on Andropogon furcatus.— Wisconsin, U.S.A.

Phaeosphaerella rechingeri Petrak in Sydowia, iii, p. 287, 1949 on Cousinia.—Persia. Phaeosphaeria acori Greene in Amer. Midl.

Nat., xli, p. 751, 1949 on Acorus calamus.-Wisconsin, U.S.A.

Phialea scutata Losa in An. Jard. bot. Madr., viii, p. 328, 1947 on Rumex scutatus.—Spain.

Phialophora compacta (Carriòn) Red. & Cif., Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 595, 1942. (Syn. Hormodendrum compactum Carrion).

Phoma veratri Losa in An. Jard. bot. Madr., viii, p. 300, 1947 on Veratrum album.—Spain.

Phomopsis liatridis Greene in Amer. Midl. Nat., xli, p. 752, 1949 on Liatris ligulistylis.-Wisconsin, U.S.A.

PHYLLOPEZIS Petrak in Sydowia, iii, p. 238, 1949.—Discomycetes.

andina Petrak in *Sydowia*, iii, p. 238, 1949 on Cavendishia. - Ecuador. Phyllosticta bosensis S. K. Bose & Mathur in

Curr. Sci., xviii, p. 211, 1949 on Ricinus communis.-India.

 minutaspora Sprague in Mycologia, xli, 497, 1949 on Muhlenbergia filiformis.p. 497, 1949 Idaho, U.S.A.

- physocarpi Greene in Amer. Midl. Nat., xli, 737, 1949 on Physocarpus opulifolius. Wisconsin, U.S.A.

- umbrino-fumosa Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 243, 1947 on Eupatorium urticaefolium.—Wisconsin, U.S.A.

- zanthoxyli Greene in Amer. Midl. Nat., xli, p. 720, 1949 on Zanthoxylum americanum. Wisconsin, U.S.A.

Phytophthora inflata Caroselli & Tucker in Phytopathology, xxxix, p. 485, 1949 on Ulmus americana.—U.S.A.

PITHOSIRA Petrak in Sydowia, iii, p. 259, 1949.—Hyphomycetes.

- **sydowii** Petrak in *Sydowia*, iii, p. 259, 1949

on Passiflora alnifolia.—Ecuador. Plagiostigme clypeata Petrak in Sydowia, iii, p. 243, 1949 on Disterigma acuminata. Ecuador.

PLAGIOSTIGMELLA Petrak in Sydowia, iii, p. 241, 1949.—Sphaeropsidales.

 clypeata Petrak in Sydowia, iii, p. 241, 1949 on Disterigma acuminata.—Ecuador. PLATYCARPA Couch in Mycologia, xli, p.

427, 1949.—Auriculariales. - boliviensis Couch in Mycologia, xli, p. 429,

1949 on fern sporophylls.—Bolivia. - polypodii (Couch) Couch in Mycologia, xli,

p. 428, 1949. (Syn. Septobasidium polypodii Couch). Pleospora clypeata Wehmeyer in Mycologia, xli, p. 584, 1949 on Agave.—? U.S.A.

- gaubae Petrak in Sydowia, iii, p. 293, 1949 on Linum austriacum.—Persia.

- kudjurica Petrak in Sydowia, iii, p. 294, 1949 on Cousinia.—Persia.

Polyporus pusillus (Fr.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 16, 1949. (Syn. Favolus pusillus Fr.)

Poria nathorst-windahlii Pilát in Bot. Notiser, iii, p. 208, 1949 on dead wood.—Sweden.

Protomyces buerenianus Buhr in Phytopath. Z., xv, p. 405, 1949 on Galinsoga parviflora.-Germany. Puccinia panciciae Pichauer in Sydowia, iii,

p. 149, 1949 on Pancicia serbica.—Greece. - urticae-paniceae Mayor in Ber. schweiz.

bot. Ges., lix, p. 274, 1949 on Urtica dioica and Carex panicea.—Switzerland.

ventanensis Lindquist in Notas del Museo de La Plata, xiii, 63, p. 247, 1948 on Pfaffia lanata.—Argentina.

Pyrenopeziza rubicola Losa in An. Jard. bot. Madr., viii, p. 330, 1947 on Rubus.—Spain.

Pyrenophora eryngicola Losa in An. Jard. bot. Madr., viii, p. 311, 1947 on Eryngium bourgatium.-Spain.

Ramularia chimaphilae Greene in Amer. Midl. Nat., xli, p. 723, 1949 on Chimaphila umbellata.—Wisconsin, U.S.A.

- digitalis-ambiguae Arx in Sydowia, iii, p. 93, 1949 on Digitalis ambigua.—Switzerland.

- iranica Petrak in Sydowia, iii, p. 330, 1949 on Acantholimon .- Persia.

ovularioides Greene in Trans. Wis. Acad. Sci. Arts Letts., xxxviii, p. 246, 1947 on Anemone cylindrica.—Wisconsin, U.S.A.

Rhabdospora cardui Losa in An. Jard. bot. Madr., viii, p. 301, 1947 on Carduus carlinoides.—Spain.

*Sabouraudites duboisi Vanbreuseghem in Ann. Parasit. hum. comp., xxiv, 3-4, p. 254, 1949 on man [Homo sapiens].—Belgian Congo.

Saccharomyces laryngitidis Sartory & Potier in C.R. Acad. Sci., Paris, eexxviii, p. 1970, 1949 on man.

Schizothyrium carduorum Losa in An. Jard. bot. Madr., viii, p. 319, 1947 on Carduus carlinoides.—Spain. SCLEROMITRULA Imai in J. Fac. Agric.

Hokkaido Univ., xlv, p. 176, 1941.—Geoglossaceae.

shiraiana (P. Henn.) Imai in J. Fac. Agric.Hokkaido Univ., xlv, p. 177, 1941. (Syn. Microglossum shiraianum P. Henn.).

Septoria cornicola Desm. var. ampla Greene in Amer. Midl. Nat., xli, p. 755, 1949 on Cornus racemosa.—Wisconsin, U.S.A.

lithospermi Davis & Greene apud Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 245, 1947 on Lithospermum canescens.-Wisconsin, U.S.A.

scrophulariae Peck var. agalinis Greene in Amer. Midl. Nat., xli, p. 722, 1949 on Gerardia paupercula.—Wisconsin, U.S.A. - violacea Greene in Amer. Midl. Nat., xli,

p. 754, 1949 on Oxalis violacea.—Wisconsin, U.S.A.

Sistotrema commune J. Eriksson nom. nov. in Svensk bot. Tidskr., xliii, p. 312, 1949. (Syn. Corticium muscicola Bres., non Sistotrema muscicola (Pers.) Lundell).

 f. efibulatum J. Eriksson in Svensk bot. Tidskr., xliii, p. 314, 1949. Sweden.

Sorosporium crypticum (Cooke & Massee) Ling in Sydowia, iii, p. 131, 1949. (Syn. Cintractia cryptica Cooke & Massee).

cynodontis Ling in Sydowia, iii, p. 131, 1949 on Cynodon dactylon.—Philippine Islands.

papuae (Zundel) Ling in Sydowia, iii, p. 133, 1949. (Syn. Sphacelotheca papuae Zundel). Spermospora subulata f. ciliata Sprague in

Mycologia, xli, p. 495, 1949 on Agrostis alba. -Wyoming, U.S.A.

Sphacelotheca apludae Pavgi & Mundkur in Indian Phytopathology, i, p. 110, 1949 on Apluda varia var. aristata.—India.

aristidae-cyananthae (Brefeld) Pavgi & Mundkur in Indian Phytopathology, i, p. 111, 1949. (Syn. Ustilago aristidae-cyananthae Bre-

cypericola Pavgi & Mundkur in Indian Phytopathology, i, p. 111, 1949 on Cyperus difformis.—India.

indehiscens Ling in Sydowia, iii, p. 125, 1949 on Themeda gigantea.—Java.

ischaemicola Ling in Sydowia, iii, p. 126, 1949 on Ischaemum timorense.—Singapore, Malaya.

ophiuri (P. Henn.) Ling in Sydowia, iii, p. 127, 1949. (Syn. Ustilago ophiuri P. Henn.).

- polytriadis (Massee) Ling in Sydowia, iii, 127, 1949. (Syn. Ustilago polytriadis Massee).

pulverulenta (Cooke & Massee) Ling in Sydowia, iii, p. 127, 1949. (Syn. Cintractia pulverulenta Cooke & Massee).

rhaphidis Ling in Sydowia, iii, p. 128, 1949 on Rhaphis aciculatus.—Philippine Islands.

Sphaerella veratri Losa in An. Jard. bot. Madr., viii, p. 304, 1947 on Veratrum album. -Spain.

Sporobolomyces holsaticus Windisch in Arch. Mikrobiol., xiv, p. 289, 1949 from food yeast .- Germany.

Sporotrichum beurmanni var. anglicum (Cast.) Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 459, 1942. (Syn. Sporotrichum anglicum Castellani).

-var. carougeaui (Lang.) Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 458, 1942. (Syn. Sporotrichum carougeaui Lan-

var. councilmani (Welbach, Sisson, & Meyer) Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 456, 1942. (Syn. Sporotrichum councilmani Welbach, Sisson, & Meyer).

var. fioccoi (Dodge) Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 457, 1942. (Syn. Sporotrichum schencki var. fioccoi Dodge).

janselmei (Brumpt & Lang.) var. Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 458, 1942. (Syn. Sporotrichum janselmei Brumpt & Langeron).

var. schenki (Hektoen & Perk.) Redaelli & Ciferri, Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali, p. 455, 1942. (Syn. Sporotrichum schenki Hektoen & Perkins).

Stagonospora brachyelytri Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 244, 1947 on Brachyelytrum erectum.—Wisconsin,

- canadensis Greene in Amer. Midl. Nat., xli, p. 753, 1949 on Anemone canadensis.—Wisconsin, U.S.A.

cryptotaeniae Greene in Trans. Wis. Acad. Sci. Arts Lett., xxxviii, p. 245, 1947 on Cryptotaenia canadensis.—Wisconsin, U.S.A.

macromaculans Greene in Amer. Midl. Nat., xli, p. 721, 1949 on Celtis occidentalis,-Wisconsin, U.S.A.

- penniseti Moreau in Rev. de Mycologie, xiv, Supp. Col. No. 1, p. 18, 1949 on Pennisetum purpureum.—French Guinea, Africa.

tephrosiae Greene in Amer. Midl. Nat., xli, p. 721, 1949 on *Tephrosia virginiana*.—Wisconsin, U.S.A.
SYNOSTOMINA Petrak in *Sydowia*, iii, p.

245, 1949.—Sphaeropsidales.

andina Petrak in Sydowia, iii, p. 245, 1949 on Miconia crocea.—Ecuador.

Teichospora iranica Petrak in Sydowia, iii, p. 300, 1949 on dead branches.—Persia.

p. 500, 1010 on Sydowia, iii, p. sarhaddensis Petrak in Sydowia, iii, p. 302, 1949 on Zygophyllum atriplicoides.

Thecaphora loti Mayor in Ber. schweiz. bot. Ges., lix, p. 58, 1949 on Lotus sp.—Arizona, U.S.A.

- lupini Mayor in Ber. schweiz. bot. Ges., lix. p. 57, 1949 on Lupinus sp. and L. plattensis. Colorado and Wyoming, U.S.A.

Thyridium concinnum Petrak in Sydowia,

iii, p. 303, 1949 on Polygonum sp.—Persia. fusisporum Petrak in Sydowia, iii, p. 305, 1949 on dead roots.—Persia.

rechingeri Petrak in Sydowia, iii, p. 307, 1949 on ? Ephedra.—Persia. semnanense Petrak in Sydowia, iii, p. 309,

1949 on Stachys inflata.—Persia. speciosum Petrak in Sydowia, iii, p. 311, 1949 on dead branches.—Persia.

Tilletia ahmadiana Pavgi & Mundkur in Indian Phytopathology, i, p. 113, 1949 on Perotis latifolia.—India.

Tolyposporella linearis (Berk. & Br.) Ling in Sydowia, iii, p. 133, 1949. (Syn. Gymno. sporium lineare Berk. & Br.).

pachycarpa (Syd.) Ling in Sydowia, iii, p. 133, 1949. (Syn. Sorosporium pachycarpum Syd.).

Trametes protea (Berk.) Cunningham in Bull. Dep. sci. industr. Res. N.Z. 81, p. 15, 1949. (Syn. Polyporus proteus Berk.). Trichoglossum hirsutum (Fr.) Boud. f.

capitatum (Pers.) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 221, 1941. (Syn. Geoglossum capitatum Pers.).

var. variabile (Durand) Imai in J. Fac. Agric. Hokkaido Univ., xlv, p. 222, 1941, (Syn. Trichoglossum hirsutum f. variabile Durand).

walteri (Berk.) Durand var. helveticum Imbach in Schweiz. Z. Pilzk. Bern, xxvii, p. 137, 1949.—Switzerland.

Tricholoma favrei R. & R. Haller in Schweiz. Z. Pilzk. Bern, xxvii, p. 133, 1949 as T. Favrei nov. spec. Lyophyllum? Favrei nov. spec.'.-Switzerland.

melaleucum var. caespitosum (Murr.) Murr. in Lloydia, xii, p. 67, 1949. (Syn. Melanoleuca melaleuca var. caespitosa Murr.). quercicola (Murr.) Murr. in Lloydia, xii,

67, 1949. (Syn. Cortinellus quercicola Murr.) subfulvidiscum (Murr.) Murr. in Lloydia,

xii, p. 67, 1949. (Syn. Melanoleuca subfulvidisca Murr.). subsilvaticum (Murr.) Murr. in Lloydia, xii,

p. 68, 1949. (Syn. Melanoleuca subsilvatica Murr.). Trichopeziza belladonae Losa in An. Jard.

bot. Madr., viii, p. 324, 1947 on Atropa belladona.—Spain. *Trichophyton rodhaini Vanbreuseghem in

Ann. Parasit. hum. comp., xxiv, p. 244, 1949 on man [Homo sapiens].—Belgian Congo. Trichoscyphella resinaria (Cooke & Phill.) Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 93,

1949. (Syn. Peziza resinaria Cooke & Phill.). TRUITTELLA Karling in Amer. J. Bot., xxxvi, p. 454, 1949.—Chytridiales.

setifera Karling in Amer. J. Bot., xxxvi,

p. 455, 1949 on cellulose in cultures.—Maryland, U.S.A.

TRUNCATELLA Steyaert in Bull. Jard. bot. Brux., xix, p. 293, 1949. Melanconiales. Type, T. truncata.

conorum-piceae (Tubeuf) Steyaert in Bull. Jard. bot. Brux., xix, p. 299, 1949. (Syn. Pestalotia conorum-piceae Tubeuf).

- hartigii (Tubeuf) Steyaert in Bull. Jard. bot. Brux., xix, p. 298, 1949. (Syn. Pestalotia

hartigii Tubeuf).

- lauro-cerasi (West.) Steyaert in Bull. Jard. bot. Brux., xix, p. 298, 1949. (Syn. Pestalotia lauro-cerasi West.).

ramulosa (Van Beyma) Steyaert in Bull. Jard. bot. Brux., xix, p. 296, 1949. (Syn. Pestalotia ramulosa Van Beyma).

truncata (Lév.) Steyaert in Bull. Jard. bot. Brux., xix, p. 295, 1949. (Syn. Pestalotia truncata Lév.).

Unguicularia costata (Boud.) Dennis in Mycol. Pap., C.M.I., 32, p. 79, 1949. (Syn. Urceolella costata Boud.).

- millepunctata (Lib.) Dennis in Mycol. Pap., C.M.I., 32, p. 79, 1949. (Syn. Peziza millepunctata Lib.).

Urnula hiemalis Nannfeldt in Svensk bot. Tidskr., xliii, p. 471, 1949.—Sweden.

Uromyces poae f. sp. repenti-pratensis Gäumann in Phytopath. Z., xiii, p. 512, 1941 on Ranunculus repens and Poa pratensis.— Germany.

- ruiz-leali Lindquist in Notas del Museo de La Plata, xiv, p. 51, 1949 on Anarthrophyllum elegans.—Argentina.

shahrudensis Petrak in Sydowia, iii, p. 273, 1949 on Onobrychis.—Persia.

Ustilago dehiscens Ling in Sydowia, iii, p. 124, 1949 on Polygonum amplexicaule. India.

Vermicularia dematium (Pers.) Fr. var. minor Wollenw. in Z. Parasitenk., xiv, p. 206, 1949 on dead Lupinus polyphyllus.—Germany.

— var. wallrothii (Sacc.) Wollenw. in Z. Parasitenk., xiv, p. 204, 1949. (Syn. Vermicularia wallrothii Saccardo).

Volvaria flaviceps Murrill in Mycologia, xli, p. 490, 1949 on log of Magnolia.—Florida, U.S.A.

XENOPLACA Petrak in Sydowia, iii, p. 261,

1949.—Hyphomycetes. aequatoriensis Petrak in Sydowia, iii, p. 261, 1949 on Clusia.—Ecuador.

Ypsilonia corticalis Wolf in Mycologia, xli, p. 563, 1949 on dead Quercus borealis.—North Carolina, U.S.A.

Zignoella iranica Petrak in Sydowia, iii, p. 312, 1949 on Salix acmophylla.—Persia.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Bryophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ALGAE Closterium rostratum

Chrytriomyces closterii Netrium digitus

Ancylistes netrii AMARANTACEAE

Pfaffia lanata

Puccinia ventanensis AMARYLLIDACEAE

Agave Pleospora clypeata ANACARDIACEAE

Rhus typhina

Fusarium oxysporum f. rhois Araceae

Acorus calamus

 $Phaeosphaeria\ acori$

ARALIACEAE

Oreopanax mucronulatus

Bineris aperta

Boraginaceae

Lithospermum canescens $Septoria\ lithospermi$

Lithospermum croceum Cercospora lithospermi

BRYOPHYTA Hypnum

Crepidotus carpatorossicus

Caprifoliaceae

Lonicera tatarica

Crepidotus cesatii var. gothoburgensis

Caprifoliaceae (continued)

Sambucus ebulus

 $Lachnella\ sambucina$

Triosteum perfoliatum

Cercospora triostei

COMPOSITAE

Carduus carlinoides

Leptosphaeria carlinoides

Ophiobolus leptosphaerioides

 $Rhabdospora\ cardui$

Schizothyrium carduorum Chrysanthemum morifolium

Mycosphaerella ligulicola

Cirsium arvense

Leptosphaeria cirsii-arvensis

Cousinia

Didumella cousiniae

Passalora cousiniae

Phaeosphaerella rechingeri

Pleospora kudjurica

Cousinia multiloba

 $Leptosphaeria\ shahvarica$

Eupatorium urticaefolium

Phyllosticta umbrino-fumosa

Galinsoga parviflora

Protomyces buerenianus

Lactuca virosa

Helotium lactucae

Lappa

 $Helotium\ lappae$

Liatris ligulistylis

Phomopsis liatridis

Coniferae Abies procera

Oxyporus nobilissimus Agathis palmerstoni Hendersonula agathi

Cupressus

 $\dot{P}estalotiopsis~funerioides$

Juniperus communis

Hendersonia foliicola var. longiorospora Lophodermium juniperinum var. minoro-

Pinus

Fusarium lateritium f. pini

Pinus silvestris

Leptothyrium pinastri var. maiorospora

Pinus strobus

Leptothyrium pinastri var. maiorospora

Tsuga heterophylla Oxyporus nobilissimus

CORNACEAE

Cornus racemosa

Septoria cornicola var. ampla

CRUCIFERAE

Isatis tinctoria Leptosphaeria allorgei

Cyperaceae

Carex baccans Farysia orientalis

Carex curvula

 $My cosphaerella\ alpina$

Carex panicea
Puccinia urticae-paniceae

Cyperus sp.

Cintractia peribebuyensis var. major

Cyperus difformis

Sphacelotheca cypericola Eriophorum angustifolium Dasyscypha sydowii

Fimbristylis complanata Cintractia fimbristylicola

ERICACEAE

Cavendishia Phyllopezis andina

Disterigma acuminata

Plagiostigme clypeata Plagiostigmella clypeata

Rhododendron

Pestalotiopsis baarnensis

EUPHORBIACEAE

Euphorbia

 $Haplosporella\ iranica$ Leptosphaeria tolgorensis

Ricinus communis Phyllosticta bosensis

FAGACEAE

Fagus silvatica

Crepidotus macedonicus

Quercus borealis Ypsilonia corticalis

Quercus laurifolia

Cortinellus quercicola

Fungi

Uromyces costaricensis Creonecte biparasitica

GNETACEAE

Ephedra

Thyridium rechingeri

GRAMINEAE

Agrostis alba

Spermospora subulata f. ciliata

Andropogon furcatus

Phaeoseptoria festucae var. andropogonis

Gramineae (continued)

Apluda varia var. aristata

Sphacelotheca apludae

Arthraxon lancifolius

Bremia graminicola var. indica Brachyelytrum erectum

Stagonospora brachyelytri

Bromus erectus

Dasyscypha carneola var. longispora

Calamagrostis canadensis

Hyalothyridium calamagrostidis Cynodon dactylon

Sorosporium cynodontis

Festuca

Mycosphaerella alpina Festuca arenaria

Leptosphaeria arenaria Ischaemum timorense

Sphacelotheca ischaemicola

Muhlenbergia filiformis

 $Phyllosticta\ minutaspora$

Pennisetum purpureum Stagonospora penniseti

Perotis latifolia

Tilletia ahmadiana

Phleum pratense

Gloeosporium meinersii

Poa alpina

Glocosporium meinersii var. alpinum

Poa pratensis

Uromyces poae f. sp. repenti-pratensis

Rhapis aciculatus

Sphacelotheca rhapidis

Sorghum vulgare

Periconia macrospinosa

Spartina pectinata Hendersonia spartinae

Themeda gigantea

Sphacelotheca indehiscens

GUTTIFERAE

Calophyllum inophyllum var. tacamaha

Haplographium calophylli

Clusia

Xenoplaca aequatoriensis

Hypericum

Ġlomerella cingulata var. migrans

HIPPOCRATEACEAE

Hippocratea

Acrocladium andinum

HYDROPHYLLACEAE

Hydrophyllum virginianum

Ascochyta hydrophylli-virginiani

INSECTA

Cordyceps aurea

Cordyceps filiformis Cordyceps lilacina

Cordyceps pseudoinsignis

Cordyceps truncata

Cordyceps variegata

Catops nigricans
Barbariella tubantica

Coleoptera $Cordyceps\ furcata$

Cordyceps rubri-punctata

Hemiptera

Cordyceps lutea

Paltothyreus tarsatus

Cordyceps carnata

INVERTEBRATA (other than Insecta)

Ditylenchus

Nematoctonus concurrens

Panagroliamus subelongatus

Nematoctonus concurrens

LABIATAE Stachys inflata

Thyridium semnanense

LARDIZABALACEAE Decaisnea insignis

Diplodina berberidina f. decaisneae

Leguminosae Anarthrophyllum elegans Uromyces ruiz-leali

Astragalus
Camarosporium shahvaricum
Endoplacodium nigrescens
Hendersonula astragalina
Microsphaera caulicola

Eriosema spicatum

Dothidella eriosemae

Inga punctata *Mindoa ingae*Lotus

Thecaphora loti Lupinus Thecaphora lupini

Lupinus polyphyllus
Vermicularia dematium var. minor
Onobrychis

Uromyces shahrudensis Onobrychis cornuta Hendersonia shahvarica

Robinia pseud-acacia

Crepidotus subverrucisporus

Tephrosia virginiana
Stagonospora tephrosiae
Liliaceae

Asphodelus albus *Hypoderma asphodeli* Lilium martagon

niam martagon Leptosphaeria martagoni Mycosphaerella martagonis

Veratrum album Phoma veratri Sphaerella veratri

Linaceae Linum austriacum Pleospora gaubae

MAGNOLIACEAE
Magnolia
Volvaria flaviceps
MELASTOMACEAE
Miconia crocea
Synostomina andina

MORACEAE
Ficus
Pestalotiopsis fici
Ficus edulis

Glomerella cingulata var. minor

MYRICACEAE
Myrica gale
Hyalotricha corticicola
MYRTACEAE
Eucalyptus globulus

OLEACEAE

Pestalotiopsis crassiuscula

Fraxinus americana
Marsonia gloeodes
ONAGRACEAE
Epilobium hirsutum
Dasyscypha nudipes var. minor

OXALIDACEAE Oxalis violacea Septoria violacea

PALMAE Cocos nucifera Pestalotiopsis papposa Pestalotiopsis westerdijkii PAPAVERACEAE

Meconopsis cambrica
Peronospora gaeumanni

Passifloraceae
Passiflora alnifolia
Pithosira sydowii
PLUMBAGINACEAE
Acantholimon

Ramularia iranica
POLYGONACEAE
Polygonum

Thyridium concinnum Polygonum amplexicaule Ustilago dehiscens

Rumex
Hendersonia rumicis
Phialea scutata
PYROLACEAE

Chimaphila umbellata Ramularia chimaphilae

RANUNCULACEAE
Aconitum napellus
Lophodermium aconiti
Anemone canadensis
Stagonospora canadensis
Anemone cylindrica
Ramularia ovularioides
Delphinium
Asteromella delphinii
Fusarium oxysporum f. delphinii
Ranunculus repens
Uromyces poae f. sp. repenti-pratensis
ROSACEAE

Hesperomeles glabrata
Neopeltis andina
Physocarpus opulifolius
Phyllosticta physocarpi
Prunus americana
Cladosportum americanum
Rosa

Niptera rosae
Rubus
Pyrenopeziza rubicola
RUBIACEAE
Coffea arabica
Glomerella cingulata var. crassispora
RUTACEAE

Zanthoxylum americanum Phyllosticta zanthoxyli

Salix acmophylla
Zignoella iranica
Salix alba
Cercospora salicis
SCROPHULARIACEAE
Digitalis ambigua
Asteromella digitalis-a
Mycosphaerella digital

SALICACEAE

Asteromella digitalis-ambiguae Mycosphaerella digitalis-ambiguae Ramularia digitalis-ambiguae Gerardia paupercula

Gerardia paupercula Septoria scrophulariae var. agalinis Scrophularia alpestris Ophiobolus scrophulariae SOLANACEAE Atropa belladona Trichopeziza belladonae

Theaceae Camellia *Pestalotiopsis gallica*

ULMACEAE
Celtis occidentalis
Stagonospora macromaculans
Ulmus americana
Phytophthora inflata
UMBELLIFERAE
Cryptotaenia canadensis
Stagonospora cryptotaeniae
Eryngium bourgatium
Pyrenophora eryngicola
Pancicia serbica
Puccinia panciciae
URTICACEAE
Urtica dioica
Puccinia urticae-paniceae

VALERIANACEAE
Kentranthus angustifolius
Erysiphe blumeri
VERBENACEAE
Citharexylum ilicifolium
Heteroconium citharexyli
VERTEBRATA
Homo sapiens
Candida truncata
Madurella grisea
Sabouraudites duboisi
Saccharomyces laryngitidis
Trichophyton rodhaini

Zygophyllum

Cyanopatella iranica

Zygophyllum atriplicoides

Hendersonia zygophylli

Teichospora sarhaddensis

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash for supplying details of certain citations.

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY CHARLES BATEY, PRINTER TO THE UNIVERSITY

20Hm (+00) (lafi)

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. 2

PART 1

1950

*Absidia spinosa Lendner var. madecassensis Moreau in Bull. Soc. mycol. Fr., 65, p. 144, 1949 from dead Cinchona.—Madagascar.

Achlya michiganensis Johnson in Mycologia, 42, p. 393, 1950 from soil.—Michigan, U.S.A. spiracaulis Johnson in Mycologia, 41, p. 678, 1949 from soil.—Michigan, U.S.A.

turfosa Johannes in Arch. Mikrobiol., 14, 4, p. 597, 1950 from soil.—Germany.

*Acremoniella lutzi Arêa Leão & Lobo in Acta med. Rio de Janeiro, 4, p. 8, 1939 on Homo sapiens.—Brazil.

Aecidium astrochlaenae Wakef. & Hansford in Proc. Linn. Soc. London, 161, p. 188, 1949 on Astrochlaena.—Uganda.

— barleriae Doidge in Bothalia, 4, p. 895, 1948 on Barleria crassa.—Southern Rhodesia.

crassocephali Wakef. & Hansford in Proc. Linn. Soc. London, 161, p. 189, 1949 on Crassocephalum crepidioides.—Uganda

dipcadi-viridis Doidge in Bothalia, 4, p. 896, 1948 on *Dipcadi viridis*.—South Africa. geniosporii Wakef. & Hansford in *Proc*. Linn. Soc. London, 161, p. 190, 1949 on Geniosporium paludosum.—Uganda.

- heliotropicola [as 'heliotropicolum'] Talbot apud Doidge in *Bothalia*, 4, p. 896, 1948 on *Heliotropium nelsoni*.—South Africa.

- marsdeniae T. S. & K. Ramakrishnan, this

Index, i, p. 257. See A. marsdeniae Syd.,

nestlerae Doidge in Bothalia, 4, p. 897, 1948

on Nestlera conferta.—South Africa.
pentziae-globosae Doidge in Bothalia, 4, 897, 1948 on Pentzia globosa.—South Africa.

- scopariae Wakef. & Hansford in Proc. Linn. Soc. London, 161, p. 191, 1949 on Scoparia dulcis.-- Uganda.

spinicola [as 'spinicolum'] Doidge in Bothalia, 4, p. 897, 1948 on Acacia.—South Africa. Amanita agglutinata (B. & C.) Murr., this Index, i, p. 257. See A. agglutinata Lloyd,

rubens (Scop.) Murr., this Index, i, p. 257. See A. rubens (Scop.) Quél. & Bataille, 1933. Amphichaeta grevilleae Loos in Trans. Brit. mycol. Soc., 33, p. 41, 1950 on Grevillea

robusta.--Cevlon. Angiopsora hansfordii (Cumm.) Thirum. & Kern (this Index, i, p. 257) is a later homonym of A. hansfordii Cumm. (p. 131).

Anguillospora flagellifera Ingold in Trans. Brit. mycol. Soc., 32, p. 345, 1950 on leaves in water.—Switzerland.

Anthostomella capensis Doidge in Bothalia, 4, p. 863, 1948 on Phoenix dactylifera.—South

ratibidae Solheim in Mycologia, 41, p. 623, 1949 on Ratibida tagetes.—New Mexico, - salaciae Poidge in Bothalia, 4, p. 864, 1948 on Salacia gerrardi.—South Africa.

Aphanomycopsis desmidiella Canter in Trans. Brit. mycol. Soc., 32, p. 166, 1949 on Netrium digitus .- England.

Ascobolus cuniculorum Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 30, 1948 on dung.-Brazil.

infestans Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 31, 1948 on dung.-

Balansia trachypogonis Doidge in Bothalia, 4, p. 854, 1948 on Trachypogon plumosus. South Africa.

Belonidium josserandi Grelet in Rev. de Mycologie, 15, p. 38, 1950 on rotted wood.— France.

BLASTOCLADIOPSIS Sparrow in J. Wash.

Acad. Sci., 40, p. 52, 1950.—Blastocladiales. parva (Whiffen) Sparrow in J. Wash. Acad. Sci., 40, p. 53, 1950. (Syn. Blastocladia parva Whiffen).

Bovista macrospora Perdeck in Blumea, 6, p. 512, 1950.—Holland.

Brevilegnia longicaulis Johnson in Mycologia, 42, p. 244, 1950 from soil.—New Caledonia.

Bulgariastrum bullatum Doidge in Bothalia, 4, p. 877, 1948 on Capparis citrifolia.—South Africa.

Bulliardella capensis Doidge in Bothalia, 4, p. 875, 1948 on Gymnosporia procumbens. South Africa.

Calonectria theae Loos in Trans. Brit. mycol. Soc., 33, p. 17, 1950 on Camellia theae .-Ceylon.

var. crotalariae Loos in Trans. Brit. mycol. Soc., 33, p. 17, 1950 on Crotalaria anagyroides & Tephrosia vogelii.—Ceylon.

Calvatia excipuliformis (Pers.) Perdeck in Blumea, 6, p. 490, 1950. (Syn. Lycoperdon

excipuliforme Pers.).

Candida olea Van Rij & Verona in Atti Accad.

Naz. Lincei, Ser. 8, 7, 5, p. 251, 1949 on Olea europea .- Italy.

parapsilosis (Ashf.) Lang. & Tal. var. intermedia Van Rij & Verona in Atti Accad, Naz. Lincei, Ser. 8, 7, 5, p. 252, 1949 on Olea europea .- Italy.

Cephalosporium deformans Crandall in Phytopathology, 40, p. 39, 1950 on Loncho-carpus utilis.—Peru.

Ceratocystis ambrosia Bakshi in Trans. Brit. mycol. Soc., 33, p. 116, 1950 in beetle tunnels in wood.—Scotland.

piceae (Münch) Bakshi in Trans. Brit. mycol. Soc., 33, p. 113, 1950. (Syn Ceratostomella piceae Münch).

Ceratostoma asininum Batista & Pontual in

Bol. Agric., Pernambuco, 15, p. 42, 1948 on dung.-Brazil.

Cercospora argyrolobii Chupp & Doidge in Bothalia, 4, p. 881, 1948 on Argyrolobium wilmsii.—South Africa.

- caryae Chupp & Doidge in Bothalia, 4, p. 882, 1948 on Carya pecan.—South Africa.

- curtisiae Chupp & Doidge in Bothalia, 4, p. 884, 1948 on Curtisia faginea. South Africa.

- dissotidis Chupp & Doidge in Bothalia, 4, p. 884, 1948 on Dissotis incana. South Africa.

- dovyalidis Chupp & Doidge in Bothalia, 4, p. 885, 1948 on Dovyalis zeyheri.—South Africa.

- egenula (H. Syd.) Chupp & Doidge in Bothalia, 4, p. 885, 1948. (Syn. Cercoseptoria egenula H. Sydow).

faureae Chupp & Doidge in Bothalia, 4, p. 885, 1948 on Faurea speciosa.—Southern Rhodesia.

- halleriae Chupp & Doidge in Bothalia, 4, p. 886, 1948 on Halleria lucida.—South Africa.

insulana (Sacc.) Chupp in Bothalia, 4, p. 886, 1948. (Syn. Cercosporina insulana Sacc.).

- pachycarpi Chupp & Doidge in Bothalia, 4, p. 889, 1948 on Pachycarpus schinzianus.-South Africa.

pretoriensis Chupp & Doidge in Bothalia, 4, p. 890, 1948 on Gomphrena decumbens var. genuina.—South Africa.

-psychotriaecola Chupp & Doidge in Bothalia, 4, p. 891, 1948 on Psychotria capensis .- South Africa.

- solani-melongenae Chupp in Bothalia, 4, p. 892, 1948 on Solanum melongena.—Japan. tremae (Stev. & Solh.) Chupp in Bothalia,

4, p. 893, 1948. (Syn. Ragnhildiana tremae Stev. & Solh.). [See C. tremae Hansf., 1944; C. tremae Sawada, 1944.]

Chaconia tectonae T. S. & K. Ramakrishnan in Indian Phytopathology, 2, p. 19, 1949 on Tectona grandis.—India.

Chaetomium atrobrunneum Ames in Mycologia, 41, p. 641, 1949 from cloth.—Guadalcanal.

brasiliense Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 70, 1948 on dung. -Brazil.

causiaeforme Ames in Mycologia, 41, p. 644, 1949.—Pacific areas.

cristatum Ames in Mycologia, 41, p. 639, 1949 from paper.—Virginia, U.S.A.

cupreum Ames in Mycologia, 41, p. 642, 1949.—Panama Canal Zone.

deustum Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 72, 1948 on leaves.

gangligerum Ames in Mycologia, 41, p. 640, 1949 from wood.-Virginia, U.S.A.

hamatum Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 71, 1948 on old cotton lint.-Brazil.

repandum Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 72, 1948 on old cotton lint.—Brazil.

seminudum Ames in Mycologia, 41, p. 642, 1949.—U.S.A.?

succineum Ames in Mycologia, 41, p. 645, 1949.—U.S.A.?

- thermophile La Touche in Trans. Brit. mycol. Soc., 33, p. 95, 1950 on fermenting straw.-England.

turgidopilosum Ames in Mycologia, 41, p. 639, 1949 from cloth.—Pacific areas.

velutinum Ames in Mycologia, 41, p. 641, 1949 from cloth.—Pacific areas.

Ciboria ramealis Vacek in Studia bot. Čecho. slov., 10, p. 133, 1949 on wood.—Czecho. slovakia.

Cintractia eremochloae Langdon in Pap. Dep. Biol. Univ. Qd., 2, p. 3, 1948 on Eremochloa bimaculata.—Queensland, Australia. Cladochytrium aureum Karling in Bull. Torrey bot. Cl., 76, p. 298, 1949 from debris in

water.—Maryland, U.S.A.

Cladosporium lysimachiae Green in Trans. Wis. Acad. Sci. Arts Lett., 38, p. 232, 1946 on Lysimachia terrestris.—Wisconsin, U.S.A.

Clathrus crispus Turp. var. americanus (Lloyd) Wright in Comun. Inst. nac. Invest, Cienc. nat., B. Aires, 1, No. 2, p. 6, 1949. (Syn. Clathrus americanus Lloyd).

Clitocybe subvelosa Smith & Stuntz in Mycologia, 42, p. 82, 1950.—Washington State, U.S.A.

COKEROMYCES Shanor in Mycologia, 42,

p. 272, 1950.—Choanephoraceae. -recurvatus Poitras apud Shanor et al. in Mycologia, 42, p. 272, 1950 on rabbit dung. Illinois, U.S.A.

Colletotrichum derridis Tokunaga & Kuma. moto in Ann. phytopath. Soc. Japan, 13, 3-4, p. 8, 1949 on Derris elliptica.—Formosa.

derridis Van Hoof in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 473, 1950 on Derris elliptica.—Java. [cf. preceding entry.] - iridis Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 125, 1949 on Iris spuria subsp. maritima.—France.

Coniochaeta elaeicola (Hennings) C. & M.

Moreau in Rev. de Mycologie, 14, Suppl. Col. No. 2, p. 60, 1949. (Syn. Rosellinia elaeicola Hennings).

Coniothyrina ponceana Toro in J. Agric. Univ. Puerto Rico, 30, p. 98, 1946 from air.— Puerto Rico.

Coniothyrium chimonanthi Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 129, 1949 on Chimonanthus fragrans.— France.

Conocybe subpubescens Kühner nom. nov. in Le Botaniste, 34, p. 275, 1949. (Syn. C. pubescens sensu Kühner, non auct.).

Cordyceps aphodii Mathieson in Trans. Brit. mycol. Soc., 32, p. 134, 1949 on Aphodius howitti.—Victoria, Australia.

aurantiaca (Plowr. & Wilson) Imai in Acta Phytotaxonom., Kyoto, 13, p. 82, 1943. (Syn. Barya aurantiaca Plowr. & Wilson).

sinclairii Y. Kobayasi in J. Jap. Bot., 24, p. 176, 1949 on Meimuna opalifera.— Japan.

Cornularia magnoliae de Camara in Agron. Lusit., 9, p. 115, 1947 on Magnolia. Portugal.

CORRUGARIA Métrod in Les Mycènes de Madagascar, p. 127, 1949.—Agaricaceae.

viridi-flava Métrod in Les Mycènes de Madagascar, p. 127, 1949.—Madagascar. Cortinarius leochrous J. Schäffer in Z. Pilak.,

27, p. 15, 1949.—Germany. melliolens J. Schäffer nom. nov. in Z. Pilzk., 27, p. 20, 1949. (For C. multiformis sensu

Auct.). - multiformis Fr. subsp. gracilior J. Schäffer (as 'n. comb.') in Z. Pilzk., 27, p. 20, 1949.— ?Germany

prasinus var. odoratus Joguet in Bull. Soc. mycol. Fr., 65, p. 180, 1949.—France.

pusillus (Murr.) Murr., 1947 (this Index, i, p. 180) is a later homonym of C. pusillus Möller, 1945 (i, p. 259).

rainierensis Smith & Stuntz in Mycologia, 42, p. 83, 1950.—Washington State, U.S.A. speciosus Favre, this Index, i, p. 259. But

see C. speciosus Earle, 1904.

Crepidotus acerinus Vacek in Studia bot. Cechoslov., 10, p. 132, 1949 on dead Acer pseudoplatanus.—Czechoslovakia.

carpatorossicus Pilát. (This Index, i, p. 278). [Latin diagnosis in Studia bot. Čechoslov.,

10, p. 153, 1949.]

hibernianus Pearson & Dennis in Trans. Brit. mycol. Soc., 32, p. 268, 1950 on log of Tilia europaea.—Éire.

- kubickae Vacek in Studia bot. Čechoslov., 10, p. 150, 1949.—Czechoslovakia.

- macedonicus Pilát. (This Index, i, p. 278). [Latin diagnosis in Studia bot. Čechoslov., 10, p. 150, 1949.]

-mollis var. pseudoapplanatus Pilát. (This Index, i, p. 278). [Latin diagnosis in Studia bot. Čechoslov., 10, p. 151, 1949.] – subepibryus Pilát. (This Index, i, p. 278).

[Latin diagnosis in Studia bot. Čechoslov., 10, p. 153, 1949.]

subverrucisporus Pilát. (This Index, i, p. 278). [Latin diagnosis in Studia bot. Čechoslov., 10, p. 151, 1949.]

velenovskyi Pilát in Studia bot. Čechoslov., 10, p. 152, 1949 on dead Juniperus communis. -Czechoslovakia.

- wakefieldiae Pilát. (This Index, i, p. 278). [Latin diagnosis in Studia bot. Čechoslov., 10, p. 152, 1949.7

Cryptococcus albidus (Saito) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula albida Saito).

- bacillaris (Kroemer & Krumholz) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Saccharomyces bacillaris Kroem. & Krum.).

- candidus (Saito) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula candida Saito).

colliculosus (Hartmann) Skinner in Amer. Midl. Nat., 43, p. 248, 1950. (Syn. Torula colliculosa Hartmann).

dattilus (Kluyver) Skinner in Amer. Midl. Nat., 43, p. 248, 1950. (Syn. Torula dattila Kluy.).

flavescens (Saito) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula flavescens Saito).

- gropengiersseri (Harrison) Skinner in Amer. Midl. Nat., 43, p. 248, 1950. (Syn. Torula gropengiersseri Harrison).

holmii (Jörgensen) Skinner in Amer. Midl. Nat., 43, p. 248, 1950. (Syn. Torula holmii Jörg.).

kefyr (Beij.) Skinner in Amer. Midl. Nat., 43, p. 248, 1950. (Syn. Saccharomyces kefyr Beijerinck).

- laurentii (Kufferath) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula laurentii Kuf.).

- lipoferus (den Dooren de Jong) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula lipofera den Dooren de Jong).

-luteolus (Saito) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Torula luteola Saito).

molischianus (Zikes) Skinner in Amer.

Midl. Nat., 43, p. 248, 1950. (Syn. Torula molischiana Zikes).

- stellatus (Kroemer & Krumholz) Skinner in Amer. Midl. Nat., 43, p. 249, 1950. (Syn. Saccharomyces stellatus Kroem. & Krum.).

Cryptosporella acerina L. E. Wehmeyer apud W. B. Cooke in Mycologia, 41, p. 610, 1949 on Acer glabrum.—California, U.S.A.

Curvularia pilae Toro in J. Agric. Univ. Puerto Rico, 30, p. 100, 1946 from air.-Puerto Rico.

Cylindrosporium aceris Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 125, 1949 on Acer opalus.—France.

- asphodeli Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 126, 1949 on Asphodelus cerasifer.—France.

corni Solheim in Mycologia, 41, p. 630, 1949 on Cornus stolonifera.-Wyoming, U.S.A. - salviifolii Bernaux in Rev. Path. Vég., 28,

p. 147, 1949 on Cistus salviifolius.-France. saximontanense Solheim in Mycologia, 41, 630, 1949 on Populus angustifolia .-Colorado, U.S.A.

Dactylaria eudermata Drechsler in Mycologia, 42, p. 40, 1950 on nematodes. Virginia, U.S.A.

haptotyla Drechsler in Mycologia, 42, p. 48, 1950 on nematodes.—Maryland, U.S.A. sclerohypha Drechsler in Mycologia, 42, p.

57, 1950 on nematodes.—Virginia, U.S.A. Dactylella aphrobrocha Drechsler in Mycologia, 42, p. 20, 1950 on nematodes.—North Carolina, U.S.A.

cionopaga Drechsler in Mycologia, 42, p. 30, 1950 on nematodes.—Oregon, U.S.A.

reticulata Peach in Trans. Brit. mycol. Soc., 33, p. 148, 1950 on nematodes.—England. stenobrocha Drechsler in Mycologia, 42, p. 10, 1950 on nematodes.—Wyoming, Ú.S.Á.

strobilodes Drechsler in *Mycologia*, **42**, p. 371, 1950 from leaf mould.—Virginia, U.S.A. Dictyopanus luminescens Corner in Myco-

logia, 42, p. 423, 1950.—Malaya. Didymella zuluensis Doidge in Bothalia, 4, p. 859, 1948 on Eugenia zuluensis.—South Africa.

Didymosphaeria cephalariae Guyot in Bull. Soc. mycol. Fr., 65, p. 103, 1949 on Cephalaria leucantha.—France.

- verdoni Guyot in Bull. Soc. mycol. Fr., 65, p. 104, 1949 on Melica ciliata.—France.

Dimerium alpinum W. B. Cooke in Mycologia, 41, p. 609, 1949 on Pentstemon menziesii var. davidsonii.—California, U.S.A.

Diorchidium brachiariae Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 167, 1949 on Brachiaria.—Uganda.

Diplodina alchemillae Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 130, 1949 on Alchemilla vulgaris.—France.

Echidnodes curtisiae Doidge in Bothalia, 4, p. 872, 1948 on Curtisia faginea. - South Africa.

transvaalensis Doidge in Bothalia, 4, p. 873, 1948 on Eugenia natalitia.—South Africa.

Elsinoë corni Jenkins & Bitancourt in J. Wash. Acad. Sci., 38, p. 362, 1948 on Cornus florida. -North Carolina, U.S.A.

Endophyllum heliotropii Thirumalachar & Narasimhan in New Phytol., 49, p. 119, 1950 on Heliotropium indicum.—India.

Endophyllum (?) striatosporum Wakef. apud Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 188, 1949 on Rhamnus prinoides. Uganda.

Entoloma abortivum (Berk. & Curt) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 157, 1949. (Syn. Agaricus abortivus Berk. & Curt.).

anatinum (Lasch) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 158, 1949. (Syn. Agaricus anatinus Lasch).

byssisedum (Pers. ex Fr.) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 158,

1949. (Syn. Agaricus byssisedus Pers. ex Fr.). euchroum (Pers. ex Fr.) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 157, 1949. (Syn. Agaricus euchrous Pers. ex Fr.).

pascuum (Pers. ex Fr.) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 158, 1949. (Syn. Agaricus pascuus Pers. ex Fr.)

politum (Pers. ex Fr.) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 158, 1949. (Syn. Agaricus politus Pers. ex Fr.).

Erikssonia carissae Doidge in Bothalia, 4, p. 837, 1948 on Carissa bispinosa.—South Africa.

Erysiphe brachystegiae Doidge in Bothalia, 4, p. 838, 1948 on Brachystegia randii.-Southern Rhodesia.

jatrophae Doidge in Bothalia, 4, p. 839, 1948 on Jatropha zeyheri.—South Africa.

Exosporium pedunculatum (Ell. & Ev.) W. B. Cooke in Mycologia, 41, p. 617, 1949. (Syn. Brachysporium pedunculatum Ell. & Ev.).

Galeropsis besseyi (Peck) Heim in Rev. de Mycologie, 15, p. 11, 1950. (Syn. Galera besseyi Peck).

liberata (Kalchbrenner) Heim in Rev. de Mycologie, 15, p. 10, 1950. (Syn. Bolbitius liberatus Kalchbr.).

mitraeformis (Berkeley) Heim in Rev. de Mycologie, 15, p. 23, 1950. (Syn. Bolbitius mitraeformis Berk.).

Gelasinospora calospora (Mouton) C. & M. Moreau în Rev. de Mycologie, 14, Suppl Col. No. 2, p. 53, 1949. (Syn. Rosellinia calospora Mouton).

Gibellula leiopus (Vuill.) Mains in Mycologia, 42, p. 313, 1950. (Syn. Gibellula arachnophila f. leiopus Vuillemin).

Gloeosporium helosciadii Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 127, 1949 on Apium (Helosciadium) nodiflorum.-France.

Gorgoniceps barbilophoziae A. Racovitza in Rev. de Mycologie, 14, p. 137, 1949 on Barbilophozia barbata.—France.

Guignardia gloiopeltidis Miyabe & Tokida in Bot. Mag., Tokyo, 61, p. 118, 1948 on Gloiopeltis furcata.—Japan.

Gymnoglossum radiatum (Lloyd) Bottomley (this Index, i, p. 228) dates from March, 1948; Zeller's comb. (p. 261) is Dec., 1948.

HAPALOPHRAGMIOPSIS Thirumalachar in Mycologia, 42, p. 227, 1950.—Uredinales.

ponderosa (Syd. & Butler) Thirumalachar in Mycologia, 42, p. 227, 1950. (Syn. Hapalophragmium ponderosum Syd. & Butler).

Hapalophragmium mysorense Thirumalachar in Mycologia, 42, p. 224, 1950 on Derris benthamii.-India.

Hemileia secamones Wakef. & Hansford in

Proc. Linn. Soc. Lond., 161, p. 166, 1949 on Secamone. - Uganda.

smallii Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 166, 1949 on Strophanthus courmontii.—Uganda.

Hendersonia coletiae da Camara in Agron. Lusit., 9, p. 114, 1947 on Coletia [Colletia]

lathyri-latifolii Guyot in Bull. Soc. mycol. Fr., 65, p. 100, 1949 on Lathyrus latifolius. France.

lippiae Syd. var. macrospora da Camara in Agron. Lusit., 9, p. 114, 1947 on Lippia citriodora.—Portugal.

Herpotrichia ephedrae Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 121, 1949 on Ephedra distachya.—France. Hirneola auricularis (S. F. Gray) Donk in

Bull. Bot. Gard. Buitenzorg, Ser. III, 18, p. 89. 1949. (Syn. Gyraria auricularis S. F. Gray). Hirsutella besseyi F. E. Fisher in Mycologia, 42, p. 291, 1950 on Lepidosaphes beckii.

Florida, U.S.A. nutans Y. Kobayasi in J. Jap. Bot., 24, p. 177, 1949 on Erthesina fullo.—Japan.

thompsonii F. E. Fisher in Mycologia, 42, p. 293, 1950 on Phyllocotruta oleivora.— Florida, U.S.A.

Hydnellum caeruleum (Fl. Dan.) Wehmeyer in 'Fungi of Maritime Provinces', p. 68, 1950. (Syn. Calodon caeruleum (Fl. Dan.) Quél), - mirabile (Fr.) Wehmeyer in 'Fungi of

Maritime Provinces', p. 68, 1950. Hydnum mirabile Fr.].

Hysterostomella bosciae (Doidge) Doidge in Bothalia, 4, p. 869, 1948. (Syn. Cyclotheca bosciae Doidge).

opaca (Syd.) Doidge in Bothalia, 4, p. 870, 1948. (Syn. Hysterostomina opaca Syd.). - oxyanthae (Doidge) Doidge in Bothalia, 4,

p. 870, 1948. (Syn. Hysterostomina oxyanthae Doidge).

Inocybe lactior Stuntz apud Smith & Stuntz in Mycologia, 42, p. 95, 1950.—Washington State, U.S.A.

leiocephala Stuntz apud Smith & Stuntz in Mycologia, 42, p. 98, 1950.—Washington State, U.S.A.

picrosma Stuntz apud Smith & Stuntz in Mycologia, 42, p. 102, 1950.—Washington State, U.S.A.

pyrotricha Stuntz apud Smith & Stuntz in Mycologia, 42, p. 106, 1950.—Washington State, U.S.A.

rainierensis Stuntz apud Smith & Stuntz in Mycologia, 42, p. 109, 1950.—Washington State, U.S.A.

suaveolens Stuntz apud Smith & Stuntz in Mycologia, 42, p. 110, 1950.—Washington

State, U.S.A.
Irenina lonicerae Hansf. 1948 (this Index, i, p. 242). See I. lonicerae Yamamoto, 1941 (p. 208).

Itajahya galericulata Moll. f. typica Wright in Comun. Inst. nac. Invest. Cienc. nat., B. Aires, 1, p. 13, 1949.—Argentina.

Itersonilia pyriformis Nyland in Mycologia, 41, p. 689, 1949 on dead leaf of Acer macro-phyllum.—Washington, U.S.A.

Kabatia fragariae Solheim in Mycologia, 41, p. 628, 1949 on Fragaria ovalis.—Wyoming, U.S.A.

Lachnea firmetaria (Seav.) Wehmeyer in Fungi of Maritime Provinces', p. 18, 1950. (Syn. Patella fimetaria Seav.).

*Lactarius gymnocarpus Heim in Boissiera, Supplément de Candollea, Fasc. 7, p. 273, 1943.—Ivory Coast.

*_ melanogalus Heim in Boissiera, Supplément de Candollea, Fasc. 7, p. 268, 1943.-Ivory Coast.

Lagenidium destruens Sparrow in J. Wash. Acad. Sci., 40, p. 54, 1950 on Achlya.—

- nodosum (Dang.) Ingold in Ann. Bot., Lond., N.S., 13, p. 442, 1949. (Syn. Resticularia nodosa Dang.).

Lamprospora jetelae Vacek in Studia bot.

Čechoslov., 10, p. 133, 1949.—Czechoslovakia. Leptosphaeria cisticola da Camara in Agron. Lusit., 9, p. 93, 1947 on Cistus monspeliensis.—Portugal.

pterocelastri Doidge in Bothalia, 4, p. 859, 1948 on Pterocelastrus tricuspidatus.—South

Leucocoprinus licmophora (Rea) Locquin, this Index, i, p. 242. But see L. licmophorus (B. & Br.) Pat., 1913.

Lophionema apoclastosporum [as 'apoclastospora'] Solheim in Mycologia, 41, p. 624, 1949 on Salix.—Wyoming, U.S.A.

Lycoperdon echinellum (Pat.) Perdeck in Blumea, 6, p. 494, 1950. (Syn. Bovista echinella Pat.).

ericetorum Pers. var. oblongisporum (Berk. & Curt.) Perdeck in Blumea, 6, p. 496, 1950. (Syn. Lycoperdon oblongisporum Berk. & Curt.).

perlatum Pers. var. bonordeni (Massee) Perdeck in Blumea, 6, p. 505, 1950. (Syn. Lycoperdon bonordeni Massee).

Lyophyllum favrei Haller & Haller in Schweiz. Z. Pilzk. Bern, 28, 4, p. 52, 1950.—Switzer-

Macrophoma bignoniae da Camara in Agron. Lusit., 9, p. 99, 1947 on Bignonia (Tecoma) unguis-cati.—Portugal. Madurella grisea Mackinnon, Ferrada, &

Montemayor in Mycopathologia, 4, p. 389, 1949 on man [Homo sapiens].—South America.

Marssonina ochroleuca (Berk. & Curt. ex Peck) Lentz in *Mycologia*, **42**, p. 263, 1950. (Syn. *Septoria ochroleuca* Berk. & Curt. ex Peck).

- quercina (Wint.) Lentz in Mycologia, 42, p. 263, 1950. (Syn. Marsonia quercina Wint.). Massarinula lignorum L. E. Wehmeyer apud W. B. Cooke in *Mycologia*, **41**, p. 611, 1949 on *Acer glabrum*.—California, U.S.A.

Melanospora phaseoli Finn Roll-Hansen in Blyttia, 6, p. 73, 1948 on seeds of Phaseolus vulgaris.—Norway.

Meliola atalayae Doidge in Bothalia, 4, p. 846, 1948 on Atalaya natalensis.—South Africa.

hippocrateae Doidge in Bothalia, 4, p. 849, 1948 on Hippocratea schlechteri.-Africa.

hypoestis Hansf., this *Index*, i, p. 188, was published 30 Jan. 1947; *M. hypoëstes* E. Castellani (p. 210) on 24 May 1947.

- ichnocarpi Hansf. & Thirum., this Index, i, p. 243. But see M. ichnocarpi F. L. Stevens & Roldan, 1935.

ilicicola Hansf., 1949, this Index, i, p. 264. But see M. ilicicola Yamamoto, 1940 (p. 26). - knysnae Doidge in Bothalia, 4, p. 850, 1948 on Ilex mitis.—South Africa.

oncinotidis Doidge in Bothalia, 4, p. 851, 1948 on Oncinotis inandensis.—South Africa.

Microcyclus kentaniensis Doidge in Bothalia, 4, p. 837, 1948 on Asparagus plumosus.-South Africa.

Micromphale perforans (Hoffm. ex Fr.) Singer, this Index, i, p. 266. But see M. perforans (Hoffm.) S. F. Gray, 1821.

Mitrula lateritio-rosea Vacek in Studia bot. Čechoslov., 10, p. 135, 1949.—Czechoslovakia. Morenoina dracaenae Doidge in Bothalia, 4,

p. 874, 1948 on Dracaena hookeriana.-South Africa.

Mycena acuminata Métrod in Les Mycènes de Madagascar, p. 112, 1949.—Madagascar.

- acuta Métrod in Les Mycènes de Madagascar, p. 39, 1949.—Madagascar.

acutifera Métrod in Les Mycènes de Madagascar, p. 70, 1949.-Madagascar.

- agglutinatispora Métrod in Les Mycènes de Madagascar, p. 95, 1949.—Madagascar.

- albicans Métrod in Les Mycènes de Madagascar, p. 116, 1949.—Madagascar.

albolateritia Métrod in Les Mycènes de Madagascar, p. 50, 1949.—Madagascar.

- aquila Métrod in Les Mycènes de Madagascar, p. 73, 1949.—Madagascar.

aurantio-rubra Métrod in Les Mycènes de Madagascar, p. 88, 1949.—Madagascar.

baccatipes Métrod in Les Mycènes de Madagascar, p. 62, 1949.—Madagascar.

- bellula Métrod in Les Mycènes de Madagascar, p. 47, 1949.-Madagascar. brunneo-lilacea Métrod in Les Mycènes de

Madagascar, p. 82, 1949.—Madagascar. brunneo-rubra Métrod in Les Mycènes de

Madagasear, p. 51, 1949.—Madagasear. - bullata Métrod in Les Mycènes de Madagascar, p. 64, 1949.—Madagascar.

-chlorodora Métrod in Les Mycènes de Madagascar, p. 52, 1949.—Madagascar.

cineracea Métrod in Les Mycènes de Madagascar, p. 100, 1949.—Madagascar. cineracella Métrod in Les Mycènes de

Madagascar, p. 101, 1949.—Madagascar. coffearum Métrod in Les Mycènes de Mada-

gascar, p. 36, 1949.—Madagascar. crispatula Métrod in Les Mycènes de Mada-

gascar, p. 108, 1949.—Madagascar. curtipes Métrod in Les Mycènes de Madagascar, p. 107, 1949.—Madagascar.

decipiens (van Overeem) Métrod [? comb. nov.] in Les Mycènes de Madagascar, p. 85, 1949. (Syn. Poromycena decipiens Overeem).

depressa Métrod in Les Mycènes de Madagascar, p. 42, 1949.—Madagascar.

diluta Métrod in Les Mycènes de Mada-gascar, p. 36, 1949.—Madagascar. discobasis Métrod in Les Mycènes de

Madagascar, p. 22, 1949.—Madagascar. dissimulata Métrod in Les Mycènes de

Madagascar, p. 93, 1949.—Madagascar. exalbida Métrod in Les Mycènes de Madagascar, p. 114, 1949.—Madagascar. excedens Métrod in Les Mycènes de Mada-

gascar, p. 74, 1949.—Madagascar.

- excentralis Métrod in Les Mycènes de Madagascar, p. 105, 1949.—Madagascar. - excentrica Métrod in Les Mycènes de Mada-

gascar, p. 106, 1949.—Madagascar.

fallax A. H. Smith in Mycologia, 42, p. 113, 1950 on Rubus.—Oregon, U.S.A.

fissilis Métrod in Les Mycènes de Madagascar, p. 121, 1949.—Madagascar.

foliicola Métrod in Les Mycènes de Madagascar, p. 31, 1949.—Madagascar. foliorum Métrod in Les Mycènes de Mada-

gascar, p. 111, 1949.—Madagascar. frondaria Métrod in Les Mycènes de Mada-

gascar, p. 103, 1949.—Madagascar. gelatinosa Métrod in Les Mycènes de Mada-

gascar, p. 59, 1949.—Madagascar. glaucophylla Métrod in Les Mycènes de Madagascar, p. 37, 1949.—Madagascar. gregalis Métrod in Les Mycènes de Mada-

gascar, p. 46, 1949.—Madagascar. griseo-violacea Métrod in Les Mycènes de

Madagascar, p. 81, 1949.—Madagascar. - hamata Métrod in Les Mycènes de Madagascar, p. 45, 1949.—Madagascar.

hemispherico-papillata Métrod in Les Mycènes de Madagascar, p. 125, 1949.— Madagascar.

- horrida Métrod in Les Mycènes de Madagascar, p. 90, 1949.-Madagascar.

- incurvipes Métrod in Les Mycènes de Madagascar, p. 102, 1949.—Madagascar.

intervenosa Métrod in Les Mycènes de Madagascar, p. 49, 1949.—Madagascar.
- lanosipes Métrod in Les Mycènes de Mada-

gascar, p. 117, 1949.—Madagascar. · lanuginosipes Métrod in Les Mycènes de

Madagascar, p. 118, 1949.—Madagascar. - madecassensis (R. Heim) Métrod [? comb. nov.] in Les Mycènes de Madagascar, p. 84, 1949. (Syn. Phlebomycena madecassensis R.

- manipularis (Berkeley) Métrod [? comb. nov.] in Les Mycènes de Madagascar, p. 87, 1949. (Syn. Favolus manipularis Berk.).

- metata var. microspora Métrod in Les Mycènes de Madagascar, p. 34, 1949.—Mada-

murinacea Métrod in Les Mycènes de Madagascar, p. 48, 1949.—Madagascar. - myriophylla Métrod in Les Mycènes de

Madagascar, p. 97, 1949.—Madagascar. - nigropuncta Métrod in Les Mycènes de

Madagascar, p. 92, 1949.—Madagascar. nodosocystis Métrod in Les Mycènes de Madagascar, p. 53, 1949.—Madagascar. omnicola Métrod in Les Mycènes de Mada-

gascar, p. 44, 1949.—Madagascar. osmundicola Lange var. flava Métrod in

Les Mycènes de Madagascar, p. 30, 1949.-Madagascar. pilifera Métrod in Les Mycènes de Mada-

gascar, p. 68, 1949.—Madagascar.

pilosa Métrod in Les Mycènes de Madagascar, p. 122, 1949.—Madagascar.

piricystis Métrod in Les Mycènes de Madagascar, p. 124, 1949.—Madagascar. punctipes Métrod in Les Mycènes de Mada-

gascar, p. 77, 1949.—Madagascar. quadratipes Métrod in Les Mycènes de Madagascar, p. 25, 1949.—Madagascar.

rainierensis A. H. Smith in Mycologia, 42, p. 115, 1950.—Washington State, U.S.A. ramulicola Métrod in Les Mycènes de

Madagascar, p. 40, 1949.—Madagascar. - rorida (Fr.) Quél. var. lamprospora Corner in Mycologia, 42, p. 427, 1950.

Malaya. roseo-grisea Métrod in Les Mycènes de Madagascar, p. 76, 1949.—Madagascar.
- setigera Métrod in Les Mycènes de Mada-

gascar, p. 66, 1949.—Madagascar.

- setulipes Métrod in Les Mycènes de Mada. gascar, p. 67, 1949.—Madagascar.

sociabilis Métrod in Les Mycènes de Mada. gascar, p. 43, 1949.—Madagascar.

sphaerocystis Métrod in Les Mycènes de Madagascar, p. 96, 1949.—Madagascar, spinosa Métrod in Les Mycènes de Mada.

gascar, p. 24, 1949.—Madagascar. - splendida Métrod in Les Mycènes de Madagascar, p. 120, 1949.—Madagascar.

subalbida Métrod in Les Mycènes de Madagascar, p. 115, 1949.—Madagascar.
- subgracilis Métrod in Les Mycènes de

Madagascar, p. 109, 1949.—Madagascar.

- subtlipes Métrod in Les Mycènes de Madagascar, p. 32, 1949.—Madagascar, - subtlipes Métrod in Les Mycènes de Madagascar, p. 35, 1949.—Madagascar.

tenerella Métrod in Les Mycènes de Mada. gascar, p. 27, 1949.—Madagascar.

torquata Métrod in Les Mycènes de Madagascar, p. 26, 1949.—Madagascar. translucidipes Métrod in Les Mycènes de

Madagascar, p. 94, 1949.—Madagascar. - umbilicata Métrod in Les Mycènes de Madagascar, p. 41, 1949.—Madagascar.

umbrino-violacea Métrod in Les Mycènes de Madagascar, p. 80, 1949.—Madagascar.

villosa Métrod in Les Mycènes de Madagas. car, p. 113, 1949.—Madagascar. villosipes Métrod in Les Mycènes de Mada.

gascar, p. 72, 1949.—Madagascar. viscata Métrod in Les Mycènes de Madagascar, p. 60, 1949.—Madagascar.

Mycoderma cerevisiae Desm. var. alcoholica Ruiz Oronoz in An. Inst. Biol. Univ. Méx.,

20, p. 55, 1949 in tomato infusion.—Mexico, MYCOGLOEA Olive in *Mycologia*, 42, p. 385, 1950.—Tremellales.

carnosa Olive in Mycologia, 42, p. 385, 1950 on wood.—Louisiana, U.S.A.

Mycosphaerella aphyllanthis Bernaux in Rev. Path. Vég., 28, p. 144, 1949 on Aphyllanthes monspeliensis.—France.

plectranthi Doidge in Bothalia, 4, p. 862, 1948 on Plectranthus fruticosus.—South Africa.

Naematoloma myosotis (Fr.) A. H. Smith in Mycologia, 42, p. 323, 1950. (Syn. Agaricus myosotis Fr.).

Neopeckia caesalpiniae Doidge in Bothalia, 4, p. 857, 1948 on Caesalpinia sepiaria.— South Africa.

Nowakowskiella atkinsii Sparrow in J. Wash. Acad. Sci., 40, p. 52, 1950 from soil—Cuba. - crassa Karling in Bull. Torrey bot. Cl., 76, p. 294, 1949 from debris in water.—Maryland, U.S.A.

Oedocephalum lineatum Bakshi in Trans.

Brit. mycol. Soc., 33, p. 114, 1950 on wood.— Oidiopsis gossypii (Wakef.) Raychaudhuri in Trans. Brit. mycol. Soc., 32, p. 289, 1950.

(Syn. Ovulariopsis gossypii Wakef.). f. indica Raychaudhuri in Trans. Brit. mycol. Soc., 32, p. 289, 1950 on Gossypium barbadense.—India.

Omphalina isabellina A. H. Smith & Stuntz in Mycologia, 42, p. 117, 1950.—Washington State, U.S.A.

Ophiostoma narcissi Limber in Phyto-pathology, 40, p. 494, 1950 on Narcissus.— Holland.

Otidea alutacea var. microspora Kanouse in Mycologia, 41, p. 668, 1949.—California, U.S.A.

kauffmanii Kanouse in Mycologia, 41, p. 673, 1949.—Michigan, U.S.A.

rainierensis Kanouse in Mycologia, 41, p. 674, 1949.—Washington State, U.S.A.

Palawania halleriae (Dipp.) Doidge in Bothalia, 4, p. 871, 1948. (Syn. Byliana halleriae Dippenaar).

Pestalotia burchelliae Laughton in Bothalia, 4, p. 821, 1948 on Burchellia bubalina.

South Africa.

cassinis Laughton in Bothalia, 4, p. 822, 1948 on Cassine sphaerophylla.—South Africa. encephalartos Laughton in Bothalia, 4, p.

823, 1948 on Encephalartos villosus.—South Africa.

-laughtonae Doidge apud Laughton in Bothalia, 4, p. 824, 1948 on Cassine sphaerophylla.—South Africa. laurophylli Laughton in Bothalia, 4, p. 824,

1948 on Laurophyllus capensis. - South Africa. milletiae Laughton in Bothalia, 4, p. 825, 1948 on Milletia.—South Africa.

ocoteae Laughton in Bothalia, 4, p. 826, 1948 on Ocotea bullata.—South Africa.

- pelargonii Laughton in Bothalia, 4, p. 827, 1948 on Pelargonium cordatum.—South Africa.

- podocarpi Laughton in Bothalia, 4, p. 827, 1948 on Podocarpus latifolius.—South Africa. [But see P. podocarpi Dennis, 1934.]

pterocelastri Laughton in Bothalia, 4, p. 828, 1948 on Pterocelastrus tricuspidatus. South Africa.

- rapaneae Laughton in Bothalia, 4, p. 829, 1948 on Rapanea melanophleos. South Africa. [See also P. rapaneae Viégas 1946, this Index, i, p. 192.] - trichocladi Laughton in Bothalia, 4, p. 829,

1948 on Trichocladus crinitus.—South Africa. Pestalozzia quercicola Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 128, 1949 on Quercus coccifera.—France.

Pezicula pruinosa Farlow var. pruni Johansen in Dansk bot. Ark., 13, p. 21, 1949 on Prunus cerasifera.—Denmark.

- rostrupii Johansen in Dansk bot. Ark., 13, p. 9, 1949 on Fraxinus excelsior.—Denmark. stipitata Johansen in Dansk bot. Ark., 13, p. 7, 1949 on Acer pseudoplatanus.—Den-

Phaeophragmeriella ugandensis Hansford var. etoumbii C. & M. Moreau in Rev. de Mycologie, 14, Suppl. Col. No. 2, p. 63, 1949 on Meliola elaeis.—Congo.

Philocopra coprophila Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 41, 1948 on

dung.—Brazil.

Phleospora muhlenbergiae Sprague & Solheim apud Solheim in Mycologia, 41, p. 628, 1949 on Muhlenbergia arizonica.—Arizona, U.S.A.

Phlyctochytrium mucronatum Canter in Trans. Brit. mycol. Soc., 32, p. 240, 1950 on Closterium pritchardianum.—England.

Phlyctorhiza peltata Sparrow in J. Wash. Acad. Sci., 40, p. 50, 1950 on snakeskin in water.—Cuba.

Phoma psidii Ahmad, this Index, i, p. 267.

But see P. psidii P. Henn., 1908. - zizyphina Ahmad, this Index, i, p. 267. But see P. zizyphina Pat., 1931.

Phomopsis diospyri Bongini, this Index, i, p. 230. But see P. diospyri (Sacc.) Trav. & Spess, 1910; P. diospyri Grove, 1919; P. diospyri Zerova, 1940.

Phragmothyrites hibernica T. Johnson in Irish Nat. J., 9, p. 255, 1949 on fossil Fagus

deucalionis.—Eire.

Phyllachora eragrostidicola Doidge nom. nov. in Bothalia, 4, p. 865, 1948. (Syn. Phyllachora eragrostidis Doidge, 1942, [this Index, i, p. 70], non Viégas, 1944 [p. 123] nec Chardon, 1939).

- jacarandae Batista in Bol. Agric., Pernambuco, 16, p. 2, 1949 on Jacaranda.—Brazil.

Phyllactinia combreti Doidge in Bothalia, 4, p. 841, 1948 on Combretum zeyheri.—South Africa.

erythrinae Doidge in Bothalia, 4, p. 841, 1948 on Erythrina caffra.—South Africa.

evansii Doidge in *Bothalia*, 4, p. 842, 1948 on *Burkea africana*.—South Africa.

rhoina Doidge in Bothalia, 4, p. 842, 1948 on Rhus pyroides var. transvaalensis.—South Africa.

- sphenostylidis Doidge in Bothalia, 4, p. 843, 1948 on Sphenostylis angustifolia.— South Africa.

Phyllosticta alpinicola Solheim in Mycologia, **41,** p. 625, 1949 on Trifolium parryi.-Wyoming, U.S.A.

bougainvilleae da Camara in Agron. Lusit.,

9, p. 106, 1947 on *Bougainvillea*.—Portugal. crustosa Lee Bonar & W. B. Cooke apud Cooke in Mycologia, 41, p. 607, 1949 on Kelloggia galioidis.—California, U.S.A.

cycadis Ahmad, this Index, i, p. 267. But see P. cycadis da Camara & Gomes da Luz,

-ragnhildae Solheim in Mycologia, 41, p. 626, 1949 on Antennaria pulcherrima. Wyoming, U.S.A.

- smilacinae Solheim in Mycologia, 41, p. 627, 1949 on Smilacina amplexicaulis.-Colorado, U.S.A.

Physalospora sapii Doidge in Bothalia, 4, p. 862, 1948 on Sapium reticulatum.—South Africa.

Pleospora dyeri Doidge in Bothalia, 4, p. 863 1948 on Euphorbia triangularis.—South Africa.

echinophorae Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 122, 1949 on Echinophora spinosa.—France.

Plicaria muralis Sow. f. calceolata Neuwirth in Studia bot. Cechoslov., 10, p. 118, 1949. Czechoslovakia.

- succosa '(Berk.) non Rehm, Ricken, Vel.' var. obscuro-olivacea (Vacek) Vacek in Studia bot. Čechoslov., 10, p. 130, 1949. (Syn. Plicaria obscuro-olivacea Vacek).

tiliacea Vacek in Studia bot. Čechoslov., 10, p. 131, 1949 on Tilia.—Czechoslovakia.


Polyrhizon pterocelastri Doidge in Bothalia, 4, p. 871, 1948 on Pterocelastrus galpini. South Africa.

Poria atrorubens Baxter in Pap. Mich. Acad. Sci., 34, p. 42, 1948 on log of Liquidambar styraciflua.—Arkansas, U.S.A.

- crustulina var. xerophytica Baxter in Pap. Mich. Acad. Sci., 33, p. 11, 1947 on Torreya californica.—California, U.S.A.

quercuum Baxter in Pap. Mich Acad. Sci., 33, p. 10, 1947 on Quercus stellata.—Missouri,

Protothyrium tricalysiae Doidge in Bothalia,



4, p. 868, 1948 on Tricalysia lanceolata.— South Africa.

Psalliota aestivalis Møller in Friesia, 4, p. 50, 1949-50.—Denmark.

var. flavotacta Møller in Friesia, 4, p. 51, 1949-50.—Denmark.

altipes Møller in Friesia, 4, p. 46, 1949-50. —Denmark.

campestris (L.) Fr. var. equestris Møller in Friesia, 4, p. 57, 1949–50.—Denmark.

- var. floccipes Møller in Friesia, 4, p. 57, 1949-50.—Denmark.

var. fusco-pilosella Møller in Friesia, 4, p. 58, 1949-50.—Denmark. var. isabellina Møller in Friesia, 4,

p. 60, 1949-50.—Denmark. f. substerilis Møller in Friesia, 4, p. 56,

1949-50.—Denmark. - cupreo-brunnea (Schaff. & Steer) Møller in

Friesia, 4, p. 54, 1949–50. (Syn. Psalliota campestris var. cupreo-brunnea Schaff. &

decorata Møller in Friesia, 4, p. 48, 1949-50.—Denmark.

depauperata Møller in Friesia, 4, p. 24, 1949-50.—Denmark. edulis (Vitt.) Buchw. var. valida Møller in

Friesia, 4, p. 14, 1949-50.—Denmark. fusco-fibrillosa Møller in Friesia, 4, p. 27,

1949-50.—Denmark.

ingrata Møller in Friesia, 4, p. 17, 1949-50. -Denmark.

langei Møller nom. nov. in Friesia, 4, p. 28, 1949-50. (Syn. Psalliota haemorrhoidaria (Kalchbr. & Schulz.) Fr. sensu Lange).

lanipes Møll. & Schaff. var. verecunda Møller in Friesia, 4, p. 26, 1949-50.—Denmark.

livido-nitida Møller in Friesia, 4, p. 51, 1949-50.—Denmark.

mediofusca Møller in Friesia, 4, p. 30, 1949-50.—Denmark.

porphyrea Møller in Friesia, 4, p. 53, 1949-50.—Denmark.

- silvatica (Schaeff.) Fr. var. fuscosquamata Møller in Friesia, 4, p. 39, 1949-50.—Denmark.

var. pallida Møller in Friesia, 4, p. 38, 1949-50.—Denmark.

var. saturata Møller in Friesia, 4, p. 38, -1949-50.—Denmark.

- spissa Møller in *Friesia*, 4, p. 43, 1949–50.

Denmark. squamulifera Møller in Friesia, 4, p. 21,

1949-50.—Denmark. variegata Møller in Friesia, 4, p. 31, 1949-50.—Denmark.

Psathyrella alboalutacea Smith in Mycologia, 42, p. 118, 1950 on dead Alnus.—Washington State, U.S.A.

camptopoda (Peck) A. H. Smith in Mycologia, 42, p. 127, 1950. (Syn. Agaricus

camptopus Peck). candidissima A. H. Smith in Mycologia, 42, 122, 1950.—Washington

U.S.A. caput-medusae (Fr.) A. H. Smith & Stuntz in Mycologia, 42, p. 123, 1950. (Syn. Agaricus caput-medusae Fries).

- naucoria A. H. Smith in Mycologia, 42,

p. 126, 1950.—Washington State, U.S.A. - rubicola A. H. Smith in Mycologia, 42, 127, 1950 on dead Rubus.—Washington State, U.S.A.

subalpina A. H. Smith & Stuntz in Myco-

logia, 42, p. 130, 1950.—Washington State,

subtenacipes A. H. Smith in Mycologia, 42, p. 132, 1950.—Washington State, U.S.A. Pseudotrichia mutabilis (Pers.) Wehm. in 'Fungi of Maritime Provinces', p. 35, 1950. (Syn. Sphaeria mutabilis Pers.).

Psilopezia rivicola Vacek in Studia bot. Čechoslov., 10, p. 129, 1949 on Prunus spinosa,

Czechoslovakia.

PTEROSPORA Métrod in Les Mycènes de Madagascar, p. 129, 1949.—Agaricaceae. atrocyanea Métrod in Les Mycènes de Madagascar, p. 129, 1949.—Madagascar.

Puccinia aframomi Hansford apud Wakef. & Hansf. in Proc. Linn. Soc. Lond., 161, p. 176, 1949 on Aframomum.—Uganda. - canaliculata (Schw.) Lagerh. var. tenuis

Doidge in Bothalia, 4, p. 900, 1948 on Cyperus esculentus.—South Africa. dummeri Wakef. apud Wakef. & Hansford

in Proc. Linn. Soc. Lond., 161, p. 178, 1949 on Echinops amplexicaulis.—Uganda. elgonensis Wakef. apud Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 178, 1949

on Setaria orthosticha.—Uganda. hansfordii Wakef. apud Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 180, 1949 on

Vernonia.—Uganda. kakamariensis Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 181, 1949 on Sporobolus.—Uganda.

kigeziensis Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 182, 1949 on Setaria sphacelata.—Uganda.

loudetiae Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 183, 1949 on Loudetia phragmitoides.—Uganda.

rivalis Gäum. nom. nov. in Phytopath. Z., 12, p. 231, 1940. (Syn. P. asperulae-aparines Gäum., non Pichauer).

- setariae-longisetae Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 186, 1949 on Setaria longiseta.—Uganda.

tetragoniae McAlp. var. austro-africana Doidge in Bothalia, 4, p. 904, 1948 on Tetragonia expansa.—South Africa.

Ramularia claytoniae W. B. Cooke in Myco. logia, 41, p. 604, 1949 on Claytonia siberica. California, U.S.A.

deusta (Fckl.) Baker, Snyder, & Davis in Mycologia, 42, p. 416, 1950. (Syn. Scolicotrichum deustum Fuckel).

pentstemonis W. B. Cooke in Mycologia, 41, p. 604, 1949 on Pentstemon shastensis. California, U.S.A. RETICULOMYXA Nauss in Bull. Torrey bot.

Cl., 76, p. 161, 1949.— Myxomycetes.
filosa Nauss in Bull. Torrey bot. Cl., 76, p. 162, 1949 from decaying leaves.—New York

City, U.S.A. Rhabdospora arctii J. Politis, this Index, i, p. 269. But see R. arctii Kauffman ap.

Dearness, 1936. geminata da Camara in Agron. Lusit., 9, p. 116, 1947 on Fraxinus.—Portugal.

Rhizidium elongatum Karling in Amer. J. Bot., 36, p. 683, 1949 on chitonous substrata. -Maryland, U.S.A.

varians Karling in Amer. J. Bot., 36, p. 681, 1949 on cellulosic substrata.—Maryland, U.S.A.

- windermerense Canter in Ann. Bot., N.S.,

14, p. 268, 1950 on Gemellicystis neglecta.— England.

Rhizophidium anomalum Canter in New Phytol., 49, p. 102, 1950 on Apiocystis brauniana.-England.

- ephippium Canter in Ann. Bot., N.S., 14, p. 273, 1950 on Stylosphaeridium stipitatum.

England.

fragilariae Canter in Ann. Bot., N.S., 14, p. 275, 1950 on Fragilaria crotonensis. England.

sphaerocystidis Canter in Ann. Bot., N.S., 14, p. 280, 1950 on Sphaerocystis schroeteri. England.

Russula fragilissima Heim in Boissiera, Supplément de Candollea, Fasc. 7, p. 277, 1943.

- French Guinea.

Saccobolus exiguus Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 33, 1948 on dung. -Brazil.

*SALIASTRUM Kujala in Memor. Soc. Fauna Flor. fenn., 22, p. 137, 1946.-Melanconiales.

myrtilli (Allesch.) Kujala in Memor. Soc. Fauna Flor. fenn., 22, p. 137, 1946. (Syn. Gloeosporium myrtilli Allesch.).

Saprolegnia uliginosa Johannes in Arch. Mikrobiol., 14, p. 596, 1950 in water .-Germany.

Sclerospora iseilematis Thirumalachar & Narasimhan in Indian Phytopathology, p. 49, 1949 on *Iseilema laxum.*—India. Scopella aulica (Syd.) Thirum. & Mundkur

apud Cummins in Bull. Torrey bot. Cl., 77, p. 208, 1950. (Syn. Uromyces aulicus Syd.). gentilis (Syd.) Thirum. & Mundkur apud Cummins in Bull. Torrey bot. Cl., 77, p. 206,

1950. (Syn. Uromyces gentilis Syd.). kevorkianii Cummins in Bull. Torrey bot.

Cl., 77, p. 206, 1950 on Mimusops albescens. -Cuba.

- mimusops (Cooke) Cummins in Bull. Torrey bot. Cl., 77, p. 209, 1950. (Syn. Uromyces mimisops Cooke).

palaquii Cummins in Bull. Torrey bot. Cl., 77, p. 211, 1950 on Palaquium sp.—Brazil.

payenae (Racib.) Cummins in Bull. Torrey bot. Cl., 77, p. 210, 1950. (Syn. Uromyces payenae Racib.).

*Septobasidium aleuritidis Heim & Bouriquet in Rev. Path. Vég., 27, p. 8, 1948 on Aleurites fordii.—Madagascar.

Septogloeum nerii Bernaux in Rev. Path. Vég., 28, p. 147, 1949 on Nerium oleander.—

France.

Septoria anaxeoides Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 131, 1949 on Prunus cerasus.-France.

-cirsiicola Kuhnholtz-Lordat & Barry in Bull. Soc. mycol. Fr., 65, p. 130, 1949 on

Cirsium arvense.—France.

-ieguminum Desm. f. brachyspora da Camara in Agron. Lusit., 9, p. 117, 1947 on Pisum sativum.—Portugal.

polygoni Sousa da Camara in Agron. Lusit., 9, p. 118, 1947 on Polygonum persicaria.-Portugal.

Septotinia populiperda Waterman & Cash in Mycologia, 42, p. 377, 1950 on Populus. Eastern U.S.A

Septotis populiperda (Moesz & Smarods) Waterman & Cash in Mycologia, 42, p. 377, 1950. (Syn. Septogloeum populiperdum Moesz & Smarods).

Serpula incrassata (Berk. & Curt.) Donk in Bull. Bot. Gard. Buitenzorg, Ser. III, 17, p. 474, 1948. (Syn. Merulius incrassatus Berk. & Curt.).

Sordaria longispora Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 39, 1948 on dung. -Brazil.

- occidentalis Batista & Pontual in Bol. Agric., Pernambuco, 15, p. 38, 1948 on dung. -Brazil.

Sphaerosoma violaceum Svrček in Studia bot. Čechoslov., 10, p. 155, 1949.—Czechoslovakia.

SPORIDIOBOLUS Nyland in Mucologia, 41, p. 686, 1949.—Heterobasidiomycetes.

johnsonii Nyland in Mycologia, 41, p. 687, 1949 on Phragmidium rubi-idaei.-Washington State, U.S.A.

Sporoschisma saccardoi Mason & Hughes apud Hughes in Mycol. Pap. C.M.I., 31, p. 20, 1949 on dead willow.—Italy.

*Syncephalastrum racemosum Schroter var. paucisporum Moreau in Bull. Soc. mycol. Fr., 65, p. 146, 1949 from dead Cinchona.-Madagascar.

Synchytrium phaseoli Patel, Kulkarni, & Dhande, this Index, i, p. 269. But see S.

phaseoli Weston, 1930.

Tapesia badia Vacek in Studia bot. Čechoslov., 10, p. 134, 1949 on dead Rubus.—Czechoslovakia.

Tolyposporium paspali Langdon in Pap. Dep. Biol. Univ. Qd., 2, p. 4, 1948 on Paspalum distichum.—Queensland, Australia.

Torrubiella arachnophila (Johnston) Mains in Mycologia, 42, p. 316, 1950. (Syn. Cordyceps arachnophila Johnston).

var. pleiopus Mains in Mycologia, 42, p. 318, 1950 on spiders.—U.S.A.

---- var. pulchra Mains in Mycologia, 42, p. 316, 1950 on spiders.—U.S.A.

Trichosporon pullulans (Lindner) Verona & Poli in Riv. ital. Igiene, 9, p. 10, 1949. (Syn. Oidium pullulans Lindner).

- sericeum (Stautz) Verona & Poli in Riv. ital. Igiene, 9, p. 10, 1949. (Syn. Oospora sericea Stautz).

Trichothecium flagrans Duddington in Trans. Brit. mycol. Soc., 32, p. 287, 1950 on nematodes.—England.

Tritirachium heimii (Saccas) Langeron in Rev. de Mycologie, 14, p. 135, 1949. (Syn. Beauveria heimii Saccas).

Uncinula combreticola Doidge in Bothalia, 4, p. 844, 1948 on Combretum zeyheri.—South Africa.

- eylesii Doidge in *Bothalia*, 4, p. 844, 1948 on *Acalypha ciliata*.—Southern Rhodesia.

Uraecium argomullerae Wakef. apud Wakef. & Hansford in Proc. Linn. Soc. Lond... 161, p. 192, 1949 on Argomullera macrophylla.--- Uganda.

Uredo carissae Thirumalachar in Mycologia, 42, p. 230, 1950 on Carissa.—India.

dombeyae Doidge in Bothalia, 4, p. 907, 1948 on Dombeya natalensis.—South Africa. ehrhartae-calycinae Doidge in Bothalia, 4, p. 907, 1948 on Ehrharta calycina.—South

- tesoensis Wakef. apud Wakef. & Hansford

in Proc. Linn. Soc. Lond., 161, p. 194, 1949 on Kyllinga.—Uganda.

Urocystis gladiolicola Ainsworth in Trans. Brit. mycol. Soc., 32, p. 257, 1950 on Gladiolus. —England.

Uromyces alysicarpi Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 169, 1949 on Alysicarpus glumaceus.—Uganda.

 cassiae-mimosoidis (Doidge) Doidge in Bothalia, 4, p. 908, 1948. (Syn. Uredo cassiae-mimosoidis Doidge).

Cluytiae Kalchbr. & Cooke var. minor
 Wakef. apud Wakef. & Hansf. in Proc. Linn.
 Soc. Lond., 161, p. 170, 1949 on Cluytia richardiana.
 — dactyloctenii Wakef. & Hansford in Proc.

Linn. Soc. Lond., 161, p. 170, 1949 on Dacty-loctenium agaratium.—Uganda

loctenium aegyptium.—Uganda. — dieramatis Doidge in Bothalia, 4, p. 929, 1948 on Dierama pendulum.—South Africa.

— ferrariae Doidge in Bothalia, 4, p. 931, 1948 on Ferraria.—South Africa.

krantzbergensis Doidge in Bothalia, 4,
p. 909, 1949 on Liliaceae.—South Africa.
leptochloae Wakef. apud Wakef. & Hansf.

in Proc. Linn. Soc. Lond., 161, p. 172, 1949 on Leptochloa obusiflora.—Uganda.

notabilis Wakef. apud Wakef. & Hansf. in Proc. Linn. Soc. Lond., 161, p. 173, 1949 on Kyllinga.—Uganda.
ocimi Hansford apud Wakef. & Hansf. in

Proc. Linn. Soc. Lond., 161, p. 173, 1949 on Ocimum menthaefolium.—Uganda.

orthosiphonis Ramakrishnan & Srinivasan in Curr. Sci., 19, p. 26, 1950 on Orthosiphon glabratus.—Coimbatore, India.

— tragi Wakef. & Hansford in Proc. Linn. Soc. Lond., 161, p. 175, 1949 on Tragus berteron.— Uganda.

 triandrae Ramakrishnan & Srinivasan in Curr. Sci., 19, p. 26, 1950 on Themeda triandra.—India.
 Uropyxis gerstneri Doidge in Bothalia, 4,

p. 916, 1948 on Annonaceae.—South Africa.

steudneri (Magn.) Magn. var. rhodesica
Doidge in Bothalia, 4, p. 917, 1948 on Ormocarpum trichocarpum.—Southern Rhodesia.

Valsaria batesii Doidge in Bothalia, 4, p. 866, 1948 on Cinnamomum camphora.—Southern Rhodesia.

Verticillium lateritium (Fr.) Rabenh. var. minimum (Sartory, Sartory, & Meyer) Valenta in Studia bot. Čech., 9, p. 170, 1948. (Syn. Acrostalagmus cinnabarinus var. minimus Sart., Sart., & Meyer).

Zygorhizidium melosirae Canter in Ann. Bot., N.S., 14, p. 283, 1950 on Melosira italica.— England.

parvum Canter in Ann. Bot., N.S., 14,
 p. 287, 1950 on Sphaerocystis schroeteri.
 England.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, and Fungi see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE
Barleria crassa
Aecidium barleriae
ACERACEAE
Acer glabrum

Cryptosporella acerina
Massarinula lignorum

Acer macrophyllum
Itersonilia pyriformis
Acer opalus

Cylindrosporium aceris Acer pseudoplatanus Crepidotus acerinus

Pezicula stipitata
AIZOACEAE

Tetragonia expansa
Puccinia tetragoniae var. austro-africana

Apiocystis brauniana
Rhizophidium anomalum
Closterium pritchardianum

Phlyctochytrium mucronatum
Fragilaria crotonensis
Rhizophidium fragilariae

Gemellicystis neglecta Rhizidium windermerense Gloiopeltis furcata

Guignardia gloiopeltidis Melosira italica Zygorhizidium melosirae

Netrium digitus

Aphanomycopsis desmidiella
Sphaerocystis schroeteri

Rhizophidiúm sphaerocystidis Zygorhizidium parvum Algae (continued)

Stylosphaeridium stipitatum Rhizophidium ephippium

AMARANTACEAE

Gomphrena decumbens var. genuina Cercospora pretoriensis

AMARYLLIDACEAE Narcissus

Ophiostoma narcissi Anacardiaceae

Laurophyllus capensis

Pestalotia laurophylli

Rhus pyroides yan transverses

Rhus pyroides var. transvaalensis Phyllactinia rhoina

Annonaceae Uropyxis gerstneri

APOCYNACEAE
Carissa sp.

Uredo carissae Carissa bispinosa Erikssonia carissae

Nerium oleander Septogloeum nerii Oncinotis inandensis

Meliola oncinotidis Strophanthus courmontii

Hemileia smallii
AQUIFOLIACEAE

Ilex mitis
Meliola knysnae

Asclepiadaceae Pachycarpus schinzianus Cercospora pachycarpi

Secamone Hemileia secamones BETULACEAE

Alnus Psathyrella alboalutacea

BIGNONIACEAE

Bignonia (Tecoma) unguis-cati Macrophoma bignoniae

Jacaranda Phyllachora jacarandae

BORAGINACEAE

Heliotropium indicum

Endophyllum heliotropii Heliotropium nelsoni

Aecidium heliotropicola

BRYOPHYTA

Barbilophozia barbata Gorgoniceps barbilophoziae

CALYCANTHACEAE

Chimonanthus fragrans
Coniothyrium chimonanthi

Capparidaceae Capparis citrifolia

Bulgariastrum bullatum

CELASTRACEAE

Cassine sphaerophylla Pestalotia cassinis

Pestalotia laughtonae Gymnosporia procumbens

Bulliardella capensis
Pterocelastrus galpini

Polyrhizon pterocelastri Pterocelastrus tricuspidatus Leptosphaeria pterocelastri Pestalotia pterocelastri

CISTACEAE

Cistus monspeliensis *Leptosphaeria cisticola* Cistus salviifolius

Cylindrosporium salviifolii

Combretaceae Combretum zeyheri

Phyllactinia combreti Uncinula combreticola

COMPOSITAE

Antennaria pulcherrima Phyllosticta ragnhildae

Cirsium arvense Septoria cirsiicola

Crassocephalum crepidioides

Aecidium crassocephali Echinops amplexicaulis Puccinia dummeri

Nestlera conferta Aecidium nestlerae

Pentzia globosa Aecidium pentziae-globosae

Ratibida tagetes
Anthostomella ratibidae

Vernonia Puccinia hansfordii

Coniferate

Juniperus communis *Crepidotus velenovskyi* Podocarpus latifolius

Pestalotia podocarpi
Torreya californica

Poria crustulina var. xerophytica Convolvulaceae

Astrochlaena
Aecidium astrochlaenae

Aecidium astrochlaenae Cornaceae

Cornus florida Elsinoë corni Cornus stolonifera

Cylindrosporium corni

CORNACEAE (continued) Curtisia faginea

Curtisia laginea Cercospora curtisiae Echidnodes curtisiae

CYCADACEAE

Encephalartos villosus Pestalotia encephalartos

CYPERACEAE

Cyperus esculentus

Puccinia canaliculata var. tenuis

Kyllinga Uredo tesoensis

Uredo tesoensis Uromyces notabilis

DIPSACACEAE

Cephalaria leucantha
Didymosphaeria cephalariae

EUPHORBIACEAE

Acalypha ciliata Uncinula eylesii

Aleurites fordii

Septobasidium aleuritidis

Argomullera macrophylla Uraecium argomullerae

Cluytia richardiana

Uromyces cluytiae var. minor

Euphorbia triangularis
Pleospora dyeri

Jatropha zeyheri Erysiphe jatrophae Sapium reticulatum

Physalospora sapii

FAGACEAE

Fagus deucalionis

Phragmothyrites hibernica
Quercus coccifera

Quercus coccifera
Pestalozzia quercicola

Quercus stellata

Poria quercuum

FLACOURTIACEAE

Dovyalis zeyheri

Cercospora covyalidis
Fungi

Achlya

Lagenidium destruens

Meliola elaeis

Phaeophragmeriella ugandensis var. etoumbii

Phragmidium rubi-idaei Sporidiobolus johnsonii

GERANIACEAE

Pelargonium cordatum Pestalotia pelargonii

GNETACEAE

Ephedra distachya

Herpotrichia ephedrae Gramineae

Brachiaria

Diorchidium brachiariae

Dactyloctenium aegyptium Uromyces dactyloctenii

Ehrharta calycina

Uredo ehrhartae-calycinae

Eremochloa bimaculata

Cintractia eremochloae Iseilema laxum

Sclerospora iseilematis

Leptochloa obtusifiora

Uromyces leptochloae

Loudetia phragmitoides

Puccinia loudetiae

GRAMINEAE (continued) Melica ciliata Didymosphaeria verdoni Muhlenbergia arizonica Phleospora muhlenbergiae Paspalum distichum Tolyposporium paspali Setaria longiseta Puccinia setariae-longisetae Setaria orthosticha Puccinia elgonensis Setaria sphacelata Puccinia kigeziensis Sporobolus Puccinia kakamariensis Themeda triandra Uromyces triandrae Trachypogon plumosus Balansia trachypogonis Tragus berteron $Uromyces\ tragi$

HAMAMELIDACEAE Liquidambar styraciflua Poria atrorubens Trichocladus crinitus Pestalotia trichocladi HIPPOCRATACEAE Hippocratea schlechteri Meliola hippocrateae Salacia gerrardi Anthostomella salaciae

INSECTA

Aphodius howitti $Cordyceps\ aphodii$ Erthesina fullo Hirsutella nutans Lepidosaphes beckii Hirsutella besseyi Meimuna opalifera Cordyceps sinclairii INVERTEBRATA (other than Insecta) Nematodes Dactylaria eudermata Dactylaria haptotyla

Dactylaria sclerohypha Dactylella aphrobrocha Dactylella cionopaga Dactylella reticulata Dactylella stenobrocha Trichothecium flagrans Phyllocoptruta oleivora Hirsutella thompsonii Spiders

Torrubiella arachnophila var. pleiopus Torrubiella arachnophila var. pulchra IRIDACEAE

Dierama pendulum Uromyces dieramatis Ferraria Uromyces ferrariae Gladiolus Urocystis gladiolicola Iris spuria subsp. maritima Colletotrichum iridis

JUGLANDACEAE Carya pecan Cercospora caryae

LABIATAE Geniosporium paludosum Aecidium geniosporii

LABIATAE (continued) Ocimum menthaefolium Uromyces ocimi Orthosiphon glabratus Uromyces orthosiphonis Plectranthus fructicosus Mycosphaerella plectranthi LAURACEAE Cinnamomum camphora Valsaria batesii Ocotea bullata Pestalotia ocoteae LEGUMINOSAE Acacia Aecidium spinicola Alysicarpus glumaceus Uromyces alysicarpi Argyrolobium wilmsii Čercospora argyrolobii Brachystegia randii Erysiphe brachystegiae Burkea africana Phyllactinia evansii Caesalpinia sepiaria Neopeckia caesalpiniae Crotalaria anagyroides Calonectria theae var. crotalariae Derris elliptica Colletotrichum derridis (twice) Derris benthamii $Hapalophragmium\ mysorense$ Erythrina caffra Phyllactinia erythrinae Lathyrus latifolius Hendersonia lathyri-latifolii Lonchocarpus utilis Cephalosporium deformans Milletia Pestalotia milletiae Ormocarpum trichocarpum Uropyxis steudneri var. rhodesica Phaseolus vulgaris Melanospora phaseoli Pisum sativum Septoria leguminum f. brachyspora Sphenostylis angustifolia Phyllactinia sphenostylidis Tephrosia vogelii Calonectria theae var. crotalariae Trifolium parryi Phyllosticta alpinicola LILIACEAE Uromyces krantzbergensis Aphyllanthes monspeliensis $My cosphaerella\ aphyllanthis$ Asparagus plumosus Microcyclus kentaniensis Asphodelus cerasifer $\hat{C}ylindrosporium~asphodeli$ Dipcadi viridis Aecidium dipcadi-viridis Dracaena hookeriana Morenoina dracaenae

Smilacina amplexicaulis Phyllosticta smilacinae

MAGNOLIACEAE

Magnolia Cornularia magnoliae MALVACEAE Gossypium barbadense Oidiopsis gossypii f. indica MELASTOMACEAE Dissotis incana Cercospora dissotidis

MYRTACEAE Eugenia natalitia Echidnodes transvaalensis Eugenia zuluensis Ďidymella zuluensis

NYCTAGINACEAE Bougainvillea Phyllosticta bougainvilleae

OLEACEAE Fraxinus Rhabdospora geminata Fraxinus excelsior Pezicula rostrupii Olea europea Candida olea Candida parapsilosis var. intermedia

Phoenix dactylifera Anthostomella capensis POLYGONACEAE Polygonum persicaria

Septoria polygoni PORTULACACEAE Claytonia siberica Ramularia claytoniae PRIMULACEAE Lysimachia terrestris

Cladosporium lysimachiae PROTEACEAE

Faurea speciosa Cercospora faureae Grevillea robusta Amphichaeta grevilleae

RHAMNACEAE Colletia cruciata Hendersonia coletiae Rhamnus princides Endophyllum (?) striatosporum ROSACEÁE

Alchemilla vulgaris Diplodina alchemillae Fragaria ovalis Kabatia fragariae Prunus cerasifera Pezicula pruinosa var. pruni

Prunus cerasus

Septoria anaxeoides Prunus spinosa Psilopezia rivicola Rubus

Mycena fallax Psathyrella rubicola Tapesia badia

RUBIACEAE Burchellia bubalina Pestalotia burchelliae Kelloggia galioidis $Phyllosticta\ crustosa$ Psychotria capensis Cercospora psychotriaecola RUBIACEAE (continued) Tricalysia lanceolata Protothyrium tricalysiae

SALICACEAE Populus Septotinia populiperda Populus angustifolia Cylindrosporium saximontanense Lophionema apoclastospora SAPINDACEAE

Atalaya natalensis Meliola atalayae SAPOTACEAE Mimusops albescens
Scopella kevorkianii Palaquium

Scopella palaquii SCROPHULARIACEAE Halleria lucida Cercospora halleriae

Pentstemon menziesii var. davidsonii

Dimerium alpinum Pentstemon shastensis Ramularia pentstemonis Scoparia dulcis Aecidium scopariae SOLANACEAE Solanum melongena

Cercospora solani-melongenae STERCULIACEAE Dombeya natalensis Uredo dombeyae

THEACEAE Camellia theae Calonectria theae TILIACEAE Tilia Plicaria tiliacea Tilia europaea Crepidotus hibernianus

Umbelliferae Apium (Helosciadium) nodiflorum Gloeosporium helosciadii Echinophora spinosa
Pleospora echinophorae

VERBENACEAE Lippia citriodora . Hendersonia lippiae var. macrospora Tectona grandis Chaconia tectonae VERTEBRATA Homo sapiens Acremoniella lutzi Madurella grisea

ZINGIBERACEAE Aframomum Puccinia aframomi

The Editor again gratefully acknowledges the assistance of Dr. R. W. G. Dennis, Dr. J. A. Stevenson, and Miss Edith Cash for supplying details of certain citations.

PRINTED IN GREAT BRITAIN AT THE UNIVERSITY PRESS OXFORD BY CHARLES BATEY
PRINTER TO THE UNIVERSITY



Banda B Mari Bend $B \odot^{\delta^{\frac{1}{2}}}$ Braff Bust Bust Casal) Gual) $G_{\mathbb{R}^{2n}_{i}}^{\mathbb{R}^{2n}_{i}}$ CENT. C. C. C.

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. II

PART 2

1951

Achyla tuberculata Ziegler in Mycologia, 42, 658, 1950 from swamp water.—Florida, p. 658 U.S.A.

Acrocladium fragile Petrak in Sydowia, 4, p. 568, 1950 on Cavendishia compacta.—

*ACTINOPLANES Couch in J. Elisha Mitchell sci. Soc., 66, p. 89, 1950 .- Actino-

*_ philippinensis Couch in J. Elisha Mitchell sci. Soc., 66, p. 89, 1950 in soil.—Philippine

Akanthomyces ampullifera (Petch) Mains

in Mycologia, 42, p. 573, 1950. (Syn. Hymenostilbe ampullifera Petch).

angustispora Mains in Mycologia, 42, p. 573, 1950 from coleopterous larva.—
Tennessee, U.S.A.

- aranearum (Petch) Mains in Mycologia, 42, p. 574, 1950. (Syn. Hymenostilbe aranearum Petch).

ALLONECTELLA Petrak in Sydowia, 4,

p. 345, 1950.—Sphaeriales. - rubescens Petrak in Sydowia, 4, p. 345, 1950 on Phyllachora.—Ecuador.

Alnicola devia Singer in Sydowia, 4, p. 150, 1950.—Argentina.

diplocystis Singer in Sydowia, 4, p. 151. 1950.—Argentina.

Amauroderma pullatum (Berk.) Cunning-ham in Proc. Linn. Soc. N.S.W., 75, p. 238, 1950. (Syn. Polyporus pullatus Berk.).

- rude (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 239, 1950. (Syn. Polyporus rudis Berk.).

rugosum (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 240, 1950. (Syn. Poly-

porus rugosus Fr.)

Aphanomyces apophysii Lacy in *Indian Phytopathology*, **2**, p. 136, 1949 [1950] on *Spirogyra* sp.—India. Aphanopeltis andina Petrak in Sydowia, 4,

p. 452, 1950 on Vismia.—Ecuador. APHELARIA Corner, A Monograph of

Clavaria and Allied Genera, p. 690, 1950.— Clavariaceae. Type A. dendroides.— aurantiaca (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 181,

1950. (Syn. Pterula aurantiaca P. Henn.). - brunneola (B. & C.) Corner, A Monograph of Clavaria and Allied Genera, p. 181, 1950. (Syn. Clavaria brunneola B. & C.).

-deflectens (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 182, 1950. (Syn. Lachnocladium deflectens Bres.).

- dendroides (Jungh.) Corner, A Monograph of Clavaria and Allied Genera, p. 182, 1950. (Syn. Clavaria dendroides Jungh.).

- flabellata (Wakef.) Corner, A Monograph of Clavaria and Allied Genera, p. 186, 1950. (Syn. Clavaria flabellata Wakef.).

- incarnata Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950 on the

ground.—Singapore.
- pusio (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 188, 1950. (Syn. Clavaria pusio Berk.).

spiculosa Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950 on the ground. -Malaya, Ins. Philippine.

tasmanica (Lloyd) Corner, A Monograph of Clavaria and Allied Genera, p. 191, 1950. (Syn. Pterula tasmanica Lloyd)

trachodes (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 191, 1950. (Syn. Thelephora trachodes Berk.).

tropica (Mont.) Corner, A Monograph of Clavaria and Allied Genera, p. 191, 1950. (Syn. Pterula tropica Mont.).

tuberosa (Grev.) Corner, A Monograph of Clavaria and Allied Genera, p. 192, 1950. (Syn. Merisma tuberosum Grev.).

ARAEOCORYNE Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950. Clavariaceae.

elegans Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950 on dead leaves and twigs.-Malaya.

Ascochyta brachypodii (Syd.) Sprague & Johnson in Mycologia, 42, p. 537, 1950. (Syn. Diplodina brachypodii Syd.).

graminea (Sacc.) Sprague & Johnson in Mycologia, 42, p. 539, 1950. (Syn. Diplodia graminea Sacc.).

missouriensis Sprague & Johnson in Mycologia, 42, p. 547, 1950 on Panicum virgatum.—N. Dakota, U.S.A.
- santali Thirumalachar & Narasimhan in

Sydowia, 4, p. 72, 1950 on Santalum album.

subalpina Sprague & Johnson in Mycologia, 42, p. 541, 1950 on dead Distichlis stricta. Montana, U.S.A.

Ascochytella davatchii Esfandiari in Sydowia, 4, p. 23, 1950 on Capparis spinosa.—Ĭran. Ascomycetella symploci T. S. & K. Rama-

krishnan in Proc. Îndian Acad. Sci., Sect. B, 32, p. 69, 1950 on Symplocos spicata.— Madras.

Asterina centroniae Petrak in Sydowia, 4, p. 454, 1950 on Centronia excelsa.—Ecuador. grisea Petrak in Sydowia, 4, p. 455, 1950 on Solanum.—Ecuador.

Asterinella puyana Petrak in Sydowia, 4, p. 458, 1950 on leaves of ? Euphorbiaceae.— Ecuador.

Asteromella ambiens (Syd.) Petrak in Sydowia, 4, p. 25, 1950. (Syn. Phoma ambiens Syd.).

artemisiae Müller in Sydowia, 4, p. 288, 1950 in culture from Leptosphaeria artemisiae. Switzerland.

Asterostomula patula Petrak in Sydowia, 4, p. 549, 1950 on Buettneria.—Ecuador.

—puyana Petrak in Sydowia, 4, p. 450, 1950 on leaves of ? Euphorbiaceae.—Ecuador.

Bagnisiopsis andicola Petrak in Sydowia,
4, p. 461, 1950 on Verbesina.—Ecuador.
BIOSTICTIS Petrak in Sydowia,
4, p. 357,

1950.—Discomycetes.

- rubiacearum (Pat.) Petrak in *Sydowia*,

4, p. 358, 1950. (Syn. Stictis rubiacearum Pat.).

Botryobasidium koleroga (Cooke) Venkatarayan in *Indian Phytopathology*, **2**, p. 188, 1949 [1950]. (Syn. *Pellicularia koleroga* Cooke).

Botryodiplodia evonymella (Trav. & Migl.) Petrak in Sydowia, 4, p. 25, 1950. (Syn. Sphacropsis evonymella Trav. & Migl.).

Bovista flavobrunnea Petch nom. nov. in Peradeniya Manual 6, p. 65, 1950. (Syn. Bovista cervina sensu Berk. & Br., non Berk.).

Bubakia indica T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 75, 1950 on Glochidion neilgherrense.—Madras.

1950 on Glochidion neilgherrense.—Madras.
Buergenerula thalictri (Wint.) Müller in Sydowia, 4, p. 307, 1950. (Syn. Leptosphaeria thalictri Wint.).

Calonectria ecuadorica Petrak in Sydowia, 4, p. 463, 1950 on wood.—Ecuador.

Calopeltis iochromatis (Rehm) Petrak in Sydowia, 4, p. 465, 1950. (Syn. Microthyrium iochromatis Rehm).

Camarosporium insuetum Petrak in Sydowia, 4, p. 551, 1950 on Piptocarpha sodiroi.
—Ecuador.

Camarotella symploci T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 71, 1950 on *Symplocos foliosa*.— Madras.

Catacauma elettariae T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 99, 1950 on *Elettaria cardamomum*.—Madras.

Ceratellopsis aciculata (Dur. & Lév.) Corner, A Monograph of Clavaria and Allied Genera, p. 200, 1950. (Syn. Pistillaria aciculata Dur. & Lév.).

— aculeata (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 200, 1950. (Syn. Pistillaria aculeata Pat.).

 acuminata (Fckl.) Corner, A Monograph of Clavaria and Allied Genera, p. 202, 1950. (Syn. Pistillaria acuminata Fckl.).

 asphodeli Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 203, 1950. (Syn. Clavaria microscopica var. asphodeli Pat.).

 brondaei (Quél.) Corner, A Monograph of Clavaria and Allied Genera, p. 203, 1950.
 (Syn. Clavaria brondaei Quél.).

— caespitulosa (Sacc.) Corner, A Monograph of Clavaria and Allied Genera, p. 203, 1950. (Syn. Pistillaria caespitulosa Sacc.).

— carestiae (Sacc.) Corner, A Monograph of Clavaria and Allied Genera, p. 203, 1950. (Syn. Pistillaria carestiae Sacc.).

 dryopteridis (Imai) Corner, A Monograph of Clavaria and Allied Genera, p. 203, 1950. (Syn. Pistillaria dryopteridis Imai).

 equiseticola (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 204, 1950. (Syn. Pistillaria equiseticola Boud.).

graminicola (Bourd. & Galz.) Corner, A

Monograph of Clavaria and Allied Genera, p. 204, 1950. (Syn. Pistillaria graminicala Bourd. & Galz.).

— helenae (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 204, 1950. (Syn. Pistillaria helenae Pat.).

mucedinea (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 204, 1950. (Syn. Pistillaria mucedinea Boud.).
mucosa (Berk. & Curt.) Corner, A Mono.

graph of Clavaria and Allied Genera, p. 205, 1950. (Syn. Typhula mucosa B. & C.).

— rickii (Oud.) Corner, A Monograph of

Clavaria and Allied Genera, p. 205, 1950. (Syn. Mucronella rickii Oud.).

rosella (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 206, 1950. (Syn. Pistillaria rosella Fr.).

— sagittiformis (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 206, 1950. (Syn. Pistillaria sagittaeformis Pat.).
 — sydowii (Bres.) Corner, A Monograph of

Clavaria and Allied Genera, p. 206, 1950. (Syn. Clavaria sydowii Bres.).

thujicola (Kauffm.) Corner, A Monograph

of Clavaria and Allied Genera, p. 206, 1950. (Syn. Pistillaria thujicola Kauffm.). — tremula (Sacc.) Corner, A Monograph of Clavaria and Allied Genera, p. 207, 1950.

(Syn. Pistillaria tremula Sacc.).
Cercospora caloloma Petrak in Sydowia, 4, p. 569, 1950 on Eurya nervosa.—Ecuador.
— careyae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 105, 1950

on Careya arborea.—Madras.
— dalbergicola T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 106,

1950 on Dalbergia volubilis.—Madras.

— hedyosmi Petrak in Sydovia, 4, p. 571,

1950 on Hedyosmum pavonii.—Ecuador. — inopina Petrak in Sydowia, 4, p. 570, 1950 on Gynoxis hallii.—Ecuador.

psoraleae Petrak in Sydowia, 4, p. 572,
 1950 on Psoralea glandulosa.—Ecuador.

— sapindi-emarginati T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 107, 1950 on Sapindus emarginatus.— Madras.

tungurahuensis Petrak in Sydowia, 4,
 p. 574, 1950 on Pennisetum ?bambusiforme.
 Ecuador.

— tylophorae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 108, 1950 on Tylophora asthmatica.—Madras.

Cercosporella azimae Thirumalachar & Narasimhan in Sydowia, 4, p. 66, 1950 on Azima tetracantha.—India.
barnadesiae Petrak in Sydowia, 4, p. 575,

1950 on Barnadesia parviflora.—Ecuados.
—leucadis Uppal, Patel, & Bhide in Indian

Phytopathology, 2, p. 177, 1949 [1950] on Leucas stelligera.—India. — thespesiae Thirumalachar & Narasimhanin

Sydowia, 4, p. 66, 1950 on Thespesia populnea.—India.
— triumfettae Thirumalachar & Narasimhan

in Sydowia, 4, p. 67, 1950 on Triumjetta rhombordea.—India.

**Ceuthospora gloriosa Malan in Ann. Accad. Agric. Torino, 89, p. 25, 11947 on Yucca gloriosa; state of Diaporthe gloriosa Sacc. & Speg.—Italy.

Chaetomium fibripilium Ames in Mycologia, 42, p. 642, 1950 from Saccharum officinarum. —Hawaii

- mollipilium Ames in Mycologia, 42, p. 644, 1950 from a Japanese raincoat.

- nigricolor Ames in Mycologia, 42, p. 645. 1950.—India.

Chaetothyrina molliuscula Petrak in Sydowia, 4, p. 467, 1950 on ? Hippocratea. Ecuador.

CHAETOTYPHULA Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950.-Clavariaceae. Type C. hyalina.

- actiniceps (Petch) Corner, A Monograph of Clavaria and Allied Genera, p. 209, 1950. (Syn. Pistillaria actiniceps Petch).

- hyalina (Jungh.) Corner, A Monograph of Clavaria and Allied Genera, p. 210, 1950. (Syn. Typhula hyalina Jungh.).

var. microcystis Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950 on dead leaves.—Malaya.

Chrysomyxa ledi (Alb. & Schw.) de Bary var. cassandrae (Peck & Clinton) Savile in Canad. J. Res., Sect. C, 28, p. 324, 1950. (Syn. C. cassandrae (Peck & Clinton) Tranz.).

var. ledi Savile in Canad. J. Res., Sect. C, 28, p. 342, 1950. [The type variety of the

species].

var. rhododendri (DC.) Savile in Canad. J. Res., Sect. C, 28, p. 325, 1950. (Syn. C. rhododendri (DC.) de Bary).

Cicinnobella andicola Petrak in Sydowia, 4, p. 553, 1950 on Meliola ambigua.—Ecuador. ecuadorica Petrak in Sydowia, 4, p. 554, 1950 on Meliola, etc.—Ecuador.

- stromaticola Petrak in Sydowia, 4, p. 555, 1950 on Polystomellaceae. Ecuador.

Cintractia montagnei (Tul.) Magn. var. minor Ling in Mycologia, 42, p. 508, 1950 on Rhynchospora alba.—Russia.

Cladaria amethystina (Fr.) Doty in Lloydia, 13, p. 14, 1950. (Syn. Clavaria amethystina Fr.).

Cladosporium ladinum Müller in Sydowia, 4, p. 294, 1950 on Laserpitium halleri.-Switzerland.

*Clavaria alliacea Corner, A Monograph of Clavaria and Allied Genera, p. 224, 1950. Malaya

argillacea Fr. var. brevispora Corner, A Monograph of Clavaria and Allied Genera, p. 690, 1950.—France.

var. gracillima Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 among moss.—New York, U.S.A.

- var. sphagnicola Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 among Sphagnum.—France.

atrobadia Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 228, 1950.

(Syn. C. nigrita Bres., non Fr.).

atroumbrina Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 229, 1950. (Syn. C. nigrita sensu Coker, non Fr.) - filiola Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 on bare soil.— Malaya.

- fossicola Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 on soil.-

Malaya.

gibbseae Ramsb. var. tenuis Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 on burnt ground.—Malaya.

- f. microspora Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 on the ground.—Malaya.

var. megaspora Corner, A Monograph

of Clavaria and Allied Genera, p. 691, 1950 on the ground.—Malaya

-rosea Fr. var. subglobosa Corner, A Monograph of Clavaria and Allied Genera, 691, 1950 on the ground.—Germany, England.

vermicularis Fr. var. singaporensis Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950 among grass.—Singapore.

CLAVARIACHAETE Corner, A Monograph of Clavaria and Allied Genera, p. 691, 1950.

Clavariaceae. Type, C. rubiginosum.

peckoltii (Lloyd) Corner, A Monograph of Clavaria and Allied Genera, p. 269, 1950. (Syn. Dendrocladium peckoltii Lloyd). - rubiginosum (Cooke) Corner, A Mono-

graph of Clavaria and Allied Genera, p. 269, 1950. (Syn. Lachnocladium rubiginosum Cooke).

Clavariadelphus fistulosus (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 272, 1950. (Syn. Clavaria fistulosa Fr.).

— var. contortus Corner, A Monograph of Clavaria and Allied Genera, p. 273, 1950 on dead twigs of Alnus.—Europe, N. America.

junceus (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 275, 1950. (Syn. Clavaria juncea Fr.).

maricola (Kauffm.) Corner, A Monograph of Clavaria and Allied Genera, p. 279, 1950. (Syn. Clavaria maricola Kauffm.).

mirus (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 279, 1950. (Syn. Clavaria mira Pat.).

pistillaris (Fr.) Donk var. americanus Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950 in woods.—U.S.A., Canada.

- sachalinensis (Imai) Corner, A Monograph of Clavaria and Allied Genera, p. 282, 1950. (Syn. Clavaria sachalinensis Imai).

- truncatus (Quél.) Donk var. atrobrunneus Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950 in coniferous woods .-China.

- unicolor (B. & Rav.) Corner, A Monograph of Clavaria and Allied Genera, p. 284, 1950. (Syn. Craterellus unicolor B. & Rav.).

Clavicorona candelabrum (Massee) Corner, A Monograph of Clavaria and Allied Genera, 286, 1950. (Syn. Clavaria candelabrum p. 286, Massee).

- colensoi (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 287, 1950.

(Syn. Clavaria colensoi Berk.).

javanica (Sacc. & Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 289, 1950. (Syn. Clavaria javanica Sacc. & Syd.).

mairei (Battetta) Corner, A Monograph of Clavaria and Allied Genera, p. 291, 1950. (Syn. Clavaria mairei Battetta)

tuba (Heim) Corner, A Monograph of Clavaria and Allied Genera, p. 293, 1950. (Syn. Physalacria tuba Heim).

Clavulina amethystinoides (Peck) Corner, A Monograph of Clavaria amd Allied Genera, p. 298, 1950. (Syn. Clavaria amethystinoides Peck).

- bessonii (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 299, 1950. (Syn. Clavaria bessonii Pat.).

cartilaginea (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera,

p. 299, 1950. (Syn. Lachnocladium cartilagineum Berk. & Curt.).

 castaneipes (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 306, 1950. (Syn. Typhula castaneipes Atk.).

— cavipes Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950 in woods.— Malaya.

— chondroides (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 308, 1950. (Syn. Clavaria chondroides Berk.).

— cirrhata (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 311, 1950. (Syn. Clavaria cirrhata Berk.).

— complanata Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 311, 1950. (Syn. Clavaria complanata Clel. non de Bary).

— connata (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 311, 1950. (Syn. Clavaria connata Berk.).

 cristata (Fr.) Schroet, subsp. cinerascens
 Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950.

— subsp. coralloides Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950.

— subsp. eucristata Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950.
— var. coralloides Corner, A Monograph

- var. coralloides Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950.— Europe.

— var. incarnata Corner, A Monograph of Clavaria and Allied Genera, p. 692, 1950 on the ground and rotting grasses.—England.

— var. subrugosa Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950.— Europe.

 decipiens Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950 in woods.— Malaya.

 delicia (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 323, 1950. (Syn. Clavaria delicia Berk.).

— floridana (Singer) Corner, A Monograph of Clavaria and Allied Genera, p. 323, 1950. (Syn. Clavaria floridana Singer).

— gallica Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 324, 1950. (Syn. Clavaria alba sensu Bourd. et Galz., non Pers.).

— gigartinoides Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950 in woods.—Malaya.

 gracilis Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950 in woods.— Malaya.

— humilis (Cooke) Corner, A Monograph of Clavaria and Allied Genera, p. 327, 1950. (Syn. Clavaria humilis Cooke).

— ingrata Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950 in woods.— Malaya.

— leveillei (Sacc.) v. Ov. var. atricha Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950 in woods.—Malaya.

ornatipes (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 333, 1950. (Syn. Clavaria ornatipes Peck).

— pampaeana (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 335, 1950. (Syn. Clavaria pampaeana Speg.).

— panurensis (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 336, 1950. (Syn. Clavaria panurensis Berk.).

— pilosa Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 336, 1950. (Syn. Clavaria pilosa Burt, non Pers.)

Clavaria and Allied Genera, p. 336, 1950, (Syn. Clavaria pilosa Burt, non Pers.).

— rugosa (Fr.) Schroet, var. alcyonaria Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950.—Europe.

— var. canaliculata Corner, A Monograph

of Clavaria and Allied Genera, p. 693, 1950.— Europe.

— var. macrospora Corner, A Monograph of Clavaria and Allied Genera, p. 693, 1950.— Europe.

— sprucei (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 341, 1950. (Syn. Clavaria sprucei Berk.).

subrugosa (Clel.) Corner, A Monograph of Clavaria and Allied Genera, p. 341, 1950.
(Syn. Clavaria subrugosa Clel.).
tasmanica (Berk.) Corner, A Monograph

of Clavaria and Allied Genera, p. 341, 1950. (Syn. Clavaria tasmanica Berk.).

— vanderystii (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 341, 1950.

of Clavaria and Allied Genera, p. 341. 1950. (Syn. Lachnocladium vanderystii Bres.).

— vinaceo-cervina (Clel.) Corner, A Monograph of Clavaria and Allied Genera, p. 341, 1950. (Syn. Clavaria vinaceo-cervina Clel.).

Clavulinopsis alcicornis (Zoll. & Mor.) Corner, A Monograph of Clavaria and Allied Genera, p. 351, 1950. (Syn. Clavaria alcicornis Zoll. & Mor.).

amoena (Zoll. & Mor.) Corner, A Monograph of Clavaria and Allied Genera, p. 352, 1950. (Syn. Clavaria amoena Zoll. & Mor.).

appalachiensis (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 355, 1950. (Syn. Clavaria appalachiensis Coker).
 archeri (Berk.) Corner, A Monograph of

— archeri (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 355, 1950. (Syn. Clavaria archeri Berk.).

 arenicola Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 on sandy soil.
 Malaya.

— asterospora (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 357, 1950. (Syn. Clavaria asterospora Pat.).

 aurantio-cinnabarina (Schw.) Corner, A Monograph of Clavaria and Allied Genera, p. 358, 1950. (Syn. Clavaria aurantiocinnabarina Schw.).

— biformis (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 358, 1950. (Syn. Clavaria biformis Atk.).

— boninensis (Ito & Imai) Corner, A Monograph of Clavaria and Allied Genera, p. 359, 1950. (Syn. Clavaria boninensis Ito & Imai).

 brevipes Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 in woods.— Malaya.

 calocera (Martin) Corner, A Monograph of Clavaria and Allied Genera, p. 360, 1950.
 (Syn. Clavaria calocera Martin).

— candida (Weinm.) Corner, A Monograph of Clavaria and Allied Genera, p. 360, 1950. (Syn. Clavaria candida Weinm.).

 cineroides (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 360, 1950.
 (Syn. Clavaria cineroides Atk.).

cinnamomea (Fawcett) Corner, A Monograph of Clavaria and Allied Genera, p. 361, 1950. (Syn. Clavaria cinnamomea Fawcett).

— citrino-alba (Möll.) Corner, A Monograph of Clavaria and Allied Genera, p. 361, 1950. (Syn. Clavaria citrino-alba Möll.).

- coliformis (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 361, 1950. (Syn. Clavaria coliformis Boud.).

constans (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 362, 1950.

(Syn. Clavaria constans Coker).

corallino-rosacea (Clel.) Corner, A Monograph of Clavaria and Allied Genera, p. 364, 1950. (Syn. Clavaria corallino-rosacea Clel.). - corniculata (Fr.) Corner, A Monograph of

Clavaria and Allied Genera, p. 362, 1950.

(Syn. Clavaria corniculata Fr.).

daigremontiana (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 364, 1950. (Syn. Clavaria daigremontiana Boud.).

depokensis (v. Ov.) Corner, A Monograph of Clavaria and Allied Genera, p. 364, 1950.

(Syn. Clavaria depokensis v. Ov.).

dichotoma (God.) Corner, A Monograph of Clavaria and Allied Genera, p. 365, 1950. (Svn. Clavaria dichotoma God.).

filipes Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 365, 1950. (Syn. Clavaria filipes sensu Coker, non B.

& Rav.).

- flavella (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 365, 1950. (Syn. Clavaria flavella Berk. & Curt.).

- fleischeriana (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 366, 1950. (Syn. Clavaria fleischeriana P. Henn.).

- fruticula Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 on bare earth.

fusiformis (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 367, 1950. (Syn. Clavaria fusiformis Fr.).

griseola (Rea) Corner, A Monograph of Clavaria and Allied Genera, p. 370, 1950.

(Syn. Clavaria griseola Rea).

hastula Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 in the forest. -Malaya.

helvola (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 372, 1950. (Syn. Clavaria helvola Fr.).

var. geoglossoides Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 on lawns.—France.

- holmskjoldii (Oud.) Corner, A Monograph of Clavaria and Allied Genera, p. 373, 1950. (Syn. Clavaria holmskjoldii Oud.).

- ledermanni (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 374, 1950. (Syn. Clavaria ledermanni Bres.).

(Syn. Clavaria teaermann: Dres.).

- liguloides (P. Henn. & Nym.) Corner, A
Monograph of Clavaria and Allied Genera,
p. 374, 1950. (Syn. Clavaria liguloides P. Henn. & Nym.).

- luteo-alba (Rea) Corner, A Monograph of Clavaria and Allied Genera, p. 374, 1950. (Syn. Clavaria luteo-alba Rea).

var. latispora Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950.

var. longispora Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 .-

Germany, Italy.

- luteo-ochracea (Cavara) Corner, A Monograph of Clavaria and Allied Genera, p. 376, 1950. (Syn. Clavaria luteo-ochracea Cavara).

- luteostirpata (Fawcett) Corner, A Monograph of Clavaria and Allied Genera, p. 377, 1950. (Syn. Clavaria luteostirpata Fawcett).

- luteo-tenerrima (v. Ov.) Corner, A Mono-

graph of Clavaria and Allied Genera, p. 377, 1950. (Syn. Clavaria luteo-tenerrima v. Ov.).

- luticola (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 378, 1950. (Syn. Clavaria luticola Fr.).

macouni (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 378, 1950. (Syn. Clavaria macouni Peck).

michelii (Rea) Corner, A Monograph of Clavaria and Allied Genera, p. 378, 1950. (Syn. Clavaria michelii Rea).

miniata (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 378, 1950. (Syn. Clavaria miniata Berk.).

var. rosacea Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950 .-

- var. sanguinea Corner, A Monograph of Clavaria and Allied Genera, p. 694, 1950.-Asia & Australasia trop.

- minutula (Bourd. & Galz.) Corner, A Monograph of Clavaria and Allied Genera, p. 383, (Syn. Clavaria minutula Bourd. & Galz.).

ochracea Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 383, 1950. (Syn. Clavaria pulchra sensu v. d. Bijl).

patagonica (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 383, 1950.

(Syn. Clavaria patagonica Speg.).

- pogonati (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 384, 1950. (Syn. Clavaria pogonati Coker).

propera (Bourd.) Corner, A Monograph of Clavaria and Allied Genera, p. 384, 1950. (Syn. Clavaria propera Bourd.).

puiggarii (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 384, 1950.

(Syn. Clavaria puiggarii Speg.).
pulchra (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 384, 1950. (Syn. Clavaria pulchra Peck).

pusilla (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 386, 1950. (Syn. Lachnocladium pusillum Coker).

-rufipes (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 386, 1950. (Syn. Clavaria rufipes Atk.).

semivestita (Berk. & Br.) Corner, A Monograph of Clavaria and Allied Genera, p. 387, 1950. (Syn. Clavaria semivestita Berk. & Br.).

- similis Corner, A Monograph of Clavaría and Allied Genera, p. 695, 1950 in woods .-Malaya.

spathuliformis (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 388, 1950. (Syn. Clavaria spathuliformis Bres.). spiralis (Jungh.) Corner, A Monograph of

Clavaria and Allied Genera, p. 388, 1950. (Syn. Clavaria spiralis Jungh.).

subfastigiata (Britzm.) Corner, A Monograph of Clavaria and Allied Genera, p. 390, 1950. (Syn. Clavaria subfastigiata Britzm.). subflava (Britzm.) Corner, A Monograph of

Clavaria and Allied Genera, p. 391, 1950. (Syn. Clavaria subflava Britzm.).

- subtilis (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 391, 1950. (Syn. Clavaria subtilis Fr.).

subumbrinella (Imai) Corner, A Monograph of Clavaria and Allied Genera, p. 392, 1950. (Syn. Clavaria subumbrinella Imai).

sulphurascens (Schw.) Corner, A Monograph of Clavaria and Allied Genera, p. 392, 1950. (Syn. Clavaria sulphurascens Schw.).



tenella (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 392, 1950. (Syn. Clavaria tenella Boud.).

tenerrima (Mass. & Crossl.) Corner, A Monograph of Clavaria and Allied Genera, p. 392, 1950. (Syn. Clavaria tenerrima Mass. & Crossl.).

tenuicula (Bourd. & Galz.) Corner, A Monograph of Clavaria and Allied Genera, p. 392, (Syn. Clavaria tenuicula Bourd. & 1950.

tetragona (Schw.) Corner, A Monograph of Clavaria and Allied Genera, p. 393, 1950. (Syn. Clavaria tetragona Schw.)

umbrina (Lév.) Corner, A Monograph of Clavaria and Allied Genera, p. 393, 1950. (Syn. Clavaria umbrina Lév.).

umbrinella (Sacc.) Corner, A Monograph of Clavaria and Allied Genera, p. 393, 1950. (Syn. Clavaria umbrinella Sacc.)

vernalis (Schw.) Corner, A Monograph of Clavaria and Allied Genera, p. 394, 1950. (Syn. Clavaria vernalis Schw.).

Clitocybe rosella (Lange) Moser in Sydowia, 4, p. 100, 1950. (Syn. Omphalia rosella Lange).

Colletotrichum godetiae Neergaard. (This Index, i, p. 205) Latin diagnosis provided in *Friesia*, 4, p. 72, 1950.

Collybia pudens (Pers.) Lundell in Fungi Exsiccati Suecici Praesertim Upsalienses, 35-36, p. 9, 1949. (Syn. Agaricus pudens Pers.).

Coltricia acupunctata (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 216, 1950. (Syn. Trametes acupunctata Berk.).

- brunneo-leuca (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 220, 1950. (Syn. Polyporus brunneo-leucus Berk.).

(Syn. Polyporus brumer-teucus Berk.).

fruticum (Berk. & Curt.) Cunningham in

Proc. Linn. Soc. N.S.W., 75, p. 226, 1950.
(Syn. Polyporus fruticum Berk. & Curt.).

haskarlii (Lév.) Cunningham in Proc.

Linn. Soc. N.S.W., 75, p. 228, 1950. (Syn.

Polyporus haskarlii Lév.).

placodes (Kalch.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 236, 1950. (Syn.

Polyporus placodes Kalch.).
- weberiana (Bres. & P. Henn. ex Sacc.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 247, 1950. (Syn. Fomes weberianus Bres. & P. Henn. ex Sacc.).

Comatricha mirabilis Benjamin & Poitras in Mycologia, 42, p. 515, 1950 on goat dung. Illinois, U.S.A.

Coniothyrium atraphaxidis Esfandiari in Sydowia, 4, p. 26, 1950 on Atraphaxis spinosa.—Iran.

Conocybe albocinerea Singer in Sydowia, 4, p. 130, 1950.-Asia.

antipoda (Lasch) Kühner f. floridana (Murr.) Singer in Sydowia, 4, p. 131, 1950. (Syn. Galerula floridana Murr.).

- crispella (Murr.) Singer in Sydowia, 4, p. 132, 1950. (Syn. Galerula crispella Murr.). intrusa (Peck) Singer in Sydowia, 4, p. 133, 1950. (Syn. Cortinarius intrusus Peck).

lentispora Singer in Sydowia, 4, p. 134, 1950.—Argentina.

- magnispora (Murr.) Singer in Sydowia, 4, p. 135, 1950. (Syn. Galerula magnispora Murr.).

plumbeitincta (Atk.) Singer in Sydowia, , p. 137, 1950. (Syn. Galerula plumbeitincta Atk.).

- f. ocracea (Kühner) Singer in Sydowia, 4, p. 137, 1950. (Syn. C. siliginea var. ocracea Kühner).

subcrispa (Murr.) Singer in Sydowia, 4, p. 139, 1950. (Syn. Galerula subcrispa Murr.) subvelata Singer in Sydowia, 4, p. 139,

1950.—Argentina. tenera (Fr.) Fayod f. excentrica Singer

in Sydowia, 4, p. 140, 1950.—Argentina. Coriolus albo-vestidus (Lloyd) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 216, 1950. (Syn. Polystictus albo-vestidus Lloyd).

- ambiguus (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 216, 1950. (Syn. Daedalea ambigua Berk.).

- beckleri (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 218, 1950. (Syn. Polyporus beckleri Berk.).

- blumei (Lév.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 219, 1950. (Syn. Polyporus blumei Lév.).

- bowmani (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 219, 1950. (Syn. Daedalea bowmani Berk.).

- carneo-niger (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 221, 1950. (Syn. Polyporus carneo-niger Berk.).

- cingulatus (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 221, 1950. (Syn. Polyporus cingulatus Fr.).

- corrugatus (Pers.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 222, 1950. (Syn. Polyporus corrugatus Pers.).

epitephrus (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 225, 1950. (Syn. Trametes epitephra Berk.).

- flabelliformis (Kl.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 226, 1950. (Syn. Polyporus flabelliformis Kl.).

- lactineus (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 229, 1950. (Syn. Polyporus lactineus Berk.).

leoninus (Kl.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 230, 1950. (Syn. Polyporus leoninus Kl.).

meyenii (Kl.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 232, 1950. (Syn. Polyporus meyenii Kl.)

occidentalis (Kl.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 233, 1950. (Syn. Polyporus occidentalis Kl.).

paleaceus (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 234, 1950. (Syn. Trametes paleacea Fr.).

- pargamenus (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 235, 1950. (Syn. Polyporus pargamenus Fr.).

- peradeniae (Berk. & Br.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 236, 1950. (Syn. Polyporus peradeniae Berk. & Br.).
- sanguineus (Fr.) Cunningham in Proc.
Linn. Soc. N.S.W., 75, p. 240, 1950. (Syn.

Polyporus sanguineus Fr.). sinulosus (Kl.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 242, 1950. (Syn.

Daedalea sinulosa Kl.). sprucei (Berk.) Cunningham in Proc. Linn.

Soc. N.S.W., 75, p. 243, 1950. (Syn. Trametes sprucei Berk.). - subcaperatus (Lloyd) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 243, 1950. (Syn. Polystictus subcaperatus Lloyd.)

xanthopus (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 247, 1950. (Syn. Polyporus xanthopus Fr.).

Corticium aerugineo-lividum Romell ex Lundell in Fungi Exsiccati Suecici Praesertim Upsalienses, 37–38, p. 19, 1950 on wood.— Sweden.

Corynespora hibisci Goto in Ann. phytopath. Soc. Japan, 12, p. 21, 1942 on Hibiscus

syriacus.—Japan. CREANGIUM Petrak in Sydowia, 4, p. 361, 1950.—Myriangiales.

- sydowii Petrak in Sydowia, 4, p. 361, 1950

on Gynoxis.—Ecuador.
Cryptocline andina Petrak in Sydowia, 4, p. 557, 1950 on Miconia? theaezans.—
Ecuador.

CRYPTOPARODIA Petrak in Sydowia, 4, p. 365, 1950.—Pyrenomycetes.

bispora Petrak in Sydowia, 4, p. 366, 1950

on Solanum crinitipes.—Ecuador.
Cryptosporella beltsvillensis Petrak in

Sydowia, 4, p. 406, 1950 on Liquidambar styraciftua.—Maryland, U.S.A. Cryptosporiopsis balsameae Robak in

Svensk bot. Tidskr., 44, p. 472, 1950 on Abies balsamea and Abies grandis.—Norway.

— diversispora Robak in Svensk bot. Tidskr., 44, p. 471, 1950 on Abies grandis and Piece

44, p. 471, 1950 on Abies grandis and Picea abies.—Norway. (In place of Diplodia diversispora Robak, this Index, i, p. 279). Cumminsiella mirabilissima (Peck) Nannf.

Cumminsiella mirabilissima (Peck) Nannf. in Fungi Exsiccati Suecici Praesertim Upsalienses, 31–32, p. 3, 1947. (Syn. Puccinia mirabilissima Peck).

Cylindrosporium dichanthii T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 77, 1950 on *Dichanthium annulatum*.—Madras.

annulatum.—Madras.
— mappiae Thirumalachar & Narasimhan in Sydowia, 4, p. 69, 1950 on Mappia foetida.—

India.

Cystopus molluginicola T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 97, 1950 on *Mollugo nudicaulis*.— Madras.

Daedalea subferruginea (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 243, 1950. (Syn. Lenzites subferruginea Berk.).

DEFLEXULA Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950.—Clavariacene, Type, D. fascicularis

and Allied Genera, p. 695, 1950.—Clavariaceae. Type, D. fascicularis.
—fascicularis (Bres. & Pat.) Corner, A Monograph of Clavaria and Allied Genera,

— Inscicularis (Bres. & Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 395, 1950. (Syn. Pterula fascicularis Bres. & Pat.).

Hilaceo-brunnea Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950 on dead branches.—Malaya, Sumatra.
nivea (Pat.) Corner, A Monograph of

— nivea (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 398, 1950. (Syn. Pterula nivea Pat.).

- pacifica (Kobayashi) Corner, A Monograph of Clavaria and Allied Genera, p. 399, 1950. (Syn. Mucronella pacifica Kobayashi).

— ulmi (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 400, 1950. (Syn. Mucronella ulmi Peck).

Dermatea padi Velen. (1947) (this *Index*, i, p. 182) is a later homonym of *D. padi* (Fr.) Fr. (1849).

Diachora barnadesiae (Syd.) Petrak in Sydowia, 4, p. 468, 1950. (Syn. Phyllachora barnadesiae Syd.).

Didymella pedicularidis von Arx in Sydowia, 4, p. 389, 1950 on Pedicularis foliosa.— Switzerland. Dimerium andicola Petrak in Sydowia, 4, p. 471, 1950 on Meliola ambigua.—Ecuador.

— detectum Petrak in Sydowia, 4, p. 473, 1950 on Xenostigmella, etc.—Ecuador.

ecuadoricum Petrak in Sydowia, 4, p. 474,
1950 on Meliola, etc.—Ecuador.
nobile Petrak in Sydowia, 4, p. 476, 1950

on Meliola, etc.—Ecuador.
— stromaticola Petrak in Sudavia, 4, p. 477.

— stromaticola Petrak in Sydowia, 4, p. 477, 1950 on Polystomellaceae.—Ecuador.

DIMORPHOGYSTIS Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950.— Clavariaceae. Type, D. laevis.

— capitatus Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950 on dead leaves.—Malaya.

— laevis Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950 on dead leaves of Eugenia cerina.—Malaya.

— subcapitatus Corner, A Monograph of Clavaria and Allied Genera, p. 695, 1950 on dead leaves of Eugenia cerina.—Malaya.

Diplodia longipedicellata T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 78, 1950 on *Syzigium montanum*.—Madras.

Diplodina delphinii Laskaris in *Phytopathology*, 40, p. 620, 1950 on *Delphinium* hybrids. —Connecticut, U.S.A.

Discella cedrelae T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 110, 1950 on *Cedrela toona*.—Madras.

DONKELLA Doty in *Lloydia*, 13, p. 14, 1950.
—Clavariaceae.

 corniculata (Fr.) Doty in Lloydia, 13, p. 14, 1950. (Syn. Clavaria corniculata Fr.).

Dothichloe insidiosa Batista in Bol. Agric., Pernambuco, 16, p. 204, 1950 on Scleria, bracteata.—Brazil.

Echidnodes patula Petrak in Sydowia, 4, p. 480, 1950 on Buettneria.—Ecuador.

Ectosticta mindoensis Petrak in Sydowia, 4, p. 559, 1950 on Meliola capsicola.—Ecuador. Elachopeltis andina Petrak in Sydowia, 4,)

p. 560, 1950 on Vismia.—Ecuador. Elsinoe mezoneuri T. S. & K. Ramakrishnan

Elsinoe mezoneuri T. S. & K. Ramakrishnani in Proc. Indian Acad. Sci., Sect. B, 32, p. 70, 1950 on Mezoneurum cucullatum.—Madras. EPICREA Petrak in Sydowia, 4, p. 325, 1950. —Hypocreaceae.

— insignis Petrak in Sydowia, 4, p. 325, 1950 on Hypocrella chusqueae.—Ecuador.

Farriola flava Batista in Bol. Agric., Pernambuco, 16, p. 205, 1950 on alga.—Brazil.

[Farriola is usually considered to be a lichen].

Formes durus (Jungh.) Cunningham in Proc.: Linn. Soc. N.S.W., 75, p. 224, 1950. (Syn., Polyporus durus Jungh.).

— ohiensis (Berk.) Murrill var. macrosporus Teixeira n. var. in *Bragantia*, 8, p. 79, 1948 on wood.—Brazil.

Fomitopsis concava (Cooke) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 222, 1950., (Syn. Fomes concavus Cooke).

— connata (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 222, 1950. (Syn. Polyporus connatus Fr.).

— tasmanica (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 244, 1950. (Syn. Polyporus tasmanicus Berk.).

Fusarium mindoanum Petrak in Sydowia, 4, p. 576, 1950 on Dryopteris diplazioides.— Ecuador.

Er J Muc A Br. Mago TO THE Myc J SLI 19 2 Nau Syc Ect NEO' 341 · sy on NEO 195 · ae p. Ee NEO p. , m

-tu Mu Nem Octa Oid |

UMANNIA Petrak in Sydowia, 4, p. 337, 50.—Sphaeriales. lospora (Speg.) Petrak in Sydowia, 4, 338, 1950. (Syn. Eriosphaeria calospora [ag.). Mic / p. 127, 1950 in deserts.—Pakistan. fortrum panjabense Ahmad in Sydowia, sinospora adjuncta Cain in Canad. J. ., Sect. C, 28, p. 568, 1950 on dog dung. Moll, many. tispora Cain in Canad. J. Res., Sect. C, p. 573, 1950 from seed of Beta vulgaris cicla.—Holland. era andina Petrak in Sydowia, 4, p. 488, 0 on Liabum pallatongense.—Ecuador. conspicua Petrak in Sydowia, 4, p. 486, _p d 0 on Liabum hastatum.—Ecuador. adians (Pat.) Petrak in Sydowia, 4, \$2, 1950 (Syn. Asterina irradians Pat.). Myc bi (Syd.) Petrak in Sydowia, 4, p. 491,). (Syn. Antennularia liabi Syd.). itensis Petrak in Sydowia, 4, p. 485, on Liabum.—Ecuador. osa Petrak in *Sydowia*, 4, p. 489, 1950 iabum eggersii.—Ecuador. bel cystidium friesii Lundell n. nom. in b fi Exsiccati Suecici Praesertim Upsa-19 es, 37–38, p. 26, 1950. (Syn. G. ochra-Litsch., non Bres.). genium (Bres.) Lundell in Fungi Exsic-Suecici Praesertim Upsalienses, 37-38, 4, 1950. (Syn. Corticium geogenium ctulatum (Cooke) Lundell in Fungi cati Suecici Praesertim Upsalienses, 8, p. 25, 1950. (Syn. Corticium punctu-Cooke). te Litsch. & Lundell var. deviatum Lunin Fungi Exsiccati Suecici Praesertim - m lienses, 37–38, p. 27, 1950 on wood.-p. en. propium zonatum T. S. & K. Rama sum irradians Acad. Sci., Sect. B, 108, 1950 on Coelogyne sp.—Madras. um irradians Petrak in Sydowia, 4, 1950 on Bagnisiopsis.—Ecuador 19 ian in Proc. Indian Acad. Sci., Sect. B, p. HYRIUM von Arx in Sydowia, 4, 1950.—Microthyriaceae. p. 1950 on Polygonum sachalinense.ty erdijkiae von Arx in Sydowia, 4,

porium insuetum Petrak in Sydowia, 579, 1950 on Alsophila hirta.—Ecua-

hosporium albizzicola Thiruar & Narasimhan in Sydowia, 4, p. 67, n Albizzia lebbek.—India. ueae Petrak in Sydowia, 4, p. 580,

i Chusquea serrulata.—Ecuador. rinae Thirumalachar & Narasimhan in a, 4, p. 68, 1950 on Erythrina suberosa.

um Petrak in Sydowia, 4, p. 581, 1 Miconia pichinchensis.—Ecuador. eae Thirumalachar & Narasimhan owia, 4, p. 69, 1950 on Wagatea -India. SPORIOPSIS Petrak in Sydowia,

1, 1950.—Fungi Imperfecti. fera (Pat.) Petrak in Sydowia, 4, 1950. (Syn. Dimerosporium moniliat.).
a dorcadidea (Berk. & Br.) Cunning-1950. (Syn. Dimerosporium monili-

Proc. Linn. Soc. N.S.W., 75, p. 224,

1950. (Syn. Polyporus dorcadideus Berk. & Br.).

Hormiscium aequatoriense Petrak in Sy. dowia, 4, p. 582, 1950 on Tessaria integrifolia, -Ecuador.

HORMOMITARIA Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950,-Clavariaceae.

- sulphurea Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 on rotten wood.-Malaya.

Humarina luteola (Torrend) Cash apud Ahmad in Sydowia, 4, p. 83, 1950. (Syn. Humaria luteola Torrend).

Hymenostilbe camponoti Mains in Mycologia, 42, p. 586, 1950 on Camponotus sp.—Florida, U.S.A.

- lecaniicola (Jaap) Mains in Mycologia, 42, p. 582, 1950. (Syn. Isaria lecaniicola Jaap). verrucosa Mains in Mycologia, 42, p. 587, 1950 on spiders.—Maine, U.S.A.

Hypoderma allicina von Arx in Sydowia, 4, p. 392, 1950 on Allium victoriale.—Switzer. land.

Hysterographium dalbergiae Ahmad in Sydowia, 4, p. 82, 1950 on Dalbergia sissoo.—

Inonotus setiporus (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 242, 1950. (Syn. Polyporus setiporus Berk.).

INSECTICOLA Mains in Mycologia, 42, p. 577, 1950.—Moniliales. Type, I. clavata. clavata Mains in Mycologia, 42, p. 577, 1950 on Hapithus agitator quadratus.—

Florida, U.S.A. -fragilis (Petch) Mains in Mycologia, 42, 578, 1950. (Syn. Hymenostilbe fragilis p. 578 Petch).

pistillariaeformis (Pat.) Mains in Mycologia, 42, p. 579, 1950. (Syn. Isaria pistillariaeformis Pat.).

Lacellina sacchari Batista in Bol. Agric., Pernambuco, 16, p. 203, 1950 on Saccharum

spontaneum var.—Brazil Lachnella confluens Batista in Bol. Agric., Pernambuco, 16, p. 206, 1950 on rotten wood.—Brazil.

Lachnocladium divaricatum Pat. var. cinnamomeum Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 in woods .- Malaya.

- var. sordidum Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 on fallen trunks.—Malaya

- flavidum Corner, Å Monograph of Clavaria and Allied Genera, p. 696, 1950 on rotten wood.—Malaya.

fulvum Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 in woods. Malaya.

hisingeri (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 425, 1950. (Syn. Polyozus hisingeri Karst.).

molle Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 on humus.

zonatum Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950 in woods.-Malava.

Lachnun tungurahuense Petrak in Sydowia, 4, p. 544, 1950 on Pteridium.—Eouador. Lactarius salmoneus Heim & Leclair in Rev.

Mycologie, N.S., 15, p. 79, 1950.—France.

_ semisanguifluus Heim & Leclair in Rev. Mycologie, N.S., 15, p. 79, 1950.-France.

LASIOSTEMMELLA Petrak in Sydowia, 4, p. 376, 1950.—Dimerieae.

sydowii Petrak in Sydowia, 4, p. 376, 1950

on Miconia ?theaezans.—Ecuador. LENTARIA Corner, A Monograph of Clavaria and Allied Genera, p. 696, 1950.—Clavariaceae. Type, L. surculus.

afflata (Lagger.) Corner, A Monograph of Clavaria and Allied Genera, p. 438, 1950.

(Syn. Clavaria afflata Lagger.).

byssiseda Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 439, 1950. (Syn. Clavaria byssiseda sensu auctt.).

coronilla (Martin) Corner, A Monograph of Clavaria and Allied Genera, p. 440, 1950.

(Syn. Clavaria coronilla Martin).

corticola (Quél.) Corner, A Monograph of Clavaria and Allied Genera, p. 440, 1950. (Syn. Clavaria corticola Quél.).

delicata (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 441, 1950.

(Syn. Clavaria delicata Fr.).

epichnoa (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 441, 1950. (Syn. Clavaria epichnoa Fr.).

micheneri (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 441, 1950. (Syn. Lachnocladium micheneri Berk. & Curt.).

mucida (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 442, 1950.

(Syn. Clavaria mucida Fr.).

patouillardii (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 444, 1950. (Syn. Clavaria patouillardii Bres.).

surculus (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 444, 1950. (Syn. Clavaria surculus Berk.).

tjibodensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 450, 1950. (Syn. Clavaria tjibodensis P. Henn.).

- virgata (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 450, 1950. (Syn. Clavaria virgata Fr.).

Lenzites glabrescens (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 227, 1950.

(Syn. Daedalea glabrescens Berk.).

- scalaris (Berk. & Br.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 241, 1950. (Syn. Daedalea scalaris Berk. & Br.).

- tenuis (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 244, 1950. (Syn. Daedalea tenuis Berk.).

-unicolor (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 246, 1950. (Syn. Daedalea unicolor Fr.).

Leptosphaeria albulae Müller in Sydowia, 4, p. 281, 1950 on Lonicera alpigena.-Switzerland.

- blumeri Müller in Sydowia, 4, p. 275, 1950 on Medicago falcata.—Switzerland.

bomareae Petrak in Sydowia, 4, p. 494, 1950 on Bomarea caldasii.—Ecuador.

- brauni Müller in Sydowia, 4, p. 246, 1950 on Hieracium murorum.—Switzerland.

centaureae Müller in Sydowia, 4, p. 299, 1950 on Centaurea scabiosa.—Switzerland.

- compositarum Müller in Sydowia, 4, p. 213, 1950 on Compositae.—Switzerland.

- crucheti Müller nom. nov. in Sydowia, 4, 255, 1950. (Syn. Metasphaeria cladii Cruchet, non. L. cladii Cruchet).

- epilobii Müller nom. nov. in Sydowia, 4,

p. 303, 1950. (Syn. Leptosphaeria multiseptata var. alpina Rehm, non L. alpina Maubl.).

franconica (Petrak) Müller in Sydowia, 4, p. 298, 1950. (Syn. Leptosphaeria derasa var. franconica Petrak).

johansoni Müller nom. nov. in Sydowia, 4, p. 238, 1950. (Syn. Metasphaeria arabidis Johanson, non L. arabidis Allesch.).

ladina Müller in Sydowia, 4, p. 293, 1950 on Laserpitium halleri.—Switzerland.

linearis (Sacc.) Müller in Sydowia, 4, p. 258, 1950. (Syn. Leptosphaeria culmifraga var. linearis Sacc.).

napelli Müller in Sydowia, 4, p. 245, 1950

on Aconitum napellus.—Switzerland.
palustris Müller in Sydowia, 4, p. 207, 1950 on Typha latifolia.—Switzerland.

phaeospora Müller in Sydowia, 4, p. 208, on Artemisia campestris.-Switzer-

pini (Cruchet) Müller in Sydowia, 4, p. 277, 1950. (Syn. Metasphaeria pini Cruchet).

plantaginicola (Pat.) Petrak in Sydowia, 4, p. 496, 1950. (Syn. Sphaerella plantaginicola Pat.).

recutita (Fuck.) Müller in Sydowia, 4, p. 269, 1950. (Syn. Sphaeria recutita Fuck.).

robusta (Strasser) Müller in Sydowia, p. 298, 1950. (Syn. Leptosphaeria derasa f. robusta Strasser).

septemcellulata Müller in Sydowia, 4, p. 300, 1950 on Buphthalmum salicifolium. Switzerland.

tenuis Müller in Sydowia, 4, p. 221, 1950 on Thalictrum aquilegifolium.—Switzerland.

thurgoviensis Müller in Sydowia, 4, p. 280, 1950 on dead grasses.—Switzerland.

trollii (Karst.) Müller in Sydowia, 4, p. 249, 1950. (Syn. Metasphaeria trollii Karst.). viciae Müller in Sydowia, 4, p. 268, 1950 on

Vicia cracca.—Switzerland.

volkartiana Müller in Sydowia, 4, p. 210, 1950 on Trisetum distichophyllum.—Switzer. land.

Leucocoprinus licmophorus (Berk. & Br.) Petch apud Petch & Bisby in Peradeniya Manual 6, p. 59, 1950. (Syn. Agaricus licmophorus Berk. & Br.).

Ligniella sharifii Esfandiari in Sydowia, 4, p. 27, 1950 on Juniperus polycarpa.—Iran.

Lophodermium violae von Arx in Sydowia, 4, p. 393, 1950 on Viola biflora.—Switzerland.

Macrophoma rotalae Thirumalachar Narasimhan in Sydowia, 4, p. 71, 1950 on Rotala aquatica.—India.

Marasmius campanella Holterm. var. rufes cens (Berk. & Br.) Petch apud Petch & Bisby in Peradeniya Manual 6, p. 59, 1950. (Syn. Marasmius rufescens Berk. & Br.).

Mastigonectron affine (Ell. & Ev.) Petrak in Sydowia, 4, p. 403, 1950. (Syn. Harknessia affinis Ell. & Ev.).

MAUBLANCOMYCES Herter in Rev. sudamer. Bot., 8, p. 161, 1950.—Pezizales. Type, M. aigas.

gigas (Krombh.) Herter in Rev. sudamer. Bot., 8, p. 161, 1950. (Syn. Helvella gigas Krombh.)

inflata (Cum.) Herter in Rev. sudamer. Bot., 8, p. 161, 1950. (Syn. Helvella inflata Cum.) pratensis (Vel.) Herter in Rev. sudamer

Bot., 8, p. 161, 1950. (Syn. Gyromitra pratensis Vel.).

Melanoleuca mirabilis (Bres.) Moser in

Sydowia, 4, p. 102, 1950. (Syn. Tricholoma mirabile Bres.).

METAZYTHIA Petrak in Sydowia, 4, p. 373, 1950.—Sphaeropsidales.

— caespitosa Petrak in Sydowia, 4, p. 373, 1950 on a fungus on Chusquea serrulata.— Ecuador.

Microstroma cadabae Thirumalachar & Narasimhan in *Sydowia*, 4, p. 70, 1950 on *Cadaba indica*.—India.

Molleriella sydowiana Petrak in Sydowia, 4, p. 501, 1950 on Solanum longevirgatum.— Ecuador.

Mucronella brasiliensis Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 452, 1950. (Syn. Clavaria mucronella Bres.).

— pusilla Corner, A Monograph of Clavaria and Allied Genera, p. 697, 1950 on rotten wood.— Malaya.

Mycolecidia lilliputiana Batista in Bol. Agric., Pernambuco, 16, p. 207, 1950 on rotten wood.—Brazil.

Mycosphaerella agapanthi T. S. &. K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 98, 1950 on *Agapanthus umbellatus*.—Madras.

— barnadesiae Petrak in Sydowia, 4, p. 502, 1950 on Barnadesia parviflora.—Ecuador.

— sodiroana Petrak in Sydowia, 4, p. 504, 1950 on Sapium sodiroi.—Ecuador.
— sublibera Petrak in Sydowia, 4, p. 505, 1950 on Pilea melastomoides.—Ecuador.

— tungurahuana Petrak in Sydowia, 4, p. 507, 1950 on Eupatorium inulaefolium.—Ecuador.

Naucoria atomacea (Murr.) Singer in Sydowia, 4, p. 146, 1950. (Syn. Atylospora atomacea Murr.).

melleiceps (Murr.) Singer in Sydowia, 4,
p. 147, 1950. (Syn. Galerula melleiceps Murr.).
praeandina Singer in Sydowia, 4, p. 149,
1950 on wood.—Argentina.

— subvelutina Singer in Sydowia, 4, p. 149, 1950.—Asia.

Nectria mindoensis Petrak in Sydowia, 4, p. 509, 1950 on rotten stems of Bambuseae.— Ecuador.

— tympaniformis Petrak in Sydowia, 4, p. 514, 1950 on rotten stems of Bambuseae.—
Ecuador.

Nematostoma nervisequens Petrak in Sydowia, 4, p. 516, 1950 on Eupatorium.— Ecuador.

NEODIMERIUM Petrak in Sydowia, 4, p. 341, 1950.—Dimerieae.

— sydowii Petrak in Sydowia, 4, p. 341, 1950 on leaves of Myrsinaceae.—Ecuador.

NEOPELTELLĂ Petrak in Sydowia, 4, p. 329, 1950.—Dictyopeltineae. — aequatoriensis Petrak in Sydowia, 4,

p. 329, 1950 on leaves of Bambuseae.— Ecuador.

NEOPHACIDIUM Petrak in Sydowia, 4, p. 333, 1950.—Discomycetes.

macrocarpum (Pat.) Petrak in Sydowia.
 p. 335, 1950. (Syn. Phacidium macrocarpum Pat.).

Octaviania longiana Ahmad in Sydowia, 4, p. 124, 1950 on ground.—India.

Oidium nephelii Hadiwidjaja in Landbouw, 22, p. 253. 1950 on Nephelium lappaceum.—Indonesia.

Omphalia anthodia (Pers.) Lundell in Fungi Exsiccati Suecici Praesertim Upsalienses, 35-36, p. 27, 1949. (Syn. Agaricus anthodius Pers.).

Ovularia corsica Mayor & Viennot-Bourgin in Rev. Mycologie, N.S., 15, p. 86, 1950 on Polygonum maritimum.—Corsica.

Papularia ecuadorensis Petrak in Sydowia, 4, p. 583, 1950 on Arundinaria patula.— Ecuador.

PARENCOELIA Petrak in Sydowia, 4, p. 349, 1950.—Encoelioideae.

— andina Petrak in Sydowia, 4, p. 350, 1950 on Phyllachora ulei.—Ecuador.

Parodiella smithiae Uppal, Patel, & Bhide in Indian Phytopathology, 2, p. 177, 1949 [1950] on Smithia bigemina.—India.

Parodiopsis sydowii Petrak in Sydowia, 4, p. 517, 1950 on Oryctanthus florulentus.— Ecuador.

Passalora aronici (Fuckel) von Arx in Sydowia, 4, p. 323, 1950. (Syn. Ramularia aronici Fuckel).

Pedilospora incarnata (Martin) Damon in Mycologia, 42, p. 561, 1950. (Syn. Tetracrium incarnatum Martin).

Peniophora cornea (Bourd. & Galz.) John Erikss. apud Lundell & Nannf. in Fungi Exsiccati Suecici Praesertim Upsalienses, 37-38, p. 28, 1950. (Syn. Peniophora gigantea (Fr. ex Fr.) Massee subsp. cornea Bourd. & Galz.).

— pithya (Pers.) John Erikss. apud Lundell & Nannf. in Fungi Exsiccati Suecici Praesertim Upsalienses, 37–38, p. 37, 1950. (Syn. Thelephora pithya Pers.).

— praeterita Jackson in Canad. J. Res., Sect. C, 28, p. 533, 1950 on wood.—Ontario, Canada.

— pruinosa (Pat.) Jackson in Canad. J. Res., Sect. C, 28, p. 530, 1950. (Syn. Corticium pruinosum Pat.).

— pulverulenta (Litsch.) Jackson in Canad. J. Res., Sect. C, 28, p. 532, 1950. (Syn. Corticium pulverulentum Litsch.).

Periline monilifera (Pat.) Petrak in Sydowia, 4, p. 519, 1950. (Syn. Dimerosporium moniliferum Pat.).

Peronospora convolvuli Lindquist in Rev. Fac. Agron. La Plata, 26, p. 29, 1946 on Convolvulus arvensis.—Argentine.

— lathyrina Viennot-Bourgin in Bull. Soc. mycol. Fr., 66, p. 64, 1950 on Lathyrus latifolius.—France.

 polycarponis Mayor & Viennot-Bourgin in Rev. Mycologia, N.S., 15, p. 82, 1950 on Polycarpon tetraphyllum.—Corsica.

Pestalotia vismiae Petrak in Sydowia, 4, p. 561, 1950 on Vismia obtusa.—Ecuador.
— weinmanniae Petrak in Sydowia, 4, p. 563,

1950 on Weinmannia spruceana.—Ecuador.
Pezicula bambusina Petrak in Sydowia, 4,

p. 545, 1950 on stems of Bambuseae.—
 Ecuador.
 Pezolepis naucleae Dennis in Kew Bull., 1950,

p. 170, 1950 on Nauclea sp.—Sierra Leone. Phaeocollybia jennyae (Karst.) Moser in Sydowia, 4, p. 119, 1950. (Syn. Naucoria jennyae Karst.).

Phaeodimeriella sydowii Petrak in Sydowia, 4, p. 523, 1950 on Solanum.—Ecuador.

Phakopsora kirganeliae T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 76, 1950 Kirganelia reticulata.—Madras.

Phialea tomentophila Petrak in Sydowia, 4, p. 548, 1950 on Gynoxis chimborazensis. Ecuador.

Phleospora cassiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 110,

Sept., 1950 on Cassia fistula.—Madras.
cassiae Thirumalachar & Narasimhan in Sydowia, 4, p. 70, 30 Sept., 1950 on Cassia fistula.—India.

Pholiotina altaica Singer in Sydowia, 4, p.

140, 1950.—Asia.

procera Singer in Sydowia, 4, p. 142, 1950.

--Asia.

septentrionalis (A. H. Smith) Singer in Sydowia, 4, p. 143, 1950. (Syn. Pholotia septentrionalis A. H. Smith).

Phoma (Phyllosticta) bellidis Neergaard in Friesia, 4, p. 74, 1950 on Bellis perennis.-

Phomopsis andina Petrak in Sydowia, 4, p. 564, 1950 on Cestrum.—Ecuador.

vismiae Petrak in Sydowia, 4, p. 565, 1950 on Vismia obtusa.—Ecuador.

Phyllachora actinodaphnes Uppal, Patel, & Bhide in Indian Phytopathology, 2, p. 176, 1949 [1950] on Actinodaphne hookeri.—India.

clibadii Petrak in Sydowia, 4, p. 526, 1950 on Clibadium rhytidophyllum.—Ecuador.

-condigna Petrak in Sydowia, 4, p. 527,

1950 on Buettneria.—Ecuador. - gudalurensis T. S. & K. Ramakrishnan in

Proc. Indian Acad. Sci., Sect. B, 32, p. 101, 1950 on Croton oblongifolius.—Madras. indica Uppal, Patel, & Bhide in Indian

Phytopathology, 2, p. 176, 1949 [1950] on Dimeria ornithopoda.—India. - jacarandae Batista (this index, 2, p. 7) is

on Swartzia, fide Bol. Agric., Pernambuco, 16, p. 125, 1950. - saurauiae (Chard.) Petrak in Sydowia, 4,

529, 1950. (Syn. Trabutia saurauiae p. 529, Chard.). - sikkimensis T. S. & K. Ramakrishnan in

Proc. Indian Acad. Sci., Sect. B, 32, p. 74, 1950 on Canarium sikkimense.—Madras. -tessariae Petrak in Sydowia, 4, p. 530,

1950 on Tessaria integrifolia.—Ecuador. Phyllosticta cearensis Batista in Bol. Agric., Pernambuco, 16, p. 109, 1950 on Copernicia

cerifera.—Brazil. - imbe (as 'imbé') Batista in Bol. Agric., Pernambuco, 16, p. 110, 1950 on Philodendron

sp.—Brazil.

Phyllostictina kobus (P. Henn.) Müller in Sydowia, 4, p. 28, 1950. (Syn. Phyllosticta kobus P. Henn.).

Physalacria australiensis Corner, A Mono-

graph of Clavaria and Allied Genera, p. 697, 1950 on dead wood.—Victoria, Australia.

brasiliensis (Rick) Corner, A Monograph of Clavaria and Allied Genera, p. 462, 1950. (Syn. Baumanniella brasiliensis Rick).

- corticola Corner, A Monograph of Clavaria and Allied Genera, p. 697, 1950 on dead bark. -Malava.

- togoensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 468, 1950. (Syn. Baumanniella togoensis P. Henn.).

- tropica Corner, A Monograph of Clavaria and Allied Genera, p. 697, 1950 on wood.-

Malaya.

Physalospora anamalaiensis T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 68, 1950 on Embelia ribes. Madras.

- cordiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 99, 1950 on Cordia obliqua.—Madras.

Physalosporina montserratis (Chard.) Petrak in Sydowia, 4, p. 532, 1950. (Syn.

Clypeotrabutia montserratis Chard.).

Physoderma alfalfae (Pat. & Lagerh.)

Karling in Lloydia, 13, p. 44, 1950. (Syn. Cladochytrium alfalfae Pat. & Lagerh.)

- asphodeli (Debray) Karling in Lloydia, 13, 48, 1950. (Syn. Cladochytrium asphodeli p. 48, 19 Debray).

- astomae (Rayss) Karling in Lloydia, 13, p. 60, 1950. (Syn. Urophlyctis astomae Rayss).

- hemisphaericum (Speg.) Karling in Lloydia, 13, p. 47, 1950. (Syn. Uromyces hemisphaericus Speg.).
- lathyri (Palm) Karling in Lloydia, 13, p. 57,

1950. (Syn. Urophlyctis lathyri Palm).

- leproides (Trabut) Karling in Lloydia, 13, 42, 1950. (Syn. Oedomyces leproides p. 42, Trabut).

· limna[n]themi Thirumalachar in Indian Phytopathology, 2, p. 131, 1949 [1950] on Limnanthemum indicum.—India.

- meliloti (Maire) Karling in Lloydia, 13, 59, 1950. (Syn. Cladochytrium meliloti Maire).

- mouretti (Maire) Karling in Lloydia, 13, 60, 1950. (Syn. Urophlyctis mouretti

- negeri Karling nom. nov. in Lloydia, 13, p. 52, 1950. (Syn. Urophlyctis magnusiana Neger, non Krieger).

pluriannulatum (Berk. & Curt.) Karling in Lloydia, 13, p. 42, 1950. (Syn. Uromyces pluriannulatus Berk. & Curt.).

punctiformis (Speg.) Karling in Lloydia, 13, p. 56, 1950. (Syn. Urophlyctis puncti-

formis Speg.).

rayssi Karling nom. nov. in Lloydia, 13, p. 60, 1950. (Syn. Urophlyctis eryngii Rayss, non P. eryngii Corda).

rubsaameni (Magnus) Karling in Lloydia, 13, p. 49, 1950. (Syn. Urophlyctis rubsaameni Magnus).

- trifolii (Passerini) Karling in Lloydia, 13, p. 50, 1950. (Syn. Synchytrium trifolii Passerini).

 vagabunda (Speg.) Karling in Lloydia, 13, p. 54, 1950. (Syn. Protomyces vagabundus Speg.).

Pirottaea helvetica von Arx in Sydowia, 4, p. 397, 1950 on Knautia.—Switzerland.

Pistillaria anceps (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 477, 1950. (Syn. Typhula anceps Karst.).

- bipindiensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 478, 1950. (Syn. Typhula bipindiensis P. Henn.).

-cylindrospora (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 480,

1950. (Syn. Typhula cylindrospora Atk.). - elegantula (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 480, 1950. (Syn. Typhula elegantula Karst.)

epiphylla (Quél.) Corner, A Monograph of Clavaria and Allied Genera, p. 480, 1950. (Syn. Clavaria epiphylla Quél.)

fuegiana (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 481, 1950. (Syn. Clavaria fuegiana Speg.).

fuscipes (Pers.) Corner, A Monograph of Clavaria and Allied Genera, p. 481, 1950. (Syn. Clavaria fuscipes Pers.).

 gilva (Lasch) Corner, A Monograph of Clavaria and Allied Genera, p. 482, 1950. (Syn. Typhula gilva Lasch).

glandulosa (Preuss) Corner, A Monograph of Clavaria and Allied Genera, p. 482, 1950. (Syn. Typhula glandulosa Preuss).
 lignicola (Killerm.) Corner, A Monograph

 lignicola (Killerm.) Corner, A Monograph of Clavaria and Allied Genera, p. 482, 1950. (Syn. Typhula lignicola Killerm.).

— limicola (Saut.) Corner, A Monograph of Clavaria and Allied Genera, p. 483, 1950. (Syn. Tyrhyla limicola Saut.)

(Syn. Typhula limicola Saut.).
- lividula (Roll.) Corner, A Monograph of

Clavaria and Allied Genera, p. 483, 1950. (Syn. Typhula lividula Roll.).

— misella (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 484, 1950. (Syn. Clavaria misella Berk. & Curt.).

- mycophila (Fckl.) Corner, A Monograph of Clavaria and Allied Genera, p. 484, 1950. (Syn. Typhula mycophila Fckl.).

 oleae (Maire) Corner, A Monograph of Clavaria and Allied Genera, p. 485, 1950. (Syn. Typhula oleae Maire).

— paradoxa (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 485, 1950. (Syn. Clavaria paradoxa Karst.).

— peronata (Pers.) Corner, A Monograph of Clavaria and Allied Genera, p. 485, 1950. (Syn. Clavaria peronata Pers.).

phaeosperma (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 485, 1950. (Syn. Typhula phaeosperma P. Henn.).
rhodocionides Corner, A Monograph of Clavaria

Clavaria and Allied Genera, p. 697, 1950 on dead pods of Cassia alata.—Malaya. — spathulata Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 492, 1950. (Syn. Clavaria spathulata Peck, non

Chev.).

— subfasciculata (E. & E.) Corner, A Monograph of Clavaria and Allied Genera, p. 492, 1950. (Syn. Typhula subfasciculata E. &

— subuncialis Corner, A Monograph of Clavaria and Allied Genera, p. 698, 1950 on Juncus.—England.

— tenera Corner nom. nov., A Monograph of Clavaria and Allied Genera, p. 493, 1950. (Syn. Clavaria tenuis Schw., non Fr.).

— tenuis (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 493, 1950. (Syn. Typhula tenuis Fr.).

— thaxteri (Burt) Corner, A Monograph of Clavaria and Allied Genera, p. 501, 1950. (Syn. Pistillaria thaxteri Burt).

 todel (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 493, 1950. (Syn. Typhula todei Fr.).

trichomorpha (Schw.) Corner, A Monograph of Clavaria and Allied Genera, p. 494,
 1950. (Syn. Clavaria trichomorpha Schw.).

Plasmopara podagrariae (Otth ap. Trog) Nannf. in Fungi Exsiccati Suecici Praesertim Upsalienses, 33-34, p. 34, 1948. (Syn. Peronospora podagrariae Otth. ap. Trog).

Pleospora davatchii Esfandiari in Sydowia, 4, p. 12, 1950 on Capparis spinosa.—Iran.

exigua Müller nom. nov. in Sydowia, 4,
 p. 191, 1950. (Syn. Sphaerella pulchra Winter).

Plowrightia indica T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **32**, p. 73, 1950 on *Jambosa laeta*.—Madras.

Pluteus thomsoni (Berk. & Br.) Dennis in

Trans. Brit. mycol. Soc., 31, p. 206, 1947. (Syn. Entoloma thomsoni Berk. & Br.).

Polycyclus marginalis Petrak in Sydowia, 4, p. 533, 1950 on Diplazium lindbergii.— Ecuador.

Polyporus pusillus (Fr.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 238, 1950. (Syn. Favolus pusillus Fr.).
Prillieuxina baccharidincola (Rehm) Petrak

in Sydowia, 4, p. 536, 1950. (Syn. Lembosia drymidis var. baccharidinosa Rehm).

Pseudopeziza indica T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 67, 1950 on Embelia ribes.—Madras.
Pterula adustines (Space) Company

Pterula adustipes (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 506, 1950. (Syn. Clavaria adustipes Speg.).

— brunneola Corner, A Monograph of Clavaria

and Allied Genera, p. 698, 1950 on humus.— Malaya. — debilis Corner, A Monograph of Clavaria

and Allied Genera, p. 698, 1950 on dead Juncus.—England.
— dilatata (Mont.) Corner, A Monograph of Clavaria and Allied Genera, p. 510, 1950. (Syn.

Clavaria and Allied Genera, p. 510, 1950. (Syn. Clavaria dilatata Mont.).

— epiphylla Corner, A Monograph of Clavaria

and Allied Genera, p. 698, 1950 on Ixonanthes icosandra.—Malaya.

— falcatula (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 511, 1950.

(Syn. Clavaria falcatula P. Henn.).

— filaris (Kalchbr.) Corner, A Monograph of Clavaria and Allied Genera, p. 511, 1950.

(Syn. Clavaria filaris Kalchbr.).

— gordius (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 513, 1950. (Syn. Clavaria gordius Speg.).

— gracilis (Berk. & Desm.) Corner, A Monograph of Clavaria and Allied Genera, p. 514, 1950. (Syn. Typhula? gracilis Berk. & Desm.).

— janseniana (Holterm.) Corner, A Monograph of Clavaria and Allied Genera, p. 518, 1950. (Syn. Clavaria janseniana Holterm.).

 juruensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 518, 1950. (Syn. Phaeopterula juruensis P. Henn.).
 macrospora (Pat.) Corner, A Monograph

of Clavaria and Allied Genera, p. 518, 1950. (Syn. Ceratella macrospora Pat.). — oryzae (Remsberg) Corner, A Monograph

of Clavaria and Allied Genera, p. 519, 1950. (Syn. Pistillaria oryzae Remsberg).

— penniseti (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 520, 1950. (Syn. Pistillaria penniseti P. Henn.).

— phyllophila (Mcalp.) Corner, A Monograph of Clavaria and Allied Genera, p. 520, 1950. (Syn. Clavaria phyllophila Mcalp.).

(Syn. Clavaria phyllophila Mcalp.).

— rigida Donk in Corner, A Monograph of Clavaria and Allied Genera, p. 698, 1950 on rotten wood.—Holland.

— setacea (Kalchbr.) Corner, A Monograph of Clavaria and Allied Genera, p. 522, 1950. (Syn. Clavaria setacea Kalchbr.).

— subtyphuloides Corner, A Monograph of Clavaria and Allied Genera, p. 698, 1950 on dead Costus.—Malaya.

— subuliformis (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 523, 1950. (Syn. Typhula subulaeformis Berk. & Curt.).

- tenerrima (P. Henn.) Corner, A Mono-

graph of Clavaria and Allied Genera, p. 524, 1950. (Syn. Typhula tenerrima P. Henn.).

tenuissima (Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 524, 1950. (Syn. Typhula tenuissima Curt.).

typhuloides Corner, A Monograph of Clavaria and Allied Genera, p. 698, 1950 on dead? Pometia alnifolia and Scindapsus.— Malaya.

- var. minor Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950 on dead grasses.—Malaya.
verticillata Corner, A Monograph of

Clavaria and Allied Genera, p. 699, 1950 in woods .- Malaya.

_ vinacea Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950 on humus .-

Malaya.

- vitellina (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 533, 1950. (Syn. Lachnocladium vitellinum Pat.).

PTERULICIUM Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950.-

Clavariaceae.

- xylogenum (Berk. & Br.) Corner, A Monograph of Clavaria and Allied Genera, p. 538, 1950. (Syn. Clavaria xylogena Berk. & Br.). Puccinia connersii Savile in Mycologia, 42,

665, 1950 on Habenaria dilatata and Deschampsia atropurpurea.—Quebec, Canada. - corniculata Mayor & Viennot-Bourgin in Rev. Mycologie, N.S., 15, p. 103, 1950 on Vulpia membranacea.—Corsica.

- haynaldiae Mayor & Viennot-Bourgin in Rev. Mycologie, N.S., 15, p. 96, 1950 on

Haynaldia villosa.—Corsica.

*- hordei-maritimi Guyot, Massenot, Montégut, & Saccas in C.R. Acad. Sci., Paris, ccxxvi, p. 1922, 1948 on Clematis vitalba and Hordeum maritimum.-France.

tunuyanensis Lindquist in Notas Mus. La Plata, Bot., 14, p. 200, 1949 on Perezia carduncelloides.—Argentine.

- vulpiae-myuri Mayor & Viennot-Bourgin in Rev. Mycologie, N.S., 15, p. 104, 1950 on Vulpia myuros.—Corsica.

Pustularia bronca (Peck) Kanouse in Mycologia, 42, p. 497, 1950. (Syn. Peziza bronca Peck).

Pyrenopeziza allicina von Arx in Sydowia, 4, p. 396, 1950 on Allium victorale. Switzerland.

- phacae von Arx in Sydowia, 4, p. 394, 1950 on Phaca alpina.—Switzerland.

Ramaria acutissima (Berk.) Corner, A Monograph of Clavaria and Allied Genera, 554, 1950. (Syn. Clavaria acutissima Berk.).

-albida (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 554, 1950. (Syn. Lachnocladium albidum Pat.).

- albocinerea (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 555, 1950. (Syn. Lachnocladium albocinereum Pat.).

apiahyana (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 555, 1950.

(Syn. Clavaria apiahyana Speg.).

— articulata (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 557, 1950. (Syn. Lachnocladium articulatum P. Henn.)

- bataillei (Maire) Corner, A Monograph of Clavaria and Allied Genera, p. 558, 1950. (Syn. Clavariella bataillei Maire).

- botrytoides (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 562, 1950. (Syn. Clavaria botrytoides Peck).

- brunnea (Zeller) Corner, A Monograph of Clavaria and Allied Genera, p. 564, 1950. (Syn. Clavaria brunnea Zeller).

cacao (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 564, 1950.

(Syn. Clavaria cacao Coker). capitata (Lloyd) Corner, A Monograph of Clavaria and Allied Genera, p. 565, 1950. (Syn. Clavaria capitata Lloyd).

capucina (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 565, 1950.

(Syn. Clavaria capucina Pat.).

cervicornis (A. L. Smith) Corner, A Monograph of Clavaria and Allied Genera, p. 565, (Syn. Clavaria cervicornis A. L. Smith).

conjuncta (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 566, 1950. (Syn. Clavaria conjuncta Peck).

conjunctipes (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 567, 1950. (Syn. Clavaria conjunctipes Coker).

-cornicularioides (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 567, 1950. (Syn. Lachnocladium cornicularioides P. Henn.).

cyanocephala (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 568, 1950. (Syn. Clavaria cyanocephala Berk. & Curt.).

- cyatheae (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 573, 1950.

(Syn. Clavaria cyatheae P. Henn.).

cystidiophora (Kauffm.) Corner, A Monograph of Clavaria and Allied Genera, p. 573, 1950. (Syn. Clavaria cystidiophora Kauffm.).

decolorans (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 574, 1950. (Svn. Clavariella decolorans Karst.).

divaricata (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 574, 1950.

(Syn. Clavaria divaricata Peck).

durbana (van d. Bijl) Corner, A Monograph of Clavaria and Allied Genera, p. 575, 1950. (Syn. Clavaria durbana van d. Bijl).

eumorpha (Karst.) Corner, A Monograph of Clavaria and Allied Genera, p. 575, 1950. (Syn. Clavariella eumorpha Karst.).

filicicola (Fawcett) Corner, A Monograph of Clavaria and Allied Genera, p. 576, 1950. (Syn. Clavaria filicicola Fawcett).

filicina (Sacc. & Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 576, 1950. (Syn. Clavaria filicina Sacc. & Syd.).

- flavo-alba Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950 in woods.-

-flavo-brunnescens (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 581, 1950. (Syn. Clavaria flavobrunnescens Atk.).

- fragillima (Sacc. & Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 588, 1950. (Syn. Clavaria fragillima Sacc. & Syd.).

fumigata (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 591, 1950.

(Syn. Clavaria fumigata Peck).
gelatinosa (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 593, 1950. (Syn. Clavaria gelatinosa Coker).

grandis (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 595, 1950. (Syn. Clavaria grandis Peck).

guadelupensis (Lév.) Corner, A Monograph of Clavaria and Allied Genera, p. 596, 1950. (Syn. Merisma guadelupense Lév.).

 guyanensis (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 596, 1950.
 (Syn. Lachnocladium guyanense Pat.).

henriquesii (Bres. & Roum.) Corner, A
 Monograph of Clavaria and Allied Genera,
 p. 596, 1950. (Syn. Clavaria henriquesii Bres.).
 holorubella (Atk.) Corner, A Monograph

of Clavaria and Allied Genera, p. 596, 1950. (Syn. Clavaria holorubella Atk.).

— holsatica (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 597, 1950. (Syn. Clavariella holsatica P. Henn.).

 ignicolor Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950 in coniferous woods.—Italy.

- incurvata (Morgan) Corner, A Monograph of Clavaria and Allied Genera, p. 598, 1950.

(Syn. Clavaria incurvata Morgan).
intricatissima (Speg.) Corner, A Monograph of Clavaria and Allied Genera, p. 598, 1950.
(Syn. Clavaria intricatissima Speg.).

— karstenii (Sacc. & Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 599, 1950. (Syn. Clavaria karstenii Sacc. & Syd.). — kisantuensis (Sacc.) Corner, A Monograph

of Clavaria and Allied Genera, p. 599, 1950. (Syn. Clavaria kisantuensis Sacc.). — leucoceras (Pat.) Corner, A Monograph of

Clavaria and Allied Genera, p. 600, 1950. (Syn. Lachnocladium leucoceras Pat.). — longicaulis (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 600, 1950.

(Syn. Clavaria longicaulis Peck).

— Iuteo-flaccida Corner, A Monograph of Clavaria and Allied Genera, p. 699, 1950 in woods.—Sumatra.

macrospora (Brinkm.) Corner, A Monograph of Clavaria and Allied Genera, p. 603, 1950. (Syn. Phaeoclavulina macrospora Brinkm.).

madagascariensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 603, 1950. (Syn. Clavaria madagascariensis P. Henn.).

— megalorhiza (B. & Br.) Corner, A Monograph of Clavaria and Allied Genera, p. 605, 1950. (Syn. Clavaria megalorhiza B. & Br.).

— moelleriana (Bres. & Roum.) Corner, A Monograph of Clavaria and Allied Genera, p. 606, 1950. (Syn. Lachnocladium moellerianum Bres. & Roum.).

— murillii (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 607, 1950. (Syn. Clavaria murrillii Coker).

— myceliosa (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 607, 1950. (Syn. Clavaria myceliosa Peck).

— nguelensis (P. Henn.) Corner, A Monograph of Clavaria and Allied Genera, p. 608, 1950. (Syn. Clavaria nguelensis P. Henn.).

nigrescens (Brinkm.) Donk var. americana Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 on humus.—
 U.S.A.

 obtusissima (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 609, 1950. (Syn. Clavaria obtusissima Peck).

- ochracea (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 610, 1950. (Syn. Lachnocladium ochraceum Bres.).

 ochraceo-salmonicolor (Clel.) Corner, A Monograph of Clavaria and Allied Genera, p. 611, 1950. (Syn. Clavaria ochraceosalmonicolor Clel.).

 polypus Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 in woods.
 Malaya, New Guinea.

— pusilla (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 617, 1950. (Syn. Clavaria pusilla Peck).

— rufescens Fr.) Corner, A Monograph of

Clavaria and Allied Genera, p. 618, 1950. (Syn. Clavaria rufescens Fr.).

— saccardoi (Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 619, 1950. (Syn. Clavaria saccardoi Syd.).

— sanguinea (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 620, 1950.
(Syn. Clavaria sanguinea Coker ex Doty).
— secunda (Berk) Corner, A Monograph of

— Secunda (Berk) Corner, A Monograph of Clavaria and Allied Genera, p. 620, 1950. (Syn. Clavaria secunda Berk).

— sinapicolor (Clel.) Corner, A Monograph of Clavaria and Allied Genera, p. 621, 1950. (Syn. Clavaria sinapicolor Clel.). — soluta (Karst.) Corner, A Monograph of

Clavaria and Allied Genera, p. 621, 1950. (Syn. Clavaria soluta Karst.).

— strasseri (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 622, 1950.

(Syn. Clavaria strasseri Bres.).

— stricta (Fr.) Quel. ver. concolor Corner,
A Monograph of Clavaria and Allied Genera,
p. 700, 1950 on wood.—N. Amer.. Australie

p. 700, 1950 on wood.—N. Amer., Australia.

- subbotrytis (Coker) Corner, A Monograph
of Clavaria and Allied Genera, p. 625, 1950.
(Syn. Clavaria subbotrytis Coker).

— subdecurrens (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 626, 1950. (Syn. Clavaria subdecurrens Coker).
 — subfennica (Coker) Corner, A Monograph

of Clavaria and Allied Genera, p. 627, 1950. (Syn. Clavaria subfennica Coker).

— subgelatinosa Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 on humus.—Malaya.

— subsigmoidea (Sacc. & Syd.) Corner, A Monograph of Clavaria and Allied Genera, p. 628, 1950. (Syn. Clavaria subsigmoidea Sacc. & Syd.).

— subspinulosa (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 629, 1950. (Syn. Clavaria subspinulosa Coker).
— testaceo-flava (Bres.) Corner, A Monograph

testaceo-flava (Bres.) Corner, A Monograph of Clavaria and Allied Genera, p. 630, 1950. (Syn. Clavaria testaceo-flava Bres.)

— testaceo-violacea (Doty) Corner, A Monograph of Clavaria and Allied Genera, p. 631, 1950. (Syn. Clavaria testaceo-violacea Doty).

testaceo-viridis (Doty) Corner, A Monograph of Clavaria and Allied Genera, p. 631, 1950. (Syn. Clavaria testaceo-viridis Doty).

tubulosa (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 631, 1950. (Syn. Clavaria tubulosa Fr.).

 verna (Coker) Corner, A Monograph of Clavaria and Allied Genera, p. 632, 1950.
 (Syn. Clavaria verna Coker).

xanthosperma (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 632, 1950. (Syn. Clavaria xanthosperma Peck).

 zippelii (Lév.) Corner, A Monograph of Clavaria and Allied Genera, p. 632, 1950. (Syn. Clavaria zippelii Lév.).

(Syn. Clavaria zippelii Lév.).

— var. gracilis Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 on humus.—Malaya.

Ramariopsis asperulospora (Atk.) Corner, A Monograph of Clavaria and Allied Genera, 638, 1950. (Syn. Clavaria asperulospora Atk.).

asterella (Atk.) Corner, A Monograph of Clavaria and Allied Genera, p. 638, 1950.

(Syn. Clavaria asterella Atk.).

clavuligera (Heim) Corner, A Monograph of Clavaria and Allied Genera, p. 638, 1950. (Syn. Clavaria clavuligera Heim).

-crocea (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 638, 1950.

(Syn. Clavaria crocea Fr.).

curta (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 638, 1950. (Syn.

Clavaria curta Fr.).

- kunzei (Fr.) Donk var. deformis Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 on the ground.—Europe.

-var. favreae Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 in

pinewoods.—France.

var. subasperata Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 on the ground.-France.

_ lorithamnus (Berk.) Corner, A Monograph of Clavaria and Allied Genera, p. 644, 1950. (Syn. Clavaria lorithamnus Berk.).

pulchella (Boud.) Corner, A Monograph of Clavaria and Allied Genera, p. 645, 1950. (Syn. Clavaria pulchella Boud.)

tenuiramosa Corner, A Monograph of Clavaria and Allied Genera, p. 700, 1950 in pinewoods.—England.

vestitipes (Peck) Corner, A Monograph of Clavaria and Allied Genera, p. 647, 1950. (Syn. Clavaria vestitipes Peck).

Ramularia phaseolina Petrak in Sydowia. 4, p. 584, 1950 on Phaseolus vulgaris.

Ecuador.

Ramulispora alloteropsidis Thirumalachar & Narasimhan in Sydowia, 4, p. 72, 1950 on Alloteropsis cimicina.—India.

*Russula ruberrima Romagnesi in Bull. Soc. Nat. Oyonnax, 4, p. 56, 1950.—France.

Saccobolus punctiformis (Ces.) Petch apud Petch & Bisby in Peradeniya Manual 6, p. 21, 1950. (Syn. Sordaria punctiformis Ces.).

Schiffnerula concinna Petrak in Sydowia, 4, p. 538, 1950 on Gynoxis.—Ecuador.

-spectabilis (Pat.) Petrak in Sydowia, 4, p. 539, 1950. (Syn. Dimerosporium spectahile Pat.).

Scopularia halepensis Biraghi in Ann. Sper. agr., N.S. 1, p. 120, 1947 on Pinus halepensis.

Scytinopogon angulisporus (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 648, 1950. (Syn. Clavaria angulispora

- var. curtus Corner, A Monograph of Clavaria and Allied Genera, p. 701, 1950 in woods.-Malaya.

var. gracilis Corner, A Monograph of Clavaria and Allied Genera, p. 701, 1950 in woods.-Malaya.

-var. parvus Corner, A Monograph of Clavaria and Allied Genera, p. 701, 1950.-

echinosporus (Berk. & Br.) Corner, A Monograph of Clavaria and Allied Genera. 655, 1950. (Syn. Clavaria echinospora Berk. & Br.).

Septogloeum feroniae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 78, 1950 on Feronia elephantum. Madras.

scutiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 109, 1950 on Scutia myrtina.-Madras.

Septoria davatchii Esfandiari in Sydowia, 4, p. 29, 1950 on Populus hybrida.—Iran. lepyrodiclidis Petrak in Sydowia, 4, p. 30,

1950 on Lepyrodiclis holosteoides.—Iran. Sorosporium holci-sorghi (Rivolta) Moesz in A Kárpát-Medence Üszöggombái, p. 147, 1950. (Syn. Ustilago holci-sorghi Rivolta).

ischaemi L. Ling in Sydowia, 4, p. 80, 1950 on Ischaemum rugosum.—India.

Speira digitata (Martin) Damon in Mycologia, 42, p. 555, 1950. (Syn. Cheiromyces digitata Martin).

Sphacelotheca eremochloae L. Ling in Sydowia, 4, p. 77, 1950 on Eremochloa ciliaris.-Indo-China.

heteropogonis-triticei L. Ling in Sydowia, 4, p. 77, 1950 on Heteropogon triticeus.—Ins. Philippine.

- manilensis (Syd.) L. Ling in Sydowia, 4, p. 78, 1950. (Syn. Ustilago manilensis Syd.). Sphaerodothis borassi T. S. & K. Rama-

krishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 74, 1950 on Borassus flabellifer.-Madras.

Stagonospora brideliae Thirumalachar & Narasimhan in Sydowia, 4, p. 71, 1950 on Bridelia roxburghiana.—India.

procerula Petrak in Sydowia, 4, p. 566, 1950 on Axonopus matthewsii.—Ecuador. Stemphylium callistephi Baker & Davis in

Mycologia, 42, p. 482, 1950 on Callistephus chinensis.—California, U.S.A.

dichroum Petrak in Sydowia, 4, p. 585, 1950 on Miconia theaezans.—Ecuador. - iranicum Esfandiari in Sydowia, 4, p. 34, 1950 on Populus euphratica.—Iran.

Stigmina esfandiarii Petrak in Sydowia, 4,

p. 35, 1950 on Vitis vinifera.—Iran. Synchytrium crotalariae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 67, 1950 on Crotalaria semperflorens. Madras.

Synostomella nervicola Petrak in Sydowia, 4, p. 540, 1950 on Centronia excelsa.

Ecuador.

Teichospora ephedrae Esfandiari in Sydowia,

4, p. 14, 1950 on Ephedra.—Iran. TELIMENOPSIS Petrak in Sydowia, Ann. mycol., Ser. II, 4, p. 543, 1950.—Pyrenomycetes.

caudata (Syd.) Petrak in Sydowia, 4, p. 542,

1950. (Syn. Telimena caudata Syd.). Thecaphora mauritiana (Syd.) L. Ling in Sydowia, 4, p. 80, 1950. (Syn. Tolyposporium mauritianum Syd.).

- seminis-convolvuli (Duby) Liro apud Moesz in *A Kárpát-Medence Uszöggombái*, . 156, 1950. (Syn. Uredo seminis-convolvuli p. ... Duby).

Thyrostroma speciosum Petrak in Sydowia, 4, p. 37, 1950 on Echinops.-Iran.

Tilletia elytrophori Dennis in Kew Bull., 1950, p. 170, 1950 on Elytrophorus africanus. S. Rhodesia.

Tilletiopsis minor Nyland in Mycologia, 42, p. 489, 1950 on leaves.—Washington, U.S.A.

washingtonensis Nyland in Mycologia,

42, p. 488, 1950 on leaves.—Washington, U.S.A.

Trametes drummondii Cunningham nom. nov. in Proc. Linn. Soc. N.S.W., 75, p. 224, 1950. (Syn. Hexagona decipiens Berk, non T. decipiens Bres.).

-ferrea (Berk.) Cunningham in *Proc. Linn.* Soc. N.S.W., 75, p. 225, 1950. (Syn. Polyporus ferreus Berk.).

floccosa (Jungh.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 226, 1950. (Syn. Polyporus floccosus Jungh.).
- foedata (Berk.) Cunningham in Proc. Linn.

Soc. N.S.W., 75, p. 226, 1950. (Syn. Poly-

porus foedatus Berk.).

protea (Berk.) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 237, 1950. (Syn. Polyporus proteus Berk.).

proteiformis (Cooke) Cunningham in Proc. Linn. Soc. N.S.W., 75, p. 238, 1950. (Syn.

Polyporus proteiformis Cooke).

Tricholoma fucatum Fr. var. lutescens
Moser in Sydowia, 4, p. 104, 1950.—Austria. TRICHOTHYRINA (Petrak) Petrak in Sydowia, 4, p. 167, 1950. (Syn. Trichothyrium subgen. Trichothyrina Petrak).

- alpestris (Sacc.) Petrak in Sydowia, 4, p. 168, 1950. (Syn. Mycothyrium alpestre

Sacc.).

- elegans (Doidge) Petrak in Sydowia, 4, p. 168, 1950. (Syn. Trichothyrium austriacum Doidge).

– pinophylla (v. Höhn.) Petrak in Sydowia, 4, p. 168, 1950. (Syn. Leptopeltella pinophylla v. Höhn.)

TŘIČHOTHYRÍNULA Petrak in Sydowia, 4, p. 171, 1950.—Trichothyriaceae.

- sydowii Petrak in Sydowia, 4, p. 171, 1950 on stroma of Polystomellaceae.—Ecuador.

Tryblidaria esfandiarii Petrak in Sydowia, 4, p. 22, 1950 on Berberis integerrima.—Iran. Tuburcinia behboudii Esfandiari in Sydowia, 4, p. 11, 1950 on Arrhenatherum kotschyi. Iran.

Typhula abietina (Fckl.) Corner, A Monograph of Clavaria and Allied Genera, p. 664, 1950. (Syn. Pistillaria abietina Fekl.).

-bulbosa (Pat.) Corner, A Monograph of Clavaria and Allied Genera, p. 666, 1950. (Syn. Pistillaria bulbosa Pat.).

- elegans (Berk. & Curt.) Corner, A Monograph of Clavaria and Allied Genera, p. 668, 1950. (Syn. Pistillaria elegans Berk. & Curt.).

- hedericola (Ces.) Corner, A Monograph of Clavaria and Allied Genera, p. 673, 1950. (Syn. Pistillaria hederaecola Ces.).

muelleri (Saut.) Corner, A Monograph of Clavaria and Allied Genera, p. 676, 1950. (Syn. Pistillaria muelleri Saut.).

- patouillardii (Quél.) Corner, A Monograph of Clavaria and Allied Genera, p. 677, 1950. (Syn. Pistillaria patouillardii Quél.).

quisquiliaris (Fr.) Corner, A Monograph of Clavaria and Allied Genera, p. 679, 1950. (Syn. Pistillaria quisquiliaris Fr.).

sclerotiicola (Allesch.) Corner, A Monograph of Clavaria and Allied Genera, p. 681, 1950. (Syn. Clavaria sclerotiicola Allesch.).

tochiniana (Imai) Corner, A Monograph of Clavaria and Allied Genera, p. 685, 1950. (Syn. Clavaria tochiniana Imai).

Unguiculella caespitosa Dennis in Kew Bull., 1950, p. 170, 1950 on dead Theobroma cacao. -Sierra Leone.

Urocystis ficariae (Unger) Moesz [?comb. nov.] in A Karpát-Medence Üszöggombái, p. 147, 1950. (Syn. Caeoma ficariae Unger).

hellebori-viridis (De Cand.) Moesz in A Kárpát-Medence Üszöggombái, p. 209, 1950. (Syn. Uredo ranunulacearum var. hellebori. viridis De Cand.).

hepaticae-trilobae (De Cand.) Moesz in A Kárpát-Medence Üszöggombái, p. 208, 1950. (Syn. Uredo ranunculacearum var. hepaticaetrilobae De Cand.).

pulsatillae (Bubák) Moesz in A Kárpát. Medence Uszöggombái, p. 211, 1950. (Syn. Urocystis anemones var. pulsatillae Bubák).

ranunculi (Libert) Moesz in A Kárpát-Medence Üszöggombái, p. 213, 1950. (Syn. Sporisorium ranunculi Libert).

Uromyces nilagiricus T. S. & K. Rama. krishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 104, 1950 on Loranthus sp.—Madras. Ustilago panjabensis (Syd.) L. Ling in Sydowia, 4, p. 76, 1950. (Syn. Sphacelotheca panjabensis Syd.).

phragmitis L. Ling in Sydowia, 4, p. 76, 1950 on Phragmites karka.—N. Borneo.

tumeformis L. Ling in Sydowia, 4, p. 77, 1950 on Polygonum chinense. India.

Venturia centaureae von Arx in Sydowia, 4, p. 390, 1950 on Centaurea rhaponticum. Switzerland.

polygoni-vivipari von Arx in Sydowia, 4, p. 391, 1950 on Polygonum viviparum. Switzerland.

Wettsteinina engadinensis Müller in Sydowia 4, p. 202, 1950 on Aster alpinus.—Switzerland.

- niesslii Müller nom. nov. in Sydowia, 4, p. 204, 1950. (Syn. Leptosphaeria gigaspora Niessl., non W. gigaspora Höhnel).

winteri (Niessl.) Müller in Sydowia, 4, 203, 1950. (Syn. Leptosphaeria winteri Niessl.).

Xenochora ingae (Stevens) Petrak in Sydowia, 4, p. 567, 1950: (Syn. Melasmia ingae Stevens).

XENOSTIGMELLA Petrak in Sydowia, 4, p. 369, 1950.—Pyrenomycetes.

paradoxa Petrak in Sydowia, 4, p. 370, 1950 on leaves of ? Rubiaceae.—Ecuador. Xylosphaeria adeana (Rehm) Petrak in

Sydowia, 4, p. 18, 1950. (Syn. Thyridium adeanum Rehm).

- americana (Ell. & Ev.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium americanum Ell. & Ev.).

- andicola (Speg.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium andicola Speg.). antiqua (Ell. & Ev.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium antiquum Ell. & Ev.).

- argentinensis (Speg.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium argentinense Speg.).

- boehmeriae (Speg.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium boehmeriae Speg.).

cacheutensis (Speg.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium cacheutense Speg.).

-ceanothi (Dearn. & House) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium ceanothi Dearn. & House).

 \mathbf{I}

-cingulata (Mont.) Petrak in Sydowia, 4, p. 18, 1950. (Syn. Thyridium cingulatum (Mont.) Sacc.).

- coffeicola (Speg.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium coffeicola Speg.)

Speg.).

- concinna (Petrak) Petrak in Sydowia, 4,
p. 19, 1950. (Syn. Thyridium concinnum
Petrak).

— desertorum (Petrak) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium desertorum Petrak).

flava (Petch) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium flavum Petch).
fusispora (Petrak) Petrak in Sydowia, 4,

- fusispora (Petrak) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium fusisporum Petrak).

gorganensis Petrak in Sydowia, 4, p. 15, 1950 on Prunus.—Iran.

livida (Pers.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium lividum (Pers.)

macedonica (Petrak) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium macedonicum Petrak).

nobilis (Petrak) Petrak in Sydowia, 4,
p. 19, 1950. (Syn. Thyridium nobile Petrak).
pallida (Ell. & Ev.) Petrak in Sydowia, 4,
p. 19, 1950. (Syn. Thyridium pallidum Ell.

& Ev.).

— personata (Berl. & Vogl.) Petrak in Sydowia,
4, p. 19, 1950. (Syn. Thyridium personatum
Berl. & Vogl.).

platensis (Speg.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium platense Speg.).

pulchella (Sacc. & Speg.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium pulchellum Sacc. & Speg.).

quimelensis (Speg.) Petrak in Sydowia,
 4, p. 19, 1950. (Syn. Thyridium quimelense Speg.).

— rechingeri (Petrak) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium rechingeri Petrak).

- rousseliana (Sacc. & Speg.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium rousselianum Sacc. & Speg.).

- sambuci (Earle) Petrak in Sydowia, 4, p. 10, 1050. (Syn. Thyridium sambuci.

— sambuci (Earle) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium sambuci Earle).

— semnanensis (Petrak) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium semnanense Petrak).

 speciosa (Petrak) Petrak in Sydowia, 4,
 p. 19, 1950. (Syn. Thyridium speciosum Petrak).

— stilbostoma (Ell. & Ev.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium stilbostomum Ell. & Ev.).

— syringae (Ell. & Ev.) Petrak in Sydowia, 4, p. 19, 1950. (Syn. Thyridium syringae Ell. & Ev.).

— tuberculata (Rehm) Petrak in Sydowia, 4, p. 20, 1950. (Syn. Thyridium tuberculatum Rehm).

valparadisiaca (Speg.) Petrak in Sydowia,
 4, p. 20, 1950. (Syn. Thyridium valparadisiacum Speg.).

- vitis (Ell. & Ev.) Petrak in Sydowia, 4, p. 20, 1950. (Syn. Thyridium vitis Ell. & Ev.):

yerbae (Speg.) Petrak in Sydowia, 4, p. 20,
 1950. (Syn. Thyridium yerbae Speg.).

Zignoella sharifii Petrak in Sydowia, 4, p. 20, 1950 on Zygophyllum atriplicoides.—Iran.

HOST INDEX

For Phanerogams see under families; for Algae, Pteriodophyta, and Fungi see under those names; for animal hosts see under Insecta and Invertebrata

AIZOACEAE Mollugo nudicaulis Cystopus molluginicola ALGAE

Chlorophyceae
Farriola flava
Spirogyra
Aphanomyces apophysii
AMARYLLIDACEAE
Bomarea caldasii

 $Leptosphaeria\ bomareae$

ARACEAE
Philodendron
Phyllosticta imbe
Scindapsus
Pterula typhuloides
ASCLEPIADACEAE

Tylophora asthmatica Cercospora tylophorae

Berberidaceae
Berberis integerrima
Tryblidaria esfandiarii
BORAGINACEAE
Cordia obliqua
Physalospora cordiae
BURSERACEAE
Canarium sikkimense

Phyllachora sikkimensis

CAPPARIDACEAE Cadaba indica Microstroma cadabae Capparis spinosa Ascochytella davatchii Pleospora davatchii CAPRIFOLIACEAE Lonicera alpigena Leptosphāeria albulae CARYOPHYLLACEAE Lepyrodiclis holosteoides Septoria lepyrodiclidis Polycarpon tetraphyllum Peronospora polycarponis CHLORANTHACEAE Hedyosmum pavonii Cercospora hedyosmi COMPOSITAE Leptosphaeria compositarum Artemisia campestris

Leptosphaeria phaeospora
Aster alpinus
Wettsteinina engadensis
Barnadesia parviflora
Cercosporella barnadesiae
Mycosphaerella barnadesiae
Bellis perennis
Phoma (Phyllosticta) bellidis
Buphthalmum salicifolium
Leptosphaeria septemcellulata

Compositae (continued) Callistephus chinensis Stemphylium callistephi Centaurea rhaponticum Venturia centaureae Centaurea scabiosa Leptosphaeria centaureae Clibadium rhytidophyllum Phyllachora clibadii Echinops Thyrostroma speciosum Eupatorium Nematostoma nervisequens Eupatorium inulaefolium $ilde{M}y$ cosphaerella tungurahuana Gynoxis Creangium sydowii Schiffnerula concinna Gynoxis chimborazensis Phialea tomentophila Gynoxis hallii Cercospora inopina Hieracium murorum Leptosphaeria brauni Liabum Gibbera quitensis Liabum eggersii Gibbera setosa Liabum hastatum Gibbera inconspicua Liabum pallatongense Gibbera andina Perezia carduncelloides Puccinia tunuyanensis Piptocarpha sodiroi Camarosporium insuetum Tessaria integrifolia Hormiscium aequatoriense Phyllachora tessariae VerbesimaBagnisiopsis andicola CONIFERAE Abies balsamea Cryptosporiopsis balsameae Abies grandis Cryptosporiopsis balsameae Cryptosporiopsis diversispora Juniperus polycarpa Ligniella sharifii Picea abies Cryptosporiopsis diversispora Pinus halepensis Scopularia halepensis CONVOLVULACEAE Convolvulus arvensis Peronospora convolvuli CUNONIACEAE Weinmannia spruceana Pestalotia weinmanniae

Scleria bracteata
Dothichloe insidiosa

DIPSACACEAE
Knautia
Pirottaea helvetica

CYPERACEAE

ERICACEAE
Cavendishia compacta
Acrocladium fragile
EUPHORBIACEAE
Asterinella puyana
Asterostomula puyana
Bridelia roxburghiana
Stagonospora brideliae

EUPHORBIACEAE (continued) Croton oblongifolius Phyllachora gudalurensis Glochidion neilgherrense Bubakia indica Kirganelia reticulata Phakospora kirganeliae Sapium sodiroi Mycosphaerella sodiroana Fungi Bagnisiopsis Graphium irradians Hypocrella chusqueae Ēpicrea insignīs Meliola Cicinnobella ecuadorica Dimerium ecuadoricum Dimerium nobile Meliola ambigua Cicinnobella andicola Dimerium andicola Meliola capsicola $Ectosticta\ mindoensis$ Phyllachora Allonectella rubescens Phyllachora ulei Parencoelia andina Polystomellaceae Čicinnobella stromaticola $Dimerium\ stromaticola$ Trichothyrinula sydowii Xenostigmella, etc. Dimerium detectum GENTIANACEAE Limnanthemum indicum Physoderma limnanthemi GNETACEAE Ephedra Teichospora ephedrae GRAMINEAE Alloteropsis cimicina $Ramulispora\ alloteropsidis$ Arrhenatherum kotschyi Tuburcinia behboudii Arundinaria patula Papularia ecuadorensis Axonopus matthewsii Stagonospora procerula Bambuseae Nectria mindoensis Nectria tympaniformis Neopeltella aequatoriensis Pezicula bambusina Chusquea serrulata Helminthosporium chusqueae Metazythia caespitosa Deschampsia atropurpurea $Puccinia\ connersii$ Dichanthium annulatum Cylindrosporium dichanthii Dimeria ornithopoda Phyllachora indica Distichlis stricta Ascochyta subalpina Elytrophorus africanus Tilletia elytrophori Eremochloa ciliaris $Sphacelotheca\ eremochloae$ Haynaldia villosa Puccinia haynaldiae

Heteropogon triticeus

Hordeum maritimum

Puccinia hordei-maritimi

Sphacelotheca heteropogonis-triticei

GRAMINEAE (continued) Ischaemum rugosum Sorosporium ischaemi Panicum virgatum Ascochyta missouriensis Pennisetum ?bambusiforme Cercospora tungurahuensis Phragmites karka Ustilago phragmitis Saccharum officinarum

Chaetomium fibripilium Saccharum spontaneum var. Lacellina sacchari

Trisetum distichophyllum Leptosphaeria volkartiana Vulpia membranacea Puccinia corniculata

Vulpia myuros Puccinia vulpiae-myuri

GUTTIFERAE Vismia Aphanopeltis andina Elachopeltis andina Vismia obtusa Pestalotia vismiae Phomopsis vismiae

HAMAMELIDACEAE Liquidambar styraciflua Cryptosporella beltsvillensis HIPPOCRATEACEAE

? Hippocratea Chaetothyrium molliuscula ICACINACEAE

Mappia foetida Cylindrosporium mappiae INSECTA Camponotus Hymenostilbe camponoti

Coleopterous larva Akanthomyces angustispora Hapithus agitator quadratus

Insecticola clavata INVERTEBRATA (other than insecta)

Hymenostilbe verrucosa

JUNCACEAE Juncus Pistillaria subuncialis Pterula debilis

LABIATAE Leucas stelligera Cercosporella leucadis

Actinodaphne hookeri Phyllachora actinodaphnes LECYTHIDACEAE

Careya arborea Cercospora careyae LEGUMINOSAE Albizzia lebbek Helminthosporium albizzicola

Cassia alata

Pistillaria rhodocionides Cassia fistula Phleospora cassiae

Crotalaria semperflorens Synchytrium crotulariae Dalbergia sissoo

Hysterographium dalbergiae Dalbergia volubilis Cercospora dalbergicola

LEGUMINOSAE (continued) Erythrina suberosa Helminthosporium erythrinae Lathyrus latifolius Peronospora lathyrina Medicago falcata Leptosphaeria blumeri Mezoneurum cucullatum Elsinoe mezoneuri Phaca alpina Pyrenopeziza phacae Phaseolus vulgaris Ramularia phaseolina Psoralea glandulosa Cercospora psoraleae Smithia bigemina Parodiella smithiae Swartzia Phyllachora jacarandae Vicia cracca Leptosphaeria viciae Wagatea spicata Helminthosporium wagateae LILIACEAE Agapanthus umbellatus $\dot{M}y cosphaerella$ agapanthi Allium victorale Hypoderma allicina Pyrenopeziza allicina Yucca gloriosa.

? Ceuthospora gloriosa. LINACEAE Ixonanthes icosandra

Pterula epiphylla LORANTHACEAE Loranthus sp.

Uromyces nilagiricus Oryctanthus florulentus Parodiopsis sydowii

LYTHRACEAE Rotala aquatica Macrophoma rotalae

MALVACEAE Hibiscus syriacus Corynespora hibisci Thespesia populnea Cercosporella thespesiae MELASTOMACEAE

Centronia excelsa Asterina centroniae Synostomella nervicola Miconia pichinchensis Helminthosporium insuetum

Miconia? theaezans Cryptocline andina Lasiostemmella sydowii Stemphylium dichroum

MELIACEAE Cedrela toona Discella cedrelae MYRSINACEAE

Neodimerium sydowii Embelia ribes Physalospora anamalaiensis Pseudopeziza indica

MYRTACEAE Eugenia cerina Dimorphocystis laevis Dimorphocystis subcapitatus Jambosa laeta Plowrightia indica

Syzigium montanum Diplodia longipedicellatum Orchidaceae Coelogyne Glocosporium zonatum Habenaria dilatata Puccinia connersii

PALMAE Borassus flabellifer Sphaerodothis borassi Copernicia cerifera
Phyllosticta cearensis POLYGONACEAE Atraphaxis spinosa Coniothyrium atraphaxidis Polygonum chinense Ustilago tumeformis Polygonum maritimum Ovularia corsica Polygonum sachalinense Gyrothyrium westerdijkiae Polygonum viviparum Venturia polygoni-vivipari PTERIDOPHYTA Alsophila hirta Helicosporium insuetum Diplazium linebergii $ilde{P}$ olycyclus marginalis Dryopteris diplazioides Fusarium mindoanum Pteridium Lachnum tungurahuense

RANUNCULACEAE Aconitum napellus Leptosphaeria napelli Clematis vitalba Puccinia hordei-maritimi Delphinium Diplodina delphinii Thalictrum aquilegifolium Leptosphaeria tenuis RHAMNACEAE Scutia myrtina Septogloeum scutiae ROSACEAE Prunus Xylosphaeria gorganensis RUBIACEAE Xenostigmella paradoxa Nauclea Pezolepis naucleae RUTACEAE Feronia elephantum Septogloeum feroniae

SALICACEAE
Populus euphratica
Stemphylium iranicum
Populus hybrida
Septoria davatchii
SALVADORACEAE
Azima tetracantha
Cercosporella azimae
SANTALACEAE
Santalum album
Ascochyta santali

SAPINDACEAE Nephelium lappaceum Öidium nephelii ? Pometia alnifolia Pterula typhuloides Sapindus emarginatus Cercospora sapindi-emarginati SCROPHULARIACEAE Pedicularis foliosa Didymella pedicularidis SOLANACEAE Cestrum Phomopsis andina Solanum Asterina grisea Phaeodimeriella sydowii Solanum crinitipes $Cryptoparodia\ bispora$ Solanum longevirgatum Molleriella sydowiana STERCULIACEAE Buettneria Asterostomula patula Echidnodes patula Phyllachora condigna Theobroma cacao Unguiculella caespitosa SYMPLOCACEAE Symplocos foliosa Camarotella symploci Symplocos spicata Ascomycetella symploci

THEACEAE
Eurya nervosa
Cercospora caloloma
TLIACEAE
Triumfetta rhomboidea
Cercosporella triumfettae
TYPHACEAE
Typha latifolia
Leptosphaeria palustris

UMBELLIFERAE
Laserpitium halleri
Cladosporium ladinum
Leptosphaeria ladina
URTICACEAE
Pilea melastomoides
Mycosphaerella sublibera

VIOLACEAE
Viola biflora
Lophodermium violae
VITACEAE
Vitis vinifera
Stigmina esfandiarii

ZINGIBERACEAE
Costus
Pterula subtyphuloides
Elettaria cardamomum
Catacauma elettariae
ZYGOPHYLLACEAE
Zygophyllum atriplicoides
Zignoella sharifii

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. II

PART 3

1951

Achrotelium hemidesmi Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 10, 1951 on Hemidesmus indicus.—India.

Actinothyrium viburni da Camara in Agron. lusit., 11, p. 69, 1949 on Viburnum.—Portugal.

Aecidium geniosporii (this Index, ii, p. 1) should be A. geniospori on Geniosporum paludosum.

* hypericophylli Viennot-Bourgin in Rev. Mycologie, 15, Suppl. Col. No. 2, p. 104, 1950 on Hypericophyllum multicaule.—French Guinea.

— ligustricola Cummins in Mycologia, 43, p. 96, 1951 on Ligustrum.—Kwangsi, China. Agaricus trinitatensis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 84, 1951.—Trinidad.

 violaceo-squamulosus Baker & Dale in Mycol. Pap., C.M.I., 33, p. 84, 1951.— Trinidad.

Aleurodiscus minnsiae Jackson in Canad. J. Res., Sect. C, 28, p. 67, 1950 on Tsuga canadensis.—Ontario, Canada.

— pini Jackson in Canad. J. Res., Sect. C, 28, p. 74, 1950 on Pinus strobus.—Ontario, Canada.

Allescheriella crocea (Mont.) Hughes apud Baker & Dale in Mycol. Pap., C.M.I., 33, p. 97, 1951. (Syn. Mucor croceus Mont.).

*Amoebidium poissoni Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 107, 1948 on Cloeon dipterum.—France.

Amphichaeta rhododendri da Camara in Agron. lusit., 11, p. 187, 1949 on Rhododendron.—Portugal.

— viburni da Camara in Agron. lusit., 11, p. 187, 1949 on Viburnum tinus.—Portugal.

Angiopsora elephantopodis (Hiratsuka) Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 9, 1951. (Syn. Phakopsora elephantopodis Hiratsuka).

Anisolpidium stigeoclonii (de Wild.) Canter in Trans. Brit. mycol. Soc., 33, p. 343, 1950.
(Syn. Olpidium stigeoclonii de Wild.).

Anthostomella appendiculosa (Berk. & Br.)
Sacc. var. lusitanica da Camara in Agron.
lusit., 11, p. 44, 1949 on Rubus.—Portugal.
— clyneata (De Not.) Sacc. var. macroscore.

 clypeata (De Not.) Sacc. var. macrospora da Camara in Agron. lusit., 11, p. 170, 1949 on Rubus.—Portugal.

- clypeatula da Camara in Agron. lusit., 11, p. 170, 1949 on Jasminum.—Portugal.

APLECTOSOMA Drechsler in Mycologia, 43, p. 173, 1951.—Zoopagaceae.

- microsporum Drechsler in Mycologia, 43, p. 173, 1951 on Amoeba.—Maryland, U.S.A. Ascochyta brachypodii (Syd.) Sprague &

Ascochyta brachypodii (Syd.) Sprague & A. G. Johnson in Sprague, Diseases of Cereals and Grasses, p. 153, 1950. (Syn. Diplodina brachypodii Syd.).

— cyathulae Chona & Munjal in Curr. Sci., 11, p. 354, 1950 on Cyathula tomentosa.—India.

— sporoboli E. Castellani & Graniti apud Graniti in Nuovo G. bot. ital., N.S., 57, p. 255, 1950 on Sporobolus affinis.—East Africa.

Ascotricha guamensis Ames in Mycologia, 43, p. 30, 1951 from cardboard.—Guam, Ladrones Islands.

— xylina Ames in Mycologia, 43, p. 29, 1951 from cotton cloth.—Philippine Islands.

*Aspergillus chevalieri (Mangin) Thom & Church var. ruber Sasaki in J. Fac. Agric. Hokkaido Univ., 49, p. 137, 1950 from butter.—Japan.

*— flavus Link var. asper Sasaki in *J. Fac.*Agric. Hokkaido Univ., 49, p. 143, 1950 from butter.—Japan.

— thomii G. Smith in Trans. Brit. mycol. Soc., 34, p. 17, 1951.—England.

*— versicolor (Vuillm.) Tiraboschi var. magnus Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 142, 1950 from butter.—Japan.

*— yezoensis Sasaki in J. Fac. Agric. Hokkaido Univ., 49, p. 144, 1950 from butter.—Japan. Asterina centropogonis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 40, 1951 on Centropogon cornutus.—Trinidad.

Asterolibertia sporoboli E. Castellani & Graniti apud Graniti in Nuovo G. bot. ital., N.S., 57, p. 250, 1950 on Sporobolus ruspolianus.—British Somaliland.

ATKINSONELLA Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 48, 1950.—Hypocreales. Type A. hypoxylon.

hypoxylon (Peck) Diehl in Agric. Monogr.
 U.S. Dep. Agric. 4, p. 49, 1950. (Syn. Epichloë hypoxylon Peck).

—— var. texensis Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 54, 1950 on Stipa leucotricha.—Texas, U.S.A.

Balansia aristidae (Atk.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 43, 1950. (Syn. Dothichloë aristidae Atk.).

— cyperacearum (Berk. & Curt.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 39, 1950. (Syn. Hypocrea cyperacearum Berk. & Curt.).

— epichloë (Weese) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 40, 1950. (Syn. Dothichloë epichloë Weese).

hemicrypfa Diehl in Agric. Monogr. U.S.
 Dep. Agric. 4, p. 45, 1950 on Aristida glauca.
 Texas, U.S.A.

— henningsiana (Moell.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 36, 1950. (Syn. Ophiodothis henningsiana Moell.).

— linearis (Rehm) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 47, 1950. (Syn. Ophiodothis linearis Rehm).

obtecta Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 21, 1950 on Cenchrus echinatus.-Florida, U.S.A.

strangulans (Mont.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 29, 1950. (Syn. Cordy-

ceps strangulans Mont.).

— forma discoidea (P. Henn.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 33, 1950. (Syn. Balansia discoidea P. Henn.). Balansiopsis asclerotiaca (P. Henn.) Diehl in

Agric. Monogr. U.S. Dep. Agric. 4, p. 58, 1950. (Syn. Balansia asclerotiaca P. Henn.). pilulaeformis (Berk. & Curt.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 56, 1950.

(Syn. Dothidea pitulaeformis Berk. & Curt.). BALLOCEPHALA Drechsler in Bull. Torrey bot. Cl., 78, p. 199, 1951.—Entomophthorales.

sphaerospora Drechsler in Bull. Torrey bot. Cl., 78, p. 199, 1951 on Macrobiotus.—Pennsylvania, U.S.A.

*BANKERA Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 33,

1951.—Hydnaceae.

fuligineo-alba (Schmidt [ex Fr.]) Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 34, 1951. (Syn. Hydnum fuligineo-album Schmidt).
Boletus bovinus (L.) Fr. var. virido-

caerulescens Pearson in Trans. Brit. mycol. Soc., 33, p. 314, 1950.—South Africa.

subtomentosus Fr. var. albo-ochraceus Pilát in Stud. bot. čechoslov., 12, p. 60, 1951. Czechoslovakia.

Brachysporium britannicum Hughes in The Naturalist, p. 48, 1951 on dead Betula.-England.

- masonii Hughes in The Naturalist, p. 46, 1951 on dead Quercus.—England.

Brettanomyces sphaericus Etchells & Bell in Farlowia, 4, p. 107, 1950 in cucumber brine. -North Carolina, U.S.A.

versatilis Etchells & Bell in Farlowia, 4, p. 106, 1950 in cucumber brine.—North Carolina, U.S.A.

Burrillia narasimhanii Thirumalachar & Mundkur in Mycol. Pap., C.M.I., 40, p. 8, 1951 on Alisma reniformis.—India.

Caeoma cheoanum Cummins in Mycologia, 43, p. 95, 1951 on Rubus.—Kwangsi, China. torreyae Bonar in Mycologia, 43, p. 62, 1951on Torreya californica.—California,

U.S.A. Calonectria ilicicola Boedijn & Reitsma in Reinwardtia, 1, p. 58, 1950 in cultures from potato tubers.—Indonesia.

Candelospora theae (Petch) Wakefield ex Gadd in Monographs on Tea Production in Ceylon, No. 2, Tea Research Institute of Ceylon, p. 59, 1949. (Syn. Cercosporella theae Petch).

Carpenterella cannae Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 1, 1951 on Canna indica.—India.

Catacaumella calamicola T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B,

32, p. 208, 1950 on Calamus rotang.—India. Catenulopsora grewiae Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 13, 1951 on Grewia populifolia.—India.

Ceratobasidium anceps (Bres. & Syd.) Jack son in Canad. J. Res., Sect. C, 27, p. 243, 1949. (Syn. Tulasnella anceps Bres. & Syd.).

Ceratocystis autographa Bakshi in Ann. Bot., Lond., N.S., 15, p. 58, 1951 on Larix leptolepis.-Scotland.

coerulescens (Münch) Bakshi in Trans. Brit. mycol. Soc., 33, p. 114, 1950 and Mycol. Pap., C.M.I., 35, p. 2, 1951. (Syn. Endoconi. diophora coerulescens Münch).

galeiformis Bakshi in Mycol. Pap., C.M.I., 35, p. 13, 1951 on Larix kaempferi.—Scotland. longirostellata Bakshi in Mycol. Pap.,

C.M.I., 35, p. 11, 1951 on Quercus.—Scotland. wilsoni Bakshi in Mycol. Pap., C.M.I., 35, p. 8, 1951 on Quercus.—Scotland. Cercospora antirrhini Muller & Chupp in

Ceiba, 1, p. 171, 1950 on Antirrhinum majus.

-Guatemala.

astilbes Togashi in Trans. Sapporo nat. Hist, Soc., 17, p. 96, 1942 on Astilbe congesta. Japan.

bombacina T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 212, 1950 on Bombax malabaricum.—India.

chloranthi Togashi & Katsuki in Trans. Sapporo nat. Hist. Soc., 17, p. 96, 1942 on Chloranthus serratus.—Japan. cochlospermi Baker & Dale in Mycol. Pap.,

C.M.I., 33, p. 101, 1951 on Cochlospermum vitifolium.—Trinidad.

cotizensis Muller & Chupp nom. nov. in Ceiba, 1, p. 173, 1950. (Syn. Cercospora crotalariae Syd. 1930, non Sacc. 1906).

- cryptomeriicola Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 53, 1950 on Cryptomeria japonica.—Japan.

dispori Togashi & Maki in Trans. Sapporo nat. Hist. Soc., 17, p. 98, 1942 on Disporum smilacinum var. ramosum.—Japan.

ehikomontana Togashi & Katsuki in Trans. Sapporo nat. Hist. Soc., 17, p. 99, 1942 on Mercurialis leiocarpa.—Japan.

guatemalensis Muller & Chupp in Ceiba, 1, p. 173, 1950 on Ocimum canum.—Guatemala.

gymnemae Togashi & Onuma in Trans. Sapporo nat. Hist. Soc., 17, p. 99, 1942 on Gymnema affine.—Japan.

jacobinicola Muller & Chupp in Ceiba, 1, p. 174, 1950 on Jacobinia spicigera.—Guatemala.

-kerriae Togashi in Trans. Sapporo nat. Hist. Soc., 17, p. 99, 1942 on Kerria japonica var. typica.—Japan.

-ligustici Togashi in Trans. Sapporo nat. Hist. Soc., 17, p. 100, 1942 on Ligusticum hultenii.—Japan.

- maracasensis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 103, 1951 on Commelina elegans.—Trinidad.

naitoi Togashi in Trans. Sapporo nat. Hist. Soc., 17, p. 101, 1942 on Îlex oldhami,-Japan.

oliganthidis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 104, 1951 on Oliganthes condensata.—Trinidad.

- schreberae Mahmud in Curr. Sci., 19, p. 292, 1950 on Schrebera swietenioides.-India.

sebastianiae Baker & Dale in Mycol. Pap., C.M.I., 33, p. 105, 1951 on Sebastiania corniculata.—Trinidad.

solani-asperi Baker & Dale in Mycol. Pap., C.M.I., 33, p. 105, 1951 on Solanum asperum. -Trinidad.

- solani-hirti Baker & Dale in Mycol. Pap., C.M.I., 33, p. 105, 1951 on Solanum hirtum. Trinidad.

sophorae T. S. and K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 213, 1950 on Sophora glauca.—India.

spiraeicola Muller & Chupp in Ceiba, 1, p. 177, 1950 on Spiraea prunifolia.—Guatemala.

stigmaphyllonis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 106, 1951 on Stigma-phyllon convolvulifolium.—Trinidad.

tithoniae Baker & Dale in Mycol. Pap., C.M.I., 33, p. 106, 1951 on Tithonia diversifolia.—Trinidad.

vignae-vexillatae Baker & Dale in Mycol. Pap., C.M.I., 33, p. 107, 1951 on Vigna vexillata.—Trinidad.

Chromocrea spinulosa (Fuckel) Petch anud Brooks & Mathieson in Trans. Brit. mycol. Soc., 33, p. 350, 1950. (Syn. Hypocrea spinulosa Fuckel).

Cintractia scleriae-lithospermi Thirumalachar in Lloydia, 13, p. 173, 1950 on Scleria lithospermi var. roxburghii.—India.

Circinella rigida G. Smith in Trans. Brit. mycol. Soc., 34, p. 19, 1951 in soil.—England. Cladochytrium setigerum Karling in Bull. Torrey bot. Cl., 78, p. 38, 1951 in soil.—Mary-

land, U.S.A.

Clasterosporium obclavatum Bonar in Mycologia, 43, p. 64, 1951 on Torreya californica.—California, U.S.A.

Claudopus rubro-violascens Vacek in Stud. bot. čechoslov., 11, p. 70, 1950 on roots.-Czechoslovakia.

Clavaria (Lentaria) albo-vinacea Pilát in Stud. bot. čechoslov., 11, p. 150, 1950.-Czechoslovakia.

(Clavariadelphus) contorta Fr. var. orlosii Pilát in Štud. bot. čechoslov., 11, p. 153, 1950 on dead Betula verrucosa.—Czechoslovakia.

Claviceps diadema (Moell.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 60, 1950. (Syn. Balansia diadema Moell.).

- inconspicua Langdon in Proc. roy. Soc. Qd., 61, p. 31, 1950 on Hyparrhenia filipendula. Queensland, Australia.

- orthocladae (P. Henn.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 60, 1950. (Syn. Claviceps pallida Wint. var. orthocladae P. Henn.).

Clitocybe microspora Baker & Dale [now Peck, 1909] in Mycol. Pap., C.M.I., 33, p. 85, 1951.—Trinidad.

- subfellea Murrill in Mycologia, 43, p. 235, 1951.—Florida, U.S.A. Clypeolum lusitanicum da Camara in Agron.

lusit., 11, p. 49, 1949 on Hedera helix .-Portugal. Cochlonema calosperma Drechsler in My-

cologia, 43, p. 167, 1951 on Amoeba. Maryland, U.S.A.

Coleosporium cheoanum Cummins in Mycologia, 42, p. 788, 1950 on Coleus.—Kweichow, China.

rubiicola Cummins in Mycologia, 42, p. 788, 1950 on Rubia cordifolia.—Kweichow, China. violae Cummins in Mycologia, 42, p. 787, 1950 on Viola limprechtiana.—Kweichow, China.

Collybia chrysopepla (Berk. & Curt.) Pearson in Trans. Brit. mycol. Soc., 33, p. 297, 1950. (Syn. Lentinus chrysopeplus Berk. & Curt.).

fragrantissima Pearson in Trans. Brit. mycol. Soc., 33, p. 297, 1950.—South Africa. -maculatoides Pearson in Trans. Brit. mycol. Soc., 33, p. 297, 1950.—South Africa.

umbrinescens Murrill in Mycologia, 43, p. 235, 1951.—Florida, U.S.A.

Coniothyrium globulosum da Camara in Agron. lusit., 10, p. 305, 1948 on Eucalyptus globulus.—Portugal.

Coprinus agricola Pearson in Trans. Brit. mycol. Soc., 33, p. 313, 1950.—South Africa.
- westii Murrill in Mycologia, 43, p. 236, 1951.—Florida, U.S.A.

Corticium delicatissimum Jackson in Canad. J. Res., Sect. C, 28, p. 722, 1950 on Tsuga canadensis.—Ontario, Canada.

exile Jackson in Canad. J. Res., Sect. C, 28, p. 721, 1950 on a conifer.—Ontario, Canada.

improvisum Jackson in Canad. J. Res., Sect. C, 28, p. 720, 1950 on Quercus.—Quebec, Canada.

inopinatum Jackson in Canad. J. Res., Sect. C, 28, p. 718, 1950 on Tsuga canadensis.-Ontario, Canada.

- insperatum Jackson in Canad. J. Res., Sect. C, 28, p. 718, 1950 on bark.—Ontario, Canada.

- pauxillum Jackson in Canad. J. Res., Sect. C, 28, p. 724, 1950 on Pteretis pennsylvanica. -Ontario, Canada.

- permodicum Jackson in Canad. J. Res., Sect. C, 28, p. 721, 1950 on wood.—Ontario, Canada.

- praeteritum Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 152, 1949 on Alnus rubra.—British Columbia.

propinquum Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 155, 1949 on Thuja plicata.—British Columbia.

- proximum Jackson in Canad. J. Res., Sect. C, 28, p. 722, 1950 on wood.—Vermont, U.S.A. quaesitum Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 154, 1949 on Pseudotsuga taxifolia.—British Columbia.

- rallum Jackson in Canad. J. Res., Sect. C, 28, p. 723, 1950 on Tsuga canadensis.—Ontário, Canada.

- separatum Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 154, 1949 on Abies grandis.—British Columbia.

testatum Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 151, 1949 on Pseudotsuga taxifolia.—British Columbia.

Cortinarius (Phlegmacium) brunneo-limosus Pearson in Trans. Brit. mycol. Soc., 33, p. 304, 1950.—South Africa.

(Dermocybe) radio-fibrillosus Pearson in Trans. Brit. mycol. Soc., 33, p. 304, 1950.-South Africa.

Crepidotus austro-africanus Pilát in Trans. Brit. mycol. Soc., 33, p. 237, 1950.—South

gayi Pilát in Trans. Brit. mycol. Soc., 33, p. 237, 1950.—Chile.

- novae-zealandiae Pilát in Trans. Brit. mycol. Soc., 33, p. 238, 1950.—New Zealand. pouceensis Pilat in Trans. Brit. mycol. Soc., 33, p. 238, 1950.—Mauritius.

sarawakensis Pilát in Trans. Brit. mycol. Soc., 33, p. 238, 1950.—Borneo.

subaffinis Pilát in Trans. Brit. mycol. Soc., 33, p. 239, 1950.—Mauritius.

subepicrocinus Pilát in Trans. Brit. mycol. Soc., 33, p. 237, 1950.—Ceylon.

Cryptostictis plantarum da Camara nom. nov. in Agron. lusit., 11, p. 184, 1949. (Syn. C. arbustivarum da Camara). [No reason is given for 'nom. nov.'

Cucurbitaria occulta Fek. forma subdisticha da Camara in Agron. lusit., 11, p. 173, 1949 on Rosa.—Portugal.

Cyathus sinensis Imazeki in Bot. Mag., Tokyo, 63, p. 96, 1950.—Japan.

Cyclodomus cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 51, 1950 on Cryptomeria japonica.—Japan.

Cylindrocladium citri (Fawcett & Klotz) Boedijn & Reitsma in Reinwardtia, 1, p. 57, 1950. (Syn. Candelospora citri Fawcett & Klotz).

-curvatum Boedijn & Reitsma in Reinwardtia, 1, p. 54, 1950 on Hibiscus subdariffa. -Indonesia.

ilicicola (Hawley) Boedijn & Reitsma in Reinwardtia, 1, p. 57, 1950. (Syn. Candelospora ilicicola Hawley).

quinqueseptatum Boedijn & Reitsma in Reinwardtia, 1, p. 59, 1950 on Syzygium aromaticum.—Indonesia.

Cytidia lanata W.B. Cooke in Mycologia, 43, p. 205, 1951 on bark of Betula.—Idaho, U.S.A. sarcoides (Fr.) W. B. Cooke in Mycologia,

43, p. 204, 1951. (Syn. Thelephora sarcoides Fr.). stereoides W. B. Cooke in Mycologia, 43, p.

206, 1951 on branches.—California, U.S.A. Cytosporina subclypeata da Camara in Agron. lusit., 10, p. 312, 1948 on Olea europaea.-Portugal.

Dasyscypha aplopappi Cash in Mycologia, 43, p. 229, 1951 on dead Aplopappus bloomeri var. angustatus.—California, Ū.S.A.

phlogis Cash in Mycologia, 43, p. 230, 1951 on Phlox douglasii.—California, U.S.A.

- salmonea Cash in Mycologia, 43, p. 230, 1951 on dead Aplopappus bloomeri var. angustatus.—California, U.S.A.

*Dendryphium penicillatum (Corda) Fries var. sclerotiale Meffert in Z. Parasitenk., 14, p. 462, 1950.—Germany.

Dictyolus conchatus (Vel.) Pilát in Stud. bot. čechoslov., 12, p. 64, 1951. (Syn. Leptoglossum conchatum Vel.).

Dictyoploca rhyssophylla (Mont.) Baker & Dale in Mycol. Pap., C.M.I., 33, p. 86, 1951. (Syn. Marasmius rhyssophyllus Mont.)

Didymosphaeria epidermidis (Fr.) Fuckel var. rosmarini da Camara in Agron. lusit., 11, p. 46, 1949 on Rosmarinus officinalis. Portugal.

Dimeriellopsis cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 48, 1950 on Cryptomeria japonica.—Japan.

Diplodia deutziae da Camara in Agron. lusit., 11, p. 65, 1949 on Deutzia.—Portugal. - mitylospora da Camara in Agron. lusit., 11,

p. 182, 1949 on Lavandula stoechas.—Portugal. Diplophlyctis sexualis Haskins in Mycologia, 42, p. 775, 1950.—Ontario, Canada; New

York and Mass., U.S.A. Dothiorella cercidospora (da Camara) da Camara in Agron. lusit., 11, p. 52, 1949. (Syn. Macrophoma cercidospora da Camara).

eucalypti (Berk. & Br.) Sacc. forma microspora da Camara in Agron. lusit., 11, p. 52, 1949 on Eucalyptus globulus.—Portugal.

Eccilia subpusilla Pilát in Stud. bot. čechoslov., 12, p. 36, 1951.—Czechoslovakia.

*Eidamella papyricola Saccas in Bull. Soc. mycol.Fr., 66, p. 122, 1951 on paper.—France. ELLISIELLINA da Camara in Agron. lusit., 11, p. 72, 1949.—Dematiaceae.

biciliata da Camara in Agron. lusit., 11, p. 72, 1949 on Oryzopsis caerulescens.—Portugal.

- caudata (Peck) da Camara in Agron. lusit., 11, p. 72, 1949. (Syn. Ellisiella caudata Peck). Elsinoë centrolobii Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 98, 1950 on

Centrolobium robustum.—Brazil. - diospyri Bitancourt & Jenkins in Arq. Inst.

Biol., S. Paulo, 20, p. 7, 1951 on Diospyros kaki.—Brazil.

jatrophae Bitancourt & Jenkins in Arg. Inst. Biol., S. Paulo, 20, p. 13, 1951 on Jatropha curcas.—Guatemala.

mulleri Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 17, 1951 on Polyscias guilfoylei.—Venezuela.

valleae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 21, 1951 on Vallea stipularis.—Brazil.

*Enterobryus allobrogicus Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 79, 1948 on Iulus.—France.

- broelemanni Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 75, 1948 on Blaniulus hirsutus.—France.

gracilis Duboseq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 78, 1948 on Polydesmus complanatus.-France.

- inflatus Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 73, 1948 on Phalloiulus distinctus.—France.

- rectus Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 76, 1948 on Iulus -France. albipes .-

- rôbini Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 80, 1948 on Schizophyllum sabulosum extinctum.-France.

strongylosomae Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 76, 1948 on Strongylosoma guerini.—France.

tumidus Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 78, 1948 on Polydesmus rubromarginatus.—France.

Entoloma weberi Murrill in Mycologia, 43, p. 236, 1951.—Florida, U.S.A.

Entyloma calendulae (Oudem.) de Bary f. bellidis (Kreiger) Ainsworth & Sampson, The British Smut Fungi, p. 104, 1950. (Syn. Entyloma bellidis Kreiger)

-mysorense Thirumalachar in Lloydia, 13, p. 177, 1950 on Scirpus.—India.

sporoboli E. Castellani & Graniti apud Graniti in Nuovo G. bot. ital., N.S., 57, p. 253, 1950 on Sporobolus indicus var. laxus.-Eritrea.

Flammula devonica Pilát in Stud. bot. čechoslov., 12, p. 14, 1951.—Czechoslovakia.

-laeti-lamellata Pearson in Trans. Brit. mycol. Soc., 33, p. 303, 1950.—South Africa. luxurians Pearson in Trans. Brit. mycol. Soc., 33, p. 303, 1950.—South Africa.

papillata Pearson in Trans. Brit. mycol. Soc., 33, p. 302, 1950.—South Africa.

Fusicoccum cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 51, 1950 on Cryptomeria japonica.—Japan.

Gelasinospora autosteira Alexopoulos & S. H. Sung in *Mycologia*, **42**, p. 723, 1950 on Tillandsia usneoides.—Mississippi, U.S.A.

Gibbera andromedae (Rehm) Müller & von Arx in Ber. schweiz. bot. Ges., 60, p. 368, 1950. (Syn. Trichosphaeria andromedae Rehm).

pseudotthia Müller & von Arx nom. nov. in Ber. schweiz. bot. Ges., 60, p. 368, 1950. (Syn.

Pseudotthia vaccinii P. Henn. & Nym., non.

G. vaccinii (Sow.) Fr.).

*Gibberella xylarioides Heim & Saccas apud Heim (as 'G. (Carbuncularia) xylarioides (Steyaert) Heim & Saccas, syn. Fusarium xylarioides Steyaert') in Rev. Mycologie, N.S., 15, p. 97, 1950 on Coffea excelsa. - West Africa.

*Glomerella manihotis Chevaugeon in Rev. Path. Vég., 29, p. 8, 1950 on Manihot.—Ivory Coast.

Guignardia cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 48, 1950

on Cryptomeria japonica.—Japan. - myopori da Camara in Agron. lusit., 10, p.

287, 1948 on Myoporum acuminatum. Portugal.

Gymnosporangium gaeumannii Zogg in Ber. schweiz. bot. Ges., 59, p. 426, 1949 on Juniperus

nana.—Switzerland.

Gyromitra esculenta var. alba Pilát in Stud. bot. čechoslov., 12, p. 71, 1951.—Czechoslovakia.

Halbania cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 48, 1950 on Cryptomeria japonica.—Japan.

Hamaspora ozeensis Hiratsuka f. in J. Jap. Bot., 26, p. 76, 1951 on Rubus pectinellus.

Japan.

Haploravenelia brevispora (Hiratsuka f. & Hashioka) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 167, 1943. (Syn. Ravenelia brevispora Hiratsuka f. & Hashioka).

- formosana (Syd.) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 166, 1943. (Syn. Ravenelia formosana Syd.).

- hobsoni (Cooke) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 166, 1943. (Syn. Ravenelia hobsoni Cooke).

- millettiae (Hiratsuka f. & Hashioka) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 166, 1943. (Syn. Ravenelia millettiae Hiratsuka f. & Hashioka).

- tephrosiicola (Hiratsuka f.) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 166, 1943. (Syn. Ravenelia tephrosiicola

Hiratsuka f.).

Haplosporella hydrangeae da Camara in Agron. lusit., 11, p. 180, 1949 on Hydrangea hortensis.—Portugal.

Harposporium subuliforme Drechsler in J. Wash. Acad. Sci., 40, p. 408, 1950 on Rhab-ditis.—Maryland, U.S.A.

Hebeloma angustispermum Pearson in Trans. Brit. mycol. Soc., 33, p. 302, 1950.— South Africa.

Helminthosporium lusitanicum da Camara in Agron. lusit., 11, p. 73, 1949 on Alnus glutinosa.—Portugal.

Helotium georginae Vacek in Stud. bot. čechoslov., 11, p. 74, 1950 on roots of Juncus.-

Czechoslovakia.

Hydnellum alachuanum (Murr.) Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 66, 1951. (Syn. Sarcodon alachuanum Murr.).

- fasciatum (Peck) Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 77, 1951. (Syn. Hydnum fasciatum Peck).

- zonatum (Batsch) Karst. forma vespertilio (Berk.) Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 80, 1951. (Syn. Hydnum vespertilio Berk.).

Hydnum bambusinum Baker & Dale in Mycol. Pap., C.M.I., 33, p. 76, 1951.—Trinidad.

Hygrophorus piceae Kühner in Bull. mens.

Soc. linn. Lyon, 18, p. 181, 1949.—France. HYSTEROGARINA Zogg in Ber. schweiz. bot. Ges., 59, p. 42, 1949.—Hysteriales.

- paulistae Zogg in Ber. schweiz. bot. Ges., 59, p. 42, 1949 on Eucalyptus.—Brazil.

Inocybe congregata Pearson in Trans. Brit. mycol. Soc., 33, p. 305, 1950.—South Africa. Irenopsis melothriae Baker & Dale in Mycol.

Pap., C.M.I., 33, p. 11, 1951 on Melothria trilobata.—Trinidad.

Kellermannia malabarica T. S. & K. Ramakrishman in Proc. Indian Acad. Sci., Sect. B, 32, p. 211, 1950 on Anogeissus latifolia.—India.

Laccaria trullisata (Ellis) Peck subsp. maritima (Teod.) Andersson in Bot. Notiser, Suppl. vol. 2, pt. 2, p. 23, 1950. (Syn. Hygrophorus maritimus Teod.).

Laetinaevia veratri Cash in Mycologia, 43, p. 231, 1951 on Veratrum californicum.—Cali-

fornia, U.S.A

*LANGERONIA Vanbreuseghem in Ann. Soc. belge Méd. trop., 30, p. 888, 1950.—Dermatophytes.

soudanensis (Joyeux) Vanbreuseghem in Ann. Soc. belge Méd. trop., 30, p. 888, 1950. (Syn. Trichophyton soudanense Joyeux).

entinus omphalodes Fr. var. africanus Pearson in Trans. Brit. mycol. Soc., 33, p. 299, 1950.—South Africa.

epiota aspericeps Murrill in Mycologia, 43, p. 236, 1951.—Florida, U.S.A.

canescens Pearson in Trans. Brit. mycol. Soc., 33, p. 292, 1950.—South Africa.

cristato-cystidiata Pearson in Trans. Brit. mycol. Soc., 33, p. 291, 1950.—South Africa. cutifracta Pearson in Trans. Brit. mycol.

Soc., 33, p. 289, 1950.—South Africa. fustiformis Pearson in Trans. Brit. mycol.

Soc., 33, p. 291, 1950.—South Africa. murinidisca Murrill in Mycologia, 43, p. 237, 1951.—Florida, U.S.A.

neglecta Murrill in Mycologia, 43, p. 237, 1951.—Florida, U.S.A.

praeclara Pearson in Trans. Brit. mycol. Soc., 33, p. 288, 1950.—South Africa.

roseolescens Pearson in Trans. Brit. mycol. Soc., 33, p. 289, 1950.—South Africa.

truncata Pearson in Trans. Brit. mycol. Soc., 33, p. 292, 1950.—South Africa.

umbrino-zonata Pearson in Trans. Brit. mycol. Soc., 33, p. 290, 1950.—South Africa. Leptonia domestica Murrill in Mycologia, 43, p. 238, 1951.—Florida, U.S.A.

subfloridana Murrill in Mycologia, 43, p. 238, 1951.—Florida, U.S.A.

Leptoniella domestica (Murrill) Murrill in Mycologia, 43, p. 238, 1951. (Syn. Leptonia


domestica Murrill). - $\mathbf{subfloridana}$ (Murrill) Murrill in Mycologia, 43, p. 238, 1951. (Syn. Leptonia subfloridana Murrill).

Leptosphaerulina cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 49, 1950 on Cryptomeria japonica.—Japan.

Macrophoma aloetica da Camara in Agron. lusit., 10, p. 296, 1948 on Pistacia.—Portugal.

- phormii (Alm. & da Camara) da Camara in Agron. lusit., 11, p. 54, 1949. (Syn. Sclerotiopsis phormii Alm. & da Camara).

pistaciaecola da Camara in Agron. lusit., 10, p. 297, 1948 on Pistacia.—Portugal.



Macrophyllosticta tiliae da Camara in Agron. lusit., 10, p. 298, 1948 on Tilia argentea. Portugal.

Massalongiella cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Toyko 45, p. 49, 1950 on Cryptomeria japonica.—Japan. Mastigosporium rubricosum (Dearn.

Barth.) Sprague var. agrostidis Bollard in Trans. Brit. mycol. Soc., 33, p. 262, 1950 on Agrostis stolonifera.—Great Britain.

Melampsora abietis-populi Imai apud Ito &

Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 164, 1943 on Abies mayriana and Populus nigra var. italica .--Japan.

- aleuritidis Cummins in Mycologia, 42, p. 782, 1950 on Aleurites.—Kweichow, China. salicis-cupularis Y. C. Wang in Contr.

Inst. bot. Nat. Acad. Peiping, 6, p. 225, 1949 on Salix cupularis.—Shensi, China. Melanoleuca stepposa Vacek in Stud. bot.

čechoslov., 11, p. 70, 1950.—Czechoslovakia. Melanotus phaeophyllus (Berk.) Pilát in Trans. Brit. mycol. Soc., 33, p. 240, 1950. (Syn. Agaricus phaeophyllus Berk.).

Meliola macrospora Baker & Dale in Mycol. Pap., C.M.I., 33, p. 17, 1951 on Heliconia bihai.—Trinidad.

Microthyrium cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 49, 1950 on Cryptomeria japonica.-Japan.

Mollisia cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 50, 1950 on

Cryptomeria japonica.—Japan. - hysteroides Cash in Mycologia, 43, p. 233, 1951 on Aplopappus bloomeri var. angustatus.
—California, U.S.A.

shastensis Cash in Mycologia, 43, p. 232, 1951 on dead roots of Eriogonum pyrolifolium. -California, U.S.A.

Mycena alcalinoides Pearson in Trans. Brit. mycol. Soc., 33, p. 295, 1950.—South Africa. hyalina Pearson in Trans. Brit. mycol. Soc.,

33, p. 296, 1950.—South Africa.

vibecina Pearson in Trans. Brit. mycol. Soc., 33, p. 296, 1950.—South Africa.

Mycosphaerella exaci T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. C, 32, p. 205, 1950 on Exacum wightianum. India.

gleicheniae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 205, 1950 on Gleichenia linearis.—India.

rauwolfiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 206, 1950 on Rauwolfia serpentina.—India.

Myriogenospora atramentosa (Berk. & Curt.) Diehl in Agric. Monogr. U.S. Dep. Agric. 4, p. 59, 1950. (Syn. Hypocrea atramentosa Berk. & Curt.).

Myxosporella schini Carranza in Rev. Fac. Agron., La Plata, 27, p. 277, 1950 on Schinus mollis.—Argentina.

Neovossia brachypodii (Mundkur) Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 7, 1951. (Syn. Tilletia brachypodii Mundkuri

Nodulisporium africanum G. Smith in Trans. Brit. mycol. Soc., 34, p. 18, 1951 from cellulose acetate film.—England.

- thelenum (Sacc.) G. Smith in Trans. Brit. mycol. Soc., 34, p. 19, 1951. (Syn. Stachylidium thelenum Sacc.).

Nolanea fragilis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 90, 1951.—Trinidad.

-mammillata Murrill in Mycologia, 43, p. 239, 1951.—Florida, U.S.A.

Oidiopsis lini Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 14, 1951 on Linum usitatissimum .- India.

macrospora (Uppal, Patel, & Kamat) Mundkar & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 15, 1951. (Syn. O. taurica var. macrospora Uppal, Patel, & Kamat).

Omphalia bicolor Baker & Dale [now Murr.]in Mycol. Pap., C.M.I., 33, p. 91, 1951.—Trinidad. pyxidatoides Pearson in Trans. Brit. mycol. Soc., 33, p. 298, 1950.—South Africa.

Panaeolus fimicoloides Pearson in Trans. Brit. mycol. Soc., 33, p. 309, 1950.—South Africa.

- semi-ovatus (Sow. ex Fr.) Lundell forma exannulatus Pearson in Trans. Brit. mycol. Soc., 33, p. 309, 1950.—South Africa

- teutonicus Bride & Métrod. in Bull. Soc. mycol. Fr., 66, p. 106, 1950.—France. *Paramoebidium fuscum Duboscq, Léger, &

Tuzet in Arch. Zool. exp. gén., 86, p. 111, 1948 on Nephelopteryx nebulosa.—France. geniculatum Duboscq, Léger, & Tuzet in

Arch. Zool. exp. gén., 86, p. 111, 1948 on Ecdyonurus.—France.

- giganteum Duboscq, Léger, & Tuzet in Arch. Zool. exp. gén., 86, p. 111, 1948 on Chloroperla.—France.

Parodiopsis rubra (Arn.) Baker & Dale in Mycol. Pap., C.M.I., 33, p. 8, 1951. (Syn. Parodiopsis ingarum (P. Henn.) Arn. var. rubra Arn.).

urae (Arn.) Baker & Dale in Mycol. Pap., C.M.I., 33, p. 9, 1951. (Syn. Parodiopsis perae var. urae Arn.).

Passalora aronici (Fuckel) Arx (this Index, ii, p. 10) is a nomen nudum and a later homonym of P. aronici (Sacc.) Petrak (1937)

Paxillus atrotomentosus (Fr.) Fr. var. bambusinus Baker & Dale in Mycol. Pap., C.M.I., 33, p. 92, 1951.—Trinidad.

*Penicillium crustosum Thom var spinulosporum Sasaki in J. Fac. Agric. Hokkaido *Univ.*, **49**, p. 158, 1950 from butter.—Japan. cyclopium West. var. album G. Smith in Trans. Brit. mycol. Soc., 34, p. 18, 1951 from

a banana (Musa).—England. ellipticum Sasaki in J. Fac. Agric. Hokkaido Univ., 49, p. 151, 1950 from butter.— Japan.

parallelosporum Sasaki in J. Fac. Agric. Hokkaido Univ., **49**, p. 147, 1950 from butter. -Japan.

-spinulo-ramigenum Sasaki in J. Fac. Agric. Hokkaido Univ., 49, p. 153, 1950 from butter.—Japan.

Peniophora assimilis Jackson & Dearden in Mycologia, 43, p. 55, 1951 on Purshia tridentata.—California, U.S.A.

exima Jackson & Dearden in Mycologia, 43, p. 60, 1951 on wood of Abies magnifica var. shastensis.—California, U.S.A.

inusitata Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 150, 1949 on Populus trichocarpa.—British Columbia.

involuta Jackson & Dearden in Mycologia, 43, p. 54, 1951 on coniferous wood.—Wyoming, U.S.A.

-junipericola J. Eriksson in Symb. bot. upsaliens., 10, 5, p. 52, 1950 on Juniperus communis.—Sweden.

_munda Jackson & Dearden in Mycologia, 43, p. 58, 1951 on Picea engelmannii.-Wyoming, U.S.A.

- phlebioides Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 150, 1949 on Pseudo-tsuga taxifolia.—British Columbia.

piceae (Pers.) J. Eriksson in Symb. bot. upsaliens., 10, 5, p. 49, 1950. (Syn. Thelephora piceae Pers.). pithya (Pers.) J. Eriksson in Symb. bot.

upsaliens., 10, 5, p. 45, 1950. (Syn. Thele-

phora pithya Pers.).

prominens Jackson & Dearden in Mycologia, 43, p. 57, 1951 on Pinus monticola. Idaho, U.S.A.

regifica Jackson & Dearden in Mycologia, 43, p. 57, 1951 on coniferous wood.—Oregon,

resinosa Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 147, 1949 on Picea sitchensis.—British Columbia.

unica Jackson & Dearden in Canad. J. Res., Sect. C, 27, p. 148, 1949 on Abies lasiocarpa.

-British Columbia.

Pericladium tiliacearum Mundkur & Thirumalachar apud Thirumalachar in Lloydia, 13, p. 176, 1950 on Grewia rotundifolia. India.

Peronospora akatsukae Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 163, 1943 on Plantago major var. asiatica.-

- ibarakii Ito & Murayama in *Trans. Sapporo* nat. Hist. Soc., 17, p. 163, 1943 on Filipendula kamtschatica.—Japan.

 iwatensis Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 162, 1943 on Trautvetteria japonica.—Japan.

takahashii Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 162, 1943 on Cochlearia oblongifolia.—Japan.

Pestalozzia aomoriensis Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 52, 1950 on Cryptomeria japonica.—Japan.

cryptomeriicola Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 52, 1950 on Cryptomeria japonica.—Japan.

appendiculata (Earle) Phaeodimeriella Baker in Mycol. Pap., C.M.I., 33, p. 44, 1951.

(Syn. Dimerosporium appediculatum Earle). - trinitensis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 44, 1951 on Asterina diplopoda. -Trinidad.

Phaeodomus rauwolfiae Zambettakis in Bull. Soc. mycol. Fr., 66, p. 232, 1951 on Rauwolfia vomitoria.—Ivory Coast.

Phaeophacidium viburni T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 207, 1950 on Viburnum hebanthum. India.

Phakopsora cheoana Cummins in Mycologia, 42, p. 784, 1950 on Cedrela sinensis.—Kwei-

chow, China.

- incompleta (Syd.) Cummins in Mycologia, 42, p. 786, 1950. (Syn. Puccinia incompleta Syd.).

- malloti Cummins in Mycologia, 42, p. 783, 1950 on Mallotus.—Kweichow, China

*Phellodon brunneo-olivaceus Coker & Beers, The Stipitate Hydnums of the Eastern United States, p. 28, 1951.—N. Carolina, U.S.A.

Pholiota marginata (Batsch) Quél. var. tremulae Pilát in Stud. bot. čechoslov., 11, p. 166, 1950 on dead Populus tremula.—Czechoslovakia.

parva Pearson in Trans. Brit. mycol. Soc., 33, p. 301, 1950.—South Africa.

- pseudo-erebia Pearson in Trans. Brit. mycol. Soc., 33, p. 301, 1950.—South Africa.

Phoma asplenii da Camara in Agron. lusit., 11, p. 175, 1949 on Asplenium adiantum-nigrum. -Portugal.

Phomopsis alpiniae da Camara in Agron. lusit., 11, p. 57, 1949 on Alpinia nutans. Portugal.

cynanchi (da Camara) da Camara in Agron. lusit., 11, p. 57, 1949. (Syn. Phoma cynanchi da Camara).

- lepidii (Sacc.) da Camara in Agron. lusit., 11, p. 58, 1949. (Syn. Phoma phaseoli Desm. forma lepidii Sacc.).

- lusitanica da Camara in Agron. lusit., 11, p.

58, 1949 on Deutzia.—Portugal.

- nepetae (da Camara) da Camara in Agron. lusit., 11, p. 59, 1949. (Syn. Phoma nepetae da Camara).

olisipponensis (da Camara) da Camara in Agron. lusit., 11, p. 59, 1949. (Syn. Phoma olisipponensis da Camara).

phytolaccae da Camara in Agron. lusit., 10, p. 302, 1948 on Phytolacca dioica.—Portugal. ribatejana da Camara in Agron. lusit., 10,

p. 303, 1948 on Prunus persica.—Portugal. - salicina Died. forma longipes da Camara in Agron. lusit., 11, p. 60, 1949 on Salix atrocinerea.—Portugal.

Phragmidium taipaishanense Y. C. Wang in Contr. Inst. bot. Nat. Acad. Peiping, 6, p. 226, 1949 on Rubus parvifolius.—Shensi, China.

Phyllosticta helenae Sprague in Northwest Science, 24, p. 132, 1950 on Glyceria occidentalis .- Idaho, U.S.A.

japonica Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 52, 1950 on Cryptomeria japonica.—Japan.

Physalospora eleocharidis Baker & Chardon in Mycol. Pap., C.M.I., 33, p. 26, 1951 on Eleocharis interstincta.—Trinidad.

- rhynchosporae Baker & Chardon in Mycol. Pap., C.M.I., 33, p. 27, 1951 on Rhyncho-spora corymbosa.—Trinidad.

Placostroma bambusae (Turc.) Sprague, Diseases of Cereals and Grasses in North America, p. 121, 1950. (Syn. Scirrhia bambusae Turc.)

sporoboli (Atk.) Sprague, Diseases of Cereals and Grasses in North America, p. 121, 1950. (Syn. Scirrhia sporoboli Atk.).

Plasmopara (Rhysotheca) harae Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 161, 1943 on Cardiandra alternifolia.-Japan.

(Euplasmopara) nakanoi Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 161,

1943 on Corydalis incisa.—Japan.

(Rhysotheca) phrymae Ito & Hara apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 162, 1943 on Phryma leptostachya. -Japan.

Pleospora alternariae Gibelli & Griffini forma fusca Pettinari in Ann. Sper. agr., N.S., 5, p. 563, 1951 on Malus pumila.—Italy.

- ambigua (Berl. & Bres.) Wehmeyer in Mycologia, 43, p. 42, 1951. (Syn. Pyrenophora ambigua Berl. & Bres.).

var. ambigua Wehmeyer in Mycologia, 43, p. 43, 1951.—Austria and California

- var. crandallii (Ellis & Everh.) Wehmeyer in Mycologia, 43, p. 43, 1951. (Syn. Pleospora crandallii Ellis & Everh.).

angustata Wehmeyer nom. nov. in Mycologia, 43, p. 39, 1951. (Syn. Sphaeria



abscondita Karst., non P. abscondita Sacc. &

pileata (Volkart) Müller & von Arx in Ber. schweiz. bot. Ges., 60, p. 346, 1950. (Syn. Pyrenophora pileata Volkart).

Plicaria vladimirii Vacek in Stud. bot. čechoslov., 11, p. 72, 1950.—Czechoslovakia.

Plowrightia atlantiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 208, 1950 on Atlantia monophylla. India.

Pluteus caeruleo-virescens Pilát in Stud. bot. čechoslov., 12, p. 1, 1951.—Czechoslovakia. cervinus (Schaeff ex Fr.) Quél. var. bam-

businus Baker & Dale in Mycol. Pap., C.M.I., 33, p. 93, 1951.—Trinidad.

salicinus (Fr. ex Pers.) Quél. var. obscurior Pilat in Stud. bot. čechoslov., 12, p. 3, 1951. Czechoslovakia.

Polioma robusta Baxter & Cummins in Bull. Torrey bot. Cl., 78, p. 53, 1951 on Salvia compacta.-Mexico.

unilateralis (Cummins) Baxter & Cummins in Bull. Torrey bot. Cl., 78, p. 54, 1951. (Syn. Uredo unilateralis Cummins).

Psalliota albo-argillascens Pearson in Trans. Brit. mycol. Soc., 33, p. 311, 1950.—South

mixta Pearson in Trans. Brit. mycol. Soc., 33, p. 312, 1950.—South Africa

nobilis Pearson in Trans. Brit. mycol. Soc., 33, p. 311, 1950.—South Africa.

volvata Pearson in Trans. Brit. mycol. Soc., 33, p. 313, 1950.—South Africa.

xanthoderma Genev. var. meleagrioides Pearson in Trans. Brit. mycol. Soc., 33, p. 310, 1950.—South Africa.

Psathyrella griseola Pearson in Trans. Brit. mycol. Soc., 33, p. 307, 1950.—South Africa. praelonga Pearson in Trans. Brit. mycol. Soc., 33, p. 308, 1950.—South Africa.

trinitatensis Baker & Dale in Mycol. Pap., C.M.I., 33, p. 93, 1951.—Trinidad. - varicosa Pearson in Trans. Brit. mycol. Soc.,

33, p. 308, 1950.—South Africa. Pseudosphaerella cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 50, 1950 on Cryptomeria japonica.—Japan

Psilocybe cylindrispora Pearson in Trans. Brit. mycol. Soc., 33, p. 306, 1950.—South

(Deconica) scocholmica Parker-Rhodes in New Phytologist, 49, p. 341, 1950 from dung of horse and rabbit.—Skokholm Island, Wales.

Puccinia anhweiana Cummins in Mycologia, 43, p. 88, 1951 on *Orchis*.—Anhwei, China. arnoseridis da Camara in *Agron. lusit.*, 11,

p. 41, 1949 on Arnoseris minima.—Portugal. baldensis Gaumann in Ber. schweiz. bot. Ges. 61, p. 48, 1951 on Senecio brachychaetus and Poa pratensis.—Italy.

- betae-bengalensis Mundkur & Thiru-malachar in Mycol. Pap., C.M.I., 40, p. 14, 1951 on Beta bengalensis. - India.

calogynes Dennis in Kew Bull., 1950, p. 26, 1950 on Calogyne berardiana.—Australia.

caricis-blepharicarpae Hiratsuka apud Ito & Murayama in *Trans. Sapporo nat. Hist.* Soc., 18, p. 87, 1949 on Smilax china and Carex blepharicarpa.—Japan.

corylopsidis Cummins in Mycologia, 43, p. 83, 1951 on Corylopsis.—Kwangsi, China. heitoensis Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 18, p. 88, 1949 on Ipomoea.—Formosa.

– kiusiana Hiratsuka f. apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 167, 1943 on Asperella japonica.—Japan.

kwangsiana Cummins in Mycologia, 43, p. 86, 1951 on Saussurea.—Kwangsi, China. kweichowana Cummins in Mycologia, 43,

p. 83, 1951 on Polygonum campanulatum var. likiangensis.-Kweichow, China. longinqua Cummins in Mycologia, 43, p. 91,

1951 on Phragmites.—Kwangsi, China. moliniicola Cummins in Mycologia, 43, p. 92, 1951 on Molinia.—Anhwei, China.

morigera Cummins in Mycologia, 43, p. 91, 1951 on Eragrostis.—Kweichow, China. saussureae-acrophyllae Y. C. Wang in Contr. Inst. bot. Nat. Acad. Peiping, 6, p. 231,

1949 on Saussurea acrophylla.—Shensi, China. shikotsuensis Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 168, 1943 on Polygonum weyrichii.—Japan

sinicensis Cummins in Mycologia, 43, p. 88, 1951 on Orchidaceae.—Kwangsi, China. - stellariicola Cummins nom. nov. in My-

cologia, 43, p. 81, 1951. (Syn. Puccinia stellariae Liou & Wang, non Duby).

tokubuchii Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 169, 1943 on Patrinia gibbosa.—Japan.

Pucciniostele hashiokai (Hirats. f.) Cummins in Mycologia, 42, p. 790, 1950. (Cerotelium hashiokai Hirats. f.).

Pythium cucurbitacearum Takimoto in Ann. phytopath. Soc., Japan, 11, p. 91, 1941 on Cucumis sativa.—Japan.

helicandrum Drechsler in Bull. Torrey bot. Cl., 77, p. 455, 1950 on Rumex acetosella.-Maryland, U.S.A.

RAMARIOPSIS (Donk) Corner, A Monograph of Clavaria and Allied Genera, p. 636, 1950. (Syn. Clavaria subgen. Ramariopsis).

Ramulispora bromi (Sprague) Sprague, Diseases of Cereals and Grasses in North America, p. 418, 1950. (Syn. Cercospora bromi Sprague).

Russula capensis Pearson in Trans. Brit. mycol. Soc., 33, p. 300, 1950.—South Africa. emetica (Schaeffer ex Fr.) Pers. ex S. F.

Grey subsp. alnijorullensis Singer in Rev. Mycologie, N.S., 15, p. 133, 1950.—Argentine.—subsp. lacustris Singer in Rev. Mycologie, N.S. 15, p. 122, 1950. N.S., 15, p. 133, 1950.—Argentine. fuegiana Singer in Rev. Mycologie, N.S., 15,

p. 125, 1950.—Argentine. - mallophora Singer in Rev. Mycologic, N.S.,

15, p. 130, 1950.—Argentine. -montivaga Singer in Rev. Mycologie, N.S.,

15, p. 131, 1950.—Argentine. nothofaginea Singer in Rev. Mycologie, N.S., 15, p. 127, 1950.—Argentine.

*Sabouraudites langeroni Vanbreuseghemin Ann. Parasit. hum. comp., 25, p. 516, 1950 on man.—Belgian Congo.

*Sarcodon excentricus Coker & Beers, The Stipitate Hydnums of the Eastern United States, o. 51, 1951.—Tennessee.

Sclerotinia corni Vacek [now Reade, 1908] in Stud. bot. čechoslov., 11, p. 72, 1950 on Cornus mas. - Czechoslovakia.

Septochytrium marilandicum Karling in Bull. Torrey bot. Cl., 78, p. 39, 1951 in soil. Maryland, U.S.A.

Septoria phalaridis Cocc. & Mor. var. platyspora da Camara in Agron. lusit., 11, p. 68, 1949 on Phalaris brachystachys.—Portugal.

Sirolegniella? cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 53, 1950 on Cryptomeria japonica.—Japan. Skierka nephelii (Sawada) Ito & Murayama in

Skierka nephelii (Sawada) Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 165, 1943. (Syn. Uredo nephelii Sawada).

toddaliae (Syd.) Hiratsuka apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 165, 1943. (Syn. Ctenoderma toddaliae Syd.).

Sorosporium heteropogonicola Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 5, 1951 on Heteropogon contortus.—
India.

iseliematis Thirumalachar in *Lloydia*, 13, p. 175, 1950 on *Iseliema laxum*.—India.

Spermospora avenae (Sprague & A. G. Johnson) Sprague, Diseases of Cereals and Grasses of North America, p. 430, 1950. (Syn. Pseudodiscosia avenae Sprague & A. G. Johnson).

Sphaceloma abutilonis Bitancourt & Jenkins in Arg. Inst. Biol., S. Paulo, 20, p. 2, 1951 on Abutilon striatum.—Brazil.

- aegiphilae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 3, 1951 on Aegiphila? sellowiana.—Brazil.

—allamandae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 94, 1950 on Allamanda schottii.—Brazil.

— amazonense Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 4, 1951 on Bignoniaceae indet.—Brazil.

- asclepiadis Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 95, 1950 on Asclepias curassavica.—Brazil.

— bidentis Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 5, 1951 on Bidens pilosa.
—Brazil.

 cassiae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 97, 1950 on Cassia splendida.—Brazil.

— cupaniae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 99, 1950 on Cupania oblongifolia.—Brazil.

— ditremexae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 8, 1951 on Ditremexa hirsuta.—Venezuela.

— erythrinae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 9, 1951 on Erythrina reticulata.—Brazil.

— fagarae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 10, 1951 on Fagara riedelianum.—Brazil.

guatemalense Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 12, 1951 on Centropogon cordifolius.—Guatemala.
gustaviae Bitancourt & Jenkins in Arq.

— gustaviae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 100, 1950 on Gustavia augusta.—Brazil.

- heliotropii Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 101, 1950 on Heliotropium transalpinum.—Brazil.

— hoveniae Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 12, 1951 on Hovenia dulcis.—Argentine.

- krugii Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 103, 1950 on Euphorbia prunifolia var. repanda.—Brazil.

 lobeliae Bitancourt & Jenkins in Arq. Inst.
 Biol., S. Paulo, 20, p. 14, 1951 on Lobelia hassleri.—Brazil.

 manihoticola Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 15, 1951 on Manihot glaziovii.—Brazil.

- meliae Bitancourt & Jenkins in Arq. Inst.

Biol., S. Paulo, 20, p. 31, 1951 on Melia azedarach.—Brazil.

— phyllocalycis Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 17, 1951 on Phyllocalyx laevigatus.—Brazil.

 psidii Bitancourt & Jenkins in Arq. Inst.
 Biol., S. Paulo, 19, p. 105, 1950 on Psidium guajava.—Brazil.

— sapii Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 19, p. 106, 1950 on Sapium.—
Brazil.

sesseae Bitancourt & Jenkins in Arq. Inst.
 Biol., S. Paulo, 20, p. 18, 1951 on Sessea brasiliensis.—Brazil.

— siphocampyli Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 20, 1951 on Siphocampylus macropodus.—Brazil.

uberabense Bitancourt & Jenkins in Arq.
 Inst. Biol., S. Paulo, 20, p. 20, 1951 on a Dicotyledon.—Brazil.

— viticis Bitancourt & Jenkins in Arq. Inst. Biol., S. Paulo, 20, p. 22, 1951 on Vitex polygama.—Brazil.

Sphacelotheca chrysopogonicola Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 2, 1951 on Chrysopogon.—India.

— cymbopogonis-colorati Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 3, 1951 on Cymbopogon coloratus.—India.

— dichanthicola Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 3, 1951 on Dichanthium caricosum.—India.

— inayati (Syd. & Butler) Mundkur & Thirum. apud Thirum. in *Lloydia*, 13, p. 172, 1950. (Syn. *Ustilago inayati* Syd. & Butler).

(Syn. Ustilago inayati Syd. & Butler).

— iseilematis (Syd. & Butler) Mundkur & Thirum. apud Thirum. in Lloydia, 13, p. 172, 1950. (Syn. Ustilago iseilematis Syd. & Butler).

— mnesitheae Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 3, 1951 on Mnesithea laevis.—India.

— mutila Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 4, 1951 on Cymbopogon caesius.—India.

saccolepidis Thirumalachar in Lloydia, 13,
 p. 173, 1950 on Saccolepis indica.—India.

Sphaerodothis acrocomiae Chardon & Baker in Mycol. Pap., C.M.I., 33, p. 39, 1951 on Acrocomia ierensis.—Trinidad.

Sphaeropsis cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 52, 1950 on Cryptomeria japonica.—Japan.

Sphaerulina iwatensis Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 50, 1950 on Cryptomeria japonica.—Japan.

Stagonospora cryptomeriae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 53, 1950 on Cryptomeria japonica.—Japan.

macrospora (Dur. & Mont.) Sacc. var.
 yuccae da Camara nom. nov. in Agron. lusit.,
 11, p. 184, 1949. (Syn. Septoria macrospora Alm. & da Camara).


— spartinicola Sprague in Mycologia, 42, p. 759, 1950 on Spartina pectinata.—N. Dakota, U.S.A.

STELLIGERA Heim (this *Index*, i, p. 269) was published apud Doty in *Lloydia*, 11, p. 134, 1948.

— membranacea Heim apud Doty in *Lloydia*, 11, p. 134, 1948.—Madagascar.

Strasseria corynocarpi da Camara in Agron. lusit., 11, p. 62, 1949 on Corynocarpus laevigata.—Portugal.

Stropharia depilata (Pers.) Karsten var.



microspora Pilát in Stud. bot. čechoslov., 11,

p. 170, 1950.—Czechoslovakia. Synchytrium ajrekari Payak malachar apud Payak in Curr. Sci., 20, p. 103, 1951 on Phaseolus mungo.—India.

graminicola Sprague, Diseases of Cereals and Grasses of North America, p. 51, 1950 on Agrostis palustris.—Oregon, U.S.A.

impatientis Cook in Mycologia, 43, p. 105, 1951 on Impatiens pallida and I. biflora.-Louisiana, U.S.A.

smilacis Cook in Mycologia, 43, p. 107, 1951 on Smilax.—Louisiana, U.S.A.

Tapesia quercina Vacek in Stud. bot. čechoslov., 11, p. 69, 1950 on Quercus.—Czechoslovakia.

THAXTEROGASTER Singer in Mycologia, 43, p. 216, 1951.—Hymenogastrales. Type, T. magellanicus.

magellanicus Singer in Mycologia, 43, p. 219, 1951.—Argentine. violaceus Singer in Mycologia, 43, p. 216,

1951.—Argentine.

Tilletia narayanaraoana Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 6, 1951 on Panicum trypheron.—India.

Torulopsis caroliniana Etchells & Bell in Farlowia, 4, p. 105, 1950 in cucumber brine. -North Carolina, U.S.A.

Tricholoma eucalypticum Pearson in Trans. Brit. mycol. Soc., 33, p. 293, 1950.—South Africa.

melaleucum (Pers.) Fr. forma acystidiatum Pearson in Trans. Brit. mycol. Soc., 33, p. 294, 1950.—South Africa.

meridianum Pearson in Trans. Brit. mycol. Soc., 33, p. 293, 1950.—South Africa.
- orlosii Pilát in Stud. bot. čechoslov., 11, p.

161, 1950.—Czechoslovakia.

robustum (Fr. ex Alb. & Schw.) Ricken forma focale (Fr.) Pilát in Stud. bot. čechoslov., 12, p. 53, 1951. (Syn. Agaricus focalis Fr.).

*Trichophyton ferrugineum (Ota) Langeron & Milochevitch var. album Vanbreuseghem in Ann. Parasit. hum. comp., 25, p. 489, 1950. -Belgian Congo.

Uleodothis coonoorensis T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 32, p. 209, 1950 on Phoenix.—India.

Uredo caricis-incisae (Syd.) Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 170, 1943. (Syn. Puccinia caricisincisae Sydow).

- cyperi-rotundi Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 170, 1943 on Cyperus rotundus.—Japan.

sawadae Ito apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 171, 1943 on

Fiscus carica.—Japan.
-tholopsora Cummins in Mycologia, 43, p. 97, 1951 on Populus nigra.—Kweichow, China. Urocystis eranthidis (Passerini) Ainsworth & Sampson, The British Smut Fungi, p. 96, 1950. (Syn. Polycystis anemones var. eranthidis Passerini).

hepaticae-trilobae (DC.) Ainsworth & Sampson, The British Smut Fungi, p. 98, 1950. (Syn. Uredo ranunculacearum var. hepaticaetrilobae DC.).

Uromyces armeriae (Schl.) Lév. subsp. armeriae Savile & Conners nom. nov. in Mycologia, 43, p. 189, 1951. (Type subsp. of the species).

subsp. hudsonicus Savile & Conners in Mycologia, 43, p. 190, 1951 on Armeria maritima var. labradorica.— Quebec, Canada. — subsp. pacificus Savile & Conners in Mycologia, 43, p. 191, 1951 on Armeria maritima.—British Columbia, Canada.

- calycotomes Gäumann & Terrier in Ber. schweiz. bot. Ges., 60, p. 613, 1950 on Calyco.

tome spinosa.—France.
- coronillae Viennot-Bourgin in Rev. Path. Vég., 29, p. 164, 1950 on Coronilla varia, North Africa.

dispersus Hiratsuka f. apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 167, 1943 on Apios fortunei.—Japan. - kwangsianus Cummins in Mycologia, 43,

p. 80, 1951 on Fimbristylis.—Kwangsi, China. limonii-caroliniani Savile & Connors in

Mycologia, 43, p. 193, 1951 on Limonium carolinianum.—Quebec, Canada. - physanthyllidis Viennot-Bourgin in Rev. Path. Vég., 29, p. 162, 1950 on Physanthyllis tetraphylla.—North Africa.

seselis da Camara in Agron. lusit., 11, p. 40, 1949 on Seseli tortuosum.—Portugal.

vulpiae da Camara in Agron. lusit., 11, p. 166, 1949 on Vulpia broteri.—Portugal. [See also U. vulpiae Losa España, this Index, i,

arisanensis (Hiratsuka f. & Uropyxis Hashioka) Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 166, 1951. (Syn. Puccinia arisanensis Hiratsuka f. & Hashioka). Ustilaginoidea burkillii (Syd. & Butler)

Thirum. & Mundkur apud Thirum. in Lloydia, 13, p. 170, 1950. (Syn. Ustilago burkillii Syd. & Butler).

Ustilago asparagi-pygmaei Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 18, p. 84, 1949 on Asparagus pygmaeus.—Japan.

longiflora Mundkur & Thirumalachar in Mycol. Pap., C.M.I., 40, p. 2, 1951 on Digitaria longiflora.—India.

Iupini da Camara in Agron. lusit., 11, p. 169, 1949 on Lupinus luteus.—Portugal.

moenchiae-manticae Lindtner in Bull. Mus. Hist. nat. Serbe, Ser. B, 3-4, p. 33, 1950 on Moenchia mantica.—Serbia.

Venturia macularis (Fr.) Müller & von Arx in Ber. schweiz. bot. Ges., 60, p. 365, 1950. (Syn. Sphaeria macularis Fries).

Vermicularia chaetoplexa da Camara in Agron. lusit., 11, p. 179, 1949 on Ficus elastica .- Portugal.

kystosa da Camara in Agron. lusit., 11, p. 180, 1949 on Ilex aquifolium.—Portugal.

VISCOMACULA Sprague in Mycologia, 42, p. 758, 1950.—Moniliaceae.

aenea Sprague in Mycologia, 42, p. 758, 1950 on Poa ampla.—Colorado, U.S.A.

Wegelina cryptomeriae (Sawada) Sawada in Bull. Govt. Forest Exp. Sta., Tokyo 45, p. 51, 1950. (Syn. Pleuronaema cryptomeriae Sawada).

Vettsteinina eucarpa (Karsten) Müller & von Arx in Ber. schweiz. bot. Ges., 60, p. 335, 1950. (Syn. Sphaerella eucarpa Karsten).

Xenostele sakamotoi (Hiratsuka f. & Yoshinaga) Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 170, 1943. (Syn. Puccinia sakamotoi Hiratsuka f.).

HOST INDEX

For Phanerogams see under families; for Pteridophyta and Fungi see under those names; for animal hosts see under Invertebrata and Vertebrata

ACANTHACEAE Jacobinia spicigera Cercospora jacobinicola ALISMACEAE Alisma reniformis

Burrillia narasimhanii AMARANTHACEAE

Cyathula tomentosa Ascochyta cyathulae

ANACARDIACEAE Pistacia

Macrophoma aloetica Macrophoma pistaciaecola

Schinus mollis Myxosporella schini

APOCYNACEAE Allamanda schottii Sphaceloma allamandae Rauwolfia serpentina Mycosphaerella rauwolfiae

Rauwolfia vomitoria Phaeodomus rauwolfiae

AQUIFOLIACEAE Ilex aquifolium Vermicularia kystosa Ilex oldhami

Cercospora naitoi Araliacéae

Hedera helix Clypeolum lusitanicum Polyscias guilfoylei

Elsinoë mulleri ASCLEPIADACEAE Asclepias curassavica

Sphaceloma asclepiadis Gymnema affine Cercospora gymnemae

Hemidesmus indicus Achrotelium hemidesmi

Balsaminaceae Impatiens biflora Synchytrium impatientis Impatiens pallida

Synchytrium impatientis BETULACEAE Alnus glutinosa

Helminthosporium lusitanicum Alnus rubra

Corticium praeteritum Betula

Brachysporium brittanicum Cytidia lanata

Betula verrucosa Clavaria contorta var. orlosii BIGNONIACEAE

Sphaceloma amazonensis BOMBACACEAE

Bombax malabaricum Cercospora bombacina BORAGINACEAE

Heliotropium transalpinum Sphaceloma heliotropii BROMELIACEAE

Tillandsia usneoides Gelasinospora autosteira

CAMPANULACEAE Centropogon cordifolius Sphāceloma guatemalensis COMPANULACEAE (continued) Centropogon cornutus Asterina centropogonis Siphocampylus macropodus Sphaceloma siphocampyli

CANNACEAE Canna indica Carpenterella cannae CAPRIFOLIACEAE

Viburnum Actinothyrium viburni Viburnum hebanthum

Phaeophacidium viburni Viburnum tinus Amphichaeta viburni

CARYOPHYLLACEAE Moenchia mantica Ustilago moenchiae-manticae

CHENOPODIACEAE Beta bengalensis Puccinia betae-bengalensis CHLORANTHACEAE Chloranthus serratus $Cercospora\ chloranthi$ COCHLOSPERMACEAE

Cochlospermum vitifolium

Cercospora cochlospermi COMBRETACEAE Anogeissus latifolia

Kellermannia malabarica

COMMELINACEAE Commelina elegans Cercospora maracasensis

COMPOSITAE Aplopappus bloomeri var. augustatus Dasyscypha aplopappi

Dasyscypha salmonea Mollisia hysteroides Arnoseris minima Puccinia arnoseridis

Bidens pilosa Sphaceloma bidentis

Hypericophyllum multicaule Aecidium hypericophylli Oliganthes condensata

Čercospora oliganthidis Saussurea

Puccinia kwangsiana Saussurea acrophylla

Puccinia saussureae-acrophyllae Senecio brachychaetus

Puccinia baldensis Tithonia diversifolia Cercospora tithoniae

CONIFERAE Abies grandis Corticium separatum Abies lasiocarpa Peniophora unica

Abies magnifica var. shastensis Peniophora exima

Abies mayriana Melampsora abietis-populi Cryptomeria japonica Cercospora cryptomeriicola Cyclodomus cryptomeriae Dimeriellopsis cryptomeriae Fusicoccum cryptomeriae

Guignardia cryptomeriae Halbania cryptomeriae

EBENACEAE

Coniferae (continued) Leptosphaerulina cryptomeriae Massalongiella cryptomeriae Microthyrium cryptomeriae Mollisia cryptomeriae Pestalozzia aomoriensis $Pestalozzia\ cryptomerii cola$ Phyllosticta japonica Pseudosphaerella cryptomeriae Sirolegniella cryptomeriae Sphaeropsis cryptomeriae Sphaerulina iwatensis Stagonospora cryptomeriae Juniperus communis Peniophora junipericola Juniperus nana Gymnosporangium gaeumannii Larix kaempferi Ceratocystis galeiformis Larix leptolepis Ceratocystis autographa Picea engelmannii Peniophora munda Picea sitchensis Peniophora resinosa Pinus monticola $Peniophora\ prominens$ Pinus strobus Aleurodiscus pini Pseudotsuga taxifolia Corticium quaesitum Corticium testatum Peniophora phlebioides Thuja plicata Corticium propinquum Torreya californica Caeoma torreyae Clasterosporium obclavatum Tsuga canadensis Aleurodiscus minnsiae Corticium delicatissimum Corticium inopinatum Corticium rallum CONVOLVULACEAE Ipomoea Puccinia heitoensis CORNACEAE Cornus mas Sclerotinia corni CORYNOCARPACEAE Corynocarpus laevigata Strasseria corynocarpi CRUCIFERAE Cochlearia oblongifolia $Peronospora\ ta kahashii$ CUCURBITACEAE Cucumis sativa Pythium cucurbitacearum Melothria trilobata Irenopsis melothriae CYPERACEAE Carex blepharicarpa Puccinia caricis-blepharicarpae Cyperus rotundus \dot{U} redo cyperi-rotundiEleocharis interstincta Physalospora eleocharidis Fimbristylis Uromyces kwangsianus Rhynchospora corymbosa $\check{P}hysalo\hat{s}pora\ rhynchosporae$ Entyloma mysorense Scleria lithospermi var. roxburghii Cintractia scleriae-lithospermi

Diospyros kaki Elsinoë diospyri ERICACEAE Rhododendron Amphichaeta rhododendri EUPHORBIACEAE Aleurites Melampsora aleuritidis Euphorbia prunifolia var. repanda Šphaceloma krugii Jatropha curcas Elsinoë jatrophae Mallotus $Phakopsora\ malloti$ Manihot Glomerella manihotis Manihot glaziovii Sphaceloma manihoticola Mercurialis leiocarpa Cercospora ehikomontana Sapium Sphaceloma sapii Sebastiania corniculata Cercospora sebastianiae FAGACEAE Quercus Brachysporium masonii Ceratocystis longirostellata Ceratocystis wilsoni Corticium improvisum Tapesia quercina Asterina diplopoda Phaeodimeriella trinitensis GENTIANACEAE Exacum wightianum Mycosphaerella exaci GOODENIACEAE Calogyne berardiana Puccinia calogynes GRAMINEAE Agrostis palustris Synchytrium graminicola Agrostis stolonifera Mastigosporium rubricosum var. agrostidi Aristida glauca Balansia hemicrypta sperella japonica Puccinia kiusiana Cenchrus echinatus Balansia obtecta Chrysopogon Sphacelotheca chrysopogonicola Cymbopogon caesius Sphacelotheca mutila Cymbopogon coloratus Sphacelotheca cymbopogonis-colorati Dichanthium caricosum Sphacelotheca dichanthicola Digitaria longiflora
Ustilago longiflora Eragrostis $Puccinia\ morigera$ Glyceria occidentalis Phyllosticta helenae Heteropogon contortus Sorosporium heteropogonicola Hyparrhenia filipendula Claviceps inconspicua Iseilema laxum Sorosporium iseilematis Mnesithea laevis Sphacelotheca mnesitheae

GRAMINEAE (continued) Molinia Puccinia moliniicola Oryzopsis caerulescens Ellisiellina biciliata Panicum trypheron Tilletia narayanaraoana Phalaris brachystachys Septoria phalaridis var. platyspora Phragmites

Puccinia longinqua Poa ampla

Viscomacula aenea Poa pratensis Puccinia baldensis

Saccolepis indica Sphacelotheca saccolepidis Spartina pectinata

Stagonospora spartinicola Sporobolus affinis Ascochyta sporoboli

Sporobolus indicus var. laxus Entyloma sporoboli Sporobolus ruspolianus

Asterolibertia sporoboli Stipa leucotricha

Atkinsonella hypoxylon var. taxensis Vulpia broteri

 \vec{U} romyces vulpiae

HAMAMELIDACEAE Corylopsis Puccinia corylopsidis

INVERTEBRATA Amoeba Aplectosoma microsporum Cochlonema calosperma Blaniulus hirsutus Enterobryus broelemanni Chloroperla

Paramoebidium giganteum Cloeon dipterum Amoebidium poissoni Ecdvonurus

Paramoebidium geniculatum Iulus

Enterobryus allobrogicus Iulus albipes Enterobryus rectus

Macrobiotus Ballocephala sphaerosperma Nephelopteryx nebulosa Paramoebidium fuscum

Phalloiulus distinctus Enterobryus inflatus Polydesmus complanatus Enterobryus gracilis Polydesmus rubromarginatus

Enterobryus tumidus

Harposporium subuliforme Schizophyllum sabulosum extinctum Enterobryus robini Strongylosoma guerini Enterobryus strongylosomae

JUNCACEAE Juncus $Helotium\ georginae$

LABIATAR Coleus Coleosporium cheoanum LABIATAE (continued) Lavandula stoechas Diplodia mitylospora Ocimum canum Cercospora guatemalensis Rosmarinus officinalis Didymosphaeria epidermidis var. rosmariniSalvia compacta Polioma robusta LECYTHIDACEAE Gustavia augusta Sphaceloma gustaviae LEGUMINOSAE Apios fortunei Uromyces dispersus Calycotome spinosa Uromyces calycotomes

Cassia splendida Sphaceloma cassiae Centrolobium robustum Elsinoë centrolobii Coronilla varia Uromyces coronillae Ditremexa hirsuta Sphaceloma ditremexae Erythrina reticulata Sphaceloma erythrinae Lupinus luteus

Ūstilago lupini Phaseolus mungo Synchytrium ajrekari Physanthyllis tetraphylla Uromyces physanthyllidis Sophora glauca

Cercospora sophorae Vigna vexillata

Čercospora vignae-vexillatae

LILIACEAE Asparagus pygmaeus

Ustilago asparagi-pygmaei Disporum smilacinum var. ramosum Ĉercospora dispori

Smilax Synchytrium smilacis

Smilax china

Puccinia caricis-blepharicarpae Veratrum californicum

Laetinaevia veratri LINACEAE Linum usitatissimum Oidiopsis lini

LOBELIACEAE Lobelia hassleri Sphaceloma lobeliae

MALPIGHIACEAE Stigmaphyllon convolvulifolium Čercospora stigmaphyllonis MALVACEAE

Abutilon striatum Sphaceloma abutilonis Hibiscus subdariffa Cylindrocladium curvatum MELIACEAE

Cedrela sinensis $Phakopsora\ cheoana$ Melia azedarach Sphaceloma meliae

MORACEAE Ficus carica Uredo sawadae Ficus elastica Vermicularia chaetoplexa Musaceae Heliconia bihai Meliola macrospora

Penicillium cyclopium var. album Myoporaceae

Myoporum acuminatum Guignardia myopori

MYRTACEAE Eucalyptus

Hysterocarina paulistae Eucalyptus globulus

Coniothyrium globulosum Dothiorella eucalypti f. microspora

Phyllocalyx laevigatus
Sphaceloma phyllocalycis

Psidium guajava Sphaceloma psidii Syzygium aromaticum

Cylindrocladium quinqueseptatum

OLEACEAE

Jasminum Anthostomella clypeatula

Ligustrum
Aecidium ligustricola

Olea europaea Cytosporina subclypeata

Schrebera swietenioides Cercospora schreberae ORCHIDACEAE

Puccinia sinicensis Orchis Puccinia anhweiana

PALMAE

Acrocomia ierensis
Sphaerodothis acrocomiae
Calamus rotang

Catacaumella calamicola Phoenix

Uleodothis coonoorensis
PAPAVERACEAE
Corydalis incisa

Plasmopara nakanoi PHRYMACEAE

Phryma leptostachya
Plasmopara phrymae
PHYTOLACCACEAE
Phytolacca dioica

Phomopsis phytolaccae
PLANTAGINACEAE

Plantago major var. asiatica Peronospora akatsukae

Plumbaginaceae Armeria maritima

Uromyces armeriae subsp. pacificus Armeria maritima var. labradorica Uromyces armeriae subsp. hudsonicus

Limonium carolinianum Uromyces limonii-caroliniani

Polemoniaceae Phlox douglasii Dasyscypha phlogis

Polygonaceae Eriogonum pyrolifolium Mollisia shastensis

Polygonum campanulatum var. likiangensis Puccinia kweichowana

Puccinia kweichowana
Polygonum weyrichii
Puccinia shikotsuensis
Rumex acetosella

Pythium helicandrum

PTERIDOPHYTA

Asplenium adiantum-nigrum

Phoma asplenii Gleichenia linearis

Mycosphaerella gleicheniae

Pteretis pennsylvanica Corticium pauxillum

RANUNCULACEAE

Trautvetteria japonica Peronspora iwatensis

RHAMNACEAE Hovenia dulcis

Sphaceloma hoveniae

ROSACEAE

Filipendula kamtschatica Peronspora ibarakii

Kerria japonica var. typica Cercospora kerriae

Malus pumila

Pleospora alternariae f. fusca Prunus persica

Phomopsis ribatejana Purshia tridentata Peniophora assimilis

Rosa Cucurbitaria occulta f. subdisticha

Rubus

Anthostomella appendiculosa var. lusitanica Anthostomella clypeata var. macrospora Caeoma cheoanum

Rubus parvifolius

Phragmidium taipaishense
Rubus pectinellus

Hamaspora ozeensis

Spiraea prunifolia Cercospora spiraeicola

Rubiaceáe Coffea excelsa Gibberella xylarioides Rubia cordifolia Coleosporium rubiicola

RUTACEAE
Atlantia monophylla
Plowrightia atlantiae
Fagara riedelianum

Fagara riedelianum Sphaceloma fagarae

SALICACEAE
Populus nigra
Uredo tholopsora
Populus nigra var. italica
Melampsora abietis-populi

Populus tremula
Pholiota marginata var. tremulae
Populus trichocarpa

Peniophora inusitata Salix atro-cinerea Phomopsis salicina f. longipes

Salix cupularis
Melampsora salicis-cupularis
Sapindaceae

Cupania oblongifolia Sphaceloma cupaniae SAXIFRAGACEAE Astilbe congesta

Cercospora astilbes Cardiandra alternifolia

Plasmopara harae Deutzia

Diplodia deutziae
Phomopsis lusitanica
Hydrangea hortensis
Haplosporella hydrangeae

SCROPHULARIACEAE Antirrhinum majus Cercospora antirrhini Solanaceae Sessea brasiliensis Sphaceloma sesseae Solanum asperum Cercospora solani-asperi

Solanum hirtum $Cercospora\ solani-hirti$

TILIACEAE Grewia populifolia

Catenulopsora grewiae

Grewia rotundifolia Pericladium tiliacearum Tilia argentea

Macrophyllosticta tiliae


Vallea stipularis

Elsinoë valleae

UMBELLIFERAE Ligusticum hultenii Cercospora ligustici Umbelliferae (continued) Seseli tortuosum Uromyces seselis

VALERIANACEAE Patrinia gibbosa
Puccinia tokubuchii VERBENACEAE Aegiphila sellowiana
Sphaceloma aegiphilae
Vitex polygama
Sphaceloma viticis Vertebrata Homo sapiens Sabouraudites langeroni VIOLACEAE Viola limprechtiana Coleosporium violae

ZINGIBERACEAE Alpinia nutans Phomopsis alpinae



INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. II

PART 4

1952

Aecidium abietis-mariesii Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 115, 1950 on Abies mariesii.—Japan.

and the state of t

Momoraca charanua.—Ivory Coass.
-hibisci-surattensis Mayor & ViennotBourgin [as 'hibisci-surrattensis'] in Bull. Soc.
mycol. Fr., 67, p. 131, 1951 on Hibiscus surattensis.—Ivory Coast.

tsugae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 138, 1950 on Tsuga diversifolia.

- tylophorae Mayor & Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 132, 1951 on Tylophora oculata.—Ivory Coast.

Albugo mangenoti Mayor & Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 115, 1951 on Mollugo nudicaulis.—Ivory Coast.

Aleurisma brasiliense (Splendore) Neves & Bogliolo in Mycopathologia, 5, p. 140, 1951. (Syn. Zymonema brasiliense Splendore).

Aleurodiscus digitalis (Alb. & Schw. ex Fr.) Donk in Reinwardtia, 1, p. 210, 1951. (Syn. Cyphella digitalis Alb. & Schw. ex Fr.).

Amauroderma argenteofulvum (van der Byl) Doidge in Bothalia, 5, p. 503, 1950. (Syn. Polyporus argenteofulvus van der Byl).

– juxtarugosum (Lloyd) Imazeki in Bull.

Tokyo Sci. Mus. 6, p. 100, 1943. (Syn. Polyporus juxtarugosus Lloyd).

omphalodes (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 100, 1943. (Syn. Polyporus omphalodes Berk.).

- rugosum (Blume & Nees) Doidge (? nov. oomb.) in Bothalia, 5, p. 503, 1950. (Syn. Ganoderma rugosum (Bl. & Nees) Bres.).

Amphichaeta cephalotaxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 118, 1950 on Cephalotaxus nana.—Japan.

— hispanica Bausá Alcalde in An. Jard. bot.

Madrid, 7, p. 498, 1948 on Cistus populifolius. -Spain.

Aposphaeria pini-densiflorae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 134, 1950 on Pinus densiftora.—Japan. Arthrobotryum gorgoneum Ciferri in Myco-

pathologia, 6, p. 24, 1951 on Meliola (Irenina) -Java.

Ascochyta aleuritidis Saccas & Drouillon in Agron. Trop., 6, p. 242, 1951 on dead Aleurites fordii.—French Equatorial Africa. — infortunata Ramakrishnan in Proc. Indian

Acad. Sci., Sect. B, 34, p. 163, 1951 on Clerodendron infortunatum.—India.

Ascochytula ampelopsidis (Hollós) Sarejanni & Démétriadès in Ann. Inst. phytopath. Benaki, 5, p. 8, 1951. [Syn. not cited].

*Ascllaria scutigerae Menier in Ann. Sci.

nat., Bot., Sér. XI, 11, p. 132, 1951 on Scutigera coleopterata. - France.

*Aspergillus glaucus var. tonophilus Ohtsuki, Suda, & Sai in Misc. Rep. Res. Inst. nat. Resour., Tokyo, 17-18, p. 76, 1950 on glass.-Japan.

kanagawaensis Nehira in J. Jap. Bot., 26, p. 109, 1951 from soil.—Japan.

Asterina coelocaryi Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 43, 1945 on Coelocaryon kleinei.—Belgian Congo. - pandae Hansford in Rec. Inst. nat. Étud.

agron. Congo belge 2, p. 44, 1945 on Panda oleosa.-Belgian Congo.

- pandicola Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 45, 1945 on Panda oleosa.-Belgian Congo.

pterygopodii Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 46, 1945 on Pterygopodium.—Belgian Congo.

solanicoloides Rehm var. atypica Batista in Mycopathologia, 5, p. 169, 1951 on Moquilea tomentosa.—Brazil.

xymalodicola Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 47, 1945 on Xymalos.—Belgian Congo.

- xymalodis Hansford in Rec. Inst. nat.

Étud. agron. Congo belge 2, p. 48, 1945 on Xymalos.—Belgian Congo.

ASTEROMELLOPSIS Hess & Müller in Ber. schweiz. bot. Ges., 61, p. 18, 1951.—Sphaero-

insculpta Hess & Müller in Ber. schweiz. bot. Ges., 61, p. 18, 1951 on Clematis vitalba; state of Dothidella insculpta (Wallr.) Theiss. & Syd.—Switzerland.

Auerswaldia excoriata C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 48, 1951 on Coffea liberica.—Ivory Coast.

Balladyna parva C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 38, 1951

on Coffea liberica.—Ivory Coast.
Beltrania africana Hughes in Mycol. Pap., C.M.I., 47, p. 4, 1951 on dead Averrhoa carambola.—Gold Coast.

Boletus pulverulentus Opat. forma reticulatus Snell, Dick, & Hesler in Mycologia, 43, p. 362, 1951.—Tennessee, U.S.A. Botryodiplodia vitis da Camara in Agron.

lusit., 12, p. 111, 1950 on Vitis vinifera .-Portugal.

Botryotinia pelargonii Røed in Blyttia, 7, 77, 1949 on Pelargonium.—Norway. Imperfect state, Botrytis pelargonii Røed, l.c. - ricini (Godfrey) Whetzel (This Index, 1,

p. 146) precedes Buchwald's comb. (ibid., 1, p. 277).

Calospora? pini-thunbergii Sawada in Rep. For. Exp. Sat., Tokyo, 46, p. 136, 1950 on Pinus thunbergii.—Japan.

Camarosporium sarothamni da Camara in Agron. lusit., 12, p. 114, 1950 on Cytisus pendulinus var. eriocarpus.—Portugal.

Campanella floridana Singer in Lloydia, 13, p. 249, 1951 on dead Magnolia grandiflora.— Florida, U.S.A.

Campoa thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 140, 1950 on Thujopsis dolabrata var. hondai.—Japan. Camptomeris acaciae (Syd.) Ciferri in Myco-

Camptomeris acaciae (Syd.) Ciferri in Mycopathologia, 6, p. 25, 1951. (Syn. Septogloeum acaciae Sydow).

 robiniae (Shear) Ciferri in Mycopathologia,
 6, p. 25, 1951. (Syn. Fusicladium robiniae Shear).

CANDELABRUM van Beverwijk in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 11, 1951.—Moniliales.

— spinulosum van Beverwijk in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 11, 1951 on decaying leaves in water.—Netherlands

Genangium pini Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 131, 1950 on Pinus densi-flora.—Japan.

Gephalosporium apii Smith & Ramsey in Bot. Gaz., 112, p. 399, 1951 on Apium graveolens.—Colorado, U.S.A.

— falciforme Carrión in Mycologia, 43, p. 523, 1951 on man.—Puerto Rico.

CERATOSPERMOPSIS Batista in Mycopathologia, 5, p. 165, 1951.—Meliolineae.

— cupaniae Batista in Mycopathologia, 5, p. 166, 1951 on Cupania.—Brazil.

— xylopiae Batista in Mycopathologia, 5, p. 166, 1951 on Xylopia frutescens.—Brazil.
 Ceratosporium rilstonii Hughes in Mycol.

Pap., C.M.I., 39, p. 9, 1951 on dead Ribes grossularia.—England.
Ceratostoma plectotheca Munk in Dansk bot.

Ark., 12, 11, p. 12, 1948 on wood.—Denmark. Cercoseptoria sapindophila (Speg.) Ciforri in Mycopathologia, 6, p. 26, 1951. (Syn. Fusarium sapindophilum Speg.).

Cercospora cephalariae Rayss in Palest. J. Bot., J. Ser., 5, p. 24, 1950 on Cephalaria joppica.—Palestine.

- chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 122, 1950 on Chamaecyparis obtusa.—Japan.

narthecii F. L. Balfour-Browne in Trans.
bot. Soc. Edinb., 35, p. 434, 1951 on Narthecium ossifragum.—Scotland.
psoraleae Petrak (This Index, 2, p. 16). See

— psoraleae Petrak (This Index, 2, p. 16). See also C. psoraleae Ray, 1941 (ibid., 1, p. 66).

— pulchella Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, **34**, p. 163, 1951 on *Indigofera pulchella*.—India.

Indigofera pulchella.—India.
— scopariae Lacy & Thirumalachar in Sydowia, 5, p. 127, 1951 on Scoparia dulcis.— India.

tremae (Stev. & Solh.) Chupp in Chardon & Toro, Mycol. Explorat. Venezuela, p. 253, 1934. (This antedates the entry in this Index, 2, p. 2).

Cercosporella acalyphae Lacy & Thirumalachar in Sydowia, 5, p. 127, 1951 on Acalypha indica.—India.

Geriospora caudae-suis Ingold in Trans. Brit. mycol. Soc., 34, p. 210, 1951 on submerged Fraxinus.—England.

Chaetomeris hemisphaerica Batista in Mycopathologia, 5, p. 154, 1951 on Polyscias guifoylei.—Brazil. [Chaetomeris Clem. is an obligate syn. of Treubiomyces Höhn.].

CHAETONAEVIA von Arx in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 85, 1951.—Discomycetes.

nannfeldtii von Arx in Antonie van Leeuwen.
 hoek J. Microbiol. Serol., 17, p. 86, 1951 on
 Arctostaphylos alpina.—Sweden.
 CHAETOPOTIUS Batista in Mycopatho.

CHAETOPOTIUS Batista in Mycopathologia, 5, p. 151, 1951.—Capnodiaceae.
— commistum Batista in Mycopathologia,

5, p. 152, 1951 on Clidemia hirta.—Brazil.
Chaetothyrium capense (Doidge) Hansford
apud Doidge in Bothalia, 5, p. 192, 1950.
(Syn. Aithaloderma capense Doidge).

Chaetotrichum lantanae Petrak nom. nov. in Sydowia, 5, p. 38, 1951. (Syn. Cladosporium trichophilum Petr. & Cif. non Chaetotrichum tricophilum (Stev.) Petrak).

— latisporum Petrak in Sydowia, 5, p. 34,
1951 on Liabum bipinnatipartitum.—Ecuador.
— liabicola Petrak in Sydowia, 5, p. 35, 1951 on Liabum arsalaguense.—Ecuador.

pannosum Petrak in Sydowia, 5, p. 37, 1951
on Siphocampylus campanulatus.—Ecuador.
pulchrum Petrak in Sydowia, 5, p. 32, 1951

on Liabum pichinchense.—Ecuador.

— rufidulum Petrak in Sydowia, 5, p. 33, 1951 on Liabum.—Ecuador.

— solani-torvi (Frag. & Cif.) Petrak in Sydowia, 5, p. 38, 1951. (Syn. Cercospora solani-torvi Frag. & Cif.).

— sydowii Petrak in Sydowia, 5, p. 31, 1951 on Liabum pallatangense.—Ecuador.

trichophilum (Stev.) Petrak in Sydowia, 5,
 p. 38, 1951. (Syn. Cercospora trichophila Stev.).

Chalcosphaeria oyedeae (Syd.) Ciferri in Mycopathologia, 6, p. 27, 1951. (Syn. Phyllocalis oyedeae Syd.).

Chondropodium moliniae da Camara in Agron. lusit., 21, p. 113, 1950 on Molinia caerulea.—Portugal.

Cintractia calderi Savile in Canad. J. Bot., 29, p. 324, 1951 on Carex backii.—Manitoba, Canada.

— leucoderma (Berk.) P.Henn. var. striata (Clint. & Zundel) Ling in Mycologia, 43, p. 312, 1951. (Syn. Cintractia striata Clint. & Zundel).

— scleriae (DC.) Ling in Mycologia, 43, p. 314,
 1951. (Syn. Uredo scleriae DC.).

Cladosporium Iysimachiae Greene (This Index, 2, p. 2). See also C. lysimachiae Guba, Rhodora, 41, p. 513, 1939.

CLATHROSPHAERINA van Beverwijk in Trans. Brit. mycol. Soc., 34, p. 289, 1951.— Moniliales.

zalewskii van Beverwijk in Trans. Brit.
 mycol. Soc., 34, p. 289, 1951 on decaying plant material in water.—Netherlands.

Clavaria leucoporphyria Singer in Collect. Bot., 1, p. 205, 1947.—Spain.

xanthoporphyria Singer in Collect. Bot., 1,
 p. 205, 1947.—Spain.
 Clitocybe catalaunica Singer in Collect. Bot.,

1, p. 242, 1947.—Spain.

— geotropa (Bull.) Fr. var. minor Singer in

Collect. Bot., 1, p. 221, 1947.—Spain.
— monticola Singer in Collect. Bot., 1, p. 221, 1947.—Spain.

Clypeolella dalhousieae Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 50, 1945 on Dalhousiea.—Belgian Congo.

Cochliobolus boutelouae Sprague in Mycologia, 43, p. 550, 1951 on Bouteloua gracilis. New Mexico, U.S.A. - sporoboli E. Castellani in Mycopathologia, 6, p. 56, 1951 on Sporobolus affinis and S. ruspolianus.—East Africa.

Coleosporium barclayense Bagchee in Indian For. Rec. Bot., 4, p. 53, 1950 on Senecio

rufinervis .- India.

Golletotrichum corni (Woronich.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 239, 1950. (Syn. Gloeosporium corni Woronichin). fructigenum (Berk.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 296, 1950. (Syn.

Gleosporium fructigenum Berk.). *_ gloeosporioides Penz. var. aleuritidis Saccas & Drouillon in Agric. Trop., 6, p. 249, 1951 on Aleurites fordii and A. montana.-

French Equatorial Africa.

- kruegerianum Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 321, 1950. (Syn. Gloeosporium lycopersici F. Krüger,

non C. lycopersici Chester).

Collybia dryophila (Bull.) Fr. var. oedipoides Singer in Collect. Bot., 1, p. 223, 1947.—Spain. Coltricia dependens (Berk. & Curt.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 109, 1943. (Syn. Polyporus dependens Berk. & Curt. See this Index, 1, p. 259 for the later comb. by Cunningham).

greenii (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 109, 1943. (Syn. Cyclomyces

greenii Berk.).

Coniochaeta pulveracea (Ehrh.) Munk in Dansk bot. Ark., 12, 11, p. 9, 1948. (Syn. Rosellinia pulveracea (Ehrh. ex Fr.) Fuckel). - velutina (Fuckel) Munk in Dansk bot. Ark., 12, 11, p. 9, 1948. (Syn. Rosellinia velutina

Fuckel). [Comb. made by Cooke, 1887]. Conocybe kuehneri Singer nom. nov. in Collect. Bot., 1, p. 236, 1947. (Syn. C. sili-

ginea Kühner, non Bres.).

Coprinus atramentarius var. acuminatus Romagnesi in Rev. Mycologie, N.S., 16, p. 127, 1951.—France.

pyrrhanthes Romagnesi in Rev. Mycologie, N.S., 16, p. 128, 1951.—France.

- radicans Romagnesi in *Rev. Mycologie*,
N.S., 16, p. 127, 1951.—France.

- spilosporus Romagnesi in Rev. Mycologie,

N.S., 16, p. 127, 1951.—France.

Cordyceps aurantiaca (Plowr. & Wilson) Oort in Tijdschr. PlZiekt., 52, p. 82, 1946. [ef. C. aurantiaca (Plowr. & Wilson) Imai, this Index, 2, p. 2 and also C. aurantiaca Lohwag apud Keissler, Sinicae symbolae, 2, p. 27, 1937].

- furcata Moreau (This Index, 1, p. 278). See also C. furcata McLennan & Cookson, Proc.

R.Soc. Victoria, 35, p. 157, 1923.

Coriolus consors (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 80, 1943. (Syn. Irpex consors Berk.).

neaniscus (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 80, 1943. (Syn. Polyporus

neaniscus Berk.).

polygonus (Pers. ex Quél.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 80, 1943. (Syn. Polystictus polygonus Pers. ex Quél.).

Cortinarius immissus Schlapfer in Schweiz. Z. Pilzk. Bern, 29, p. 202, 1951.—Switzer-

Coryneopsis cisticola Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 497, 1948 on Cistus populifolius .- Spain.

Coryneum pirinum da Camara in Agron. lusit., 12, p. 118, 1950 on Pyrus communis subsp. pyraster.—Portugal.

CRYPTODERMA Imazeki in Bull. Tokyo Sci. Mus. 6, p. 106, 1943.—Polyporaceae. Type, C. ribis.

citrinum Imazeki in Bull. Tokyo Sci. Mus.

6, p. 107, 1943 on wood.—Japan.

dependens (Murr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fornes dependens Murr.).

endotheium (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes endotheius (Berk.) Sacc.).

fastuosum (Lév.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes fastuosus (Lév.) Cooke).

kanehirae (Yasuda) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Polyporus kanehirae Yasuda).

- lamaense (Murr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Pyropolyporus lamaensis Murr.).

Ionicerinum (Bond.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes lonicerinus Bond.).

- mcgregorii (Bres.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes mcgregorii Bres.).

pini (Thore ex Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. [Syn. Trametes pini (Thore ex Fr.) Fr.].

pullum (Mont.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. [Syn. Polyporus pullus

Mont. & Berk.].

pusillum (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes pusillus Lloyd).

ribis (Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Polyporus ribis Schum.

ex Fr.).

substygium (Berk. & Curt.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Polyporus substygius Berk. & Curt.).

yezoense (Tochinai & Kamei) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 107, 1943. (Syn. Fomes yezoensis Toch. & Kamei).

Cryptostictella reynoutriae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 127, 1950 on Larix kaempferi and Reynoutria japonica var. typica.—Japan.

CUPHOCYBE Heim in Rev. Mycologie, N.S.

16, p. 8, 1951.—Agaricaceae.

alborosea Heim in Rev. Mycologie, N.S., 16, p. 8, 1951.—New Zealand.

olivacea Heim in Rev. Mycologie, N.S., 16,

p. 8, 1951.—New Zealand. Curvularia oryzae Bugnicourt in Rev. gén. Bot., 57, p. 69, 1950 on Oryza sativa.—Indo-

- stapeliae (du Plessis) Hughes & du Plessis apud Hughes in Mycol. Pap., C.M.I., 46, p. 28, 1951. (Syn. Triposporium stapeliae du Plessis).

uncinata Bugnicourt in Rev. gén. Bot., 57, p. 72, 1950 on Oryza sativa.—Indo-China.

Cylindrosporium albanicum (Petr.) Vas-siljevsky, Fungi Imperfecti Parasitici, 2, p. 519, 1950. (Syn. Phleospora albanica Petrak). basiplanum Vassiljevsky, Fungi Imperfecti

Parasitici, 2, p. 596, 1950 on Spiraea hyperi-

cifolia.—U.S.S.R.

canadense Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 560, 1950. (Syn. Phleospora dearnessii Bub., non C. dearnessii Ell. & Ev.).

carpogenum Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 571, 1950. (Syn.

Marssonina pruni Vassiljevsky, non C. pruni (Syd.) Died.).

- convolvulicola Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 519, 1950. (Syn. Septogloeum convolvuli Ell. & Ev., non C. convolvuli Miura).

- defolians (Harkness) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 525, 1950. (Syn.

Septogloeum defolians Harkness).

- eryngiicola Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 584, 1950. (Syn. Septoria eryngii West., non C. eryngii Ell. &

excipuliforme Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 537, 1950. (Syn. Septogloeum lathyri Lind, non C.

lathyri Bub. & Kab.).

- fragariae (Br. & Har.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 564, 1950. (Syn. Stagonospora fragariae Br. & Har.).

- frigidum (Sacc.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 515, 1950. (Syn. Gloeosporium frigidum Sacc.).

fusarioides (Sacc.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 532, 1950. (Syn. Phleospora fusarioides Sacc.).

garbowskii Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 511, 1950. (Syn. Septogloeum pistaciae Garb., non C. pistaciae (Desm.) Vassilj.).

pistaciae (Desm.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 510, 1950. (Syn. Vassiljevsky, Fungi

Septoria pistaciae Desm.)

platanoidis Kab. & Bub. var. polymorphum Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 596, 1950 on Acer tataricum.— U.S.S.R.

pomicola Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 563, 1950. (Syn. Septogloeum pomi Oudem., non C. pomi Brooks).

- populinum (Peck) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 575, 1950. (Syn. Gloeosporium populinum Peck). - potebniae Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 535, 1950. (Syn.

Phleospora caraganae Jacz. var. lathyri Poteb., non C. lathyri Bub. & Kab.).

propinquum (Bub. & Vleug.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 578, 1950. (Syn. Gloeosporium propinquum Bub. &

Vleug.). pruinosum (Zaprometov) Vassiljevsky,

- prunosum (Zaprometov) vassijevsky, Fungi Imperfecti Parasitici, 2, p. 577, 1950. (Syn. Marssonia pruinosa Zaprometov).
- subcuticulare Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 547, 1950. (Syn. Septogloeum frazini Harkn., non C. frazini (Ell. & Kell.) Ell. & Ev.).

thalictricola Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p. 557, 1950. (Syn. C. ranunculi (Bon.) Sacc. f. thalictri Ell. &

Ev., non C. thalictri Dmitr.).

tremulae (Hoehn.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 576, 1950. (Syn. Septogloeum tremulae Hoehn.).

-ulmi (Fr.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 580, 1950. (Syn. Septoria

- vagnerae (Petr.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 540, 1950. (Syn. Phleospora vagnerae Petr.).

Cytospora chamaecyparidis Sawada Rep. For. Exp. Sta., Tokyo, 46, p. 121, 1950 on Chamaecyparis pisifera. Japan.

Dactylaria gracilis Duddington in Trans. Brit. mycol. Soc., 34, p. 194, 1951 on nematodes.—England.

Daedaleopsis conchiformis Imazeki in Bull. Tokyo Ści. Mus. 6, p. 77, 1943 on wood.-Japan.

nipponica Imazeki in Bull. Tokyo Sci. Mus.

6, p. 78, 1943 on wood.—Japan.

papyraceo-resupinata (S. Ito & Imai) Imazeki in Bull. Tokyo Sci. Mus., 6, p. 78, 1943. (Syn. Hexagona papyraceo-resupinata Ito & Imai).

styracina (P. Henn. & Shir.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 78, 1943. (Syn. Lenzites styracina P. Henn. & Shir.).

tenuis (Hook. ex Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 78, 1943. (Syn. Hexagona tenuis Hook. ex Fr.).

Delitschia proboscidea Munk in Dansk bot. Ark., 12, 11, p. 4, 1948 on dung.—Den-

mark.

Dendrophoma abietis Sawada in Rep. For. Exp. Sta., Tokyo., 46, p. 114, 1950 on Abies firma.—Japan. DENDROSEPTORIA Bausá Alcalde in An.

Jard. bot. Madrid, 7, p. 489, 1948.—Sphaeropsidales.

arrhenatheri Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 489, 1948 on Arrhenatherum elatius.—Spain.

Dictyopeltis applanata Batista in Myco-pathologia, 5, p. 170, 1951 on Achras sapota.— Brazil.

- myricae Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 51, 1945 on Myrica .-Belgian Congo.

Didymellina intermedia Ciferri in Not. Mal. Piante, 2, p. 6, 1949 on Lilium candidum. Italy.

DIDYMOPSORELLA Thirumalachar in Sydowia, 5, p. 28, 1951.—Uredinales. Type. D. toddaliae.

- macrospora (Mundkur & Thirum.) Thirumalachar in Sydowia, 5, p. 28, 1951. (Syn. Didymopsoramacrospora Mundkur Thirum.).

toddaliae (Petch) Thirumalachar in Sydowia, 5, p. 28, 1951. (Syn. Uredo toddaliae Petch).

Didymósphaeria armeriae da Camara, 1946, (This Index, 1, p. 260). See also *D. armeriae Losa España, 1945 (ibid., 1, p. 149). epidermidis (Fr.) Fuckel var. ulicis da

Camara in Agron. lusit., 12, p. 97, 1950 on Ulex minor.—Portugal.
Dimeriellopsis araliae Batista in Myco-

pathologia, 5, p. 163, 1951 on Polyscias guifoylei.—Brazil. Dimerium abietis-mariesii Sawada in Rep.

For. Exp. Sta., Tokyo, 46, p. 114, 1950 on Abies mariesii.—Japan.

Diplodia arctii Cherepanov in J. Bot. U.S.S.R., 36, p. 274, 1951 on Arctium minus.—U.S.S.R.

chenopodii Cherepanov in J. Bot. U.S.S.R., 36, p. 274, 1951 on Chenopodium album. U.S.S.R.

Diplorhinotrichum africanum Hughes in Mycol. Pap., C.M.I., 47, p. 9, 1951 on Azadirachta indica.-Gold Coast.

Doassansia morotiana Zundel nom. nov. in Mycologia, 43, p. 269, 1951. (Syn. D. intermedia Morot non Setch.).

Dothiorella genistae da Camara in Agron. lusit., 12, p. 105, 1950 on Pterospartum tridentatum.—Portugal. Eccilia sericella (Fr.) Singer in Collect. Bot., 1, p. 218, 1947. (Syn. Agaricus sericellus Fr.). — undata (F.) Quél. var. ombrophila Singer in Collect. Bot., 1, p. 219, 1947.—Spain.

in Collect. Bot., 1, p. 219, 1947.—Spain.
Elfvingia tsunodae (Yasuda ex Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 102, 1943.
(Syn. Polyporus tsunodae Yasuda ex Lloyd).

Endomycopsis ohmeri Etchells & Bell in Food Technology, 4, p. 81, 1950 in cucumber brine.—U.S.A.

— var. minor Etchells & Bell in Food Technology, 4, p. 81, 1950 in cucumber brine. —U.S.A.

Endostigme populina (Vuill.) Ciferri in Not. Mal. Piante, 14, p. 88, 1951. (Syn. Didymosphaeria populina Vuill.).

*Enterobryus duboscqui Tuzet & Manier apud Manier in Ann. Sci. nat., Bot., Sér. XI, 11, p. 65, 1951 on Schizophyllum sabulosum yar. rubripes.—France.

*— leptoiuli Manier in Ann. Sci. nat., Bot., Sér. XI, 11, p. 71, 1951 on Leptoiulus belgicus. —France

Entoloma pyrenaicum Singer in Collect. Bot., 1, p. 219, 1947.—Spain.

— subnitidum forma cyano-nigrum Hongo in J. Jap. Bot., 26, p. 145, 1951.—Japan.

Entosordaria jacobi-felicis C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 48, 1951 on Coffea liberica.—Ivory Coast.

*Epidochium ilicinum Goidànich & Camici in Ann. Sper. agr., N.S., 1, p. 528, 1947 on Quercus ilex.—Italy.

Eremotheca congensis Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 49, 1945 on Rhektophyllum mirabile.—Belgian Congo.

Eudarluca indica Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 34, p. 158, 1951 on Uredo amomi.—India.

Eutypa eutypoides (Ell. & Ev.) Petrak in Sydowia, 5, p. 177, 1951. (Syn. Bagnisiella eutypoides Ell. & Ev.).

— microspora C. & M. Moreau in Rev. My-

microspora C. & M. Moreau in Rev. My-cologie, 16, Suppl. Col. No. 1, p. 65, 1951 on dead Coffea canephora.—Ivory Coast.
nervincola (Rehm) Petrak in Sydowia, 5,

nervincola (Rehm) Petrak in Sydowia, 5,
 p. 177, 1951. (Syn. Nitschkia nervincola Rehm apud Fitzp.).

Eutypella coffeicola C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. 1, p. 59, 1951 on Coffea canephora and C. liberica.—Ivory Coast.

— perplexans C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 64, 1951 on dead Coffea canephora.—Ivory Coast.

Favolaschia echinata Singer in Lloydia, 13, p. 253, 1951 on dead ?Boehmeria caudata.—Argentine.

— flava (Bres.) Singer in Lloydia, 13, p. 257, 1951. (Syn. Laschia flava Bres.).

pterigena Singer in *Lloydia*, 13, p. 255, 1951 on dead pteridophytes.—Argentine.

— puiggarii (Speg.) Singer in *Lloydia*, **13**, p. 253, 1951. (Syn. *Favolus puiggarii* Speg.). — pygmaea (Speg.) Singer in *Lloydia*, **13**, p.

pygmaea (Speg.) Singer in Lloydia, 13, p. 254, 1951. (Syn. Favolus pygmaeus Speg.). Favolus emerici (Cooke) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polyporus emerici Cooke).

— grammocephalus (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polyporus grammocephalus Berk.).

— hirtus (Quél.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polyporus hirtus Quél.). — mikawai (Lloyd) Imazeki in *Bull. Tokyo* Sci. Mus. 6, p. 95, 1943. (Syn. Polyporus mikawai Lloyd).

— rhipidium Berk. 'var. pusillus Imazeki comb. nov.' in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. [Syn. not cited].

Fayodia bisphaerica (Lge.) var. grisea Singer in Collect. Bot., 1, p. 243, 1947.—Spain.
 FLAGELLOSCYPHA Donk apud Singer in

Lilloa, 22, p. 312, 1951.—Tricholomataceae. — minutissima (Burt) Donk apud Singer in Lilloa, 22, p. 312, 1951. (Syn. Cyphella minutissima Burt).

Fomitopsis carnea (Nees) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. [Syn. Trametes carnea Nees ex Corda].

- cinerea (Torr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Fomes cinereus

— connata (Fr.) Cunn. (This *Index*, 2, p. 21). See also *F. connata* (Weinm.) Karst., 1881.

— corrugata (Pers. ex Cooke) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus corrugatus Pers.).

— komatsuzakii (Yasuda) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus komatsuzakii Yasuda).

— ochroleuca (Berk.) Imazéki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus ochroleucus Berk.).

 olivacea (Yasuda) Imazeki & Aoshima apud Aoshima in Ann. phytopath. Soc., Japan, 15, p. 9, 1950. (Syn. Fomes olivaceus Yasuda).

- pubertatis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus pubertatis Lloyd).

rhodophaea (Lév.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus rhodophaeus Lév.).

— subungulata (Murr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Fomes subungulatus Murr.).

— zonalis (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 92, 1943. (Syn. Polyporus zonalis Berk.).

*Fusarium heterosporum Nees forma aleuritidis Saccas & Drouillon in Agron. Trop., 6, p. 251, 1951 on Aleurites fordii.—French Equatorial Africa.

— laricis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 130, 1950 on Larix kaempferi.— Japan.

— solani (Mart.) Sacc. forma batatas McClure in Phytopathology, 41, p. 75, 1951 on Ipomoea batatas.—California, U.S.A.

Galerina unicolor (Fr.) Moser (This Index, 1, p. 279). Comb. made by Singer, Beih. Bot. Zbl., Abt. B, 56, p. 170, 1936.

GERRONEMA Singer in Mycologia, 43, p.

GERRONEMA Singer in Mycologia, 43, p. 599, 1951.—Agaricales. Type G. melanomphax.

— depauperatum Singer in Mycologia, 43, p. 601, 1951.—Argentine.

 elasticum Singer in Mycologia, 43, p. 599, 1951.—Argentine.

— melanomphax Singer in Mycologia, 43, p. 602, 1951.—Argentine.

GIBBERELLULINA da Camara in Agron. lusit., 12, p. 101, 1950.—Hypocreales.

— abietis da Camara in Agron. lusit., 12, p. 101, 1950 on Abies nordmanniana.—Portugal.

Gloeophyllum odoratum (Wulf. ex Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 75, 1943. (Syn. Polyporus odoratus Wulf. ex Fr.). protractum (Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 75, 1943. (Syn. Trametes protracta Fr.).

— ungulatum (Lloyd) Imazeki in Bull, Tokyo Sci. Mus. 6, p. 75, 1943. (Syn. Daedalea ungulata Lloyd).

Gloeosporium cistinum Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 494, 1948 on Cistus populifolius.—Spain.

polygonati (Moesz) Karakulin, Fungi Imperfecti Parasitici, 2, p. 115, 1950. (Syn. Cylindrosporella polygonati Moesz).

— pteridii Karakulin nom. nov., Fungi Imperfecti Parasitici, 2, p. 42, 1951. (Syn. G. pteridis (Kalchbr.) Bub. & Kab. 1906, non Harkn. 1884).

 rubellum Karakulin nom. nov., Fungi Imperfecti Parasitici, 2, pp. 73 and 597, 1950.
 (Syn. G. cylindrospermum Jaap 1912, non (Bon.) Sacc. 1884).

— vancouveranum Karakulin nom. nov., Fungi Imperfecti Parasitici, 2, p. 148, 1951. (Syn. G. crataegi Dearn. & Barth. 1917, non Hollós 1906).

*Glomerella cingulata (Stonem.) Spauld. & Schrenk var. aleuritidis Saccas & Drouillon in Agron. Trop., 6, p. 251, 1951 on Aleurites fordii and A. montana.—French Equatorial Africa.

Gnomonia fructicola (Arnaud) Fall in Canad. J. Bot., 29, p. 309, 1951. (Syn. Gnomonia fragariae Kleb. var. fructicola Arn.).

— grewiae Ciccarone in Mycopathologia, 5, p. 212, 1951 on Grewia ferruginea.—Abyssinia. Gnomoniella quadriguttulata C. & M.

Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 57, 1951 on Coffea liberica.—Ivory Coast. Grifola intybacea (Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 98, 1943. (Syn. Polyporus intybaceus Fr.).

— umbellata (Fr.) Imezeki in Bull. Tokyo Sci. Mus. 6, p. 98, 1943. (Syn. Polyporus umbellatus Fr.).

Guignardia cephalotaxi-nanae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 117, 1950 on Cephalotaxus nana.—Japan.

GYMNOPUCCINIA Ramakrishnan in *Trans.*Brit. mycol. Soc., 34, p. 141, 1951.—Uredinales.

pulneyensis Ramakrishnan in Trans. Brit.
 mycol. Soc., 34, p. 141, 1951 on Toddalia
 asiatica.—India.

Halbania juniperi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 124, 1950 on Juniperus chinensis.—Japan.

Hansenula angusta Wickerham in Tech. Bull. U.S. Dep. Agric. 1029, p. 31, 1951 from orange juice.—Florida, U.S.A.
— beckii Wickerham nom. nov. in Tech. Bull.

— beckii Wickerham nom. nov. in Tech. Bull. U.S. Dep. Agric. 1029, p. 27, 1951. (Syn. Endomyces bisporus Beck, non Hansenula bisporus (Mattlet) Nannizzi).

— californica (Lodder) Wickerham in Tech. Bull. U.S. Dep. Agric. 1029, p. 39, 1951. (Syn. Zygohansenula californica Lodder).

canadensis Wickerham in Tech. Bull. U.S.
 Dep. Agric. 1029, p. 28, 1951 from beetle frass of Pinus resinosa.—Ontario, Canada.
 capsulata Wickerham in Tech. Bull. U.S.

capsulata Wickerham in Tech. Bull. U.S.
 Dep. Agric. 1029, p. 25, 1951 from frass of conifers.—Canada.

— jadini (Sartory) Wickerham [as 'jadinii'] in Tech. Bull. U.S. Dep. Agric. 1029, p. 34, 1951. (Syn. Saccharomyces jadini Sartory et al.). — minuta Wickerham in Tech. Bull. U.S. Dep. Agric. 1029, p. 29, 1951 from fermenting Mycena pura.—Canada.

— mrakii Wickerham in Tech. Bull. U.S. Dep. Agric. 1029, p. 40, 1951 from soil.—New Guinea.

— silvicola Wickerham in Tech. Bull. U.S.
 Dep. Agric. 1029, p. 30, 1951 from gum of Prunus serotina.—Illinois, U.S.A.
 HANSFORDIA Hughes in Mycol. Pap.,

HANSFORDIA Hughes in Mycol. Pap., C.M.I., 43, p. 15, 1951.—Moniliales. Type H. ovalispora.

canescens (Speg.) Hughes in Mycol. Pap.,
C.M.I., 43, p. 16, 1951. (Syn. Sporotrichum canescens Speg.).
grewiae (Hansford) Hughes in Mycol. Pap.,

C.M.I., 43, p. 16, 1951. (Syn. Verticladium grewiae Hansf.).

— grisella (Sacc.) Hughes in Mycol. Pap.,

C.M.I., 43, p. 16, 1951. (Syn. Botrytis grisella Sacc.).

— ovalispora Hughes in Mycol. Pap., C.M.I., 43, p. 16, 1951 on Saccharum officinarum.— Gold Coast.

— togoensis Hughes in Mycol. Pap., C.M.I., 43, p. 18, 1951 on Setaria chevalieri.— Togoland.

— triumfettae (Hansford) Hughes in Mycol. Pap., C.M.I., 43, p. 16, 1951. (Syn. Sporotrichum triumfettae Hansf.).

— ugandensis (Hansford) Hughes in Mycol. Pap., C.M.I., 43, p. 16, 1951. (Syn. Verticladium ugandense Hansf.).

HANSFORDIELLA Hughes in Mycol. Pap., C.M.I., 47, p. 10, 1951.—Moniliales. Type, H. asterinearum.

asterinearum Hughes in Mycol. Pap.,
 C.M.I., 47, p. 11, 1951 on Asterina baphiae.
 Gold Coast.

cupulifera (Hansf.) Hughes in Mycol. Pap.,
 C.M.I., 47, p. 12, 1951. (Syn. Helminthosporium cupuliferum Hansford).

 meliolae (Hansf.) Hughes in Mycol. Pap.,
 C.M.I., 47, p. 14, 1951. (Syn. Teratosperma meliolae Hansford).

Hapalopilus cuneatus (Murr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 85, 1943. (Syn. Coriolellus cuneatus Murr.).

—gypseus (Yasuda) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 85, 1943. (Syn. Polystictus gypseus Yasuda).

Helicodendron giganteum Glen-Bott in Trans. Brit. mycol. Soc., 34, p. 276, 1951 on leaves of Fagus and Quercus in water.—England.

Helicogloea incrustans Y. Kobayasi in Misc. Rep. Inst. nat. Resour., Tokyo, 17-18, p. 47, 1950 on dead Shiia sieboldi.—Japan.

Helicosporium hendrickxii Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 52, 1945 on dead Cyrtostachys rendlei.—Belgian Congo.

Heliomyces perforans (Hofm.) Singer in Collect. Bot., 1, p. 224, 1947. [Syn. not cited]. HELMINTHOPELTIS da Camara in Agron.

lusit., 12, p. 102, 1950.—Microthyriaceae.
— almeidaeana da Camara in Agron. lusit.,
12, p. 102, 1950 on Juniperus communis
subsp. nana.—Portugal.

Helotium malloti Ramakrishnan & Srinivasan in *Proc. Indian Acad. Sci.*, Sect. B, **34**, p. 157, 1951 on *Mallotus albus*.—India.

Hendersonia asteris Bernaux in Rev. Path. vég., 30, p. 22, 1951 on Aster acer.—France. Hexagona heteropora (Mont.) Imazeki in

Bull. Tokyo Sci. Mus. 6, p. 76, 1943. (Syn. Trametes heteropora Mont.). [See also H. heteropora Pat., 1889].

Hirschiporus abietis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 82, 1943. (Syn. Lenzites

abietis Lloyd).

*Hormiscium acidophilum Okada in Sci. Rep. Tôhoku Imp. Univ., Ser. 4, 17, p. 99, 1942 in soil.—Japan.

Hyaloscypha curvipila Grelet in Rev. Mycologie, N.S., 16, p. 92, 1951 on dead cones of Abies excelsa.—France.

Hydnellum caeruleum (Fl. Dan.) Wehmeyer (This Index, 2, p. 4). Comb. made by Karsten in 1879.

mirabile (Fr.) Wehmeyer (This Index, 2, p. 4). Comb. made by Karsten in 1879.

Hydnochaete tabacinoides (Yasuda ex Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 103, 1943. (Syn. Irpex tabacinoides Yasuda ex Lloyd).

Hypocopra brevilineata Munk in Dansk bot. Ark., 12, 11, p. 5, 1948 on dung.—Denmark. Hypoderma mexicanum F. A. Wolf in

Lloydia, 14, p. 112, 1951 on Pinus leiophylla.

Hypomyces novae-zealandiae Dingley in Trans. roy. Soc. N.Z., 79, p. 59, 1951 on Polyporus.—New Zealand.

INFRAFUNGUS Ciferri in Mycopathologia, 6,

p. 26, 1951.—Moniliales.
- micropus (Sacc.) Ciferri in Mycopathologia, 6, p. 26, 1951. (Syn. Fusarium micropus Sacc.).

Inocybe brunnea Quél. f. insignior Singer in Collect. Bot., 1, p. 245, 1947.—Spain.

catalaunica Singer in Collect. Bot., 1, p. 245, 1947.—Spain.

fastigiata (Schaeff.) Fr. f. heimii Singer in Collect. Bot., 1, p. 233, 1947.—Spain.

- obscura var. subpusio Singer in Collect. Bot., 1, p. 232, 1947.—Spain.

pseudohiulca Kühn, subsp. subdurius-

cula Singer in Collect. Bot., 1, p. 232, 1947.— Inonotus patouillardii (Rick) Imazeki in Bull.

Tokyo Sci. Mus. 6, p. 105, 1943. (Syn. Polyporus patouillardii Rick).

sciurinus Imazeki in Bull. Tokyo Sci. Mus. 6, p. 106, 1943 on wood.—Japan. Insiticia clavularis (Fr. ex Kühn) Parker-

Rhodes in Trans. Brit. mycol. Soc., 34, p. 363, 1951. [Syn. not cited].

Irenina homalii-angustifolii Deighton in Sydowia, 5, p. 1, 1951 on Homalium angustifolium.—Sierra Leone.

phyllanthi Deighton in Sydowia, 5, p. 1, 1951 on Phyllanthus wildemannii.—Sierra Leone.

- taxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 137, 1950 on Taxus cuspidata.—Japan. Irenopsis buettneriicola Deighton in Sydowia, 5, p. 2, 1951 on Buettneria.—Sierra

Kabatiella lini (Laff.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 209, 1950. (Syn. Polyspora lini Laff.).

microstromoidea (Moesz) Karakulin, Fungi Imperfecti Parasitici, 2, p. 203, 1950. (Syn. Gloeosporium microstromoides Moesz).

phoradendri (Darling) Harvey in Madroño, 11, p. 164, 1951. (Syn. Protocoronospora phoradendri Darling).

- forma umbellulariae Harvey in Madroño, 11, p. 170, 1951 on Umbellularia cali-fornica.—California, U.S.A. - platani (Eddelb. & Eng.) Karakulin, Fungi

Împerfecti Parasitici, 2, p. 210, 1950. (Syn. Microstroma platani Eddelbütel & Engelke).

polyspora (Bub. & Syd.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 202, 1950. (Syn. Pachybasidiella polyspora Bub. & Syd.).

tilletioides (Werd.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 210, 1950. (8 Pachybasidiella tilletioides Werdermann).

Lachnea rosea Schweers in Rev. Mycologie, 5, p. 86, 1940. (Correction of Lachnella rosea Schweers, this Index, 1, p. 6).

Lactarius salmoneus Heim & Leclair (This Index, 2, p. 22). See L. salmoneus Peck in Bull. Torrey bot. Cl., 25, p. 369, 1898. Lactiporus versisporus (Lloyd) Imazeki in

Bull. Tokyo Sci. Mus. 6, p. 88, 1943. (Syn. Calvatia versispora Lloyd).

Larseniella major Munk in Dansk bot. Ark., 12, 11, p. 7, 1948 on wood.—Denmark.

Leccinum brunneo-olivaceum Snell, Dick, & Hesler in Mycologia, 43, p. 360, 1951.-Tennessee, U.S.A.

Leptochlamys chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 122, 1950 on Chamaecyparis obtusa.- Japan.

Leptomeliola puberula Batista in Mycopathologia, 5, p. 167, 1951 on Vismia.—Brazil.

LEPTOPELTINELLA Petrak nom. nov. in Sydowia, 5, p. 187, 1951. (Syn. Leptopeltina Petrak 1947, non Speg. 1923). - filicina (Lib.) Petrak in Sydowia, 5, p. 187,

1951. (Syn. Aulographum filicinum Lib.). jaapii (Rehm) Petrak in Sydowia, 5, p. 187,

1951. (Syn. Aporia jaapii Rehm). Leptosphaeria coffeigena (Berk. & Curt.) Sacc. var. longirostrata C. & M. Moreau in

Rev. Mycologie, 16, Suppl. Col. No. 1, p. 25, 1951 on Coffea canephora.—Ivory Coast. didymellae-vincetoxici Müller in Sydowia,

5, p. 52, 1951 on Didymella vincetoxici. Switzerland.

- kochiana Müller in *Sydowia*, **5**, p. 50, 1951 on Carex baldensis.—Switzerland.

phacae Müller in Sydowia, 5, p. 49, 1951 on Phaca alpina.—Switzerland.

submodesta Müller in Sydowia, 5, p. 53, 1951 on Tofieldia calyculata.—Switzerland. themedicola Ling in Sydowia, 5, p. 44, 1951

on Themeda gigantea.—Philippines. tofieldiae Müller in Sydowia, 5, p. 53, 1951

on Tofieldia calyculata.—Switzerland. Leucocoprinus gracilentus (Krombh.) Loc-

quin in Bull. Soc. linn. Lyon, 12, p. 95, 1943. [Antedating L. gracilentus (Krombh.) Singer in Collect. Bot., 1, p. 239, 1947.]

Limacinia capsici Batista in Mycopathologia, 5, p. 160, 1951 on Capsicum frutescens. Brazil.

Lizonia abietis-mariesii Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 115, 1950 on Abies mariesii.—Japan.

Lophiosphaera juniperi Munk in Dansk bot. Ark., 12, 11, p. 14, 1948 on Juniperus communis.—Denmark.

Lophiostoma antennariae Cherepanov in J. Bot. U.S.S.R., 36, p. 270, 1951 on Antennaria dioica.-U.S.S.R.

Lophodermium thujae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 139, 1950 on Thuja standishii.—Japan.

— thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 141, 1950 on Thujopsis dolabrata.—Japan.

Lycoperdon echinellum (Pat.) Perdeck, 1950 (This Index, 2, p. 5) antedated by L. echinellum (Pat.) Ahmad, 1941 (ibid., 1, p. 26).

Lyophyllum infumatum (Bres.) Singer var. adscriptum (Britz.) Singer in Collect. Bot., 1, p. 222, 1947. [Syn. not cited].

Macrophoma convolvulacearum Lacy & Thirumalachar in Sydowia, 5, p. 127, 1951 on Convolvulus.—India.

— mariesii Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 116, 1950 on Abies mariesii.— Japan.

— pini-densifiorae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 134, 1950 on Pinus densifiora.—Japan.

Marasmius maior Singer in Collect. Bot., 1,
p. 224, 1947.—Spain.
rhododendri Singer in Collect. Bot., 1,
p. p.

224, 1947.—Spain.
— ventalloi Singer in Collect. Bot., 1, p. 225,

1947.—Spain.

Marssonina alni Karakulin, Fungi Imperfecti

Parasitici, 2, p. 596, 1950 on Alnus incana.— U.S.S.R. — carthami (Fukui) Karakulin Funci Im

carthami (Fukui) Karakulin, Fungi Imperfecti Parasitici, 2, p. 385, 1951. (Syn. Marsonia carthami Fukui).
 deformans (Cooke & Massee) Karakulin,

Fungi Imperfecti Parasitici, 2, p. 393, 1951. (Syn. Marssonia deformans Cooke & Massee).
— erythraeae (Siemaszko) Karakulin, Fungi

— erythraeae (Siemaszko) Karakulin, Fungi Imperfecti Parasitici, 2, p. 388, 1951. (Syn. Marssonia erythraeae Siemaszko). — forsythiae (Lind) Karakulin, Fungi Im-

— forsythiae (Lind) Karakulin, Fungi Imperfecti Parasitici, 2, p. 394, 1951. (Syn. Marsonia forsythiae Lind).

 manschurica (Naumov) Karakulin, Fungi Imperfecti Parasitici, 2, p. 392, 1951. (Syn. Marsonia manschurica Naumov).

— matteiana (Sacc.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 387, 1951. (Syn. Marsonia matteiana Sacc.).

— sennenis (G. Frag.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 404, 1951. (Syn. Marsonia sennenis G. Frag.).

 sonchi (Dearn. & Bisby) Karakulin, Fungi Imperfecti Parasitici, 2, p. 386, 1951. (Syn. Marssonia sonchi Dearn. & Bisby).

— stellariae (Brezshn.) Karakulin, Fungi Imperfecti Parasitici, 2, p. 383, 1951. (Syn. Marssonia stellariae Brezshn.).

viticola (Miyake) Karakulin, Fungi Imperfecti Parasitici, 2, p. 420, 1951. (Syn. Marsonia viticola Miyake).

Massaria immersa C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 29, 1951 on fallen Coffea liberica.—Ivory Coast.

Massarinula pini Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 132, 1950 on Pinus densifora.—Japan.

Masseeëlla ciferrii Ciccarone in Mycopathologia, 5, p. 219, 1951 on Berchemia yemensis.

—Abyssinia.

Melampsora oblonga Bagehee in *Indian For. Rec.*, *Bot.*, 4, p. 57, 1950 on *Pinus excelsa*.— India.

Melanoleuca mirabilis (Bres.) Moser, 1950 (This Index, 2, p. 23) antedated by M. mirabilis (Bres.) Singer, 1942 (ibid., 1, p. 69).
— subpulverulenta (Pers.) Métrod (This Index, 1, p. 263). See also M. subpulveru-

lenta (Fr.) Singer, Schweiz. Z. Pilzk., 17, p. 56, 1939.

Meliola alstoniicola Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 35, 1945 on Alstonia congensis.—Belgian Congo.

 balanitis Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 37, 1945 on Balanites aegyptiaca.—Belgian Congo.

baphiae-nitidae Hansf. & Deighton var.
breviseta Deighton in Sydowia, 5, p. 3, 1951 on Baphia racemosa.—Natal.
bicornis Wint. var. lonchocarpii Batista

— bicornis Wint. var. lonchocarpii Batista in Mycopathologia, 5, p. 161, 1951 on Lonchocarpus.—Brazil.

boedijnii Ciferri [as Meliola (Irenina) boedijnii] in Mycopathologia, 6, p. 21, 1951 on Schefflera aromatica.—Java.
carvalhoi Deighton in Sydowia, 5, p. 4, 1951

on Lonchocarpus cyanescens.—Portuguese East Africa.

cissi-producti Deighton in Sydowia, 5, p.
4, 1951 on Cissus productus.—Sierra Leone.
cleistopholidis Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 38, 1945 on Cleistopholis verschuerenii.—Belgian Congo.

geniculata H. & P. Syd. & Butl. var.
 antrocaryonis Deighton in Sydowia, 5, p.
 6, 1951 on Antrocaryon micraster.—Sierra Leone.

— homalii Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 39, 1945 on Homalium lalaense.—Belgian Congo. — ingae Stev. & Teh. var. adenantherae

— ingae Stev. & Teh. var. adenantherae Ciferri in Mycopathologia, 6, p. 20, 1951 on Adenanthera microsperma.—Java.

 (Chaetomeliola) javanica Ciferri in Mycopathologia, 6, p. 19, 1951 on Cassia siamea.
 Java.

— mammeicola Hansford in Rec. Inst. nat. Étud. agron. Congo belge 2, p. 40, 1945 on Mammea africana.—Belgian Congo.

— millettiae-chrysophyllae Deighton in Sydowia, 5, p. 7, 1951 on Millettia chrysophylla.
—Sierra Leone.

octoknematis Deighton in Sydowia, 5, p. 7,
1951 on Octoknema borealis.—Sierra Leone.
olacis Deighton in Sydowia, 5, p. 8, 1951

on Olax mannii.—Sierra Leone.
— oleicola Doidge var. jasmini Ciccarone in Mycopathologia, 5, p. 210, 1951 on Jasminum

abyssinicum.—Abyssinia.

—viticicola Hansford in Rec. Inst. nat. Étud.
agron. Congo belge 2, p. 41, 1945 on Vitex sp.

—Belgian Congo.

Merulius nothofagi Cunningham in Bull. Dep. sci. industr. Res. N.Z. 83, p. 7, 1950 on Nothofagus solandri.—New Zealand.

Metasphaeria Iuteola Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 466, 1948 on Poa nemoralis.—Spain.

Microdiplodia gardeniae Démétriadès in Ann. Inst. phytopath. Benaki, 4, p. 11, 1950 on Gardenia.—Greece.

ovoidea Bausá Alcalde in An. Jard. bot.
 Madrid, 7, p. 492, 1948 on Rhamnus frangula.
 Spain.

*Micromyces ovalis Rieth in *Österr. bot. Z.*, 97, p. 516, 1950 on *Mougeotia.*—Germany. Micronectria syzigii Ciccarone [as 'sizigii']

Micronectria syzigii Ciccarone [as 'sizigii'] in Mycopathologia, 5, p. 214, 1951 on Syzigium guineensis.—Abyssinia.

Micropeltis pleiocarpae Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 49, 1945 on Pleiocarpa culicina.—Belgian Congo. Microporus nipponicus (Yasuda) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polystictus napponicus Yasuda).

obovatus (Jungh.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polyporus obovatus Jungh.).

subaffinis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 96, 1943. (Syn. Polystictus

subaffinis Lloyd).

vernicipes (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 96, 1943. (Syn. Polyporus vernicipes Berk.).

Microthyriella inaequalis Batista in Mycopathologia, 5, p. 171, 1951 on Ocotea.-Brazil.

MILLERBURTONIA Ciferri in Mycopathologia, 6, p. 27, 1951.—Melanconiales.

ovedaeae Ciferri ['as oyedeae'] in Mycopathologia, 6, p. 27, 1951 on Oyedaea verbesinoides. -Venezuela.

Mollisia chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 120, 1950 on Chamaecyparis pisifera.—Japan.

- thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 141, 1950 on Thujopsis dolabrata

var. hondai.-Japan.

Monochaetia berberidicola Vassiljevsky nom. nov., Fungi Imperfecti Parasitici, 2, p.466, 1950. (Syn. M. berberidis Girz. non Lind).

Montemartinia abietis-mariesii Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 115, 1950 on Abies mariesii.—Japan.

Mortierella acuminata Linnemann in Pflanzenforschung, 23, p. 21, 1941.—Germany. - elongata Linnemann in Pflanzenforschung, 23, p. 43, 1941.—Germany.

var. subtilis Linnemann in Pflanzenforschung, 23, p. 44, 1941.—Germany.

exigua Linnemann in Pflanzenforschung, 23, p. 44, 1941.—Germany.

gracilis Linnemann in Pflanzenforschung,

23, p. 38, 1941.—Germany.

- horticola Linnemann in Pflanzenforschung, 23, p. 21, 1941.—Germany.

hygrophila Linnemann var. minuta Linnemann in Pflanzenforschung, 23, p. 50, 1941. -Germany.

insignis Linnemann in Pflanzenforschung, 23, p. 34, 1941.—Germany.

minutissima van Tieghem var. dubia Linnemann in Pflanzenforschung, 23, p. 39,

1941.—Germany.
-mundensis Linnemann in Pflanzenfor-

schung, 23, p. 49, 1941.—Germany.
- mutabilis Linnemann in Pflanzenforschung, 23, p. 52, 1941.—Germany.

nana Linnemann in Pflanzenforschung, 23, p. 16, 1914.—Germany.

parvispora Linnemann in Pflanzenforschung, 23, p. 53, 1941.—Germany.

polycephala Coemans var. angusta Linnemann in Pflanzenforschung, 23, p. 30, 1941.-Germany.

pulchella Linnemann in Pflanzenforschung, 23, p. 41, 1941.—Germany.

sepedonioides Linnemann in Pflanzenfor-

schung, 23, p. 23, 1941.—Germany. verticillata Linnemann in Pflanzenforschung, 23, p. 22, 1941.—Germany.

zychae Linnemann in Pflanzenforschung, 23, p. 46, 1941.—Germany.

Mycena adonis (Bull.) Fr. var. variegata Singer in Collect. Bot., 1, p. 226, 1947.—Spain. decipiens (van Overeem) Métrod (This

Index, 2, p. 5). See also M. decipiens Rick,

- subalbida Métrod (This Index, 2, p. 6). See also M. subalbida Cleland, 1931.

Mycosphaerella allicina (Fr.) Arx apud Petrak in Sydowia, 3, p. 286, 1949. [Antedated by M. allicina (Fr.) Vestergren, 1896].

Mycosphaerella cucumis (Fautr. & Roum.) Chiu & Walker in J. agric. Res., 78, p. 98, 1949. (Syn. Ascochyta cucumis Fautr. & Roum., 1891.).

- melonis (Pass.) Chiu & Walker in J. agric. Res., 78, p. 589, 1949. (Syn. Didymella

melonis Pass, 1891).

melothriae Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 34, p. 159, 1951 on Melothria mucronata.—India.

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 142, 1950 on Thujopsis dolabrata var. hondai.—Japan.
- tingens (Niessl) Arx (This Index, 1, p. 281)

antedated by M. tingens (Niessl) Larsen, Fungi of Iceland, 1932.

zizaniae (Schw. em. Ell. & Everh.) Sprague, Diseases of Cereals and Grasses in North America, p. 90, 1950. (Syn. Sphaeria zizaniae Schw.). [Antedated by M. zizaniae (Schw.) Lindau, 1897].

Myiocopron ramicola C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 18, 1951 on fallen Coffea liberica.—Ivory Coast.

Naematoloma anomalum (A. H. Smith) A. H. Smith in Mycologia, 43, p. 477, 1951. (Syn. Hypholoma anomalum A. H. Smith).

dispersum (Fr.) Karsten var. dispersum in Mycologia, 43, p. 511, 1951. Type var. of the species.

- var. flavifolium A. H. Smith in Mycologia, 43, p. 515, 1951.—Ontario, Canada.

- var. idahoense (A. H. Smith) A. H. Smith in Mycologia, 43, p. 513, 1951. (Syn. Hypholoma dispersum var. idahoense A. H. Smith).

ericaeum (Pers. ex Fr.) A. H. Smith in Mycologia, 43, p. 485, 1951. (Syn. Agaricus ericaeus Pers. ex Fr.).

-longisporum (Murrill) A. H. Smith in Mycologia, 43, p. 480, 1951. (Syn. Psilocybe longispora Murrill).

olivaceotinctum (Kauffm.) A. H. Smith in Mycologia, 43, p. 488, 1951. (Syn. Psilocybe olivaceotincta Kauffm.).

potteri A. H. Smith in Mycologia, 43, p.

499, 1951.—Michigan, U.S.A.
- squalidellum (Peck) A. H. Smith in Mycologia, 43, p. 493, 1951. (Syn. Agaricus

squalidellus Peck). subviride (Berk. & Curt.) A. H. Smith in Mycologia, 43, p. 519, 1951. (Syn. Agaricus

subviridis Berk. & Curt.).

- viscidipes (A. H. Smith) A. H. Smith in Mycologia, 43, p. 479, 1951. (Syn. Hypholoma viscidipes A. H. Smith).

Naetrocymbe (as 'Netrocymbe') depressum Batista in Mycopathologia, 5, p. 155,

1951 on Clidemia hirta.—Brazil. - inspersum Batista in Mycopathologia, 5,

p. 158, 1951 on Xylopia frutescens, Bougainvillea glabra, Adiantum.—Brazil.
- lafoensiae Batista in Mycopathologia, 5,

p. 156, 1951 on Lafoensia glyptocarpa.-

- mauritiae Batista in Mycopathologia, 5, p. 155, 1951 on Mauritia vinifera.—Brazil.

perparum Batista in Mycopathologia, 5, p. 157, 1951 on Monnieria trifolia.—Brazil.

robustum Batista in Mycopathologia, 5, p. 158, 1951 on Solanum robustum.—Brazil.
 NECRAPHIDIUM Ciferri in Mycopathologia,

6, p. 25, 1951.—Moniliales.

— zoophilum (Sace. & Trott.) Ciferri in Mycopathologia, 6, p. 25, 1951. (Syn. Ramularia zoophila Sace. & Trott.).

NEOHYGROPHORUS Singer nom. nov. in Lilloa, 22, p. 149, 1951. (Syn. Hygrophorus subgen. Pseudohygrophorus A. H. Smith & Hesler).

— angelesianus (A. H. Smith & Hesler) Singer in Lilloa, 22, p. 149, 1951. (Syn. Hygrophorus angelesianus A. H. Smith & Hesler).

NEOPELTIS Petrak (This Index, 1, p. 281). See also Neopeltis Syd., 1937.

Nolanea infula Fr. forma epixylon Singer in Collect. Bot., 1, p. 218, 1947.—Spain.

-- staurospora var. kamerunensis (Bres.) Singer in *Collect. Bot.*, 1, p. 241, 1947. [Syn. not cited].

Onnia cumingii (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 110, 1943. (Syn. Polyporus cumingii Berk.).

- musashiensis (P. Henn.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 110, 1943. (Syn. Polyporus musashiensis P. Henn.).

- orientalis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 110, 1943. (Syn. Polyporus orientalis Lloyd).

— scaura (Lloyd) Imazeki in Bull. Tokyo Sci.
 Mus. 6, p. 110, 1943. (Syn. Polyporus scaurus Lloyd).

— subpertusa (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 110, 1943. (Syn. Polyporus subpertusus Lloyd).

Ophiomeliola mangiferae Batista in Mycopathologia, 5, p. 164, 1951 on Mangifera indica.—Brazil.

Ophiostoma clavatum Mathiesen in Svensk bot. Tidskr., 45, p. 222, 1951.—Sweden.

floccosum Mathiesen in Svensk bot. Tidskr.,
 45, p. 219, 1951.—Sweden.

- olivaceum Mathiesen in Svensk bot. Tidskr., 45, p. 215, 1951.—Sweden.

— tetropii Mathiesen in Svensk bot. Tidskr., 45, p. 228, 1951.—Sweden.

Ostropella verruculosa C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 35, 1951 on dead Coffea canephora.—Ivory Coast.

Paecilomyces elegans (Corda) Mason & Hughes apud Hughes in Mycol. Pap., C.M.I., 45, p. 27, 1951. (Syn. Penicillium elegans Corda).

 marquandii (Massee) Hughes in Mycol. Pap., C.M.I., 45, p. 30, 1951. (Syn. Verticillium marquandii Massee).

*Paramoebidium pavillardi Manier in Ann. Sci. nat., Bot., Sér. XI, 11, p. 99, 1951 on Boetis arebatinus.—France.

*— procloëoni Manier in Ann. Sci. nat., Bot., Sér. XI, 11, p. 102, 1951 on Procloëon bifidum.—France.

Peridermium pini-koraiensis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 135, 1950 on Pinus koraiensis.—Japan.

Peroneutypa multistromata C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 72, 1951 on Coffee canephora.—Ivory Coast.

Peronospora davisii Shaw in Mycologia, 43, p. 445, 1951 on Dracocephalum parviflorum.—Wisconsin, U.S.A.

— favargeri Mayor & Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 116, 1951 on Euphorbia hirta.—Ivory Coast.

— gaeumanni Mayor (This *Index*, 1, p. 282). See also *P. gaeumanni* Mundkur, 1938.

— jacksonii Shaw in Mycologia, 43, p. 448, 1951 on Minulus guttatus.—Oregon, U.S.A.—nemophilae Shaw in Mycologia, 43, p. 450

— nemophilae Shaw in Mycologia, 43, p. 450, 1951 on Nemophila sepulta.—Washington State, U.S.A.

Pestalotia populi-nigrae Sawada & Itô apud Itô in Rep. For. Exp. Sta., Tokyo, 45, p. 140, 1950 on Populus nigra.—Japan.

Pestalozzia cephalotaxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 118, 1950 on Cephalotaxus nana.—Japan.

 chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 122, 1950 on Chamaecyparis obtusa.—Japan.

— Ĭaricicola Sawada in Rep. For. Exp. Sta.,
 Tokyo, 46, p. 128, 1950 on Larix kaempferi.
 — Japan.

thujae Sawada in Rep. For. Exp. Sta.,
 Tokyo, 46, p. 140, 1950 on Thuja standishii.
 Japan.

 thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 144, 1950 on Thujopsis dolabrata var. hondai.—Japan.

Phaeopeltis sapotae Batista in Mycopathologia, 5, p. 159, 1951 on Achras sapota.—Brazil.

Phaeosphaerella halymii Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 466, 1948 on Halimium (as 'Halymium') ocymoides.—Spain.

Phakopsora fici-elasticae Ramakrishnan in Trans. Brit. mycol. Soc., 34, p. 144, 1951 on Figure elastica.—India

Ficus elastica.—India.

Phellinus gilvoides (Lloyd) Imazeki in

Bull. Tokyo Sci. Mus. 6, p. 104, 1943. (Syn.

Trametes gilvoides Lloyd).

Trametes gilvoides Lloyd).

— hamatus (Corn.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 104, 1943. (Syn. Fomes hamatus Corn.).

 hartigii (Allesch.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 104, 1943. (Syn. Fomes hartigii Allesch.).

pipradeniae Teixeira in Bragantia, 10, p. 118, 1950 on Piptadenia communis.—Brazil.
rickii Teixeira in Bragantia, 10, p. 120,

1950.—Brazil.

— yucatensis (Murr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 105, 1943. (Syn. Fomes yucatensis Murr.).

Phileospora olettae Ciccarone in Mycopathologia, 5, p. 229, 1951 on Loranthus.—Africa. Phoma ascochytoidea Bausa Alcalde in An.

Jard. bot. Madrid, 7, p. 478, 1948 on Phillyrea angustifolia.—Spain.
— bacilligera Cherepanov in J. Bot. U.S.S.R.,

36, p. 272, 1951 on Erysimum cheiranthoides.

—U.S.S.R.

— balanitis Ciccarone in Mysensthalanin 5

balanitis Ciccarone in Mycopathologia, 5,
 p. 227, 1951 on Balanites aegyptiaca.
 Abyssinia.

pilospora Sawada in Rep. For. Exp. Sta.,
 Tokyo, 46, p. 144, 1950 on Thujopsis dolabrata var. hondai.—Japan.

rata var. hondai.—Japan.
— teesdaliae Bausa Alcalde in An. Jard. bot.
Madrid, 7, p. 479, 1948 on Teesdalia nudicaulis.—Spain.

thujopsidis Sawada in Rep. For. Exp. Sta.,
 Tokyo, 46, p. 145, 1950 on Thujopsis dolabrata
 var. hondai.—Japan.

- udmurtica Cherepanov in J. Bot. U.S.S.R.,

36, p. 272, 1951 on Hieracium umbellatum.— U.S.S.R.

Phomopsis cephalotaxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 119, 1950 on Cephalotaxus nana.-Japan.

dauci von Arx in Tijdschr. PlZiekt., 57. p. 50, 1951 on Daucus carota.—Holland.

nepetae (da Camara) da Camara (This Index, 2, p. 41). See also P. nepetae Gonz. Frag., 1914 and P. nepetae Moesz, 1925.
PHRAGMOCEPHALA Mason & Hughes in

The Naturalist, 1951, p. 97, 1951.—Hyphomycetes. Type, P. cookei.

atra (Berk. & Br.) Mason & Hughes in The Naturalist, 1951, p. 97, 1951. (Syn. Arthrobotruum atrum Berk. & Br.).

cookei Mason & Hughes in The Naturalist, 1951, p. 98, 1951 on dead herbs.—England.

- minima Mason & Hughes in The Naturalist, 1951, p. 103, 1951 on bark of Fagus sylvatica. -England.

setosa (Berk. & Curt.) Mason & Hughes in The Naturalist, 1951, p. 97, 1951. Monotospora setosa Berk. & Curt. apud Berk.).

Phragmothyriella dignota Batista in Mycopathologia, 5, p. 171, 1951 on Ocotea.—Brazil. exserta Batista in Mycopathologia, 5, p. 170,

1951 on Ocotea.—Brazil.

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 142, 1950 on Thujopsis dolabrata var. hondai.-Japan.

Phyllachora gondarensis Ciccarone in Mycopathologia, 5, p. 216, 1951 on Stephania abyssinica.—Abyssinia.

- indica Uppal, Patel, & Bhide (This *Index*, 2, p. 25). See also *P. indica* Theiss. & Syd. in Ann. mycol., Berl., 1915.

Phyllosticta aleuritidis Saccas & Drouillon in Ågron. Trop., 6, p. 239, 1951 on Aleurites fordii.-French Equatorial Africa.

bromivora Sprague in Mycologia, 43, p. 551, 1951 on Bromus ciliatus.—New Mexico, U.S.A.

galligena Moreau in Bull. Soc. bot. Fr., 98, 4-6, p.102, 1951 on Parmelia perforata.—India.

gymnosporiae Ciccarone in Mycopathologia, 5, p. 227, 1951 on Gymnosporia. Abvesinia.

- laricis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 129, 1950 on Larix kaempferi.-

- microspora Saccas & Drouillon in Agron. Trop., 6, p. 241, 1951 on Aleurites.—French Equatorial Africa.

polygonati-officinalis Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 477, 1948 on Polygonatum officinale.—Spain.

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 145, 1950 on Thujopsis dolabrata var. hondai.—Japan.

Physalospora achyranthis Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 34, p. 161, 1951 on Achyranthes aspera.-India.

laricina Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 126, 1950 on Larix kaempferi.

- paulowniae Ito & Kobayashi in Rep. For. Exp. Sta., Tokyo, 49, p. 85, 1951 on Paulownia tomentosa.—Japan.

Physoderma aeschynomenis Thirumalachar & Whitehead in Mycologia, 43, p. 435, 1951 on Aeschynomene indica.—India.

Pityrosporum orbiculare M. A. Gordon in Mycologia, 43, p. 532, 1951 from human skin. -Georgia, U.S.A.

Plagiostoma alnea (Fr.) von Arx in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 264, 1951. (Syn. Sphaeria alnea Fr.).

pustula (Pers.) von Arx in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 264, 1951. (Syn. Sphaeria pustula Pers.).

rehmii (Sacc.) von Arx in Antonie van Leeuwenhoek J. Microbiol. Serol., 17, p. 264, 1951. (Syn. Hypospila rehmii Sacc.)

PLANETELLA Savile in Canad. J. Bot., 29, p. 326, 1951.—Ustilaginales.

lironis Savile in Canad. J. Bot., 29, p. 327, 1951 on Carex maritima.—Keewatin, Canada.

Plasmopara cercidis Shaw in Mycologia, 43, p. 452, 1951 on Cercis canadensis.—Ten-nessee, U.S.A.

myosotidis Shaw in Mycologia, 43, p. 447, 1951 on Myosotis laxa.—Wisconsin, U.S.A.

Pleospora asymmetrica Wehmeyer in Mycologia, 43, p. 582, 1951 on Agrostis. Washington State, U.S.A.

betae Bjorling in Bot. Notiser, 1944, p. 218, 1944 on Beta vulgaris; perfect state of Phoma betae.—Sweden.

obliqua Wehmeyer in Mycologia, 43, p. 579,

1951 on grass.—Saxony.

rainierensis Wehmeyer in Mycologia, 43, 586, 1951 on Muhlenbergia filiformis.—

Pleuronaema thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 145, 1950 on Thujopsis dolabrata var. hondai.—Japan.

Pluteus ?cervinus (Schaeff.) Fr. var. minor Singer in Collect. Bot., 1, p. 228, 1947.— Spain.

Podaxis deciduus Batista in Bol. Agric., Pernambuco, 17, p. 321, 1951.—Brazil.
- dilabentis Batista in Bol. Agric., Pernam-

buco, 17, p. 320, 1951.—Brazil.

fastigatus Batista in Bol. Agric., Pernambuco, 17, p. 322, 1951.—Brazil.

Podochytrium cornutum Sparrow in Trans. Brit. mycol. Soc., 34, p. 172, 1951 on Stephan-odiscus niagarae.—Wisconsin, U.S.A.

Polyporus striatulus (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 95, 1943. (Syn. Polystictus striatulus Lloyd).

Psathyra agaves (Maire) Singer in Collect. Bot., 1, p. 230, 1947. [Syn. not cited].

codinae Singer in Collect. Bot., 1, p. 230, 1947.—Spain.

- langei Ŝinger nom. nov. in Collect. Bot., 1, p. 244, 1947. (Syn. P. fibrillosa 'Lge., non

Pseudodiscosia laricis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 129, 1950 on Larix kaempferi.—Japan.

Pseudomassaria jaczewskii Cherepanov in J. Bot. U.S.S.R., 36, p. 271, 1951 on Rosa cinnamomea.—U.S.S.R.

Pseudophacidium photiniae Ramakrishnan & Srinivasan in Proc. Indian Acad. Sci., Sect. B, 34, p. 158, 1951 on Photinia notoniana.-India.

Psilocybe luteonitens (Vahl) Parker-Rhodes in Trans. Brit. mycol. Soc., 34, p. 364, 1951. (Syn. Stropharia luteonitens (Vahl) Fr.).

Psilospora chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 123, 1950 on Chamaecyparis pisifera.—Japan.

Puccinia artemisiae-camphoratae Guyot in Uredineana, 3, p. 61, 1951 on Artemisia camphorata.—France.

avenastri Guyot in Uredineana, 3, p. 67, 1951 on Avena bromoides.—France.

- bromoides Guyot in *Uredineana*, 3, p. 67, 1951 on *Avena bromoides*.—France.

— circumacta Viennot-Bourgin in Bull. Soc. mycol. Fr., 65, p. 75, 1949 on Teucrium polium.—France.

— hashiokai Hiratsuka f. in J. Jap. Bot., 18, p. 570, 1942 on Epipremnum mirabile.— Hainan Isl., China.

— holcicola Guyot in Uredineana, 3, p. 65, 1951 on Holcus lanatus and H. annuus.—France, Germany, & North Africa.

- hordet-maritimi Guyot in Uredineana, 3, p. 62, 1951 on Hordeum maritimum and Clematis vitalbae.—France. [Cf. this Index, 2, p. 27].

praegracilis Arth. var. connersii (Savile)
 Savile in Mycologia, 43, p. 458, 1951. (Syn.

P. connersii Savile).

var. praegracilis Savile in Mycologia,
 43, p. 457, 1951 on Habenaria gracilis and Agrostis thurberiana.—British Columbia,
 Canada. [But? type variety of the species].
 rimosa (Link) Winter forma nattrassi

— rimosa (Link) Winter forma nattrassi Rayss in *Uredineana*, 3, p. 181, 1951 on Juncus maritimus.—Palestine.

— scabiosae (Hasl.) Guyot in Uredineana, 3, p. 67, 1951. (Syn. P. centaureae DC. forma scabiosae Hasl.).

— seseleos Guyot in Uredineana, 3, p. 61, 1951 on Seseli cantabricum, S. glaucum, S. montanum, S. tortuosum.—Central & Southern Europe.

 symphyti-bromorum Fr. Mull. forma tuberosi-asperi Dupias in *Uredineana*, 3,
 p. 12, 1951 on *Bromus asper*.—France.

p. 12, 1951 on Bromus asper.—France.

— tombeana Gäumann & Terrier in Rev.

Mycologie, N.S., 16, p. 77, 1951 on Leontodon
tenuiflorus.—Italy.

Pulveroboletus melleoluteus Snell, Dick, & Hesler in *Mycologia*, 43, p. 361, 1951.—Tennessee, U.S.A.

PYCNIDIOCHAETA da Camara in Agron. lusit., 12, p. 109, 1950.—Sphaeropsidales.—biciliata da Camara in Agron. lusit., 12, p.

109, 1950 on Agrostis castellana.—Portugal.
*Pythium debaryanum Hesse var. viticola
Jain in Nagpur agric. Coll. Mag., 25, p. 8,
1951 on Vitis vinifera.—India.

Rabenhorstia cephalotaxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 119, 1950 on Cephalotaxus nana.—Japan.

Ramaria macrospora (Brinkm.) Corner (This Index, 2, p. 28). See also R. macrospora Velen. (ibid., 1, p. 194).

Ramularia grewiae Lacy & Thirumalachar in Sydowia, 5, p. 126, 1951 on Grewia asiatica.— India.

— tinosporae Lacy & Thirumalachar in Sydowia, 5, p. 126, 1951 on Tinospora cordifolia.—India.

Ravenelia candussioi Ciccarone in Mycopathologia, 5, p. 218, 1951 on Acacia laeta.— Eritrea.

Rhabdospora pteridii da Camara in Agron. lusit., 12, p. 114, 1950 on Pteridium aquilinum. —Portugal.

Rhamphoria separata Munk in Dansk bot. Ark., 12, 11, p. 13, 1948 on wood.—Denmark. Rhizoctonia ramicola Weber & Roberts in

Phytopathology, 41, p. 618, 1951 on Elaeagnus pungens.—Florida, U.S.A.
Rhopalomyres elaseas

Rhopalomyces elegans Corda forma minor Rayss in Palest. J. Bot., J. Ser., 5, p. 20, 1950 on Sepultaria arenosa.—Palestine. Rhytidhysterium rufulum (Spreng.) Petrak in Sydowia, 5, p. 186, 1951. (Syn. Tryblidiella rufula (Spreng.) Sacc.).

Robillarda muhlenbergiae Sprague in Mycologia, 43, p. 551, 1951 on Muhlenbergia filiformis.—California, U.S.A.

Russula font-queri Singer in Collect. Bot., 1, p. 215, 1947.—Spain.

— subminutula Singer in Collect. Bot., 1, p. 237, 1947.—Spain.

Saccardinula colorata da Camara in Agron. lusit., 12, p. 102, 1950 on Pinus pinaster.— Portugal.

Schizothecium longicolle Ames in Sydowia, 5, p. 121, 1951.—Colorado and Virginia, U.S.A.

Sclerogaster macrosporus Hawker in *Trans. Brit. mycol. Soc.*, **34**, p. 218, 1951 in soil.—
England.

Sclerotiopsis abietis-mayrianae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 117, 1950 on Abies mayriana.—Japan.

Scolecosporium syzigii Ciccarone in Mycopathologia, 5, p. 230, 1951 on Syzigium guineense.—Abyssinia.

Secotium conei Heim in Rev. Mycologie, N.S., 16, p. 144, 1951.—New Zealand.

Selenophoma arrhenatheri Bausa Alcalde in An. Jard. bot. Madrid, 7, p. 479, 1948 on Arrhenatherum elatius.—Spain.

— brachypodii Bernaux in Rev. Path. vég., 30, p. 20, 1951 on Brachypodium phoenicoides.— France.

Septogloeum asiminae (Ell. & Morg.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 439, 1950. (Syn. Phleospora asiminae Ell. & Morg.).

— populiperdum Johannes in Phytopath. Z., 17, p. 406, 1951 on Populus vernirubens, P. bachelierii, P. generosa, P. robusta.

Septonema pini-densifiorae Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 135, 1950 on Pinus densifiora.—Japan.

Septoria balanitis Ciccarone in Mycopathologia, 5, p. 228, 1951 on Balanites aegyptiaca. —Abyssinia.

calendulae Bernaux in Rev. Path. vég., 30,
p. 17, 1951 on Calendula arvensis.—France.
cisti Bernaux in Rev. Path. vég., 30, p. 19,

1951 on Cistus albidus.—France.
— erodii Rayss in Palest. J. Bot., J. Ser., 5,
p. 18, 1950 on Erodium malacoides.—Pales-

- macrocatalpae Paclt in Sydowia, 5, p. 165, 1951 on Catalpa (Macrocatalpa) longissima.—

pepli Shaw in Proc. Linn. Soc. N.S.W., 76, p. 23, 1951 on Euphorbia peplus.—New South Wales.

pini-pumilae Sawada in Rep. For. Exp.
 Sta., Tokyo, 46, p. 136, 1950 on Pinus pumila.
 Japan.

— proteae Ciccarone in Mycopathologia, 5, p. 229, 1951 on Protea abyssinica.—Abyssinia.

syzigii Ciccarone in Mycopathologia, 5, p.
 229, 1951 on Syzigium guineense.—Abyssinia.

wahlenbergiae [as 'wahlenbergiae'] Bausá
 Alcalde in An. Jard. bot. Madrid, 7,
 p. 488, 1948 on Wahlenbergia hederacea.
 Spain.

Setella congensis Hansford in Rec. Inst. nat. Etud. agron. Congo belge 2, p. 41, 1945 on Caloncoba welwitschii.—Belgian Congo. - coracina Batista in Mycopathologia, 5, p. 153, 1951 on Mauritia vinifera.—Brazil.

Sordaria destruens (Shear) Hawker in Trans. Brit. mycol. Soc., 34, p. 174, 1951. (Syn. Anthostomella destruens Shear).

Sorodiscus cokeri Goldie-Smith in J. Elisha Mitchell sci. Soc., 67, p. 108, 1951 on Pythium.

-Florida, U.S.A.

Sorosporium barberi (Mundk.) Ling in Sydowia, 5, p. 44, 1951. (Syn. Ustilago barheri Mundk.).

concelatum Ling in Lloydia, 14, p. 106, 1951 on Arundinella nepalensis.—New South

- consanguineum Ell. & Ev. var. bullatum Pavgi & Thirumalachar in Sydowia, 5, p. 10, 1951 on Aristida adscenscionis.—India.

mutabile (Syd.) Ling in Lloydia, 14, p. 107, 1951. (Syn. Sphacelotheca mutabilis Syd.). nardi (H. & P. Syd.) Ling in Sydowia, 5, p.

47, 1951. (Syn. Ustilago nardi H. & P. Syd.). - panici-carthagenensis (Speg.) Zundel in Mycologia, 43, p. 268, 1951. (Syn. Ustilago

panici-carthagenensis Speg.).
spermoideum (Berk. & Br.) Ling in Sydowia, 5, p. 48, 1951. (Syn. Ustilago spermoidea Berk. & Br.).
— stiparum (Speg.) Zundel in Mycologia, 43,

p. 269, 1951. (Syn. Ustilago stiparum Speg.). Sphacelotheca elyonuri Ciccarone in Mycopathologia, 5, p. 224, 1951 on Elyonurus

argenteus var. caespitosus.—Abyssinia. hydropiperis var. berkeleyana (Tul.)
 Zundel in Mycologia, 43, p. 270, 1951. [Syn.

vanderysti (P. Henn.) Ling in Lloydia, 14, p. 104, 1951. (Syn. Ustilago vanderysti P. Henn.).

Sphaerella asphodelina Bausá Alcalde in An. Jard. bot. Madrid, 7, p. 464, 1948 on Asphodelus.—Spain.

- ciconii Losa in Collect. Bot., 2, p. 217, 1949 on Erodium ciconium.—Spain.

- lignicola Munk in Dansk bot. Ark., 12, 11, p. 15, 1948 on wood.—Denmark.

Sphaerodothis coimbatorica Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 34, p. 161, 1951 on Calamus rotang.—India.

Sphaeropsis abietis-mariesii Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 116, 1950 on Abies mariesii.-Japan.

- ligniperda Cherepanov in J. Bot. U.S.S.R., 36, p. 273, 1951 on Betula pubescens.—U.S.S.R.

Sphaerotheca fuliginea Poll. forma kok--saghyzi Cheremisinov in J. Bot. U.S.S.R., 36, p. 75, 1951 on Taraxacum kok-saghyzi.-U.S.S.R.

Sphaerulina coffeicola Speg. forma parasitica C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 43, 1951 on Gibberella on Coffee canephora.—Ivory Coast.

corynephora Munk in Dansk bot. Ark., 12, 11, p. 15, 1948 on Corynephorus canescens.-

Denmark.

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 143, 1950 on Thujopsis dolabrata var. hondai.—Japan.

Stagonospora cyani Cherepanov in J. Bot. U.S.S.R., 36, p. 275, 1951 on Centaurea cyanus. -U.S.S.R.

- mariae Sprague in Mycologia, 43, p. 553, 1951 on Agrostis oregonensis.—Washington State, U.S.A.

- octomera Bausá Alcalde in An. Jard. bot.

Madrid, 7, p. 483, 1948 on Poa nemoralis.-Spain.

rosarum Batista & Silva in Bol. Agric., Pernambuco, 17, p. 221, 1951 on Rosa. - solidaginis Cherepanov in J. Bot. U.S.S.R.,

36, p. 275, 1951 on Solidago virga-aurea.-U.S.S.R.

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 146, 1950 on Thujopsis dolab-rata var. hondai.—Japan.

Stilbospora chamaecyparidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 123, 1950

on Chamaecyparis pisifera.—Japan. STROMATOSCYPHA Donk in Reinwardtia, 1, p. 218, 1951. (Syn. Porothelium (Fr.) Fr., non Eschw.).

fimbriata (Pers. ex Fr.) Donk in Reinwardtia, 1, p. 219, 1951. (Syn. Polyporus fimbriatus Pers. ex Fr.).

Teichosporella oryzae Batista & Gayão [as 'Tichosporella oryzae'] in Bol. Agric., Pernambuco, 17, p. 183, 1951 on Oryza.— Brazil.

Testicularia minor (Juel) Ling in Lloydia, 14, p. 109, 1951. (Syn. T. cyperi var. minor Juel).

TETRAPOSPORUM Hughes in Mycol. Pap., C.M.I., 46, p. 25, 1951.—Moniliales. Type, T. asterinearum.

asterinearum Hughes in Mycol. Pap., C.M.I., 46, p. 25, 1951 on Asterina funtumiae.—Gold Coast.

ravenelii (Cooke) Hughes in Mycol. Pap., C.M.I., 46, p. 28, 1951. (Syn. Triposporium ravenelii Cooke).

Thielavia renominata Paclt nom. nov. in Parasitica, 7, p. 110, 1951. (Syn. Thielavia basicola (Berk. & Br.) Zopf, non Thielaviopsis basicola Berk. & Br.).

*Thielaviopsis neocaledoniae Dadant in Rev. gén. Bot., 57, p. 176, 1950 on Coffea robusta.—New Caledonia.

Titaeospora equiseti (Desm.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 594, 1950. (Syn. Libertella equiseti Desm.).

*Toeniellopsis susplugasi Manier in Ann. Sci. nat., Bot., Sér. XI, 11, p. 88, 1951 on Orchestia mediterranea.—France.

Tonduzia fuscata Batista in Mycopathologia,

5, p. 164, 1951 on Psidium araca.—Brazil. *Torula bergeri Langeron in Ann. Parasit. hum. comp., 24, p. 597, 1949 on man. Canada.

Trametes acuta (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 73, 1943. (Syn. Len-

zites acuta Berk.).

- capensis Lloyd apud Doidge in Bothalia, 5, p. 544, 1950 on Acacia karoo.—South Africa.

meleagris (Berk.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 73, 1943. (Syn. Polyporus

meleagris Berk.).

meteagris Berk.).
- orientalis(Yas.) Imazeki in Bull. Tokyo Sci.
Mus. 6, p. 73, 1943. (Syn. Polystictus
orientalis Yas.).
- sanguinea (L. ex Fr.) Imazeki in Bull.

Tokyo Sci. Mus. 6, p. 73, 1943. (Syn. Polyporus sanguineus L. ex Fr.).

Trichoconis padwickii Ganguly in J. Indian

bot. Soc., 26, p. 238, 1948 on Oryza sativa.

Tricholoma carneum (Bull.) Quél. var. persicolor (Fr. ex Lange) Parker-Rhodes in Trans. Brit. mycol. Soc., 34, p. 363, 1951. [Svn. not cited].

Trichomerium abhorrentis Batista in Mycopathologia, 5, p. 148, 1951 on Palicourea nicotianifolia.—Brazil.

- crotoni Batista in Mycopathologia, 5, p. 148, 1951 on Croton.—Brazil.

hirtellum Batista in Mycopathologia, 5, p. 150, 1951 on Persea gratissima.—Brazil. psidii Batista in Mycopathologia, 5, p. 149,

1951 on Psidium guayava.—Brazil. Trichoscypha calyciformis (Willd. ex Velen.) Grelet in Rev. Mycologie, N.S., 16, p. 87, 1951.

(Syn. Dasyscypha calyciformis (Willd.) Velen.). Trichosporium thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 146, 1950 on Thujopsis dolabrata var. hondai.-Japan.

Trichosporon pullulans (Lindner) Verona & Poli (This Index, 2, p. 9) antedated by T. pullulans (Lindner) Diddens & Lodder, 1942 (ibid., 1, p. 156).

Tricothyriopsis alineum Batista in Mycopathologia, 5, p. 168, 1951 on Lawsonia inermis.—Brazil.

Triphragmium ponderosum (Syd. & Butl.) Venkatarayan in Trans. Brit. mycol. Soc., 34, p. 239, 1951. (Syn. Hapalophragmium ponderosum Syd. & Butl.).

Tripospermum fructigenum (Rabenh. ex Sace. & Trott.) Hughes in Mycol. Pap., C.M.I., 46, p. 16, 1951. (Syn. Triposporium fructigenum Rabenh. ex Sacc. & Trott.).

juglandis (Thum.) Hughes in Mycol. Pap., C.M.I., 46, p. 15, 1951. (Syn. Triposporium juglandis Thümen).

myrti (Lind) Hughes in Mycol. Pap., C.M.I. 46, p. 18, 1951. (Syn. Triposporium myrti Lind).

- roupalae (Syd.) Hughes in Mycol. Pap., C.M.I., 46, p. 20, 1951. (Syn. Clasterosporium roupalae Sydow).

Triposporium cambrense Hughes in Mycol. Pap., C.M.I., 46, p. 6, 1951 on Quercus.
—Wales.

Tuburcinia hederae da Camara in Agron. lusit., 12, p. 94, 1950 on Hedera helix subsp. canariensis .- Portugal.

Tylopilus ferrugineus (Frost) Singer subsp. vinaceogriseus Snell, Dick, & Hesler in Mycologia, 43, p. 359, 1951.—Tennessee, U.S.A.

Typhula quisquiliaris (Fr.) Corner (This Index, 2, p. 30) antedated by T. quisquiliaris

(Fr.) P. Henn., 1896.

Tyromyces borealis (Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus borealis Fr.)

ostreiformis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus ostreiformis Lloyd).

profissilis (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus profissilis Lloyd).

pubescens (Schum. ex Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus pubescens Schum. ex Fr.).

- sambuceus (Lloyd) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus sambuceus Lloyd).

- spumeus (Sow. ex Fr.) Imazeki in Bull. Tokyo Sci. Mus. 6, p. 84, 1943. (Syn. Polyporus spumeus Sow. ex Fr.).

- squalens (Karst.) Imazeki in Bull. Tokyo Sci. Mus. (.p. 84, 1943. (Syn. Polyporus squalens Karst.).

Uncinula sibiliae Ciccarone in Mycopathologia, 5, p. 211, 1951 on Stereospermum kunthianum.—Abyssinia.

Urocystis alaskana Zundel in Mycologia, 43, 269, 1951 on Boykinia richardsoni. Alaska.

Uromyces anthyllidis (Grev.) Schroet. forma trigonellae Rayss in Uredineana, 3, p. 193, 1951. (?Syn. U. trigonellae Pat.).

bugranae Guyot in Uredineana, 3, p. 66, 1951 on Ononis columna and O. striata .-France & Switzerland.

- cenisiae Guyot in Uredineana, 3, p. 65, 1951 on Ononis cenisia.—France.

- natricis Guyot in Uredineana, 3, p. 66, 1951 on Ononis rotundifolia. - France.

Ustilago alismatis Ling in Lloydia, 14, p. 103, 1951 on Alisma plantago-aquatica.—Utah,

- eriochloae Ling in *Lloydia*, 14, p. 103, 1951 on *Eriochloa punctata*.—Costa Rica.

poae-nemoralis Viennot-Bourgin in Rev. Path. vég., 30, p. 53, 1951 on Poa glauca.— France.

polygoni-alpini (P. Cruchet) Zundel in Mycologia, 43, p. 267, 1951. (Syn. Sphacelotheca polygoni-alpini P. Cruchet).

sanctae-catharinae Zundel nom. nov. in Mycologia, 43, p. 268, 1951. (Syn. Ustilago occulta P. Henn. non Rabenhorst.).

Valsa cephalotaxi Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 118, 1950 on Cephalotaxus nana.—Japan.

Vermicularia fructus (Stevens & Hall) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 351, 1950. (Syn. Volutella fructus Stev. & Hall).

- indica (Dastur) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 348, 1950. (Syn. Colletotrichum indicum Dastur).

- lilii (Plakidas) Vassiljevsky Fungi Imperfecti Parasitici, 2, p. 346, 1950. (Syn. Colletotrichum lilii Plakidas).

- lysimachiae (Duke) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 350, 1950. (Syn. Colletotrichum lysimachiae Duke).

- mali (Woronichin) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 352, 1950. (Syn. Colletotrichum mali Woronichin).

omnivora (Halst.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 343, 1950. (Syn. FungiColletotrichum omnivorum Halst.).

- smilacinae (Tehon & Daniels) Ýassiljevsky, Fungi Imperfecti Parasitici, 2, p. 347, 1950. (Syn. Colletotrichum smilacinae Tehon & Daniels).

spinaciae (Ell. & Halst.) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 339, 1950. (Syn. Colletotrichum spinaciae Ell. & Halst.).

violae (Săvul. & Sandu) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 359, 1950. (Syn. Colletotrichum violae Săvul. & Sandu).

- vitis (Istvanffi) Vassiljevsky, Fungi Imperfecti Parasitici, 2, p. 359, 1950. (Syn. Colletotrichum vitis Istvanffi).

Verticillium cyclosporum (Grove) Mason & Hughes apud Hughes in Mycol. Pap., C.M.I., 45, p. 19, 1951. (Syn. Stachylidium cyclosporum Grove).

sphaerosporum Goodey in Trans. Brit. mycol. Soc., 34, p. 272, 1951 on Ditylenchus dipsaci.—Scotland.

theobromae (Turconi) Mason & Hughes

apud Hughes in Mycol. Pap., C.M.I., 45, p. (Syn. Stachylidium theobromae Turconi).

thujopsidis Sawada in Rep. For. Exp. Sta., Tokyo, 46, p. 147, 1950 on Thujopsis dolabrata var. hondai.-Japan.

Vizella bingervilliana C. & M. Moreau in Rev. Mycologie, 16, Suppl. Col. No. 1, p. 21, 1951 on Coffea liberica.—Ivory Coast.

Winterina clavata Munk in Dansk bot. Ark., 12, 11, p. 11, 1948 on wood.—Denmark.

Xerocomus rubrosquamulosus Snell, Dick,

& Hesler in Mycologia, 43, p. 359, 1951.-Tennessee, U.S.A.

Zygosaccharomyces halomembranis Etchells & Bell in Food Technology, 4, p. 81, 1950 in cucumber brine.—U.S.A.

Zygosporium geminatum Hughes in Mycol. Pap., C.M.I., 44, p. 5, 1951 on dead Dracaena. -Gold Coast.

masonii Hughes in Mycol. Pap., C.M.I., 44, p. 15, 1951 on dead leaves of Cocos nucifera.-Gold Coast.

minus Hughes in Mycol. Pap., C.M.I., 44, p. 6, 1951 on Artocarpus nobilis.—Gold Coast.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Lichenes, and Pteridophyta see under those names; for animal hosts see under Invertebrata and Vertebrata.

ACERACEAE Acer tataricum

Cylindrosporium platanoidis var. polymorphum

AIZOACEAE

Mollugo nudicaulis Albugo mangenoti

ALGAE Mougeotia

Micromyces ovalis Stephanodiscus niagarae Podochytrium cornutum

ALISMACEAE Alisma plantago-aquatica Ustilago alismatis

AMARANTACEAE

Achyranthes aspera Physalospora achyranthis

ANACARDIACEAE

Antrocaryon micraster Meliola geniculata var. antrocaryonis

Mangifera indica Ophiomeliola mangiferae

Annonaceae Cleistopholis verschuerenii Meliola cleistopholidis Xylopia frutescens

 $Ceratos permopsis\ xylopiae$ Naetrocymbe inspersum

APOCYNACEAE Alstonia congensis Meliola alstoniicola Pleiocarpa culicina

Micropeltis pleiocarpae ARACEAE Epipremnum mirabile

Puccinia hashiokai Rhektophyllum mirabile Eremotheca congensis

ARALIACEAE

Hedera helix ssp. canariensis Tuburcinia hederae

Polyscias guifoylei Chaetomeris hemisphaerica Dimeriellopsis araliae

Schefflera aromatica Meliola boedijnii

ASCLEPIADACEAE Tylophora oculata Aecidium tylophorae

BETULACEAE Alnus incana Marssonina alni Betulaceae (continued)

Betula pubescens Sphaeropsis ligniperda

BIGNONIACEAE

Catalpa (Macrocatalpa) longissima Septoria macrocatalpae

Stereospermum kunthianum Uncinula sibiliae

BORAGINACEAE Myosotis laxa

Plasmopara myosotidis

BUTACEAE

Monniera trifolia Naetrocymbe perparum

CAMPANULACEAE

Siphocampylus campanulatus Chaetotrichum pannosum Wahlenbergia hederacea

Septoria wahlenbergiae

CELASTRACEAE Gymnosporia

Phyllosticta gymnosporiae

CHENOPODIACEAE Beta vulgaris Pleospora betae

Chenopodium album $Dipar{l}odia\ chenopodii$

CISTACEAE

Cistus albidus

Septoria cisti Cistus populifolius

Amphichaeta hispanica Coryneopsis cisticola Gloeosporium cistinum

Halimium ocymoides Phaeosphaerella halymii

COMPOSITAE Antennaria dioica

Lophiostoma antennariae

Arctium minus Diplodia arctii

Artemisia camphorata

Puccinia artemisiae-camphoratae

Aster acer

Hendersonia asteris Calendula arvensis

Septoria calendulae

Centaurea cyanus Stagonospora cyani

Hieracium umbellatum Phoma udmurtica

Leontodon tenuiflorus Puccinia tombeana

Compositae (continued)
Liabum
Chaetotrichum rufidulum
Liabum arsalaguense
Chaetotrichum liabicola
Liabum bipinnatipartitum
Chaetotrichum latisporum
Liabum pallatangense
Chaetotrichum sydowii
Liabum pichinchense

Chaetotrichum pulchrum Oyednea verbesinoides Millerburtonia oyedeae Senecio rufinervis

Coleosporium barclayense Solidago virga-aurea

Stagonospora solidaginis Taraxacum kok-saghyzi

Sphaerotheca fuliginea f. kok-saghyzi

CONIFERAE Abies excelsa

Hyaloscypha curvipila

Abies firma

Dendrophoma abietis

Abies mariesii
Aecidium abietis-mariesii
Dimerium abietis-mariesii
Lizonia abietis-mariesii
Macrophoma mariesii
Montemartinia abietis-mariesii
Sphaeropsis abietis-mariesii

Abies mayriana Sclerotiopsis abietis-mayrianae Abies nordmanniana

Gibberellulina abietis
Cephalotaxus nana
Amphichaeta cephalotaxi
Guignardia cephalotaxi-nanae
Pestalozzia cephalotaxi
Phomopsis cephalotaxi
Rabenhorstia cephalotaxi
Valsa cephalotaxi

Chamaecyparis obtusa Cercospora chamaecyparidis Leptochlamys chamaecyparidis Pestalozzia chamaecyparidis

Chamaecyparis pisifera
Cytospora chamaecyparidis
Mollisia chamaecyparidis
Psilospora chamaecyparidis
Stilbospora chamaecyparidis

Juniperus chinensis Halbania juniperi Juniperus communis

Lophiosphaera juniperi
Juniperus communis subsp. nana
Helminthopeltis almeidaeana

Larix kaompferi
Cryptostictella reynoutriae
Fusarium laricis
Pestalozzia laricicola
Phyllosticta laricis
Physalospora laricis
Pseudodiscosia laricis

Pinus densiflora
Aposphaeria pini-densiflorae
Cenangium pini
Macrophoma pini-densiflorae
Massarinula pini
Septonema pini-densiflorae

Pinus excelsa Melampsora oblonga Pinus koraiensis

Peridermium pini-koraiensis

CONIFERAE (continued) Pinus leiophylla Hypoderma mexicanum Pinus pinaster Saccardinula colorata Pinus pumila Septoria pini-pumilae Pinus thunbergii Calospora pini-thunbergii Reynoutria japonica var. typica Cryptostictella reynoutriae Taxus cuspidata Irenina taxi Thuja standishii Lophodermium thujae Pestalozzia thujae

Thujopsis dolabrata
Lophodermium thujopsidis
Thujopsis dolabrata var. hondai
Campoa thujopsidis
Mollisia thujopsidis
Mycosphaerella thujopsidis
Pestalozzia thujopsidis
Phoma pilospora
Phoma thujopsidis
Phragmothyriella thujopsidis
Phyllosticta thujopsidis
Pleuronaema thujopsidis
Sphaerulina thujopsidis
Stagonospora thujopsidis
Trichosporium thujopsidis
Verticillium thujopsidis

Tsuga diversifolia

Aecidium tsugae
Convolvulaceae
Convolvulus

Macrophoma convolvulacearum Ipomoea batatas Fusarium solani f. batatas

CRUCIFERAE
Erysimum cheiranthoides
Phoma bacilligera
Teesdalia nudicaulis

Phoma teesdaliae
Cucurbitaceae
Melothria mucronata
Mycosphaerella melothriae

Momordica charantia
Aecidium charantiae
CYPERACEAE

Carex backii
Cintractia calderi
Carex baldensis
Leptosphaeria kochiana
Carex maritima
Planetella lironis

DIPSACACEAE Cephalaria joppica Cercospora cephalariae

ELAEAGNACEAE
Elaeagnus pungens
Rhizoctonia ramicola
ERICACEAE
Arctostaphylos alpina
Chaetonaevia nann feldtii
EUPHORBIACEAE
Acalypha indica
Cercosporella acalyphae

Aleurites
Phyllosticta microspora
Aleurites fordii
Aschochyta aleuritidis

Aschichgiù dieurmais Colletotrichum gloeosporioides var. aleuritidis EGPHORBIACEAE (continued)
Aleurites fordii (continued)
Fusarium heterosporum f. aleuritidis
Glomerella cingulata var. aleuritidis
Phyllosticta aleuritidis

Aleurites montana Colletotrichum gloeosporioides var. aleuritidis Glomerella cingulata var. aleuritidis

Croton
Trichomerium crotoni
Euphorbia hirta
Peronospora favargeri

Euphorbia peplus Septoria pepli Mallotus albus Helotium malloti

Phyllanthus wildemannii *Irenina phyllanthi*

FAGACEAE
Fagus
Helicodendron giganteum
Fagus sylvaticus
Phragmocephala minima
Nothofagus solandri
Merulius nothofagi

Quercus
Helicodendron giganteum
Triposporium cambrense
Quercus ilex

Epidochium ilicinum Shiia sieboldi Helicogloea incrustans

FLACOURTIACEAE
Caloncoba welwitschii
Setella congensis
Homalium lalaense

Meliola homalii Xymalos Asterina xymalodicola Asterina xymalodis Fungi

Asterina baphiae

Hansfordiella asterinearum

Asterina funtumiae

Tetranognomium asterinearum

Tetraposporium asterinearum Didymella vincetoxici Leptosphaeria didymellae-vincetoxici

Sphaerulina coffeicola f. parasitica
Meliola vilis

Arthrobotryum gorgoneum Polyporus

Hypomyces novae-zealandiae Pythium

Sepultaria arenosa
Rhopalomyces elegans forma minor

Uredo amomi Eudarluca indica

Sorodiscus cokeri

GERANIACEAE
Erodium ciconium
Sphaerella ciconii
Erodium malacoides
Septoria erodii
Pelargonium
Botryotinia pelargor

Botryotinia pelargonii Gramineae

Agrostis
Pleospora asymmetrica
Agrostis castellana
Pycnidiochaeta biciliata

Agrostis oregonensis Stagonospora mariae GRAMINEAE (continued)
Agrostis thurberiana
Puccinia praegracilis var. praegracilis
Aristida adscenscionis
Sorosporium consanguineum var. bullatum
Arrhenatherum elatius

Dendroseptoria arrhenatheri Selenophoma arrhenatheri Arundinella nepalensis Sorosporium concelatum

Avena bromoides
Puccinia avenastri
Puccinia bromoides
Bouteloua gracilis
Cochliobolus gracilis

Brachypodium phoenicoides Selenophoma brachypodii

Bromus asper
Puccinia symphyti-bromorum f. tuberosiasperi
Bromus ciliatus

Phyllosticta bromivora
Corynephorus canescens

Sphaerulina corynephora Elyonurus argenteus var. caespitosus Sphacelotheca elyonuri

Eriochloa punctata
Ustilago eriochloae
Holcus annuus
Puccinia holcicola

Puccinia holcicola
Holcus lanatus
Puccinia holcicola
Molinia caerulea

Chondropodium moliniae Muhlenbergia filiformis Pleospora rainierensis Robillarda muhlenbergiae

Robillarda muhlenbergiae Oryza Teichosporella oryzae Oryza sativa

Curvularia oryzae Curvularia uncinata Trichoconis padwickii Poa glauca

Usilago poae-nemoralis Poa nemoralis Metasphaeria luteola Stagonospora octomera Saccharum officinarum

Hansfordia ovalispora
Setaria chevalieri
Hansfordia togoensis

Sporobolus affinis
Cochliobolus sporoboli
Sporobolus ruspolianus
Cochliobolus sporoboli

Themeda gigantea
Sphacelotheca themedicola

GUTTIFERAE

Mammea africana

Meliola mammeicola

Vismia

Leptomeliola puberula

Hydrophyllaceae Nemophila sepulta Peronospora nemophilae

Invertebrata
Boetis arebatinus
Paramoebidium pavillardi
Ditylenchus dipsaci
Verticillium sphaerosporum
Leptoiulus belgicus
Enterobryus leptoiuli

INVERTEBRATA (continued)

Nematodes

Dactylaria gracilis

Orchestia mediterranea Toeniellopsis susplugasi

Procloëon bifidum

Paramoebidium procloëoni

Schizophyllum sabulosum var. rubripes Enterobryus duboscqui

Scutigera coleopterata Asellaria scutigerae

JUNCACEAE

Juneus maritimus

Puccinia rimosa forma nattrassi

Dracocephalum parviflorum

Peronospora davisii

Teucrium polium

Puccinia circumacta

LAURACEAE

Ocotea

Microthyriella inaequalis

Phragmothyriella dignota Phragmothyriella exserta

Persea gratissima

Trichomerium hirtellum

Umbellularia californica

Kabatiella phoradendri f. umbellulariae

LEGUMINOSAE

Acacia karoo

Trametes capensis

Acacia laeta

Ravenelia canussioi

Adenanthera microsperma

Meliola ingae var. adenantherae

Aeschynomene indica

Physoderma aeschynomenis

Baphia racemosa

Meliola baphiae-nitidae

Cassia siamea

Meliola javanica

Cercis canadensis

Plasmopara cercidis

Cytisus pendulinus var. eriocarpus

Camarosporium sarothamni

Dalhousiea

Clypeolella dalhousieae

Indigofera pulchella

Cercospora pulchella

Lonchocarpus Meliola bicornis var. lonchocarpi

Lonchocarpus cyanescens

Meliola carvalhoi

Millettia chrysophylla

Meliola millettiae-chrysophyllae

Ononis cenisia

Uromyces cenisiae

Ononis columna

Uromyces bugranae Ononis rotundifolia

Uromyces natricis

Ononis striata

Uromyces bugranae

Phaca alpina

Leptosphaeria phacae

Piptadenia communis

Phellinus piptadeniae Pterospartum tridentatum

Dothiorella genistae

Pterygopodium

Asterina pterygopodii

Ulex minor

Didymosphaeria epidermidis var. ulicis

LICHENES

Parmelia perforata Phyllosticta galligena

LILIACEAE

Asphodelus

Sphaerella asphodelina

Dracaena

Zygosporium geminatum

Lilium candidum

Didymellina intermedia

Narthecium ossifragum

Cercospora narthecii

Polygonatum officinale

Phyllosticta polygonati-officinalis

Tofieldia calyculata

Leptosphaeria submodesta

Leptosphaeria tofieldiae

LORANTHACEAE

Loranthus

Phleospora olettae

LYTHRACEAE

Lafoensia glyptocarpa Naetrocymbe lafoensiae

Lawsonia inermis

Tricothyriopsis alineum

Magnoliaceae

Magnolia grandiflora

Campanella floridana

MALVACEAE

Hibiscus surattensis

Aecidium hibisci-surattensis

MELASTOMACEAE

Clidemia hirta

Chaetopotius commistum

Naetrocymbe depressum

MELIACEAE

Azadirachta indica

Diplorhinotrichum africanum

MENISPERMACEAE

Stephania abyssinica

Phyllachora gondarensis

Tinospora cordifolia Ramularia tinosporae

MORACEAE

Artocarpus nobilis

Zygos ar porium minus

Ficus elastica

Phakopsora fici-elasticae

MYRICACEAE

Myrica

Dictyopeltis myricae

MYRISTICACEAE

Coelocaryon kleinei

Asterina coelocaryi

MYRTACEAE

Psidium araca Tonduzia fuscata

Psidium guayava

Trichomerium psidii Syzigium guineense

Micronectria syzigii

Scolecosporium syzigii Septoria syzigii

NYCTAGINACEAE

Bougainvillea glabra Naetrocymbe inspersum

OLACACEAE

Fraxinus

Ceriospora caudae-suis

Jasminum abyssinicum

Meliola oleicola var. jasmini

OLACACEAE (continued) Octoknema borealis Meliola octoknematis Olax mannii Meliola olacis Phillyrea angustifolia

Phoma ascochytoidea ORCHIDACEAE

Habenaria gracilis

Puccinia praegracilis var. praegracilis OXALIDACEAE

Averrhoa carambola Reltrania africana

PALMAE

Calamus rotang Sphaerodothis coimbatorica Cocos nucifera

Zygosporium masonii Cyrtostachys rendlei Helicosporium hendrickxii

Mauritia vinifera

Naetrocymbe mauritiae Setella coracina PANDACEAE

Panda oleosa Asterina pandae Asterina pandicola PROTEACEAE Protea abyssinica

Septoria proteae PTERIDOPHYTA Adjanthum

Naetrocymbe inspersum Pteridium aquilinum Rhabdospora pteridii

RANUNCULACEAE Clematis vitalba Asteromellopsis insculpta

RHAMNACEAE Berchemia yemensis Masseeëlla ciferrii Rhamnus frangula Microdiplodia ovoidea

ROSACEAE Moquilea tomentosa

Âsterina solanicoloides var. atypica Photinia notoniana

Pseudophacidium photiniae Pyrus communis subsp. pyraster Coryneum pirinum Rosa

Stagonospora rosarum Rosa cinnamomea Pseudomassaria jaczewskii Spiraea hypericifolia

Cylindrosporium basiplanum RUBIACEAE Coffea canephora

Eutypa microspora Eutypella coffeicola Eutypella perplexans Leptosphaeria coffeigena var. longirostrata

Ostropella verruculosa

Peroneutypa multistromata Coffea liberica Auerswaldia excoriata Balladyna parva

Entosordaria jacobi-felicis Eutypella coffeicola Gnomoniella quadriguttulata

Massaria immersa Myiocopron ramicola Vizella bingervilliana RUBIACEAE (continued) Coffea robusta Thielaviopsis neocaledoniae Gardenia Microdiplodia gardeniae Palicourea nicotianifolia Trichomerium abhorrentis

RUTACEAE Toddalia asiatica Gymnopuccinia pulneyensis

SALICACEAE Populus nigra Pestalotia populi-nigrae Populus spp.
Septogloeum populiperdum SAMYDAČEAE

Homalium angustifolium Irenina homalii-angustifolii SAPINDACEAE

Cupania Ĉeratospermopsis cupaniae SAPOTACEAE

Achras sapota Dictyopeltis applanata Phaeopeltis sapotae

SAXIFRAGACEAE Boykinia richardsoni Ŭrocystis alaskana Ribes grossularia

Ceratosporium rilstonii SCROPHULARIACEAE

Mimulus guttatus Peronospora jacksoni Paulownia tomentosa

Physalospora paulowniae Scoparia dulcis

Cercospora scopariae

SOLANACEAE Capsicum frutescens Limacinia capsici Solanum robustum

Naetrocymbe robustum STERCULIACEAE

Buettneria Irenopsis buettneriicola

TILIACEAE Grewia asiatica Ramularia grewiae Grewia ferruginea Gnomonia grewiae

Umbelliferae Apium graveolens Cephalosporium apii Daucus carota Phomopsis dauci Seseli spp. Puccinia seseleos URTICACEAE Boehmeria caudata Favolaschia echinata

VERBENACEAE Clerodendron infortunatum Aschochyta infortunata VitexMeliola viticola VERTEBRATA Homo sapiens Cephalosporium falciforme

Pityrosporum orbiculare Torula bergeri

VITACEAE
Cissus productus
Meliola cissi-producti
Vitis vinifera
Botryodiplodia vitis
Pythium debaryanum var. viticola

Zygophyllaceae Balanites aegyptiaca Meliola balanitis Phoma balanitis Septoria balanitis

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash for supplying details of certain citations.

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY CHARLES BATEY, PRINTER TO THE UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. II

Part 5

1952

Acanthostigma zeae Saccas in Rev. Path. Vég., 30, p. 161, 1951 on dead Zea mays.—French Equatorial Africa.

Acia conferta Talbot in Bothalia, 6, p. 64, 1951 on wood.—Natal.

Aecidium araliae Sawada (This Index, i, p. 203). Latin diagnosis by Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 171,

- margarettae Cummins in Bull. Torrey bot. Cl., 79, p. 212, 1952 on Margaretta whytei.—

Nyasaland. - senecionis-scandentis Sawada apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 171, 1943, on Senecio scandens .-

Formosa. - tafoense Cummins in Buli. Torrey bot. Cl., 79, p. 212, 1952 on Tylophora conspicua. Gold Coast.

- wiehei Cummins in Bull. Torrey bot. Cl., 79, p. 212, 1952 on Salvia pseudococcinea. Nyasaland.

Agaricus aestivalis (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota aestivalis Møll.).

- var. flavotactus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota aestivalis var. flavotacta Møll.).

-altipes (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota altipes Møll.).

-annae Pilát in Acta Mus. nat. Prag., 7, p. 132, 1951.—Czechoslovakia.

-arvensis Fr. var. macrolepsis Pilát & Pouzar apud Pilát in Acta Mus. nat. Prag., 7, p. 134, 1951.—Czechoslovakia.

bisporus (Lange) Singer in Lilloa, 22, p.
 431, 1951. (Syn. Psalliota hortensis (Cooke)

W. G. Smith var. bispora Lange).

- campestris (L.) Fr. forma substerilis (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota campestris f. substerilis Møll.).

- var. equestris (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota campestris var. equestris Møll.)

var. floccipes (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota campestris var. floccipes Møll.).

-var. fusco-pilosellus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota campestris var. fusco-pilosella Møll.).

- var. isabellinus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota campestris var. isabellina Møll.).

- caroli Pilát in Acta Mus. nat. Prag., 7, p. 130, 1951.—Czechoslovakia.

-chionodermus Pilát in Acta Mus. nat. Prag., 7, p. 134, 1951.—Czechoslovakia.

-cupreo-brunneus (Schäff. & Steer) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota cupreo-brunnea Schäff. & Steer).

decoratus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota decorata Møll.).

- depauperatus (Møll.) Møll. in Friesia, 4, 203, 1952. (Syn. Psalliota depauperata Møll.).

- deylii Pilát in Acta Mus. nat. Prag., 7, p. 131, 1951.—Czechoslovakia.

edulis Vitt. var. validus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota edulis var. valida Møll.).
- excellens (Møll.) Møll. in Friesia, 4, p. 204,

1952. (Syn. Psalliota excellens Møll.). fissuratus (Møll.) Møll. in Friesia, 4, p. 204,

1952. (Syn. Psalliota fissurata Møll.).

- fusco-fibrillosus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota fusco-fibrillosa

Møll.). langei (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota langei Møll.).

- Ianipes (Moeller & Schäffer) Singer in Lilloa, 22, p. 432, 1951. (Syn. Psalliota lanipes Moeller & Schäffer). [Comb. also made by Møller, 1952].

- var. verecundus (Møll.) Møll. in Friesia. 4, p. 203, 1952. (Syn. Psalliota lanipes var. verecunda Møll.).

- leucotrichus (Møll.) Møll, in Friesia, 4, p. 204, 1952. (Syn. Psalliota leucotricha Møll.). - livido-nitidus (Møll.) Møll. in Friesia, 4,

203, 1952. (Syn. Psalliota livido-nitida

- luteo-maculatus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota luteo-maculata Møll.)

lutosus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota lutosa Møll.).

- macrocarpus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota macrocarpa Møll.).

- macrosporus (Møll. & Schäff.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota macrospora Møll. & Schäff.).

maleolens Møll. nom. nov. in Friesia, 4, p. 203, 1952. (Syn. Psalliota ingrata Møll., non Agaricus ingratus Auct.).

mediofuscus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota mediofusca Møll.). meleagris var. terricolor (Møll.) Møll. in

Friesia, 4, p. 208, 1952. (Syn. Psalliota meleagris var. terricolor Møll.).

nivescens (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota nivescens Møll.). - var. parkensis (Møll.) Møll. in Friesia,

4, p. 204, 1952. (Syn. Psalliota nivescens var. parkensis Møll.).

osecanus Pilát in Acta Mus. nat. Prag., 7, p. 133, 1951.—Czechoslovakia.

phaeolepidotus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota phaeolepidota Møll.).

porphyrocephalus Møll. nom. nov. in Friesia, 4, p. 204, 1952. (Syn. Psalliota porphyrea Møll., non A. porphyreus Auct.).

purpurellus (Møll.) Møll. in Friesia, 4, p 204, 1952. (Syn. Psalliota purpurella Møll.) silvaticus Schaeff. forma fagetorum Pilát in Acta Mus. nat. Prag., 7, p. 132, 1951 .-Czechoslovakia.

var. fusco-squamatus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota silvatica var. fusco-squamata Møll.).

var. pallidus (Moll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota silvatica var. pallida Møll.).

var. saturatus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota silvatica var.

saturata Møll.).

spissicaulis Møll. nom. nov. in Friesia, 4, p. 203, 1952. (Syn. Psalliota spissa Møll., non A. spissus Auct.)

- squamuliferus (Møll.) Møll. in Friesia, 4, p. 203, 1952. (Syn. Psalliota squamulifera Møll.).

- stramineus (Schäffer & Moeller) Singer in Lilloa, 22, p. 432, 1951. (Syn. Psalliota straminea Schäff. & Moell.). [Comb. also made by Møller, 1952.1

subperonatus (Lange) Singer in Lilloa, 22, p. 431, 1951. (Syn. Psalliota hortensis var. subperonata Lange).

- tenuivolvatus (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota tenuivolvata Møll.).

- urinascens (Schäffer & Moeller) Singer in Lilloa, 22, p. 431, 1951. (Syn. Psalliota urinascens Schäff. & Moell.).

variegans Møll. nom. nov. in Friesia, 4, p. 203, 1952. (Syn. Psalliota variegata Møll., non A. variegatus Auct.).

xantholepis (Møll.) Møll. in Friesia, 4, p. 204, 1952. (Syn. Psalliota xantholepis Møll.). Agrocybe acericola (Peck) Singer in Lilloa,

22, p. 492, 1951. (Syn. Pholiota acericola (Peck) Sacc.).

- collybiiformis (Murr.) Singer in Lilloa, 22, p. 493, 1951. (Syn. Naucoria collybiiformis Murr.).

- howeana (Peck) Singer in Lilloa, 22, p. 492, 1951. (Syn. Pholiota howeana (Peck) Sacc.). puiggarii (Speg.) Singer in Lilloa, 22, p. 492, 1951. (Syn. Pholiota puiggarii Speg.

492, 1951. sensu Rick).

- retigera (Speg.) Singer in Lilloa, 22, p. 493, (Syn. Naucoria retigera Speg.).

ALLANTULA Corner in Ann. Bot., Lond., N.S., 16, p. 270, 1952.—Clavariaceae. Type, A. diffusa

-diffusa Corner in Ann. Bot., Lond., N.S., 16, p. 272, 1952.—Brazil.

ALVEOPHOMA Bausá Alcalde in An. Jard. bot. Madr., 10, p. 247, 1952.—Sphaeropsi-

-caballeroi Bausá Alcalde in An. Jard. bot. Madr., 10, p. 247, 1952 on dead Fontanesia phillyraeoides.—Spain.

Amanita aestivalis Singer nom. nov. in Lilloa, 22, p. 387, 1951. (Syn. A. verna sensu auct. Amer.).

-angustilamellata (v. Höhn.) Boedijn in Sydowia, 5, p. 318, 1951. (Syn. Amanitopsis vaginata var. angustilamellata v. Höhn.).

aporema Boedijn in Sydowia, 5, p. 319, 1951.—Sumatra.

- biovigera Singer nom. nov. in Lilloa, 22, p. 387, 1951. (Syn. A. strangulata sensu Bres. non al.).

- borneensis Boedijn in Sydowia, 5, p. 324. 1951.—Borneo

murrilliana Singer nom. nov. in Lilloa, 22, p. 385, 1951. (Syn. Venenarius gemmatus var. volvatus Murr.).

muscaria (L. ex Fr.) Pers. ex Gray subsp. americana (Lange) Singer in Lilloa, 22, p. 386, 1951. (Syn. A. muscaria var. americana Lange)

neglecta Boedijn in Sydowia, 5, p. 324, 1951.—Java.

ovalispora Boedijn in Sydowia, 5, p. 320. 1951.—Java.

pallido-carnea (v. Höhn.) Boedijn in Sydowia, 5, p. 319, 1951. (Syn. Amanitopsis vaginata var. pallido-carnea v. Höhn.) similis Boedijn in Sydowia, 5, p. 322, 1951.

sumatrensis Boedijn in Sydowia, 5, p. 326. 1951.—Sumatra.

tjibodensis Boedijn in Sydowia, 5, p. 325. 1951.—Java.

Amphichaeta ceratoniae da Camara in Agron. lusit., 13, p. 147, 1951 on Ceratonia siliqua.—Portugal.

Anellaria sepulchralis (Berk.) Singer in Lilloa, 22, p. 475, 1951. (Syn. Panaeolus sepulchralis (Berk.) Sacc.).

Angiopsora wiehei Cummins in Bull. Torrey bot. Ct., 79, p. 213, 1952 on Erlangea? marginata.—Nyasaland.

ANNELLOPHORA Hughes nom. nov. in

Trans. Brit. mycol. Soc., 34, p. 544, 1951. (Syn. Chaetotrichum Sydow, non Rabenhorst). Type, A. solani.

africana Hughes in Trans. Brit. mycol. Soc., 34, p. 546, 1951 on Anthocleista nobilis. Gold Coast.

- appendiculata Hughes in Trans. Brit. mycol. Soc., 34, p. 548, 1951 on Culcasia scandens.—Gold Coast.

-solani (Sydow) Hughes in Trans. Brit. mycol. Soc., 34, p. 544, 1951. (Syn. Chaetotrichum solani Syd.).

Anthracophyllum berterii (Mont.) Singer in Lilloa, 22, p. 206, 1951. (Syn. Xerotus berterii Mont.).

lateritium (Berk. & Curt.) Singer in Lilloa, 22, p. 206, 1951. (Syn. Xerotus lateritius Berk. & Curt.).

Arachnopeziza araneosa (Sacc.) Korf in Lloydia, 14, p. 165, 1952. (Syn. Belonidium araneosum Sacc.).

candido-fulva (Schw.) Korf in Lloydia, 14, p. 163, 1952. (Syn. Peziza candido-fulva Schweinitz).

cornuta (Ellis) Korf in Lloydia, 14, p. 158, 1952. (Syn. Peziza cornuta Ellis).

eriobasis (Berk.) Korf in Lloydia, 14, p. 167, 1952. (Syn. Peziza eriobasis Berk.). fitzpatrickii Korf in Lloydia, 14,

168, 1952 on rotten wood.—New York, U.S.A.

major (Ellis & Everhart) Korf in Lloydia, 14, p. 164, 1952. (Syn. Helotiella major Ellis & Everhart).

trabinelloides (Rehm) Korf in Lloydia, 14, p. 169, 1952. (Syn. Helotium trabinelloides Rehm).

Armillaria zelleri Stuntz & Smith in A. H. Smith, Mushrooms in their Natural Habitats, p. 351, 1949.—Washington State, U.S.A.

Armillariella alachuana (Murr.) Singer in Lilloa, 22, p. 216, 1951. (Syn. Clitocybe alachuana Murr.).

azalearum (Murr.) Singer in Lilloa, 22, p. 216, 1951. (Syn. Clitocybe azalearum Murr.) ditopa Singer in Schweiz. Z. Pilzk. Bern, 28, p. 191, 1950.—Argentine.

hymenocephala (Sm. & Hesl.) Singer in Lilloa, 22, p. 217, 1951. (Syn. Hygrophorus hymenocephalus Sm. & Hesl.).

microspora (Sm. & Hesl.) Singer in Lilloa,

22, p. 216, 1951. (Syn. Hygrophorus microsporus Sm. & Hesl.). paupertina (Sm. & Hesl.) Singer in Lilloa,

22, p. 216, 1951. (Syn. Hygrophorus paupertinus Sm. & Hesl.).

puiggarii (Speg.) Singer in Lilloa, 22, p. 216, 1951. (Syn. not cited).

singularis (Hoehnel) Singer in Lilloa, 22, p. 216, 1951. (Syn. Aeruginospora singularis Hoehn.).

Arthrinium curvatum Kunze ex Fr. var. minus M. B. Ellis in Trans. Brit. mycol. Soc., 34, p. 501, 1951 on dead Scirpus tabernae-montanus.—England.

Arthrobotrys robusta Duddington in Trans. Brit. mycol. Soc., 34, p. 598, 1951 on nema-

todes.-England.

Ascochyta abutilonicola Massenot in Rev. Path. Vég., 30, p. 206, 1951 on Abutilon striatum.—France.

-lomatii W. B. Cooke in Mycologia, 44, p. 250, 1952 on Lomatium grayi.—Washington,

- paeoniae Massenot in Rev. Path. Vég., 30, p. 208, 1951 on Paeonia officinalis.—France. trachelospermi Fabricatore in Ann. Sper. agr., N.S. 5, p. 1445, 1951 on Trachelospermum (Rhynchospermum) jasminoides.—Italy.

Asterina aburiensis Hughes in Mycol. Pap. C.M.I., 48, p. 7, 1952 on Loranthus.—Gold

- baphiae Hughes in Mycol. Pap., C.M.I., 48, p. 8, 1952 on Baphia nitida.—Gold Coast.

cissi Hughes in Mycol. Pap., C.M.I., 48, p. 10, 1952 on Cissus oreophila.—Gold Coast. disseminata Syd. var. cleistopholidis Hughes in Mycol. Pap., C.M.I., 48, p. 11,

1952 on Cleistopholis patens.—Gold Coast. homaliicola Hughes in Mycol.Pap., C.M.I.,48, p. 13, 1952 on Homalium dolichophyllum.

-Gold Coast.

-leeae Hughes in Mycol. Pap., C.M.I., 48, p. 14, 1952 on Leea guineensis.—Gold Coast. -scruposa Syd. var. longipoda Hughes in Mycol. Pap., C.M.I., 48, p. 15, 1952 on Tetracera alnifolia.—Gold Coast.

tragiae Hughes in Mycol. Pap., C.M.I., 48, p. 17, 1952 on Tragia spathulata.—Gold Coast. Asterinella ixoricola Hughes in Mycol. Pap. C.M.I., 48, p. 18, 1952 on Ixora.—Gold

Asterophora parasitica (Bull. ex Fr.) Singer in Lilloa, 22, p. 171, 1951. (Syn. Nyctalis parasitica (Bull. ex Fr.) Fr.).

Asterostromella duriuscula (Berk. & Br.)
Talbot in *Bothalia*, 6, p. 51, 1951. (Syn. Stereum duriusculum Berk. & Br.).

Bagnisiopsis qualeae (Chard.) Petrak in Sydowia, 5, p. 232, 1951. (Syn. Ellisiodothis

qualeae Chard.). Balladynopsis entebbeensis (Hansf.) Petrak in Sydowia, 5, p. 428, 1951. (Syn. Ballady-nastrum entebbeense Hansf.).

portoricensis (Stev. & Dalb.) Petrak in Sydowia, 5, p. 428, 1951. (Syn. Wageria portoricensis Stev. & Dalb.).

ACC FILL

pusillima (Syd.) Petrak in Sydowia, 5, p. 428, 1952. (Syn. Henningsomyces pusillimus Svd.

BIŠBÝELLA Boedijn in Sydowia, 5, p. 211, 1951. (Syn. Agyriopsis Sacc. & Syd. non Karsten). [But Agyriopsis Karst. was a Section of Peziza].

- javanica (v. Höhn.) Boedijn in Sydowia, 5, p. 211, 1951. (Syn. Agyriopsis javanica v. Höhnel).

Blastotrichum chowdhuryi Pant in Indian Phytopathology, 3, p. 180, 1951 on Trichosanthes dioica.—India.

Bolbitius aleuriatus (Fr.) Singer in Lilloa, 22, p. 490, 1951. (Syn. Pluteolus aleuriatus (Fr.)

Boletellus lepidospora Gilbert var. obscurior Heinemann in Bull. Jard. bot. Brux., 21, p. 295, 1951.—Belgian Congo.

longipes Heinemann in Bull. Jard. bot. Brux., 21, p. 292, 1951.—Belgian Congo. purpurascens Heinemann in Bull. Jard.

bot. Brux., 21, p. 298, 1951.—Belgian Congo. rubroviolaceus Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 296, 1951.—Belgian Congo.

Boletochaete calocystis Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 284, 1951.—Belgian Congo.

goossensii (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 281, 1951. (Syn. Boletus qoossensii Beeli).

Boletus congoensis (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 331, 1951. (Syn. Boletus bovinus Fr. var. congoensis Beeli).

sibiricus (Singer) A. H. Smith, Mushrooms in their Natural Habitats, p. 220, 1949. (Syn. Ixocomus sibiricus Singer).

Botryobasidium album (Dastur) Venkatarayan in Indian Phytopathology, 3, p. 81, 1950. (Syn. Pellicularia alba Dastur).

-rolfsii (Sacc.) Venkatarayan in *Indian Phytopathology*, 3, p. 82, 1950. (Syn. Sclerotium rolfsii Sacc.).

- salmonicolor (Berk. & Br.) Venkatarayan in Indian Phytopathology, 3, p. 82, 1950. (Syn. Corticium salmonicolor Berk. & Br.). Brettanomyces custersii Florenzano in Ric.

sci., 20, p. 1498, 1950 from wine.—Italy.

Callistosporium terrigenum Singer in Schweiz. Z. Pilzk. Bern, 28, p. 192, 1950.-Argentine

Calocybe fibrillosa Singer in Schweiz. Z. Pilzk. Bern., 28, p. 192, 1950.—Argentine.
- gambosa (Fr.) Singer in Lilloa, 22, p. 168, 1951. (Syn. Tricholoma gambosum (Fr.) Gill.).

Camarosporium capparidis Ahmad in Sydowia, 5, p. 393, 1951 on Capparis aphylla.— Pakistan.

Cantharellula coprophila (Speg.) Singer in Lilloa, 22, p. 239, 1951. (Syn. Chitocybe coprophila Speg.)

-felloides (Kauffm.) Singer in Lilloa, 22, 238, 1951. (Syn. Clitocybe felloides Kauffm.).

- intermedia (Kauffm.) Singer in Lilloa, 22, p. 238, 1951. (Syn. Clitocybe intermedia Kaufim.).

umbrosa (A. H. Smith & Walter) Singer in Lilloa, 22, p. 238, 1951. (Syn. Tricholoma umbrosum Sm. & Walter).

Cantharellus lateritius (Berk.) Singer in Lilloa, 22, p. 729, 1951. (Syn. Craterellus lateritius Berk.).



- odoratus (Schwein.) Singer in Lilloa, 22, 729, 1951. (Syn. Craterellus odoratus p. 729, Schwein.).

CASHIELLA Petrak in Sydowia, 5, p. 371, 1951.—Discomycetes.

atra Petrak in Sydowia, 5, p. 371, 1951 on turbinata.-Wyoming, Acomastylis dead U.S.A.

Cercospora datiscicola Esfandiari in Sydowia, 5, p. 368, 1951 on Datisca cannabina.—Iran. Cerebella atriplicis da Camara in Agron. lusit., 13, p. 149, 1951 on Atriplex halimus.

Portugal. Cerotelium combreti Cummins in Bull. Torrey bot. Cl., 79, p. 213, 1952 on Combretum.

Uganda.

Chytridium sexuale Koch in J. Elisha Mitchell sci. Soc., 67, p. 267, 1951 on Vaucheria

geminata.—N. Carolina, U.S.A.
stellatum (Petersen) Koch in J. Elisha
Mitchell sci. Soc., 67, p. 272, 1951. (Syn.
Phlyctochytrium stellatum Petersen).

Circosia transversalis (Syd.) Deighton apud Hughes in Mycol. Pap., C.M.I., 48, p. 1952. (Syn. Asterina transversalis Syd.).

Cladosporium manoutchehrii Esfandiari in Sydowia, 5, p. 368, 1951 on Quercus atro-–Iran. patena .-

Clarkeinda trachodes (Berk.) Singer in Lilloa, 22, p. 413, 1951. (Syn. Agaricus trachodes Berk.).

Clathrospora multiseptata Müller in Sydowia, 5, p. 259, 1951 on Phleum alpinum. Switzerland.

Clitocybe alba (Bat.) Singer in Lilloa, 22, p. 186, 1951. (Syn. C. nebularis (Batsch. ex Fr.) Quél. var. alba Bat.).

- strombodes (Berk. & Mont.) Singer in Lilloa, 22, p. 189, 1951. (Syn. Omphalia strombodes (Berk. & Mont.) Sacc.).

Clitopilus filifer (Speg.) Singer in Lilloa, 22, p. 607, 1951. (Syn. Pleurotus filifer Speg.).
-septicoides (Henn.) Singer in Lilloa, 22,

p. 606, 1951. (Syn. Pleurotus septicoides Henn.).

Coccodinium laricis W. B. Cooke & C. G. Shaw apud W. B. Cooke in Mycologia, 44, 252, 1952 on Larix occidentalis.—Idaho, U.S.A.

Coleosporium pertyae Miura apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 165, 1943 on Pertya glabrescens. - Japan.

sidae Sanwal in Sydowia, 5, p. 385, 1951 on Sida .- India.

Coleroa boukokoensis Saccas in Rev. Path. Vég., 30, p. 164, 1951 on Zea mays.—French Equatorial Africa.

- maydicola Saccas in Rev. Path. Vég., 30, p. 162, 1951 on Zea mays.—French Equatorial Africa.

Colletotrichopsis luffae Batista in Bol. Agric., Pernambuco, 17, p. 7, 1950 on Luffa acutangula.—Brazil.

Colletotrichum acaciae de Urries in An. Jard. bot. Madr., 10, p. 200, 1952 on Acacia cuninghami.-Spain.

gymnocladi de Urries in An. Jard. bot. Madr., 10, p. 203, 1952 on Gymnocladus

canadensis.—Spain.
-mahoniae Fabricatore in Boll. Staz. Pat. Veg. Roma, Ser. 3, 6, p. 139, 1950 on Mahonia aguifolium .- Italy.

Collybia anthracophila Dennis in Trans. Brit. mycol. Soc., 34, p. 441, 1951.—Trinidad. brasiliensis (Berk. & Mont.) Dennis in

Trans. Brit. mycol. Soc., 34, p. 450, 1951. (Syn. Marasmius brasiliensis Berk. & Mont.). brunneosetosa Dennis in Trans. Brit. mycol. Soc., 34, p. 443, 1951.—Trinidad.

brunneoumbonata Dennis in Trans. Brit. mycol. Soc., 34, p. 440, 1951.—Trinidad. - cinnamomea Dennis in Trans. Brit. mycol.

Soc., 34, p. 436, 1951.—Trinidad.

coracicolor (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 436, 1951. (Syn. Marasmius coracicolor Berk. & Curt.). cubensis (Berk. & Curt.) Dennis in Trans.

Brit. mycol. Soc., 34, p. 454, 1951. Marasmius cubensis Berk. & Curt.).

dealbata (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 445, 1951. (Syn. Marasmius dealbatus Murrill).

erinensis Dennis in Trans. Brit. mycol. Soc., 34, p. 455, 1951.—Trinidad.

fibrosipes (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 448, 1951. (Syn. Marasmius fibrosipes Berk. & Curt.).

-var. harrisii (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 449, 1951. (Syn. Marasmius harrisii Murrill).

gilya (Pat.) Singer in Lilloa, 22, p. 201, 1951. (Syn. Marasmius gilvus Pat.).

- hirtella (Berk. & Broome) Dennis in Trans. Brit. mycol. Soc., 34, p. 444, 1951. (Syn. Marasmius hirtellus Berk. & Broome).

- johnstoni (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 437, 1951. (Syn. Marasmius johnstoni Murrill).

- longicystis (Heim) Dennis in Trans. Brit. mycol. Soc., 34, p. 454, 1951. (Syn. Mycena (Hemimycena) longicystis Heim).

margarita (Murr.) Singer in Lilloa, 22, p. 201, 1951. (Syn. Melanoleuca margarita 201, 1951. Murr.).

- murrilliana Singer nom. nov. in Lilloa, 22, 201, 1951. (Syn. Melanoleuca maculata Murr., non C. maculata (Fr.) Quél.). - mycenoides Dennis in Trans. Brit. mycol.

Soc., 34, p. 439, 1951.—Trinidad.

nana (Massee) Dennis in Trans. Brit. mycol. Soc., 34, p. 452, 1951. (Syn. Marasmius nanus Massee).

naranjana Dennis in Trans. Brit. mycol. Soc., 34, p. 439, 1951.—Trinidad.

- nivea (Mont.) Dennis in Trans. Brit. mycol. Soc., 34, p. 435, 1951. (Syn. Marasmius niveus Mont.).

var. cohortalis (Berk.) Dennis in Trans. Brit. mycol. Soc., 34, p. 435, 1951. (Syn. Marasmius cohortalis Berk.).

omphalodes (Berk.) Dennis in Trans. Brit. mycol. Soc., 34, p. 443, 1951. (Syn. Marasmius omphalodes Berk.).

- pilosa Dennis in Trans. Brit. mycol. Soc., 34, p. 435, 1951.—Trinidad.

var. denticulata Dennis in Trans. Brit. mycol. Soc., 34, p. 435, 1951.—Trinidad. - plectophylla (Mont.) Singer in Lilloa, 22,

p. 200, 1951. (Syn. Marasmius plectophyllus Mont.).

pleurotoides Dennis in Trans. Brit. mycol. Soc., 34, p. 455, 1951.—Trinidad.

polygramma (Mont.) Dennis in Trans. Brit. mycol. Soc., 34, p. 447, 1951. (Syn. Marasmius polygrammus Mont.).
- pseudoboryana Dennis in Trans. Brit.

mycol. Soc., 34, p. 453, 1951.—Trinidad.
purpurea (Berk. & Curt.) Dennis in Trans.

Brit. mycol. Soc., 34, p. 452, 1951. (Syn. Marasmius purpureus Berk. & Curt.).

- sabali (Berk.) Dennis in Trans. Brit. mycol. Soc., 34, p. 451, 1951. (Syn. Marasmius sabali Berk.).

semi-usta (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 450, 1951. Marasmius semi-ustus Berk. & Curt.).

sericipes (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 453, 1951. (Syn. Marasmius sericipes Berk. & Curt.).

setulosipes (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 445, 1951. (Syn. Marasmius setulosipes Murrill).

spongiosa (Berk. & Curt.) Singer in Lilloa, 22, p. 201, 1951. (Syn. Marasmius spongiosus Berk. & Curt.).

subcoracina (Berk. & Curt.) Dennis in Trans. Brit. mycol. Soc., 34, p. 444, 1951. (Syn. Marasmius subcoracinus Berk. & Curt.).

subpruinosa (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 449, 1951. (Syn. Marasmius subpruinosus Murrill).

- trinitatis Dennis in Trans. Brit. mycol. Soc., 34, p. 445, 1951.—Trinidad.

troyana (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 451, 1951. (Syn. Marasmius troyanus Murrill).

westii (Murr.) Singer in Lilloa, 22, p. 201, 1951. (Syn. Melanoleuca westii Murr.).

Coniophora fodinarum Talbot in Bothalia, 6, p. 64, 1951 on wood.—Transvaal.

Coniothyrium maydis Saccas in Rev. Path. Vég., 30, p. 166, 1951 on Zea mays.—French Equatorial Africa.

- withaniae Ahmad in Sydowia, 5, p. 393, 1951 on Withania somnifera.—Pakistan.

Conocybe ambigua (Kühn.) Singer in Lilloa, 22, p. 485, 1951. Syn. C. siliginea var. ambiqua Kühn.).

- anthracophila (Maire & Kühn.) Singer in Lilloa, 22, p. 484, 1951. (Syn. C. siliginea var. anthracophila Maire & Kühn.).

- crispa (Longyear) Singer in Lilloa, 22, p. 485, 1951. (Syn. Galera crispa Longyear)

- megalospora (Schäff.) Singer in Lilloa, 22, 484, 1951. (Syn. Galera megalospora Schäff.).

- rickeniana Singer nom. nov. in Lilloa, 22, 484, 1951. (Syn. Galera spicula sensu Ricken non al.).

- zeylanica (Petch) Boedijn in Sydowia, 5, p. 223, 1951. (Syn. Galera zeylanica Petch). Copelandia cyanescens (Berk. & Br.) Singer in Lilloa, 22, p. 473, 1951. (Syn. Panaeolus cyanescens (Berk. & Br.) Sacc.

Coprinus romagnesianus Singer nom. nov.

in Lilloa, 22, p. 459, 1951. (Syn. C. squa-mosus (Bres.) Romagnesi, non Morgan). Corticium microsclerotia Weber nom. nov. in Mycologia, 43, p. 727, 1952. (State of Rhizoctonia microsclerotia Matz).

Cortinarius aberrans Henry in Bull. Soc. mycol. Fr., 67, p. 290, 1952.—France. aereus Henry in Bull. Soc. mycol. Fr., 67,

p. 300, 1952.—France. -alcalinophilus Henry in Bull. Soc. mycol.

Fr., 67, p. 301, 1952.—France.

- argyrophilus Henry in Bull. Soc. mycol.
Fr., 67, p. 302, 1952.—France.

- birchfieldii Murrill in Mycologia, 44, p. 112, 1952.—Florida, U.S.A.

boudieri Henry var. pseudo-arcuatus Henry nom. nov. in Bull. Soc. mycol. Fr., 67, p. 288, 1952. (Syn. C. arcuatus sensu Bataille).

caesiocortinatus Schäffer in Sydowia, 5, p. 359, 1951.—Austria.

caesio-griseus Schäffer in Sydowia, 5, p. 357, 1951.—Austria.

claroflavus Henry in Bull. Soc. mycol. Fr., 67, p. 297, 1952.—France. [See this Index. i, p. 2271.

conglobatus Henry in Bull. Soc. mycol. Fr., 67, p. 286, 1952,—France.

- cookianus Henry forma albescens Henry in Bull. Soc. mycol. Fr., 67, p. 317, 1952.

cuspidatus (Murr.) Singer in Lilloa, 22, p. 553, 1951. (Syn. Naucoria cuspidata. Murr.). eufulmineus Henry in Bull. Soc. mycol. Fr., 67, p. 306, 1952.—France.

fulgoalbus Henry in Bull. Soc. mycol. Fr., 67, p. 318, 1952.—France.

fulvo-olivaceus Henry in Bull. Soc. mycol. Fr., 67, p. 292, 1952.—France.
- gregis Henry in Bull. Soc. mycol. Fr., 67,

p. 320, 1952.—France.

guttatus Henry in Bull. Soc. mycol. Fr., 67, p. 307, 1952.—France.

herbarum Henry in Bull. Soc. mycol. Fr., 67, p. 319, 1952.—France.

intermedius Henry in Bull. Soc. mycol. Fr., 67, p. 296, 1952.—France.

laeticolor Murrill in Mycologia, 44, p. 112,

1952.—Florida, U.S.A. (Murr.) Singer in Lilloa, longisporus 22, p. 553, 1951. (Syn. Hebeloma longisporum Murr.).

melleipes (Murr.) Singer in Lilloa, 22, p. 553, 1951. (Syn. Naucoria melleipes Murr.).

- olivascentius Henry in Bull. Soc. mycol. Fr., 67, p. 309, 1952.—France.

olivellus Henry in Bull. Soc. mycol. Fr., 67, p. 310, 1952.—France.

paramoenolens Henry in Bull. Soc. mycol. $\bar{F}r.$, 67, p. 285, 1952.—France. [See this Index, i, p. 227].

parpherpeticus Henry in Bull. Soc. mycol. *Fr.*, **67**, p. 284, 1952.—France.

polychrous Henry in Bull. Soc. mycol. Fr., 67, p. 291, 1952.—France. [See this Index,

i, p. 2271. - pseudofulgens Henry in Bull. Soc. mycol. Fr., 67, p. 304, 1952.—France.

(Phlegmacium) pseudoglaucopus Schäf-

fer in Sydowia, 5, p. 362, 1951.—Austria. (Phlegmacium) rugosus Schäffer in Sydowia, 5, p. 363, 1951.—Austria.

- schaefferi Moser nom. nov. in Sydowia, 5, p. 365, 1951. (Syn. C. sublargus Schäffer non Cleland).

- solitarius Henry in Bull. Soc. mycol. Fr., 67, p. 303, 1952.—France.

subcyanopus Schäffer in Sydowia, 5, p. 358, 1951.—Austria.

subelegantior Henry in Bull. Soc. mycol. Fr., 67, p. 295, 1952.—France.

subionochlorus Henry in Bull. Soc. mycol. Fr., 67, p. 292, 1952.—France.

(Phlegmacium) sublargus Schäffer [non Cleland] in Sydowia, 5, p. 359, 1951.—Austria. See C. schaefferi.

(Phlegmacium) sublubricus Schäffer in Sydowia, 5, p. 363, 1951.—Austria

subumbilicatus Henry in Bull. Soc. mycol. Fr., 67, p. 285, 1952.—France.

-subvirentophyllus Henry in Bull. Soc. mycol. Fr., 67, p. 312, 1952.—France. [See this Index, i, p. 227].

trimetallicus Schäffer in Sydowia, 5, p. 361, 1951.—Austria.

 verruculosus (Murr.) Singer in Lilloa, 22,
 p. 553, 1951. (Syn. Hebeloma verruculosum Murr.).

— violaceocalcarius Henry in Bull. Soc. mycol. Fr., 67, p. 279, 1952.—France.

weberianus Singer nom. nov. in Lilloa, 22,
 p. 553, 1951. (Syn. Inocybe weberi Murr. non al.).

— westii (Murr.) Singer in Lilloa, 22, p. 553, 1951. (Syn. Galerula westii Murr.).

Corynespora cassiicola (Berk. & Curt.) Wei in Mycol. Pap., C.M.I., 34, p. 5, 1950. (Syn. Helminthosporium cassiicola Berk. & Curt.).

Coryneum doliolioides da Camara in Agron. lusit., 13, p. 210, 1951 on Pittosporum undulatum.—Portugal.

Costantinella athrix Nannf. & J. Erikss. in Svensk bot. Tidskr., 46, p. 122, 1952 on wood.
—Sweden.

tillettei (Desm.) Mason & Hughes apud Nannf. & J. Erikss. in Svensk bot. Tidskr.,
46, p. 117, 1952. (Syn. Botrytis tillettei Desm.).

Creopus palmicola (Berk. & Br.) Boedijn in Sydowia, 5, p. 211, 1951. (Syn. Hypocrea palmicola Berk. & Br.).

Crepidotus paxilloides Singer nom. nov. in Lilloa, 22, p. 594, 1951. (Syn. C. reniformis (Berk.) Singer non Vel.).

Crinipellis albocapitata (Petch) Dennis in Trans. Brit. mycol. Soc., 34, p. 430, 1951. (Syn. Marasmius albocapitatus Petch).

— albocapitata var. occidentalis Dennis in Trans. Brit. mycol. Soc., 34, p. 430, 1951.— Trinidad.

perpusilla (Speg.) Singer in Lilloa, 22, p. 337, 1951. (Syn. Lentinus perpusillus Speg.).
stenophylloides Dennis in Trans. Brit. mycol. Soc., 34, p. 429, 1951.—Trinidad.

urbica (Mont.) Dennis in Kew Bull., 1951,
 p. 409, 1952. (Syn. Agaricus urbicus Mont.).
 Cryptodiaporthe liquidambaris Petrak in Sydowia, 5, p. 236, 1951 on dead Liquidam-

bar styraciftua.—Maryland, U.S.A.
CRYPTOSTROMA Gregory & Waller in
Trans. Brit. mycol. Soc., 34, p. 593, 1951.—
Dematiaceae.

corticale (Ell. & Everh.) Gregory & Waller in Trans. Brit. mycol. Soc., 34, p. 594, 1951.
 (Syn. Coniosporium corticale Ell. & Everh.).

Cylindrocladium scoparium Morgan var. brasiliense Batista & Ciferri in Bol. Agric., Pernambuco, 18, p. 190, 1952 on Eucalyptus. —Brazil.

Cystoderma gruberianum A. H. Smith, Mushrooms in their Natural Habitats, p. 363, 1949 on dead conifer.—Oregon, U.S.A.

Cytospora teheranica Esfandiari in Sydowia, 5, p. 367, 1951 on Ligustrum vulgare.—Iran. Cytosporella corticola Ahmad in Sydowia, 5,

p. 391, 1951 on Cordia obliqua.—Pakistan. — lignicola Ahmad in Sydowia, 5, p. 391, 1951 on Acacia arabica.—Pakistan.

Cyttarophyllum besseyi (Peck) Singer in Lilloa, 22, p. 481, 1951. (Syn. Galera besseyi Peck).

— cucullatum (Shope & Seaver) Singer in Lilloa, 22, p. 481, 1951. (Syn. Bolbitius cucullatus Shope & Seaver).

— Hberatum (Kalchbr. apud Theum.) Singer in Lilloa, 22, p. 481, 1951. (Syn. Bolbitius liberatus Kalchbr.).

polytrichoides (Zeller) Singer in Lilloa, 22,
 p. 481, 1951. (Syn. Secotium polytrichoides
 Ze ler).

Dactylella lobata Duddington in Trans. Brit. mycol. Soc., 34, p. 489, 1951 on nematodes.—England.

Deconica palmigena (Berk. & Curt.) Singer in Lilloa, 22, p. 509, 1951. (Syn. Psilocybe palmigena (Berk. & Curt.) Sacc.).

Deflexula argentina (Speg.) Corner in Ann. Bot., Lond., N.S. 16, p. 276, 1952. (Syn. Mucronella argentina Speg.).

— Iilaceo-brunnea Corner var. elongata Corner in Ann. Bot., Lond., N.S., 16, p. 276, 1952.—Brazil.

major Corner in Ann. Bot., Lond., N.S., 16,
p. 277, 1952.—Belgian Congo.
mangiformis Corner in Ann. Bot., Lond.,

N.S., 16, p. 278, 1952.—Panama.

— pinnata (P. Henn.) Corner in Ann. Bot., Lond., N.S., 16, p. 278, 1952. (Syn. Pterula pinnata P. Henn.).

- subsimplex (P. Henn.) Corner in Ann. Bot., Lond., N.S., 16, p. 279, 1952. (Syn. Pterula subsimplex P. Henn.).

— var. multifida Corner in Ann. Bot., Lond., N.S., 16, p. 282, 1952.—Liberia. — sulcispora Corner in Ann. Bot., Lond., N.S.,

16, p. 283, 1952.—Brazil.
— vanderystii (P. Henn.) Corner in Ann. Bot.,
Lond. N.S. 16, p. 284, 1952. (Syn. Propular

Lond., N.S. 16, p. 284, 1952. (Syn. Pterula vanderystii P. Henn.).

DEIGHTONIELLA Hughes in Mycol. Pap., C.M.I., 48, p. 27, 1952.—Moniliales. Type,

D. africana.
— africana Hughes in Mycol. Pap., C.M.I.,
48, p. 27, 1952 on Imperata cylindrica var.

africana.—Togoland.
— arundinacea (Corda) Hughes in Mycol.
Pap., C.M.I., 48, p. 29, 1952. (Syn. Helmin-

thosporium arundinaceum Corda).

Dermea pruni (Teng) Groves in Mycologia,
43, p. 721, 1952. (Syn. Phaeangium pruni
Teng).

DICTYOARTHRINIUM Hughes in Mycol. Pap., C.M.I., 48, p. 29, 1952.—Moniliales. Type, D. quadratum.

— africanum Hughes in Mycol. Pap., C.M.I., 48, p. 31, 1952 on Saccharum officinarum.— Gold Coast.

— quadratum Hughes in Mycol. Pap., C.M.I., 48, p. 30, 1952 on Borassus aethiopus.—Gold Coast.

Dictyoploca holoporphyra (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, **34**, p. 475, 1951. (Syn. *Agaricus holoporphyrus* Berk. & Curt.).

plectophylla (Mont.) Dennis in Trans. Brit.
 mycol. Soc., 34, p. 474, 1951. (Syn. Marasmius plectophyllus Mont.).

——var. umbrina Dennis in Trans. Brit. mycol. Soc., 34, p. 475, 1951.—Trinidad.

tessellata (Mont.) Dennis in Trans. Brit.
 mycol. Soc., 34, p. 474, 1951. (Syn. Marasmius tessellatus Mont.).

Dictyosporium cocophylum Batista in Bol. Agric., Pernambuco, 18, p. 5, 1951 on Cocos nucifera.—Brazil.

Didymosphaeria dimastospora da Camara in Agron. lusit., 13, p. 123, 1951 on Arbutus unedo.—Portugal.

— maydis Saccas in Rev. Path. Vég., 30, p. 167, 1951 on Zea mays.—French Equatorial Africa.

*DIDYMOZOOPHAGA Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 494, 1951.—Hyphomycetes.

- arthrobotryoides (Berl.) Soprunov

Galiulina in Микробиология [Microbiology], 20, p. 493, 1951. (Syn. Arthrobotrys arthrobotryoides (Berl.) Lindau).

var. indolens Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 498, 1951 on nematodes.—U.S.S.R.

dolioformis Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 497,

1951 on nematodes.—U.S.S.R. *_globospora Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 495,

1951 on nematodes.—U.S.S.R. _ _ var. microspora Soprunov & Galiulina

in Микробиология [Microbiology], 20, р. 496, 1951 on nematodes.—U.S.S.R.

var. rosea Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 496, 1951 on nematodes.—U.S.S.R.

*_ kirghizica Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 496, 1951 on nematodes.—U.S.S.R.

oligospora (Fres.) Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 493, 1951. (Syn. Arthrobotrys oligospora Fres.).

- var. fusiformis Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 498, 1951 on nematodes.—U.S.S.R.

— oviformis Soprunov & Galiulina in Микробиология [*Microbiology*], **20**, р. 497, 1951 on nematodes.—U.S.S.R.

-var. ramosa Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 497, 1951 on nematodes.—U.S.S.R.

pravicovia Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 496, 1951 on nematodes.—U.S.S.R.

-spongiosa Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 498, 1951 on nematodes.—U.S.S.R.

superba (Corda) Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 493, 1951. (Syn. Arthrobotrys superba Corda).

– var. macrospora Soprunov & Galiulina in Микробиология [Microbiology], 20, р. 498, 1951 on nematodes.—U.S.S.R.

DIEHLIA Petrak in Sydowia, 5, p. 311, 1951. -Discomycetes.

phaeospora Petrak in Sydowia, 5, p. 311, 1951 on leaves of a tree.—Costa Rica.

Diplodia bombacina Ahmad in Sydowia, 5, p. 394, 1951 on Bombax malabaricum.— Pakistan.

- bougainvilleae da Camara in Agron. lusit., 13, p. 141, 1951 on Bougainvillaea.-Por-

fabriciae Bausá Alcalde in An. Jard. bot. Madr., 10, p. 251, 1952 on Fabricia laevigata. -Spain.

salvadorina Ahmad in Sydowia, 5, p. 395, 1951 on Salvadora oleoides.—Pakistan. -withaniae Ahmad in Sydowia, 5, p. 395,

1951 on Withania somnifera.—Pakistan. -zeicola Saccas in Rev. Path. Vég., 30, p. 170, 1951 on Zea mays.—French Equatorial

Diplodiella milleri Ahmad in Sydowia, 5, p.

393, 1951 on Zizyphus jujuba.—Pakistan. Diplodina drouillonii Saccas in Rev. Path. Vég., 30, p. 172, 1951 on dead Zea mays.—

French Equatorial Africa. - iranica Esfandiari in Sydowia, 5, p. 367, 1951 on ?Leptadenia pyrotechnica.—Iran.

marrubii da Camara in Agron. lusit., 13, p. 202, 1951 on Marrubium vulgare.-Portugal.

- panici Ahmad in Sydowia, 5, p. 392, 1951 on dead Panicum antidotale.—Pakistan.

Discosia nobilis Petrak in Sydowia, 5, p. 232, 1951 on dead ?Quercus.—Costa Rica.

Discosporium liquidambaris Petrak in Sydowia, 5, p. 237, 1951 on dead Liquidambar styraciflua.—Maryland, U.S.A.

Dothiorella ficina Ahmad in Sydowia, 5, p. 392. 1951 on dead Ficus palmata.—Pakistan. graminicola Ahmad in Sydowia, 5, p. 391,

1951 on Cynodon dactylon.—Pakistan. lagerstroemiae Ahmad in Sydowia, 5, p. 392, 1951 on Lagerstroemia alba.—Pakistan.

paucilocelata da Camara in Agron. lusit., 13, p. 195, 1951 on Pelargonium peltatum.

pistaciaecola (da Cam.) da Camara in Agron. lusit., 13, p. 132, 1951. (Syn. Macrophoma pistaciaecola da Camara).

salviae da Camara in Agron. lusit., 13, p.

196, 1951 on Salvia.—Portugal.
-valentina Bausá Alcalde in An. Jard. bot. Madr., 10, p. 250, 1952 on Grabowskia boerhaaviaefolia.-Spain.

Drosella fracida (Fr.) Singer in Lilloa, 22, p. 446, 1951. (Syn. Armillaria fracida Fr.).

Entyloma fimbriatum Fischer in Res. Stud. St. Coll. Wash., 20, p. 3, 1952 on Hydrocotyle ranunculoides.—California, U.S.A.

globigena Thirumalachar & Safee. Sydowia, 5, p. 443, 1951 on Blumea.—India.
- lithophragmae Fischer & Shaw apud

Fischer in Res. Stud. St. Coll. Wash., 20, p. 4, 1952 on Lithophragma parviflora.—Washington, U.S.A.

-montis-ranieri Fischer & W. B. Cooke apud Fischer in Res. Stud. St. Coll. Wash., 20, p. 4, 1952 on Polemonium californicum.— Washington, U.S.A.

Erysiphe nepetae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 100, 1951 on Nepeta glechoma.—Japan.

Exidia tremelloides Olive in Mycologia, 43, p. 682, 1952 on bark.—Louisiana, U.S.A.

Femsjonia radiculata (Fr.) Martin in State Univ. Iowa Stud. nat. Hist., 19, 3, p. 36, 1952. (Syn. Peziza radiculata Sow. ex Fr.).

Fomes repandus Overholts in Mycologia, 44,

p. 224, 1952 on wood.—Idaho, U.S.A. Fulvidula insularis (Boedijn) Boedijn in Sydowia, 5, p. 223, 1951. (Syn. Flammula insularis Boedijn).

- malayana (Boedijn) Boedijn in Sydowia, 5. p. 223, 1951. (Syn. Flammula malayana Boedijn).

Fusarium annulatum Bugnicourt in Rev. gén. Bot., 59, p. 17, 1952 on Oryza sativa.—New Caledonia, New Guinea.

J. Bot., 30, p. 224, 1952. (Syn. F. scirpi var. compactum Wollenweber).

lateritium Nees emend. Snyder & Hansen forma cajani (Padwick) Gordon in Canad. J. Bot., 30, p. 232, 1952. (Syn. F. udum var. cajani Padwick).

-forma crotalariae (Padwick) Gordon in Canad. J. Bot., 30, p. 232, 1952. (Syn. F. udum var. crotalariae Padwick).

-moniliforme Sheld. var. oryzae Saccas in Rev. Path. Vég., 30, p. 69, 1951 on Oryza sativa.—French Equatorial Africa.

- nivale (Fr.) Ces. var. oryzae Zambettakis in Rev. Bot. appl., 30, p. 489, 1950 and in Rev. Mycologie, 15, Suppl. Col. No. 2, p. 110, 1950 on Oryza sativa.—French Equatorial

- oxysporum Schlecht. emend. Snyder & Hansen var. redolens (Wollenw.) Gordon in Canad. J. Bot., 30, p. 238, 1952. (Syn. F. redolens Wollenweber).

Fusicoccum asparagi Ahmad in Sydowia, 5, p. 390, 1951 on dead Asparagus.—Pakistan.—euphorbiae Ahmad in Sydowia, 5, p. 390,

1951 on dead Euphorbia pulcherrima. Pakistan.

lahoreanum Ahmad in Sydowia, 5, p. 390, 1951 on dead Thevetia neriifolia.—Pakistan.

cedretorum (Maire) Singer in Lilloa, 22, p. 572, 1951. (Syn. Galerula cedretorum Maire).

- helvoliceps (Berk. & Curt.) Singer in Lilloa, 22, p. 572, 1951. (Syn. Flammula helvoliceps (Berk. & Curt.) Sacc.).

macrospora (Vel.) Singer in Lilloa, 22, p.

571, 1951. (Syn. Galera macrospora Vel.). - sulciceps (Berk.) Boedijn in Sydowia, 5, p. 224, 1951. (Syn. Marasmius sulciceps Berk.).

Galeropsis allosperma Singer nom. nov. in Lilloa, 22, p. 733, 1951. (Syn. Galera paradoxa Speg. non Galeropsis paradoxa (Matt.)

Gelasinospora calospora (Mouton) C. & M. Moreau forma tetrasperma (Dowd.) C. & M. Moreau in La Mycothèque (Catalogues des Collections Vivantes, Herbiers et Documents Lab. Crypt. Mus. nat., Paris), 3, Suppl. 1, p. 40, 1951. (Syn. Gelasinospora tetrasperma Dowding).

reticulospora (Greis & Greis-Dengler) C. & M. Moreau in La Mycothèque (Catalogues des Collections Vivantes, Herbiers et Documents Lab. Crypt. Mus. nat., Paris), 3, Suppl. 1, p. 41, 1951. (Syn. Rosellinia reticulospora Greis & Greis-Dengler).

Gibbera maydis Saccas in Rev. Path. Vég., 30, p. 173, 1951 on dead Zea mays.—French Equatorial Africa.

*Gibberella fujikuroi (Saw.) Wollenw. forma oryzae Saccas in Rev. Path. Vég., 30, p. 77, 1951 on Oryza sativa.—French Equatorial Africa.

Gloeosporium anthocephali Lal & Tandon in Indian Phytopathology, 3, p. 144, 1951 on Anthocephalus cadamba.—India.

caballeroi de Urries in An. Jard. bot. Madr., 10, p. 207, 1952 on Manihot palmata.-Spain.

pedemontanum Pupillo in Ann. Sper. agr., N.S. 6, p. 57, 1952 on Citrus limonum. Italy.

Gloeotulasnella rogersii Olive in Mycologia, 43, p. 688, 1952 on wood.—Louisiana, U.S.A. Gomphidus helveticus Singer in Schweiz. Z.

Pilzk. Bern, 28, p. 198, 1950.—Switzerland. Gonytrichum macrocladum (Sacc.) Hughes in Trans. Brit. mycol. Soc., 34, p. 565, 1951.

(Syn. Chaetopsis macroclada Sacc.). Grammothele pseudomappa Talbot in

Bothalia, 6, p. 64, 1951.—Zululand. GROVEOLOPSIS Boedijn nom. nov. in Sydowia, 5, p. 225, 1951. (Syn. Septoriopsis v. Höhn. non Frag. & Paul).

pandani (v. Höhn.) Boedijn in Sydowia, 5, p. 225, 1951. (Syn. Septoriopsis pandani v. Höhn.).

Guignardia alternantherae (Sacc.) Hughes in

Mycol. Pap., C.M.I., 48, p. 37, 1952. (Syn. Laestadia cephalariae (Auersw.) Sacc. var. alternantherae Sacc.).

Gymnopilus aculeatus (Bres. & Roum.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Pholiota aculeata* Bres. & Roum.).

aeruginosus (Peck) Singer in Lilloa, 22, p. 560, 1951. (Syn. Pholiota aeruginosa Peck). alpinus (Singer) Singer in Lilloa, 22, p. 561, 1951. (Syn. Fulvidula alpina Singer).

braendlei (Peck) Singer in Lilloa, 22, p. 561, 1951. (Syn. Flammula braendlei Peck). flavus (Bres.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Naucoria flava Bres.).

fulgens (Favre & Maire) Singer in Lilloa, 22, p. 561, 1951. (Syn. Naucoria fulgens Favre & Maire)

-hybridus (Fr. ex Fr.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Flammula sapinea var. hybrida (Fr.) Konr. & Maubl.).

imperialis (Speg.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Pholiota imperialis Speg.) - intermedius (Singer) Singer in Lilloa, 22, (Syn. Pholiota intermedia 560, 1951. Singer).

- janthinosarx (Singer) Singer in Lilloa, 22, p. 560, 1951. (Syn. Fulvidula janthinosarx Singer)

- luteofolius (Peck) Singer in Lilloa, 22, p. 560, 1951. (Syn. Pholiota luteofolia (Peck) Sacc.).

microsporus (Singer) Singer in Lilloa, 22, p. 561, 1951. (Syn. Fulvidula microspora Singer).

- pampeanus (Speg.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Pholiota pampeana (Speg.) Murr.).

pseudocamerina Singer nom. nov. in Lilloa, 22, p. 572, 1951. (Syn. Galerina camerina sensu Quel., Kühner, non Agaricus camerinus Fr.).

punctifolius (Peck) Singer in Lilloa, 22, p. 561, 1951. (Syn. Cortinarius punctifolius Peck).

purpuratus (Cooke & Massee sensu Cleland) Singer in Lilloa, 22, p. 561, 1951. (Syn. Agaricus purpuratus Cooke & Massee).

spectabilis (Fr.) A. H. Smith, Mushrooms in their Natural Habitats, p. 471, 1949. (Syn. Agaricus spectabilis Fr.).

suberis (Maire) Singer in Lilloa, 22, p. 561, 1951. (Syn. Pholiota suberis Maire).

tonkinensis (Pat.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Tubaria tonkinensis Pat.). zenkeri (Henn.) Singer in Lilloa, 22, p. 561, 1951. (Syn. Flammula zenkeri Henn.)

Gyrodon africanus (Cooke & Massee) Singer in Lilloa, 22, p. 648, 1951. (Syn. Campbellia africana Cooke & Massee).

· lignicola (Kallenbach) Heinemann in Bull. Jard. bot. Brux., 21, p. 238, 1951. (Syn. Boletus lignicola Kallenbach).

Gyroporus castaneus (Fr.) Quél. var. congolensis Heinemann in Bull. Jard. bot. Brux., 21, p. 231, 1951.—Belgian Congo.

castaneus var. microsporus Heinemann in Bull. Jard. bot. Brux., 21, p. 232, 1951. Belgian Congo.

heterosporus Heinemann in Bull. Jard. bot. Brux., 21, p. 230, 1951.—Belgian Congo. laetus Heinemann in Bull. Jard. bot. Brux.,

21, p. 235, 1951.—Belgian Congo.

- luteopurpureus (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 236, 1951. (Syn. Boletus luteopurpureus Beeli).

reticulatus Heinemann in Bull. Jard. bot. Brux., 21, p. 234, 1951.—Belgian Congo.

Hebeloma dasypus (Romagn.) Singer in Lilloa, 22, p. 538, 1951. (Syn. Naucoria dasypus Romagn.).

petrakii (Hruby) Singer in Lilloa, 22, p. 538, 1951. (Syn. Naucoria petrakii Hruby). HEIMIELLA Boedijn in Sydowia, 5, p. 216,

1951.—Boletaceae.

retispora (Pat. & Baker) Boedijn in Sydowia, 5, p. 217, 1951. (Syn. Boletus retisporus Pat. & Baker).

Heimiomyces fulvipes (Murr.) Singer in Lilloa, 22, p. 370, 1951. (Syn. Gymnopus

fulvines Murr.).

Helicogloea parasitica Olive in Mycologia, 43, p. 677, 1952 in Exidia glandulosa. Louisiana, U.S.A.

Helminthosporium iranicum Esfandiari in Sydowia, 5, p. 369, 1951 on Indigofera.

pseudotsugae W. B. Cooke in Mycologia,

44, p. 251, 1952 on Pseudotsuga taxifolia var. glauca.--Idaho, U.S.A. stilbaceum (Moreau) Hughes in Mycol. Pap., C.M.I., 48, p. 38, 1952. (Syn. Cerco-

spora palmicola Speg. forma stilbacea Moreau). Hemileia mandevillae Cummins & Gopal-

krishnan apud Cummins in Bull. Torrey bot. Cl., 79, p. 214, 1952 on Mandevilla.—Kenya. Hendersonia cisti da Camara in Agron, lusit..

13, p. 145, 1951 on Cistus ladaniferus. Portugal.

- dothidellae Petrak nom. nov. in Sydowia, 5, p. 421, 1951. (Syn. Hendersonula australis Speg. non Hendersonia australis Tassi).

-ilicina Bausá Alcalde in An. Jard. bot. Madr., 10, p. 254, 1952 on Ilex aquifolium .-Spain.

- maydis Saccas in Rev. Path. Vég., 30, p.

174, 1951 on Zea mays.—French Equatorial Africa. HENDERSONULINA Petrak [non Tassi,

1902] in Sydowia, 5, p. 421, 1951. Sphaeroastragalina (Petrak) Petrak in Sydowia, 5,

p. 122, 1951. (Syn. Hendersonula astragalina Petrak). Hercospora concinna Petrak in Sydowia, 5,

233, 1951 on dead Quercus.—Georgia,

Hirneola nigricans (Sw. ex Fr.) Donk in Reinwardtia, 1, p. 498, 1952. (Syn. Peziza nigricans (Sw. ex Fr.)).

Hirsutella stylophora Mains in Mycologia, 43, p. 702, 1952 on larvae; state of Cordyceps stylophora Berk. & Br.-Michigan, U.S.A.

Hohenbuehelia alachuana (Murr.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Geopetalum alachuanum Murr.).

- angustata (Berk.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Panus angustatus Berk.). -approximans (Peck) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus approximans

Peck).

- arata (Pat. & Dem.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Calathinus aratus Pat. & Dem.).

- atrocaerulea (Fr.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus atrocaeruleus (Fr.) Quél.).

- auriscalpium (Maire) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus auriscalpium Maire).

- calceola (Pat. & Dem.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Calathinus calceolus Pat. & Dem.).

cinereoalba (Pat. & Dem.) Singer in Lilloa. 22, p. 255, 1951. (Syn. Pleurotus cinereoalbus Pat. & Dem.).

crustosa (Coker) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus crustosus Coker). cubensis (Murr.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Geopetalum cubense Murr.).

elegans (Coker) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus elegans Coker).

geogenius (DC. ex Fr.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus geogenius (DC. ex Fr.) Gill.).

grisea (Peck) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus griseus Peck).

harmandii (Hariot & Pat.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus harmandii Har. & Pat.).

myxotricha (Lév.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus myxotrichus Lév.). nigra (Schwein.) Singer in Lilloa, 22, p. 256, 1951. (Syn. Agaricus niger Schwein.).

phalligera (Mont.) Sacc. in Lilloa, 22, p. 256, 1951. (Syn. Agaricus phalligerus Mont.). portegna (Speg.) Singer in Lilloa, 22, p. 256,

1951. (Syn. Pleurotus portegnus Speg.). pruinosula (Pat. & Dem.) Singer in Lilloa, 22, p. 256, 1951. (Syn. Calathinus pruino-

sulus Pat. & Dem.). reniformis (Fr.) Singer in Lilloa, 22, p. 255,

1951. (Syn. Agaricus reniformis Fr. sensu

- sciadea (Kalchbr. & McO.) Singer in Lilloa, 22, p. 256, 1951. (Syn. Pleurotus sciadeus Kalchbr. & McO.).

semiinfundibuliformis (Karst.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus semiinfundibuliformis Karst.)

serotina (Schrader ex Fr.) Singer in Lilloa. 22, p. 254, 1951. (Syn. Pleurotus serotinus (Schrad. ex Fr.) Quél.).

subbarbata (Berk. & Curt.) Singer in Lilloa, 22, p. 255, 1951. (Syn. Pleurotus subbarbatus (Berk. & Curt.) Sacc.).

submastrucata (Henn.) Singer in Lilloa, 22, p. 256, 1951. (Syn. Pleurotus submastrucatus Henn.).

valesiaca (Ces. apud Rab.) Singer in Lilloa, 22, p. 256, 1951. (Syn. Pleurotus valesiacus (Cesati) Sacc.).

Humaria appendiculata (P. Henn.) Boedijn in Sydowia, 5, p. 212, 1951. (Syn. Lachnea appendiculata P. Henn.).

Hydnum diabolus (Banker) A. H. Smith, Mushrooms in their Natural Habitats, p. 227, 1949. (Syn. Hydnellum diabolus Banker).

Hydropus arenarius (A. H. Smith) Singer in Lilloa, 22, p. 350, 1951. (Syn. Mycena arenaria A. H. Smith).

taxodii (Murr.) Singer in Lilloa, 22, p. 350, 1951. (Syn. Mycena taxodii Murr.).

umbrinus (A. H. Smith) Singer in Lilloa, 22, p. 350, 1951. (Syn. Mycena umbrina A. H. Smith).

Hygrocybe acutoconica (Clements in Woods) Singer in Lilloa, 22, p. 153, 1951. (Syn. Mycena acutoconica Clem.).

- flavescens (Kauffm.) Singer in Lilloa, 22, p. 154, 1951. (Syn. Hygrophorus puniceus var. flavescens Kauffm.).

- flavifolia (Sm. & Hesl.) Singer in Lilloa, 22, p. 154, 1951. (Syn. Hygrophorus flavifolius Sm. & Hesl.).

- fornicata (Fr.) Singer in Lilloa, 22, p. 152, 1951. (Syn. Hygrophorus fornicatus Fr.).
- huronensis (Sm. & Hesl.) Singer in Lilloa,

22, p. 153, 1951. (Syn. Hygrophorus huronensis Sm. & Hesl.).

laetissima (Sm. & Hesl.) Singer in Lilloa, 22, p. 153, 1951. (Syn. Hygrophorus laetissimus Sm. & Hesl.). - marchii (Bres.) Singer in Lilloa, 22, p. 153,

1951. (Syn. Hygrophorus marchii Bres.). - quieta (Kühner) Singer in Lilloa, 22, p. 152, 1951. (Syn. Hygrophorus quietus Kühner).

Hygrophorus olivaceonitens (Singer) Singer in Lilloa, 22, p. 146, 1951. (Syn. Limacium olivaceonitens Singer).

Hypoxylon calyptra Batista in Bol. Agric.,

Pernambuco, 17, p. 61, 1950 on bark.-Brazil.

-vitalii Batista in Bol. Agric., Pernambuco, 17, p. 62, 1950 on bark.—Brazil.

Hypsizygus circinatus Singer nom. nov. in Lilloa, 22, p. 180, 1951. (Syn. Clitocybe circinata sensu Singer, non Karst.).

Inocybe cystidiosa (A. H. Smith) Singer in Lilloa, 22, p. 534, 1951. (Syn. Tricholoma cystidiosum A. H. Smith).

felipponei (Speg.) Singer in Lilloa, 22, p.

Speg.) Singer in Lilloa, 22, p. 534, 1951. (Syn. Collybia felipponei Speg.).

- mariluanensis (Speg.) Singer in Lilloa, 22, p. 534, 1951. (Syn. Naucoria mariluanensis Speg.).

- pernivosa (Murr.) Singer in Lilloa, 22, p. 534, 1951. (Syn. Entoloma pernivosum Murr.). petchii Boedijn nom. nov. in Sydowia, 5,

p. 223, 1951. (Syn. I. umbonata Petch non Quél.). - praefarinacea (Murr.) Singer in Lilloa, 22,

p. 534, 1951. (Syn. Hebeloma praefarinaceum

-praevillosa (Murr.) Singer in Lilloa, 22, p. 534, 1951. (Syn. Lepista praevillosa Murr.). Irenopsis sidae (Rehm) Hughes in Mycol. Pap., C.M.I., 48, p. 44, 1952. (Syn. Meliola sidae Rehm).

- var. hibisci (Hansf.) Hughes in Mycol. Pap., C.M.I., 48, p. 44, 1952. (Syn. I. coronata (Speg.) Stev. var. hibisci Hansf.).

Ischnochaeta baeumleri (P. Magnus) Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 112, 1951. (Syn. Microsphaera baeumleri P. Magn.).

- desmodii (P. Henn.) Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 113, 1951. (Syn. Erysiphe pisi DC. var. desmodii P. Henn.).

elsholtziae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 112, 1951 on Elsholtzia patrini.-Japan.

heraclei (DC.) Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 113, 1951. (Syn. Erysiphe heraclei DC.).

pileae Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 114, 1951 on Pilea petiolaris. Japan.

- viciae-unijugae (Homma) Sawada in Bull. Govt. Forest Exp. Sta., Tokyo, 50, p. 115, (Syn. Microsphaera viciae-unijugae 1951. Homma).

Krombholzia excedens Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 327, 1951.—Belgian Congo.

porphyreus Heinemann in Bull. Jard. bot. Brux., 21, p. 330, 1951.—Belgian Congo.

Kuehneromyces nudus Singer in Schweiz. Z. Pilzk. Bern, 28, p. 194, 1950 on dead branches of Boehmeria caudata.—Argentine.

vinicolor (Pat.) Singer in Lilloa, 22, p. 519, 1951. (Syn. Flammula vinicolor Pat.).

Laboulbenia bembidio-palpi Benjamin in Amer. J. Bot., 39, p. 125, 1952 on Bembidion picipes.—Illinois, U.S.A.

odobena Benjamin in Amer. J. Bot., 39, p. 126, 1952 on Bembidion picipes.—Illinois,

U.S.A.

tapirina Benjamin in Amer. J. Bot., 39, p. 126, 1952 on Bembidion picipes.—Illinois, U.S.A.

Laccaria altaica Singer nom. nov. in Lilloa. 22, p. 176, 1951. (Syn. L. striatula sensu Singer, non Peck).

- gruberi (A. H. Smith) Singer in Lilloa, 22, p. 176, 1951. (Syn. Clitocybe gruberi A. H. Smith)

Lachnella tiliae (Peck) Donk apud Singer in Lilloa, 22, p. 345, 1951. (Syn. Peziza tiliae

villosa (Pers. ex Fr.) Donk apud Singer in Lilloa, 22, p. 345, 1951. (Syn. Peziza villosa Pers.).

Lamprospora verruculosa (Berk. & Br.) Boedijn in Sydowia, 5, p. 211, 1951. (Syn. Peziza verruculosa Berk. & Br.).

Lentinellus americanus (Peck) Singer in Lilloa, 22, p. 245, 1951. (Syn. Lentinus americanus Peck).

umbilicatus (Peck) Singer in Lilloa, 22, p. 245, 1951. (Syn. Lentinus umbilicatus Peck). Lepiota molybdites (G. Meyer ex Fr.) Sacc. var. marginata A. H. Smith, Mushrooms in

their Natural Habitats, p. 429, 1949.—U.S.A. pseudovolvulata (Höhn.) Singer in Lilloa, 22, p. 443, 1951. (Syn. Micropsalliota pseudovolvulata Höhn.).

-sulcata Locquin in Bull. mens. Soc. linn. Lyon., 20, p. 155, 1951.—France.

Lepista argentina (Speg.) Singer in Lilloa, 22, p. 193, 1951. (Syn. Tricholoma argentinum Speg.).

caespitosa (Bres.) Singer in Lilloa, 22, p. 192, 1951. (Syn. Tricholoma paneolus var. caespitosus Bres.).

caffrorum (Kalchbr. & McOwan) Singer in Lilloa, 22, p. 192, 1951. (Syn. Tricholoma caffrorum Kalchbr. & McOwan).

glabella (Speg.) Singer in Lilloa, 22, p. 192, 1951. (Syn. Clitopilus glabellus Speg.). - harperi (Murr.) Singer in Lilloa, 22, p. 192,

1951. (Syn. Melanoleuca harperi Murr.). lactescens (Pat.) Singer in Lilloa, 22, p. 192, 1951. (Syn. Tricholoma lactescens Pat.).

luscina (Fr.) Singer in Lilloa, 22, p. 192, 1951. (Syn. Agaricus luscinus Fr.)

- praemagna (Murr.) Singer in Lilloa, 22, p. 192, 1951. (Syn. Melanoleuca praemagna Murr. sensu Overholts).

sordida (Fr.) Singer in Lilloa, 22, p. 193, 1951. (Syn. Agaricus sordidus Fr.)

subaequalis (Britz.) Singer in Lilloa, 22, 192, 1951. (Syn. Agaricus subaequalis

Leptosphaeria caucana Petrak in Sydowia, 5, p. 244, 1951 in Phyllachora.—Colombia.

jaceae Holm in Svensk bot. Tidskr., 46, p. 35, 1952 on dead Centaurea jacea.—Sweden. - lavandulae da Camara in Agron. lusit., 13,

p. 126, 1951 on Lavandula stoechas.—Por-

 macrotheca (Rostr.) Holm in Svensk bot.
 Tidskr., 46, p. 38, 1952. (Syn. Metasphaeria macrotheca Rostr.).

papillosa da Camara in Agron. lusit., 13, p. 127, 1951 on Oryzopsis miliacea.—Por-

tugal.

— zeae-maydis Saccas in Rev. Path. Vég., 30, p. 179, 1951 on dead Zea mays.—French Equatorial Africa.

zeicola Saccas in Rev. Path. Vég., 30, p. 176, 1951 on Zea mays.—French Equatorial Africa.

Leptotus tremulus (Schaeff. ex Fr.) Singer in Lilloa, 22, p. 735, 1951. (Syn. Pleurotus tremulus (Schaeff. ex Fr.) Quél.).

Leucoagaricus confusus (Rick) Singer in Lilloa, 22, p. 422, 1951. (Syn. Lepiota con-

fusa Rick).

meleagris (Sow. ex Fr.) Singer in Lilloa, 22, p. 422, 1951. (Syn. Agaricus meleagris Sow. ex Fr.).

olivaceus (Kauffm.) Singer in Lilloa, 22, p.
 422, 1951. (Syn. Lepiota olivacea Kauffm.).
 rubrosquamosus (Rick) Singer in Lilloa,

- rubrosquamosus (Rick) Singer in Lilloa, 22, p. 422, 1951. (Syn. Lepiota rubrosquamosa Rick).

— sublittoralis (Kühner) Singer in Lilloa, 22, p. 422, 1951. (Syn. Lepiota sublittoralis Kühner).

Leucocoprinus denudatus (Rab.) Singer in Lilloa, 22, p. 424, 1951. (Syn. Agaricus denudatus Rab.).

— dolichaulus (Berk. & Br.) Boedijn in Sydowia, 5, p. 221, 1951. (Syn. Lepiota dolichaula Berk. & Br.) [Comb. made by Pat. in 1913].

- magnusianus (Henn. apud Rab.) Singer in Lilloa, 22, p. 424, 1951. (Syn. Lepiota magnusiana Honn apud Rab.)

nusiana Henn. apud Rab.).

— melanoloma (Singer) Singer in Lilloa, 22, p. 424, 1951. (Syn. Hiatula melanoloma Singer). Leucopaxillus gracillimus Sing. & Sm. var. rappli (Murr.) Singer in Lilloa, 22, p. 242, 1951. (Syn. Clitocybe rappli Murr.).

LINDERINA Raper & Fennell in Amer. J. Bot., 39, p. 81, 1952.—Kickxellaceae.

pennispora Raper & Fennell in Amer. J. Bot., 39, p. 83, 1952 from soil.—Liberia.

Lopharia dregeana (Berk.) Talbot in Bothalia, 6, p. 57, 1951. (Syn. Corticium dregeanum Berk.).

Lyophyllum favrei Haller & Haller forma ochraceum Haller in Schweiz. Z. Philzk. Bern, 30, p. 43, 1952.—Switzerland.

Macrocystidia carneipes (Speg.) Singer in Lilloa, 22, p. 308, 1951. (Syn. Omphalia carneipes Speg.).

Macrolepiota bonaerensis (Speg.) Singer in Lilloa, 22, p. 417, 1951. (Syn. Agaricus bonaerensis Speg.).

kerandi (Speg.) Singer in Lilloa, 22, p. 417,
 1951. (Syn. Lepiota kerandi Speg.).

- mastoidea (Fr.) Singer in Lilloa, 22, p. 417, 1951. (Syn. Lepiota mastoidea (Fr.) Quél.).

- rachodes (Vitt.) Singer in Lilloa, 22, p. 417, 1951. (Syn. Lepiota rachodes Vitt.).

Macrophoma negundinis Ribaldi in Ann. Fac. Agr. Perugia, 5, p. 6, 1948 on Acer negundo.—Italy.

Macrophomina phaseolina (Tassi) Goidanich in Boll. Staz. Pat. Veg. Roma, Ser. 3, 5, p. 63, 1950. (Syn. Macrophoma phaseolina Tassi).

Marasmiellus acicula (Schaeff. ex Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena acicula* (Fr.) Quél.).

— adonis (Bull. ex Fr.) Singer in Lilloa, 22, p. 301, 1951. (Syn. Mycena adonis (Fr.) Quél.).

— albidus (Murr.) Singer in Lilloa, 22, p. 298, 1951. (Syn. Gymnopus albidus Murr.).

— albus (Bres.) Singer in Lilloa, 22, p. 302, 1951. (Syn. Omphalia alba Bres.).

 albus-corticis (Secr.) Singer in Lilloa, 22,
 p. 300, 1951. (Syn. Agaricus albus corticus Secr.).

— angustisporus (Josserand) Singer in Lilloa, 22, p. 298, 1951. (Syn. Omphalia angustispora Joss.).

— atropapillatus (Kühner & Maire) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena atropapillata Kühn. & Maire).

— buccinulus (Speg.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Clitocybe buccinula Speg.).

— camptophyllus (Berk.) Singer in Lilloa, 22, p. 302, 1951. (Syn. Omphalia camptophylla (Berk.) Sacc.).

— candidus (Bres.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Omphalia candida Bres.).

— cephalotrichus (Josserand) Singer in Lilloa, 22, p. 298, 1951. (Syn. Omphalia cephalotricha Joss.).

— crispatus (Kühn.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Mycena crispata Kühn.).

— crispulus (Quél. sensu Kühner) Singer in Lilloa, 22, p. 298, 1951. (Syn. Omphalia crispula Quél.).

delectabilis (Peck sensu A. H. Smith)
 Singer in Lilloa, 22, p. 299, 1951. (Syn. Mycena delectabilis (Peck) Sacc.).

— delicatellus (Peck) Singer in Lilloa, 22, p. 298, 1951. (Syn. Collybia delicatella (Peck) Sacc.).

 drepanocladi (Singer) Singer in Lilloa, 22,
 p. 302, 1951. (Syn. Hemimycena drepanocladi Singer).

epibryus (Singer) Singer in Lilloa, 22, p. 298, 1951. (Syn. Hemimycena epibrya Sing.).
flavoalbus (Fr.) Singer in Lilloa, 22, p. 301, 1951. (Syn. Mycena flavoalba (Fr.) Quél.).

floccipes (Fr.) Singer in Lilloa, 22, p. 301,
 1951. (Syn. Collybia floccipes Fr. sensu Kauffm., Kühn.).

— floridulus (Fr.) Singer in Lilloa, 22, p. 301, 1951. (Syn. Mycena floridula (Fr.) Karst.).

gracilis (Quél. sensu Sacc.) Singer in Lilloa,
 22, p. 299, 1951. (Syn. Omphalia gracilis Quél.).

— gypseus (Fr. sensu Ricken) Singer in Lilloa, 22, p. 298, 1951. (Syn. Mycena gypsea (Fr.) Gill.).

— hiemalis (Osb. in Retz ex Fr. sensu Gillet) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena hiemalis (Fr.) Quél.).

— languidus (Lasch) Singer in Lilloa, 22, p. 300, 1951. (Syn. Marasmius languidus (Lasch) Fr.).

— leptophyllus (Peck) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena leptophylla (Peck) Sacc.).

— mairei (Gilbert) Singer in *Lilloa*, **22**, p. 299, 1951. (Syn. *Omphalia mairei* Gilbert).

— margaritifer (Maire apud Kühn.) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena margaritifera Maire).

— mauretanicus (Maire) Singer in Lilloa, 22, p. 298, 1951. (Syn. Omphalia mauretanica Maire). - olidus (Bres.) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena olida Bres.)

opacus (Berk. & Curt.) Singer in Lilloa, 22, p. 300, 1951. (Syn. Marasmius opacus Berk. & Curt.).

- phaeophyllus (Kühn.) Singer in Lilloa, 22, p. 302, 1951. (Syn. Mycena phaeophylla Kühn.).

pigmentatus (Bliss) Singer in Lilloa, 22, 300, 1951. (Syn. Omphalia pigmentata

pseudocrispulus (Kühn.) Singer in Lilloa, 22, p. 298, 1951. (Syn. Mycena pseudocrispula Kühn.).

pseudogracilis (Kühn. & Maire) Singer in Lilloa, 22, p. 299, 1951. (Syn. Mycena pseudo-gracilis Kühn. & Maire).

pseudolacteus (Kühn.) Singer in Lilloa, 22, p. 298, 1951. (Syn. Mycena pseudolactea Kühn.).

pulchellus (Speg.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Clitocybe pulchella Speg.).

- rickenii (A. H. Smith) Singer in Lilloa, 22, p. 298, 1951. (Syn. Mycena rickenii A. H. Smith).

-roseipallens (Murr. sensu A. H. Smith) Singer in Lilloa, 22, p. 302, 1951. (Syn. Prunulus roseipallens Murr.).

- setipes (Fr. sensu Ricken) Singer in Lilloa, 22, p. 301, 1951. (Syn. Omphalia setipes (Fr.) Ricken).

- stuckertii (Speg.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Omphalia stuckertii Speg.). subalpinus (Hoehnel sensu Kühn.) Singer in Lilloa, 22, p. 301, 1951. (Syn. Mycena sub-

alpina Hoehnel). - substenophyllus (Murr.) Singer in Lilloa, 22, p. 299, 1951. (Syn. Marasmius substeno-

phyllus Murr.). trabutii (Maire) Singer in Lilloa, 22, p. 300,

1951. (Syn. Marasmius trabutii Maire). Marasmius arimana Dennis in Trans. Brit.

mycol. Soc., 34, p. 418, 1951.—Trinidad.
- corbariensis (Roum.) Singer in Lilloa, 22, p. 325, 1951. (Syn. Agaricus corbariensis Roum.)

- cystidiophorus Dennis in Trans. Brit. mycol. Soc., 34, p. 427, 1951.—Trinidad.
- elegantioides Batista in Bol. Agric. Per-

nambuco, 18, p. 186, 1952.—Brazil.

graminum (Lib.) Berk. var. brevispora Dennis in Trans. Brit. mycol. Soc., 34, p. 416, 1951.—Trinidad.

-var. equicrinis (Mueller) Dennis in Trans. Brit. mycol. Soc., 34, p. 416, 1951. (Syn. M. equicrinis Mueller apud Berk.).

haedinus Berk. forma brevispora Dennis in Trans. Brit. mycol. Soc., 34, p. 421, 1951.-Trinidad.

- var. minor Dennis in Trans. Brit. mycol. Soc., 34, p. 421, 1951.—Trinidad.

leveilleanus (Berk.) Singer in Lilloa, 22, p. 325, 1951. (Syn. Heliomyces leveilleanus Berk.).

plumieri (Lév.) Singer in Lilloa, 22, p. 326,

1951. (Syn. Heliomyces plumieri Lév.).

pseudo-arachnoideus Dennis in Trans.
Brit. mycol. Soc., 34, p. 425, 1951.—Trinidad. -rotuloides Dennis in Trans. Brit. mycol. Soc., 34, p. 415, 1951.—Trinidad.

rubroflavus (Theiss.) Singer in Lilloa, 22, p. 326, 1951. (Syn. M. nummularius var. rubroflavus Theiss.).

- rubromarginatus Dennis in Trans. Brit. mycol. Soc., 34, p. 415, 1951.-Venezuela.

- spinosissimus Singer in Schweiz. Z. Pilzk. Bern, 28, p. 193, 1950.—Argentine. - subingratus Dennis in Trans. Brit. mycol.

Soc., 34, p. 427, 1951.—Trinidad.

trichorhizus Speg. var. aripoensis Dennis in Trans. Brit. mycol. Soc., 34, p. 417, 1951. Trinidad.

trinitatis Dennis in Trans. Brit. mycol. Soc., 34, p. 425, 1951.—Trinidad.

Massaria sphaerelloidea Bausá Alcalde in An. Jard. bot. Madr., 10, p. 229, 1952 on Prunus, Pithecolobium polycephalum, and Fabricia laevigata.—Spain.

Massarina floridana Petrak in Sydowia, 5. p. 240, 1951 on dead Sabal palmetto.—Florida, U.S.A.

Maublancomyces curtipes (Fr.) Herter in Rev. Sudamer. Bot., 10, p. 17, 1951. (Syn.

Gyromitra curtipes Fr.). fastigiata (Krombh.) Herter in Rev. Sudamer. Bot., 10, p. 17, 1951. (Syn. Helvella fastigiata Krombh.).

labyrinthica (Fr.) Herter in Rev. Sudamer. Bot., 10, p. 17, 1951. (Syn. Gyromitra labyrinthica Fr.).

suspecta (Krombh.) Herter in Rev. Sudamer. Bot., 10, p. 17, 1951. (Syn. Helvella suspecta Krombh.)

*Melanconiopsis africana Luc in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 120, 1951 on Cola vera.—Ivory Coast.

Melanoleuca russuloides (Murrill) Murrill in Mycologia, 44, p. 113, 1952. (Syn. Tricholoma russuloides Murrill).

Melanophyllum echinatum (Roth. ex Fr.) Singer in Lilloa, 22, p. 436, 1951. (Syn. Lepiota echinata Roth ex Fr.).

eyrei (Massee) Singer in Lilloa, 22, p. 436, 1951. (Syn. Chlorospora eyrei Massee)

Melanopsichium emodense (Berk.) Zundel in Fischer, The Smut Fungi, p. 25, 1951. (Syn. $Ustilago\ emodensis\ Berk.).$

Melanotus subvariabilis (Speg.) Singer in Lilloa, 22, p. 511, 1951. (Syn. Claudopus subvariabilis Speg.).

Meliola bougheyana Hughes in Mycol. Pap., C.M.I., 48, p. 46, 1952 on Macaranga huraefolia.—Gold Coast.

celtidiae Yates var. prantlii Hughes in Mycol. Pap., C.M.I., 48, p. 48, 1952 on Celtis prantlii.-Gold Coast.

hypselodelphidis Hughes in Mycol. Pap., C.M.I., 48, p. 51, 1952 on Hypselodelphis poggeana.—Gold Coast.

janeirensis Hansf. var. ricinodendri Hughes in Mycol. Pap., C.M.I., 48, p. 51, 1952 on Ricinodendron africanum.—Gold Coast.

pericampyli Yamamoto var. triclisiae Hughes in Mycol. Pap., C.M.I., 48, p. 55, 1952 on Triclisia subcordata.—Gold Coast.

popowiae Doidge var. cleistopholidis Hughes in Mycol. Pap., C.M.I., 48, p. 57, 1952 on Cleistopholis patens.—Gold Coast.

Meliolinopsis costaricensis (Stev.) Petrak in Sydowia, 5, p. 335, 1951. (Syn. Hyalomeliolina costaricensis Stev.).

-guianensis (Stev.) Petrak in Sydowia, 5, p. 335, 1951. (Syn. Hyalomeliolina guianensis Stev.).

-irenicola (Doidge) Petrak in Sydowia, 5, 335, 1951. (Syn. Perisporium irenicolum Doidge).

meliolae (Stev.) Petrak in Sydowia, 5, p. 335, 1951. (Syn. Perisporium meliolae Stev.). - meliolicola (Syd.) Petrak in Sydowia, 5, p. 335, 1951. (Syn. Chaetosphaeria meliolicola Syd.).

*Melomastia hyalostoma Luc in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 107, 1951 on Cola vera.—Ivory Coast.

MENISPOROPSIS Hughes in Mycol. Pap., C.M.I., 48, p. 59, 1952.—Moniliales. theobromae Hughes in Mycol. Pap.,

C.M.I., 48, p. 59, 1952 on Theobroma cacao. Gold Coast.

Merismodes fasciculata (Schw.) Donk apud Singer in Lilloa, 22, p. 345, 1951. (Syn. Cantharellus fasciculatus Schw.).

MICROBOTRYODIPLODIA da Camara in Agron. lusit., 13, p. 206, 1951.—Sphaeropsi-

myopori da Camara in Agron. lusit., 13, p. 206, 1951 on Myoporum acuminatum.

Portugal.

Micromphale convexa (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 459, 1951. (Syn. Omphalopsis convexa Murrill).

__irrorata (Pat.) Dennis in Trans. Brit. mycol. Soc., 34, p. 457, 1951. (Syn. Collybia irrorata Pat. apud Duss).

_ lutea Dennis in Trans. Brit. mycol. Soc., 34,

p. 459, 1951.—Trinidad.

rheicolor (Berk.) Dennis in Trans. Brit. mycol. Soc., 34, p. 460, 1951. (Syn. Agaricus rheicolor Berk.).

roriduliformis (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 460, 1951. (Syn. Omphalopsis roriduliformis Murrill).

- saccharophila (Speg.) Singer in Lilloa, 22, p. 305, 1951. (Syn. Omphalia saccharophila Speg.).

subavellanea (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 458, 1951. (Syn. Heliomyces subavellaneus Murrill).

subtranslucens Dennis in Trans. Brit.

mycol. Soc., 34, p. 459, 1951.—Trinidad. Microsphaera akebiae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 116, 1951 on Akebia quinata & A. trifoliata.—Japan.

berchemiae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 118, 1951 on Berchemia racemosa.—Japan.

- helwingiae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 119, 1951 on Helwingia

japonica.-Japan.

magnoliae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 120, 1951 on Magnolia obovata.—Japan.

picrasmae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 121, 1951 on Picrasma quasioides .- Japan.

querci Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 122, 1951 on Quercus serrata. Japan.

schizandrae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 123, 1951 on Schi-

zandra nigra.—Japan. - staphyleae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 124, 1951 on Staphylea bumalda.—Japan.

Microstoma insititia (Berk. & Curt.) Boedijn in Sydowia, 5, p. 212, 1951. (Syn. Peziza insititia Berk. & Curt.).

Mindeniella asymmetrica J. W. Johnson in Amer. J. Bot., 38, p. 74, 1951 on submerged fruits of Malus.—Michigan, U.S.A.

Mycena flavida (Maublanc & Rangel) Singer in Lilloa, 22, p. 357, 1951. (Syn. Omphalia flavida Maubl. & Rangel).

-fuliginella A. H. Smith var. brevispora Dennis in Trans. Brit. mycol. Soc., 34, p. 466, 1951.—Trinidad.

marbleae (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 471, 1951. (Syn. Marasmius marbleae Murrill).

micropapillata Dennis in Trans. Brit. mycol. Soc., 34, p. 471, 1951.—Trinidad.

paraboliciformis Singer nom. nov. in Lilloa, 22, p. 359, 1951. (Syn. M. parabolica sensu Smith).

petiolorum (Berk. & Curt.) Dennis in Kew Bull., 1951, p. 402, 1952. (Syn. Marasmius petiolorum Berk. & Curt.).

pseudocrocata Dennis in Trans. Brit. mycol. Soc., 34, p. 465, 1951.—Venezuela.

theobromicola (Murrill) Dennis in Trans. Brit. mycol. Soc., 34, p. 470, 1951. (Syn. Marasmius theobromicola Murrill).

trinitatis Dennis in Trans. Brit. mycol. Soc., 34, p. 467, 1951.—Trinidad.

umbilicata Dennis in Trans. Brit. mycol. Soc., 34, p. 469, 1951.—Trinidad. Mycenella salicina (Vel.) Singer in *Lilloa*, 22,

p. 291, 1951. (Syn. Mycena salicina Vel.).

Mycosphaerella kakomensis Esfandiari in Sydowia, 5, p. 366, 1951 on an umbellifer.

magnoliae (Ell.) Petrak in Sydowia, 5, p. 247, 1951. (Syn. Sphaerella magnoliae Ell.). psilospora Gilman & Wadley in Mycologia,

44, p. 219, 1952 on Quercus.—Iowa, U.S.A. - zeina Saccas in Rev. Path. Vég., 30, p. 181, 1951 on Zea mays.—French Equatorial Africa.

Naemacyclus stictiformis Petrak in Sydowia, 5, p. 244, 1951 on *Pinus palustris.*—Florida, U.S.A.

Naematoloma elongatipes (Peck) Singer in Lilloa, 22, p. 504, 1951. (Syn. Psilocybe elongatipes (Peck) Sacc.).

ericaeum (Pers. ex Fr. sensu Kühn.) Singer in Lilloa, 22, p. 504, 1951. (Syn. Psilocybe ericaea (Pers. ex Fr.) Quél.).

ferrei (Bres.) Singer in Lilloa, 22, p. 503, 1951. (Syn. Stropharia ferrei Bres.).

- hornemannii (Fr. ex Fr.) Singer in Lilloa, 22, p. 503, 1951. (Syn. Stropharia horne-mannii (Fr.) Lundell & Nannfeldt).

squamosum (Pers. ex Fr.) Singer in Lilloa, 22, p. 503, 1951. (Syn. Stropharia squamosa (Pers. ex Fr.) Quél.).

subericaeum (Fr.) Singer in Lilloa, 22, p. 504, 1951. (Syn. Psilocybe subericaea (Fr.) Sacc.).

subumbonatescens (Murr.) Singer in Lilloa, 22, p. 504, 1951. (Syn. Stropharia subumbonatescens Murr.).

Nectria berkeleyana (Plowr. & Cooke) Dingley in Trans. roy. Soc. N.Z., 79, p. 183, 1951. (Syn. Hypomyces berkeleyanus Plowr. & Cooke).

coprosmae Dingley in Trans. roy. Soc. N.Z., 79, p. 200, 1951 on Coprosma grandi-folia.—New Zealand.

flammea (Tulasne) Dingley in Trans. roy. Soc. N.Z., 79, p. 189, 1951. (Syn. Sphaero stilbe flammea Tul.).

fragilis Dingley in Trans. roy. Soc. N.Z. 79, p. 187, 1951 on Pseudowintera colorata. New Zealand.

- fuliginosispora Luc in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 117, 1951 on Melanconiopsis africana.—Ivory Coast.

ex Fr.)

grisea Dingley nom. nov. in Trans. roy. Soc. N.Z., 79, p. 180, 1951. (Syn. Sphaerostilbe variabilis Berk. & Br., non N. variabilis Hara).

hauturu Dingley in Trans. roy. Soc. N.Z., 79, p. 185, 1951 on Carmichaelia.—New Zealand.

manuka Dingley in Trans. roy. Soc. N.Z., 79, p. 183, 1951 on Leptospermum ericoides.-New Zealand.

pinea Dingley in Trans. roy. Soc. N.Z., 79, p. 198, 1951 on Pinus radiata.—New Zealand. plagianthi Dingley in Trans. roy. Soc. N.Z., 79, p. 196, 1951 on Plagianthus betulinus.—

New Zealand.

ruapehu Dingley in Trans. roy. Soc. N.Z., 79, p. 186, 1951 on Coprosma pseudocuneata. -New Zealand.

tawa Dingley in Trans. roy. Soc. N.Z., 79, p. 199, 1951 on Beilschmeidia tawa.—New Zealand.

westlandica Dingley in Trans. roy. Soc. N.Z., 79, p. 201, 1951 on Olearia avicenniaefolia.-New Zealand.

zeae Saccas in Rev. Path. Vég., 30, p. 182, 1951 on dead Zea mays.—French Equatorial Africa.

Neogyromitra brunnea (Und.) Herter in Rev. Sudamer. Bot., 10, p. 16, 1951. (Syn. Gyromitra brunnea Und.).

Neopaxillus echinospermus (Speg.) Singer in Lilloa, 22, p. 633, 1951. (Syn. Naucoria echinosperma Speg.).

Neottiosporella triseti Graniti in Nuovo G. bot. ital., N.S., 58, p. 151, 1951 on Trisetum flavescens.—Italy.

Nothoravenelia commiphorae Cummins in Bull. Torrey bot. Cl., 79, p. 215, 1952 on Commiphora.—Nyasaland.

Nummularia dispersa Batista in Bol. Agric., Pernambuco, 17, p. 60, 1950 on wood.-Brazil.

Omphalina abiegna (Berk. & Br.) Singer in Lilloa, 22, p. 212, 1951. (Syn. Agaricus umbelliferus Fr. var. abiegnus Berk. & Br.).

chlorocyanea (Pat.) Singer in Lilloa, 22, p. 212, 1951. (Syn. Agaricus chlorocyaneus Pat.). gerardiana (Peck) Singer in Lilloa, 22, p.

212, 1951. (Syn. Clitocybe gerardiana (Peck) Sacc.).

- josserandii Singer nom. nov. in Lilloa, 22, p. 213, 1951. (Syn. Pleurotus mutilus sensu Josserand).

olivaria (Peck) Singer in Lilloa, 22, p. 212, 1951. (Syn. Agaricus olivarius Peck).

Ophiobolus bonplandii (Chard. & Toro) Petrak in Sydowia, 5, p. 353, 1951. (Syn. Humboldtina bonplandii Chard. & Toro).

zeae Saccas in Rev. Path. Vég., 30, p. 183, 1951 on dead Zea mays.—French Equatorial Africa.

Ophioceras zeae Saccas in Rev. Path. Vég., 30, p. 186, 1951 on dead Zea mays.—French Equatorial Africa.

Ophiodothella circularis (Bres.) Petrak in Sydowia, 5, p. 340, 1951. (Syn. Scolecodothis circularis Bres.).

Panellus longinquus (Berk.) Singer in Sydowia, 5, p. 471, 1951. (Syn. Agaricus longinquus Berk.).

Panus crinitus (L. ex Fr.) Singer in Lilloa, 22, p. 275, 1951. (Syn. Lentinus crinitus L. ex Fr.).

-rudis Fr. var. semirudis (Singer) Singer (in error as 'subrudis') in Lilloa, 22, p. 275, 1951. (Syn. P. semirudis Singer).

var. strigellus (Berk. & Curt.) Singer in Lilloa, 22, p. 275, 1951. (Syn. Lentinus strigellus Berk. & Curt.).

schnyderi (Speg.) Singer in Lilloa, 22, p. 275, 1951. (Syn. Lentinus schnyderi Speg.). siparius (Berk. & Curt.) Singer in Lilloa, 22.

p. 275, 1951. (Syn. Lentinus siparius Berk. & Curt.).

- suavissimus (Fr.) Singer in Lilloa, 22, p. 274, 1951. (Syn. Lentinus suavissimus Fr.). tigrinus (Bull. ex Fr.) Singer in Lilloa, 22, p. 275, 1951. (Syn. Lentinus tigrinus Bull.

PARAPTERULICIUM Corner in Ann. Bot., Lond., N.S. 16, p. 285, 1952.—Clavariaceae. Type, P. subarbusculum.

octopodites Corner in Ann. Bot., Lond., N.S., 16, p. 286, 1952.—Brazil.

subarbusculum Corner in Ann. Bot., Lond., N.S., 16, p. 288, 1952.—Brazil.

Parmularia porteae Batista in Bol. Agric., Pernambuco, 18, p. 25, 1951 on Portea. Brazil.

Passeriniella adeana Petrak in Sydowia, 5, 1951 on Asperula galioides. 408, Bavaria.

Peniophora pelliculosa Talbot in Bothalia, 6, p. 63, 1951 on wood.—Natal.

PEYRONELLAEA Goidanich (This Index, i, p. 192). Latin diagnosis in Ann. Sper. agr., N.S. 6, p. 92, 1952.—Sphaeropsidales. Type, P. glomerata.

*Phaeobotryosphaeria varians Luc in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 110, 1951 on Cola vera.—Ivory Coast.

Phaeocollybia attenuata (A. H. Smith) Singer in Lilloa, 22, p. 567, 1951. (Syn. Naucoria attenuata A. H. Smith).

jennyae (Karst.) Moser (This Index, ii, p. 24) is antedated by P. jennyae (Karst.) Heim, Le genre Inocybe, p. 70, 1931.

radicata (Murr.) Singer in Lilloa, 22, p. 567, 1951. (Syn. Naucoria radicata (Murr.)

Singer).

similis (Bres.) Singer in Lilloa, 22, p. 567, 1951. (Syn. Naucoria similis Bres.).

Phaeomarasmius alnicola (Murr.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Crinipellis alnicola Murr.).

aridus (Pers.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Agaricus aridus Pers.).

carpophilus (Fr.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria carpophila (Fr.) Quél.).

chiliotrichi Singer nom. nov. in Sydowia, 5, p. 475, 1951. (Syn. Agaricus exquisitus Berk. in Hooker non Vitt. nec Speg.).

- confragosus (Fr.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Pholiota confragosa (Fr.)

curcuma (Berk. & Curt.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria curcuma (Berk. & Curt.) Sacc.).

erinaceella (Peck) Singer in Lilloa, 22, p. 577, 1951. (Syn. Agaricus erinaceella Peck). gracilis (Quél.) Singer in Lilloa, 22, p. 577,

1951. (Syn. Pholiota muricata var. gracilis Quél.).

granulosus (Lange) Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria granulosa Lange).

pygmaeus (Bull. ex Fr. sensu Romagn.)

Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria pygmaea (Bull. ex Fr.) Gill.).
siparius (Fr.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria siparia (Fr.) Gill.).

wieslandri (Fr.) Singer in Lilloa, 22, p. 577, 1951. (Syn. Naucoria wieslandri (Fr.) Karst). Phaeomycena albidula (Pat.) Singer in Lilloa,

22, p. 309, 1951. (Syn. Collybia albidula Pat.).

Phialophora goidanichii Delitala in Ann. Sper. agr., N.S. 6, p. 254, 1952 on fruits of

Pyrus malus.—Italy.

radicicola Cain in Canad. J. Bot., 30, p. 340, 1952 from roots of Zea mays.—Ontario. Phlebiella candidissima (Schw.) W. B. Cooke in Mycologia, 44, p. 253, 1952. (Syn. Polyporus candidissimus Schw.).

braunii (Bres.) Heinemann in Bull. Jard. bot. Brux., 21, p. 243, 1951. (Syn. Boletus

braunii Bres.).

var. brunneoruber (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 243, 1951. (Syn. Boletus braunii var. brunneoruber Reeli).

portentosus (Berk. & Br.) Boedijn in Sydowia, 5, p. 218, 1951. (Syn. Boletus por-

tentosus Berk. & Br.).

silvaticus Heinemann in Bull. Jard. bot. Brux., 21, p. 245, 1951.—Belgian Congo. Phleospora crescentium (Barth.) Riley in Mycologia, 44, p. 215, 1952. (Syn. Cylindro-

sporium crescentium Barth.). valesiaca (Niessl) Müller in Sydowia, 5, p.

269, 1951. (Syn. P. discors var. valesiaca

Niessl). Pholiota abstrusa (Fr. sensu Lange) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula abstrusa (Fr.) Romagn.).

flavida (Schaeff. ex Fr.) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula flavida

(Schaeff. ex Fr.) Quel.).

-fusa (Batsch ex Fr. sensu Ricken) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula fusa (Batsch ex Fr.) Gill.).

graminis (Quél.) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula graminis (Quél.) Singer).

semiimbricata (Singer) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula semiimbricata Singer). Pholiotina alnicola (Fr.) Singer in Lilloa, 22,

p. 516, 1951. (Syn. Flammula alnicola (Fr.)

-astragalina (Fr.) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula astragalina (Fr.)

bicolor (Speg.) Singer in Lilloa, 22, p. 517, 1951. (Syn. Flammula bicolor Speg.).

- carbonaria (Fr.) Singer in Lilloa, 22, p. 517, 1951. (Syn. Flammula carbonaria (Fr.)

- freindlingiae (Singer) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula freindlingiae Singer).

gummosa (Lasch) Singer in Lilloa, 22, p. 517, 1951. (Syn. Flammula gummosa (Lasch) Quél.).

- lapponica (Fr.) Singer in Lilloa, 22, p. 517, 1951. (Syn. Naucoria lapponica (Fr.) Sacc.).

-lenta (Pers. ex Fr.) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula lenta (Pers. ex Fr.) Gill.).

-lubrica (Pers. ex Fr.) Singer in Lilloa, 22, p. 516, 1951. (Syn. Flammula lubrica (Pers. ex Fr.) Quél.).

peronata (Kühn. & Maire) Singer in Lilloa, 22, p. 487, 1951. (Syn. Conocybe peronata Kühn. & Maire).

pygmaeoaffinis (Fr.) Singer in Lilloa, 22, 487, 1951. (Syn. Galera pygmaeoaffinis (Fr.) Lange).

spumosa (Fr.) Singer in Lilloa, 22, p. 517, 1951. (Syn. Flammula spumosa (Fr.) Karst.).

- subnuda (Kühn.) Singer in Lilloa, 22, p. 487, 1951. (Syn. Conocybe subnuda Kühn.). - vestita (Fr. apud Quél.) Singer in Lilloa, 22, p. 487, 1951. (Syn. Galera vestita Fr. apud Quél.).

Phoma macrocollum Bausá Alcalde in An. Jard. bot. Madr., 10, p. 233, 1952 on Caly-

stegia sepium.—Spain.

minuta Bausá Alcalde in An. Jard. bot. Madr., 10, p. 235, 1952 on dead Calystegia sepium.—Spain.

-valentina Bausá Alcalde in An. Jard. bot. Madr., 10, p. 236, 1952 on dead Fontanesia

phillyraeoides.—Spain.

Phomopsis abutilonis de Urries in An. Jard. bot. Madr., 10, p. 211, 1952 on Abutilon sordidum.—Spain.

anonae de Urries in An. Jard. bot. Madr., 10, p. 214, 1952 on Anona cherimolia.

Spain. asparagicola Bausá Alcalde in An. Jard. bot. Madr., 10, p. 237, 1952 on Asparagus plumosus.—Spain.

bauhiniae Bausá Alcalde in An. Jard. bot. Madr., 10, p. 237, 1952 on dead Bauhinia purpurea.—Spain.

bougainvilleae da Camara in Agron. lusit., 13, p. 134, 1951 on Bougainvillaea.—Portugal. cassiae da Camara in Agron. lusit., 13, p. 199, 1951 on Cassia.—Portugal.

catalpicola Bausá Alcalde in An. Jard. bot. Madr., 10, p. 239, 1952 on Catalpa koempferi.

-Spain.

fontanesiae Bausá Alcalde in An. Jard. bot. Madr., 10, p. 240, 1952 on Fontanesia phillyraeoides.—Spain.

grabowskiae Bausá Alcalde in An. Jard. bot. Madr., 10, p. 241, 1952 on Grabowskia

boerhaaviaefolia.—Spain.
- lentisci (Passer.) da Camara in Agron. lusit., 13, p. 135, 1951. (Syn. Phoma lentisci Passer.).

macrocollum Bausá Alcalde in An. Jard. bot. Madr., 10, p. 241, 1952 on Calystegia

sepium.—Spain.

viticis de Urries in An. Jard. bot. Madr., 10, p. 217, 1952 on Vitex agnus-castus and V. macrophylla.—Spain.

Phragmidiella africana Cummins in Bull. Torrey bot. Cl., 79, p. 215, 1952 on Stereospermum acuminatissimum.—Sierra Leone.

Phyllachora tequendamensis (Chard.) Pettrak in Sydowia, 5, p. 337, 1951. (Syn. Endotrabutia tequendamensis Chard.).

Phylloporus ater (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 260, 1951. (Syn. Favolus ater Beeli).

carmineus Heinemann in Bull. Jard. bot. Brux., 21, p. 263, 1951.—Belgian Congo.

purpureus (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 250, 1951. (Syn. Favolus purpureus Beeli).

- var. ambiguus Heinemann in Bull. Jard. bot. Brux., 21, p. 253, 1951.—Belgian Congo. -testaceus Heinemann & Goossens apud

Heinemann in Bull. Jard. bot. Brux., 21, p. 255, 1951.—Belgian Congo.

- var. bisporus Heinemann in Bull. Jard. bot. Brux., 21, p. 258, 1951.—Belgian Congo. - tubipes Heinemann in Bull. Jard. bot. Brux.,

21, p. 261, 1951.—Belgian Congo.

Phyllosticta caatingae Batista in Bol. Agric., Pernambuco, 17, p. 163, 1950 on Croton sincorensis.—Brazil.

multiformis Pettinari in Ann. Sper. agr., N.S. 6, p. 124, 1952 on Lactuca scariola.

Italy.

- zeae-maydis Saccas in Rev. Path. Vég., 30, p. 189, 1951 on dead Zea mays.—French Equatorial Africa.

Physoderma marsileae Brewster in Mycologia, 44, p. 99, 1952 on Marsilea vestita. Kansas, U.S.A.

Pilidium australasicum (Speg.) Petrak in Sydowia, 5, p. 341, 1951. (Syn. Sclerotiopsis australasica Speg.).

Pleospora caudata (Rehm) Müller in Sydowia, 5, p. 291, 1951. (Syn. P. media Niessi forma caudata Rehm). donacis (Berl.) Müller in Sydowia, 5, p. 293,

1951. (Syn. Clathrospora donacis Berl.). epilobii Müller in Sydowia, 5, p. 290, 1951 on Epilobium angustifolium.—Switzerland.

heterophragmia da Camara in Agron. lusit., 13, p. 128, 1951 on Lonicera.—Portugal.

- leontopodii (D. Cruchet) Müller in Sydowia, 5, p. 285, 1951. (Syn. P. helvetica Niessl var. leontopodii D. Cruchet).

minor Wehmeyer in Amer. J. Bot., 39, p.

242, 1952 on grass.—England. moravica (Petrak) Wehmeyer in Amer. J. Bot., 39, p. 241, 1952. (Syn. Pyrenophora moravica Petrak).

phlei Müller in Sydowia, 5, p. 267, 1951 on

Phleum phleoides.—Switzerland.

- potentillae (Rostr.) Müller in Sydowia, 5, p. 266, 1951. (Syn. Sphaerulina potentillae Rostr.).

raetica Müller in Sydowia, 5, p. 272, 1951 on Trisetum distichophyllum.—Switzerland. -rubicunda var. americana Wehmeyer in

Amer. J. Bot., 39, p. 242, 1952 on Pedicularis latifolia.--Washington State, U.S.A.

- rupestris Müller in Sydowia, 5, p. 306, 1951 on Minuartia verna.—Switzerland.

- saponariae (Frag.) Wehmeyer in Amer. J. Bot., 39, p. 241, 1952. (Syn. Pyrenophora saponariae Frag.).

- subalpina Müller in Sydowia, 5, p. 274, 1951 on Poa alpina.—Switzerland.

wegeliniana Müller nom. nov. in Sydowia, 5, p. 301, 1951. (Syn. Strickeria longispora Wegelin non P. longispora Pass.).

zeina Saccas in Rev. Path. Vég., 30, p. 190, 1951 on dead Zea mays.—French Equatorial

Pleuroflammula phillipsii (Berk.) Singer in Sydowia, 5, p. 473, 1951. (Syn. Agaricus

phillipsii Berk. & Br.).
Pleurophomopsis valentinus de Urries in An. Jard. bot. Madr., 10, p. 220, 1952 on Jasminum officinalis.—Spain.

Pleurotus hirtus (Fr.) Singer in Lilloa, 22, p.

271, 1951. (Syn. Agaricus hirtus Fr.).
- phellodendri (Sing.) Singer in Lilloa, 22, p. 270, 1951. (Syn. Tectella phellodendri

- sajor-caju (Fr.) Singer in Lilloa, 22, p. 271, 1951. (Syn. Lentinus sajor-caju Fr.). subglaber (Lloyd) Singer in Lilloa, 22, p.

271, 1951. (Syn. Lentinus subglaber Lloyd).

- tuber-regium (Fr.) Singer in Lilloa, 22, p. 271, 1951. (Syn. Lentinus tuber-regium (Fr.) Fr.).

Pluteus bruchii (Speg.) Singer in Lilloa, 22, p. 404, 1951. (Syn. Nolanea bruchii Speg.). xylophilus (Speg.) Singer in Lilloa, 22, p.

405, 1951. (Syn. Entoloma xylophilum Speg.).
Pocillum concinnum (Syd.) Petrak in Sy. dowia, 5, p. 346, 1951. (Syn. Orthoscypha concinna Syd.).

Podoconis anacardii (Hansf.) Hughes in Mycol. Pap., C.M.I., 48, p. 65, 1952. (Syn. Teratosperma anacardii Hansf.)

Podosphaera longiseta Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 105, 1951 on Prunus grayana.-Japan.

Polyphagus ramosus Jaag & Nipkow in Ber. schweiz. bot. Ges., 61, p. 493, 1951 on Sphaero. cystis schroeteri.—Switzerland.

Polyporus caespitosissimus Singer nom. nov. in Lilloa, 22, p. 269, 1951. (Syn. P. caespitosus sensu Lloyd non al.). - subcaperatus (Murr.) Singer in Lilloa, 22,

p. 269, 1951. (Syn. Hexagona subcaperata Murr.).

- subradicatus (Murr.) Singer in Lilloa, 22, 269, 1951. (Syn. Scutiger subradicatus transmutans Overholts in Mycologia, 44,

p. 226, 1952 on wood.—Pennsylvania, U.S.A. Porphyrellus niger Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 333, 1951.—Belgian Congo.

Prospodium oblectum Sydow apud Cummins in Bull. Torrey bot. Cl., 79, p. 216, 1952 on Clytostoma calystegioides.—Argentina.

Protodontia piceicola (Kühner) Martin in State Univ. Iowa Stud. nat. Hist., 19, 3, p. 63, 1952. (Syn. Protohydnum lividum var. piceicolum Kühner).

Protomyces wodziczkoi Szulczewski in Acta Soc. bot. polon., 21, p. 193, 1952 on Galinsoga parviflora.—Poland.

Psalliota excellens Møll. nom nov. in Friesia, 4, p. 178, 1952. (Syn. P. augusta sensu Ricken et al., non Fries).

fissurata Møll. in Friesia, 4, p. 165, 1952.— Denmark.

-leucotricha Møll. in Friesia, 4, p. 159, 1952.—Denmark.

- luteo-maculata Møll. in *Friesia*, **4**, p. 192, 1952.—Denmark.

-lutosa Møll. in Friesia, 4, p. 188, 1952.— Denmark.

macrocarpa Møll. in Friesia, 4, p. 153, 1952.—Denmark.

- macrospora (Møll. & Schäff.) Møll. in Friesia, 4, p. 181, 1952. (Syn. P. arvensis (Schaeff.) Fr. subsp. macrospora Møll. & Schäff.).

meleagris Schäff. var. obscurata (Maire) Møll. in Friesia, 4, p. 173, 1952. (Syn. $Agaricus\ xanthodermus\ {
m Genev.}\ {
m var.}\ obscuratus$ Maire).

- var. terricolor Møll. in Friesia, 4, p. 208, 1952.—Denmark.

nivescens Møll. in Friesia, 4, p. 155, 1952. -Denmark.

— var. parkensis Møll. in Friesia, 4, p. 158, 1952.—Denmark.

phaeolepidota Møll. in Friesia, 4, p. 170, 1952.—Denmark.

- purpurascens (Cooke) Møll. in Friesia, 4, 187, 1952. (Syn. Agaricus arvensis (Schaeff.) Fr. var. purpurascens Cooke).

purpurella Moll. nom. nov. in Friesia, 4, p. 193, 1952. (Syn. P. amethystina sensu Lange, non Quél.).

tenuivolvata Møll. in Friesia, 4, p. 149, 1952.—Sweden.

xantholepis Møll. in Friesia, 4, p. 191.

1952.—Denmark. Psathyrella casca (Fr.) Singer in Lilloa, 22, p. 467, 1951. (Syn. *Hypholoma casca* (Fr.) Quél.).

- hydrophila (Bull. ex Fr.) Singer in Lilloa, 22, p. 468, 1951. (Syn. Hypholoma hydro-

phila (Bull. ex Fr.) Quél.).

longistriata (Murrill) A. H. Smith, Mushrooms in their Natural Habitats, p. 552, 1949. (Syn. Stropharia longistriata Murr.).

marcescibilis (Britz.) Singer in Lilloa, 22, p. 466, 1951. (Syn. Hypholoma marcescibilis

(Britz.) Sacc.).

microrhiza (Lasch) Singer in Lilloa, 22, (Syn. Psathyra microrhiza p. 469, 1951. (Lasch) Sacc.).

noli-tangere (Fr.) Singer in Lilloa, 22, p. 469, 1951. (Syn. Pannucia noli-tangere (Fr.)

pennata (Fr.) Singer in Lilloa, 22, p. 469, 1951. (Syn. Psathyra pennata Fr. sensu

Lange).

pygmaea (Quél.) Singer in Lilloa, 22, p. 467, 1951. (Syn. Drosophila pygmaea Quél.). - roystoniae (Earle) Singer in Lilloa, 22, p. 469, 1951. (Syn. Gymnochilus roystoniae

sarcocephala (Fr.) Singer in Lilloa, 22, p. 468, 1951. (Syn. Psilocybe sarcocephala

(Fr.) Gill.).

scobinacea (Fr.) Singer in Lilloa, 22, p. 466, 1951. (Syn. Stropharia scobinacea (Fr.) Sacc.). spadicea (Schaeff. ex Fr.) Singer in Lilloa, 22, p. 468, 1951. (Syn. Psilocybe spadicea (Schaeff. ex Fr.) Quél.).

subcernua (Schulzer) Singer in Lilloa, 22, p. 468, 1951. (Syn. Agaricus (Nolanea) sub-

cernuus Schulzer).

typhae (Kalchbr.) Singer in Lilloa, 22, p. 467, 1951. (Syn. Psathyra typhae (Kalchbr.)

velutina (Pers. ex Fr.) Singer in Lilloa, 22, p. 466, 1951. (Syn. Hypholoma velutina (Pers.

ex Fr.) Quél.).

Pseudobaeospora oligophylla (Singer) Singer in Lilloa, 22, p. 438, 1951. (Syn. Baeospora oligophylla Singer).

Pseudohiatula conigenoides (Ellis) Singer in Lilloa, 22, p. 320, 1951. (Syn. Collybia conigenoides (Ellis) Sacc.).

esculenta (Wulfen apud Jacq. ex Fr.) Singer in Lilloa, 22, p. 320, 1951. (Syn. Collybia esculenta (Fr.) Quél.).

PSEUDOSARCOPHOMA de Urries in An. Jard. bot. Madr., 10, p. 227, 1952.—Melan-

caballeroi de Urries in An. Jard. bot. Madr., 10, p. 227, 1952 on Erinacea pungens.—Spain.

Pseudovalsa shearii Petrak in Sydowia, 5, p. 486, 1951 on dead Melia azedarach.-

Louisiana, U.S.A.
Psilocybe blattariopsis (Speg.) Singer in Lilloa, 22, p. 506, 1951. (Syn. Pholiotella blattariopsis Speg.).

cubensis (Earle) Singer in Lilloa, 22, p. 507, 1951. (Syn. Stropharia cubensis Earle).

Puccinia alamedensis Baxter in Lloydia, 14, p. 213, 1952 on Salvia tiliaefolia.-Guatemala.

- asprellae-japonicae Hara apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 167, 1943 on Hystrix hackeli.-Japan.

behboudii Esfandiari in Sydowia, 5, p. 366, 1951 on Cachrys.-Iran.

- biporula Baxter in *Lloydia*, **14**, p. 218, 1952 on Salvia fulgens.—Mexico.

- cenchri Diet. & Holw. var. africana Cummins in Bull. Torrey bot. Cl., 79, p. 217, 1952 on Cenchrus ciliaris.—Uganda.

claytoniicola Cummins in Bull. Torrey bot. Cl., 79, p. 218, 1952 on Claytonia lanceolata.-

Wyoming, U.S.A.

clematidis-hayatae Sawada apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 169, 1943 on Clematis hayata.-Formosa.

- crepidis-integrae Hiratsuka f. nom. nov. in J. Jap. Bot., 17, p. 113, 1952. (Telial state

of Uredo crepidis-integrae Lindr.).

cyathulicola Cummins in Bull. Torrey bot. Cl., 79, p. 218, 1952 on Cyathula uncinulata. -Nyasaland.

- var. kenyensis Cummins in Bull. Torrey bot. Cl., 79, p. 220, 1952 on Cyathula uncinulata.-Kenya.

delicatula (Arth.) Sacc. & Trott. var. niveoides (Cumm.) Baxter in Lloydia, 14, p. 207, 1952. (Syn. P. niveoides Cumm.).

dombeyae Cummins in Bull. Torrey bot. Cl., 79, p. 220, 1952 on Dombeya nairobiensis. -Kenya.

enixa Cummins in Bull. Torrey bot. Cl., 79, p. 220, 1952 on Baccharis.—Costa Rica. farinacea Long var. azurea Baxter in Lloydia, 14, p. 221, 1952 on Salvia azurea.— Alabama, U.S.A.

var. constricta Baxter in Lloydia, 14, p. 222, 1952 on Salvia karwinskii.-Guatemala.

graminis Pers. subsp. 10lii Waterhouse in Proc. Linn. Soc. N.S.W., 76, p. 57, 1951 on Lolium and other grasses.—Australia.

guizotiae Cummins in Bull. Torrey bot. Cl., 79, p. 221, 1952 on Guizotia scabra.—Uganda. hashiokai Hiratsuka f. nom. nov. in J. Jap. Bot., 18, p. 570, 1942. (Syn. Uredotaiwaniana

Hiratsuka f. & Hashioka). - ibozae Cummins in Bull. Torrey bot. Cl., 79,

p. 222, 1952 on Iboza multiflora.—Nyasaland. ishizuchiensis Hiratsuka f. in J. Jap. Bot., 27, p. 115, 1952 on Galium japonicum.

kenyana Cummins in Bull. Torrey bot. Cl., 79, p. 222, 1952 on Vernonia cistifolia.-

Kenva.

- lycoridicola Hiratsuka f. & Hara apud Ito & Murayama in Trans. Sapporo nat. Hist.

Soc., 17, p. 168, 1943 on Lycoris.—Japan.
- mitrata Syd. var. basiporula Baxter in
Lloydia, 14, p. 218, 1952 on Salvia purpurea. -Mexico.

nokoensis Sawada apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 169, 1943 on Angelica morrisonicola.—Formosa.

padwickii Cummins in Bull. Torrey bot. Cl., 79, p. 224, 1952 on Cyathula tomentosa. India.

sphaeralceoides Cummins nom. nov. in Bull. Torrey bot. Cl., 79, p. 224, 1952. (Syn. P. sphaeralceae Gäum., non Ellis & Ev.).

tripsacicola Cummins in Bull. Torrey bot. Cl., 79, p. 225, 1952 on Tripsacum dactyloides. Ecuador.

wiehei Cummins in Bull. Torrey bot. Cl.,

79, p. 226, 1952 on Setaria splendida.— Nyasaland.

Pulveroboletus aberrans Heinemann Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 310, 1951.—Belgian Congo.

annulatus Heinemann in Bull. Jard. bot. Brux., 21, p. 302, 1951.—Belgian Congo. carminiporus Heinemann in Bull. Jard.

bot. Brux., 21, p. 307, 1951.—Belgian Congo. cavipes Heinemann in Bull. Jard. bot. Brux., 21, p. 313, 1951.—Belgian Congo.

croceus Heinemann in Bull. Jard. bot. Brux., 21, p. 303, 1951.—Belgian Congo.

viridis Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 306,

1951.—Belgian Congo. Punctularia affinis (Berk. & Curt.) Talbot in Bothalia, 6, p. 25, 1951. (Syn. Reticularia affinis Berk. & Curt.).

Pyrenophora scirpicola (DC.) Müller in Sydowia, 5, p. 256, 1951. (Syn. Sphaeria scirpicola DC.).

typhicola (Cooke) Müller in Sydowia, 5, p. 256, 1951. (Syn. Sphaeria typhicola Cooke). PYRGOSTROMA Petrak in Sydowia, 5, p.

484, 1951.—Sphaeropsidales. - shearii Petrak in *Ŝydowia*, 5, p. 484, 1951

on dead Melia azedarach.—Louisiana, U.S.A. Pyrrhoglossum hepatizon (Berk.) Singer in Sydowia, 5, p. 474, 1951. (Syn. Agaricus hepatizon Berk.).

Pythium helicum T. Ito in J. Jap. Bot., 20, p. 56, in 1944 in water.—Japan.

pleroticum T. Ito in J. Jap. Bot., 20, p. 59,

1944 in water.—Japan.
polypapillatum T. Ito in J. Jap. Bot., 20, p. 58, 1944 in water.—Japan.

Ravenelia acaciae-senegalae Sanwal in Sydowia, 5, p. 414, 1951 on Acacia senegal.-India

acacicola Sanwal in Sydowia, 5, p. 414, 1951 on Acacia senegal.—India.

- ajmerensis Sanwal in Sydowia, 5, p. 415, on Acacia.—India.

- albizziicola Cummins in Bull. Torrey bot. Cl., 79, p. 226, 1952 on Albizzia harveyi. Nyasaland.

- wiehei Cummins in Bull. Torrey bot. Cl., 79, p. 227, 1952 on Cassia.—Nyasaland.

Resupinatus cyphelliformis (Berk.) Singer in Lilloa, 22, p. 253, 1951. (Syn. Agaricus cyphelliformis Berk.).

-rhacodium (Berk, & Curt.) Singer in Lilloa, 22, p. 253, 1951. (Syn. Agaricus rhacodium Berk. & Curt.).

silvanus (Sacc.) Singer in Lilloa, 22, p. 253, 1951. (Syn. Agaricus silvanus Sacc.).

unguicularis (Fr.) Singer in Lilloa, 22, p. 253, 1951. (Syn. Pleurotus unguicularis (Fr.) Quél.).

Rhabdospora pandani (v. Höhn.) Petrak in Sydowia, 5, p. 351, 1951. (Syn. Septoriopsis pandani v. Höhn.).

Rhinotrichum spirale (Penz. & Sacc.) Boedijn in Sydowia, 5, p. 225, 1951. (Syn. Physospora spiralis Penz. & Sacc.).

Rhizophidium deformans Jaag & Nipkow in Ber. schweiz. bot. Ges., 61, p. 483, 1951 on Oscillatoria rubescens.—Switzerland.

oscillatoriae-rubescentis Jaag & Nipkow in Ber. schweiz. bot. Ges., 61, p. 485, 1951 on Oscillatoria rubescens.—Switzerland.

Rhodocybe fallax (Quél.) Singer in Lilloa, 22, p. 609, 1951. (Syn. Omphalia fallax Quél.).

- himantiigena (Speg.) Singer in Lilloa, 22,

p. 609, 1951. (Syn. not cited).
-mundula (Lasch) Singer in Lilloa, 22, p. 609, 1951. (Syn. Rhodopaxillus mundulus (Lasch) Konr. & Maubl.).

- noveboracensis (Peck) Singer in Lilloa, 22, p. 609, 1951. (Syn. Clitopilus noveboracensis (Peck) Sacc.).

popinalis (Fr.) Singer in Lilloa, 22, p. 609, 1951. (Syn. Clitopilus popinalis (Fr.) Gill.).

roseiavellanea (Murr.) Singer in Lilloa, 22. p. 609, 1951. (Syn. Pleurotus roseiavellaneus Murr.).

Rhodophyllus blandfordii (Henn.) Singer in Lilloa, 22, p. 616, 1951. (Syn. Eccilia blandfordii Henn.).

coelestinus var. violaceus (Kauff.) A. H. Smith, Mushrooms in their Natural Habitats, p. 449, 1949. (Syn. Nolanea coelestina var. violacea Kauffman).

giganteus (Murr.) Singer in Lilloa, 22, p. 622, 1951. (Syn. Entoloma giganteum Murr.). grayanus (Peck) Singer in Lilloa, 22, p. 617, (Syn. Entoloma grayanum (Peck)

Sacc.).

- kamerunensis (Bres.) Singer in Lilloa, 22, p. 618, 1951. (Syn. Nolanea kamerunensis Bres.).

- lazulinellus Singer nom. nov. in Lilloa, 22, p. 616, 1951. (Syn. Pleurotus lazulinus Speg.).

- sinuatus (Bull. ex Fr.) Singer nom. nov. in Lilloa, 22, p. 622, 1951. (Syn. Agaricus lividus Bull. ex Fr., non Pers. ex Schwein). strictior (Peck) Singer in Lilloa, 22, p. 617,

1951. (Syn. Entoloma strictius (Peck) Sacc.). Rimbachia spathularia (Berk. & Curt.) Singer in Lilloa, 22, p. 741, 1951. (Syn. Craterellus spathularius Berk. & Curt.).

Ripartitella brasiliensis (Speg.) Singer in Lilloa, 22, p. 452, 1951. (Syn. Pleurotus brasiliensis Speg.).

Ripartites amparae Singer in Schweiz. Z. Pilzk. Bern, 28, p. 195, 1950.—Argentine. Russula adelae T. Cernohorsky in Sydowia, 5,

p. 315, 1951.—Austria. altaica (Singer) Singer in Lilloa, 22, p. 715, 1951. (Syn. R. gracilis Burl. subsp. altaica

Singer). caucasica (Singer) Singer in Lilloa, 22, p. 714, 1951. (Syn. R. puellaris Fr. var. cau-

casica Singer). cremea (Murr.) Singer in Lilloa, 22, p. 711,

1951.(Syn. R. heterospora var. cremea Murr.).

*Sabouradites rivalieri Vanbreuseghem in Arch. belg. Derm. Syph., 7, p. 1 (of reprint), 1951 on man.—Belgian Congo.

Sarcodontia setosa (Pers.) Donk in Mycologia, 44, p. 262, 1952. (Syn. Hydnum setosum Pers.).

Sclerotinia kitajimana Ito & Hosaka in Bull. Govt Forest Exp. Sta., Tokyo, 51, p. 17, 1951 on dead Cryptomeria japonica.—Japan.

Sepedonium ampullosporum Damon in Mycologia, 44, p. 91, 1952 in culture from C.B.S., Baarn, Holland.

- chlorinum (Tul.) Damon in Mycologia, 44, 95, 1952. (Syn. Hypomyces chlorinus p. 95, 1 Tulasne).

Septoria cravensis Bernaux in Rev. Mycologie, N.S., 16, p. 210, 1952 on Teucrium cravense. -France.

sincorensis Batista in Bol. Agric., Pernam-

buco, 17, p. 164, 1950 on Croton sincorensis.—

Sorosporium aristidae-cyananthae (Bref.) Zundel in Fischer, The Smut Fungi, p. 30, 1951. (Syn. Ustilago aristidae-cyananthae Bref.).

- loudetiae Viennot-Bourgin in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 104, 1951 on

Loudetia.—Cameroons.

- setaricola Thirumalachar & Safee. in Sydowia, 5, p. 439, 1951 on Setaria pallidifusca.

_India. Sphacelotheca hydropiperis (Schum.) De-Bary var. columellifera (Tul.) Zundel in Fischer, The Smut Fungi, p. 40, 1951. (Syn. Ustilago hydropiperis var. columellifera Tul.). - pappophori (Pat.) Zundel in Fischer, The

Smut Fungi, p. 42, 1951. (Syn. Ustilago pap-

pophori Pat.).

Sphaeronaema platani da Camara in Agron. lusit., 13, p. 137, 1951 on Platanus.—Portugal.

Sphaerotheca spiraeae Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 104, 1951 on Spiraea thunbergii & S. prunifolia.-Japan.

Stachybotrys parvispora Hughes in Mycol. Pap., C.M.I., 48, p. 74, 1952 on dead Ananas comosus.-Gold Coast. Stagonospora betulina (Rostr.) Sacc. forma

crassispora da Camara in Agron. lusit., 13, p. 207, 1951 on Alnus glutinosa.—Portugal. zeina Saccas in Rev. Path. Vég., 30, p. 192, 1951 on dead Zea mays.—French Equatorial

Stagonostroma gigaspora da Camara in Agron. lusit., 13, p. 207, 1951 on Agave

americana.—Portugal.

Steccherinum investiens (Berk.) Boedijn in Sydowia, 5, p. 213, 1951. (Syn. Hydnum investiens Berk.).

Stictis caballeroi Bausá Alcalde in An. Jard. bot. Madr., 10, p. 233, 1952 on dead Pitheco-lobium polycephalum.—Spain.

STILBELLÜLA Boedijn in Sydowia, 5, p. 227, 1951.—Stilbaceae.

pallida Boedijn in Sydowia, 5, p. 228, 1951.

Stilbospora terminaliae Hughes in Mycol. Pap., C.M.I., 48, p. 77, 1952 on Terminalia.

-Gold Coast. Strasseria agapanthi da Camara in Agron. lusit., 13, p. 137, 1951 on Agapanthus umbellatus.—Portugal.

viburni da Camara in Agron. lusit., 13, p. 138, 1951 on Viburnum tinus.—Portugal.

Stromatinia narcissi Drayton & Groves in Mycologia, 44, p. 127, 1952 on outer scales of Narcissus bulbs.—Ontario, Canada. STROMATOCREA W. B. Cooke in Mycolo-

gia, 44, p. 248, 1952.—Moniliales.

cerebriforme W. B. Cooke in Mycologia, 44, p. 249, 1952 on dead Acer glabrum var. douglasii.-Washington, U.S.A.

Suillus rubinus (W. G. Smith) Singer in Lilloa, 22, p. 659, 1951. (Syn. Boletus rubinus W. G. Smith).

- sibiricus (Singer) Singer in Lilloa, 22, p. 657, 1951. (Syn. Ixocomus sibiricus Singer). -subsp. helveticus Singer nom. nov. in Lilloa, 22, p. 657, 1951. (Syn. Ixocomus

sibiricus sensu Favre non Singer).

Synchytrium borreriae Lacy in Indian Phytopatholgy, 3, p. 159, 1951 on Borreria hispida.—India.

- nyctanthidis Lacy in Indian Phytopathology, 3, p. 160, 1951 on Nyctanthes arbor-tristis. India.

sesamicola Lacy in Indian Phytopathology, 3, p. 159, 1951 on Sesamum indicum.—India.

stereospermi Lacy in Indian Phytopathology, 3, p. 157, 1951 on Stereospermum suaveolens.—India.

Teichospora helianthemi (Ade) Petrak in Sydowia, 5, p. 409, 1951. (Syn. Cucurbitaria helianthemi Ade).

Teichosporella pachyasca Luc in Rev. Mycologie, 16, Suppl. Col. No. 2, p. 115, 1951 on Cola vera .- Ivory Coast.

Termitomyces clypeatus Heim nom. nov. in Bull. Jard. bot. Brux., 21, p. 207, 1951. (Syn. Pluteus goossensiae Beeli p. p. and Schulzeria goossensiae Belli p. p.).
- globulus Heim & Goossens apud Heim in

Bull. Jard. bot. Brux., 21, p. 216, 1951 in

termite nest.—Belgian Congo.

medius Heim & Grassé in Rev. sci., Paris, 88, p. 8, 1950 in nest of Ancistrotermites latinotus.—French Equatorial Africa.

Thaxteria lutea Batista in Bol. Agric., Pernambuco, 17, p. 5, 1950 on wood.—Brazil.

Thecaphora rhynchosporae Fischer in Res. Stud. St. Coll. Wash., 20, p. 5, 1952 on Rhynchospora plumosa.—Missouri, U.S.A.

Thyrostroma acanthophylli Esfandiari in Sydowia, 5, p. 369, 1951 on Acanthophyllum.

Tilachlidium ramosum (Mains) Mains in Mycologia, 43, p. 714, 1952. (Syn. Hirsutella ramosa Mains)

Tilletia asperifolioides Fischer in Res. Stud. St. Coll. Wash., 20, p. 6, 1952 on Muhlenbergia filiformis.—Colorado, U.S.A.

- brevifaciens Fischer in Res. Stud. St. Coll. Wash., 20, p. 11, 1952 on Agropyron intermedium.-Idaho, U.S.A.

makutensis Thirumalachar & Safee. in Sydowia, 5, p. 440, 1951 on Setaria pallidifusca.—India.

narasimhanii Thirumalachar & Safee. in Sydowia, 5, p. 442, 1951 on Panicum trypheron.—India.

pachyderma Fischer in Res. Stud. St. Coll. Wash., 20, p. 7, 1952 on Muhlenbergia utilis.

-Mexico.

scrobiculata Fischer in Res. Stud. St. Coll. Wash., 20, p. 6, 1952 on Poa secunda. Idaho, U.S.A.

Titaea costaricana (Syd.) Boedijn in Sydowia, 5, p. 225, 1951. (Syn. Aorate costaricana Syd.). Torula convolvuli Esfandiari in Sydowia, 5, p. 370, 1951 on Convolvulus.--Iran

Tremella coalescens Olive in Mycologia, 43,

p. 678, 1952 on wood.—Louisiana, U.S.A. TRICHODOTHELLA Petrak apud Blumer in Résult. Rech. sci. Parc nat. Suisse, N.S., 2, 14, p. 37, 1946.—Dothideales.

blumeri Petrak apud Blumer in Résult. Rech. sci. Parc nat. Suisse, N.S., 2, 14, p. 37, 1946 on Globularia cordifolia.—Switzerland. Tricholoma atrobrunneum Dennis in Trans.

Brit. mycol. Soc., 34, p. 476, 1951.—Trinidad. auratocephalum (Ellis) Singer in Lilloa, 22, p. 224, 1951. (Syn. Hygrophorus aurato-

cephalus Ellis).

czuicum (Singer) Singer in Lilloa, 22, p. 224, 1951. (Syn. Hygrocybe czuicum Singer). griseum Dennis in Trans. Brit. mycol. Soc.,

34, p. 477, 1951.—Trinidad.

- naranjanum Dennis in Trans. Brit. mycol. Soc., 34, p. 477, 1951.—Trinidad.

ponderosum (Peck) Singer in Lilloa, 22, p. 227, 1951. (Syn. Armillaria ponderosa Peck). rimosoides Dennis in Trans. Brit. mycol.

Soc., 34, p. 479, 1951.—Trinidad. - russuloides Murrill in Mycologia, 44, p.

113, 1952.—Florida, U.S.A.

Tricholomopsis fimbriatophylla (Kauffm.) Singer in Lilloa, 22, p. 196, 1951. (Syn. Hygrophorus fimbriatophyllus Kauffm.).
-flavescens (Peck) Singer in Lilloa, 22, p.

196, 1951. (Syn. Tricholoma flavescens (Peck)

flavissima (A. H. Smith) Singer in Lilloa, 22, p. 196, 1951. (Syn. Clitocybe flavissima A. H. Smith).

formosa (Murr.) Singer in Lilloa, 22, p. 196, 1951. (Syn. Cortinellus formosus Murr.).

tropica Dennis in Trans. Brit. mycol. Soc., 34, p. 475, 1951.—Trinidad.

Trichoscyphella tenuipilosa Cash apud W. B. Cooke in *Mycologia*, 44, p. 245, 1952 on *Pinus ponderosa*.—Washington, U.S.A.

Trichoseptoria maydina Saccas in Rev. Path. Vég., 30, p. 194, 1951 on Zea mays.—French Equatorial Africa.

Trichosporon intermedium Florenzano in Ric. sci., 20, p. 1495, 1950 from wine.—Italy. Trichothecium cystosporium Duddington in Trans. Brit. mycol. Soc., 34, p. 600, 1951 on nematodes.—England.

Tylopilus beelii Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 324, 1951.—Belgian Congo.

striatulus Heinemann in Bull. Jard. bot. Brux., 21, p. 320, 1951.—Belgian Congo.

- suavissimus Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 315, 1951.—Belgian Congo.

tenuis Heinemann in Bull. Jard. bot. Brux., 21, p. 317, 1951.—Belgian Congo.

var. purpureobadius Heinemann in Bull. Jard. bot. Brux., 21, p. 318, 1951.-Belgian Congo.

- violaceus (Beeli) Heinemann in Bull, Jard. bot. Brux., 21, p. 322, 1951. (Syn. Boletus violaceus Beeli).

Uncinula asteris Sawada in Bull. Govt Forest Exp. Sta., Tokyo, 50, p. 108, 1951 on Aster ageratoides subsp. obovatus.-Japan.

Uraecium africanum Cummins in Bull. Tor-rey bot. Cl., 79, 1952, p. 227, on Baphia nitida.—Gold Coast.

carpodini Cummins in Bull. Torrey bot. Cl., 79, p. 228, 1952 on Carpodinus dulcis.-Sierra Leone.

- magnisporum Cummins in Bull. Torrey bot. Cl., 79, p. 228, 1952 on Croton ?macro-stachys.—Kenya. R

Uredo aburiensis Cummins in Bull. Torrey bot. Cl., 79, p. 229, 1952 on Lannea acidissima. R -Gold Coast.

- alafiae Cummins & Gopalkrishnan apud Cummins in Bull. Torrey bot. Cl., 79, p. 230, RI

1952 on Alafia clusioides.—Uganda. calotropsidis Cummins in Bull. Torrey bot. Cl., 79, p. 230, 1952 on Calotropis procera. Colombia.

chlorophorae Cummins in Bull. Torrey bot. Cl., 79, p. 230, 1952 on Chlorophora regia.-RE Sierra Leone.

- jeffersii Cummins in Bull. Torrey bot. Cl., 79, p. 231, 1952 on Rubus.—Venezuela.

- laporteae Hiratsuka f. in J. Jap. Bot., 27, p. 116, 1952 on Laportea bulbifera.—Japan. maschalocephali Cummins in Bull. Torrey

bot. Cl., 79, p. 231, 1952 on Maschalocephalus dinklagei. Liberia.

mckinleyensis Cummins in Bull. Torrey

bot. Cl., 79, p. 231, 1952 on Salix reticulata var. qiqantifolia.—Alaska. monechmae Cummins in Bull. Torrey bot.

Cl., 79, p. 231, 1952 on Monechma subsessile. -Uganda.

- morifolia Sawada apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 171, 1943 on Morus alba and M. australis.— Formosa.

myopori Cummins in Bull. Torrey bot. Cl., 79, p. 232, 1952 on Myoporum sandwichense. —Hawaii.

- panici-plicati Sawada apud Ito & Murayama in Trans. Sapporo nat. Hist. Soc., 17, p. 170, 1943 on Panicum plicatum.—For. mosa.

- stenochlaenae Cummins in Bull. Torrey bot. Cl., 79, p. 232, 1952 on Stenochlaena vestita. -Honduras.

Urocystis hepaticae-trilobae (DC.) Moesz (this Index, ii, p. 30) is prior to the comb. in ii,

ranunculi-auricomi (Liro) Zundel in Fischer, *The Smut Fungi*, p. 113, 1951. (Syn. Tuburcinia ranunculi-auricomi Liro).

Uromyces kigesianus Cummins in Bull. Torrey bot. Cl., 79, p. 233, 1952 on Pitto-sporum abyssinicum.—Uganda.

occultus Lindquist in Bol. Soc. argent. Bot., 3, p. 223, 1951 on Juncus densifiorus var. pohlii.—Argentine.

rhinacanthi Cummins in Bull. Torrey bot. Cl., 79, p. 233, 1952 on Rhinacanthus nasutus. -Togoland.

wiehei Cummins in Bull. Torrey bot. Cl., 79, p. 233, 1952 on *Thalictrum rhynchocarpum.*-Nyasaland. wolfii Cummins in Bull. Torrey bot. Cl., 79,

p. 234, 1952 on Borreria laevis.—Venezuela. yakushimensis Hiratsuka f. & Katsuki in J. Jap. Bot., 27, p. 113, 1952 on Trichosanthes multiloba.—Japan.

Ustilago compacta Fischer in Res. Stud. St. Coll. Wash., 20, p. 8, 1952 on Lolium multi-

florum.—Oregon, U.S.A.
-enneapogonis Fischer in Res. Stud. St. Coll. Wash., 20, p. 8, 1952 on Enneapogon desvauxii.—Arizona, U.S.A.

halophiloides Fischer in Res. Stud. St. Coll. Wash., 20, p. 9, 1952 on Distichlis stricta.—Oregon, U.S.A.

hilariicola Fischer in Res. Stud. St. Coll. Wash., 20, p. 10, 1952 on Hilaria jamesii.— Nevada, U.S.A.

Vaginata fulva (Fr.) A. H. Smith, Mushrooms in their Natural Habitats, p. 396, 1949. (Syn. Agaricus vaginatus Fr. var. fulva Fr.).

- inaurata (Secr.) A. H. Smith, Mushrooms in their Natural Habitate, p. 398, 1949. (Syn. Amanita inaurata Secretan).

Valsaria squarrosa Batista in Bol. Agric., Pernambuco, 17, p. 62, 1950 on Ficus benjamina.—Brazil.

Vanromburghia rugulosa (Lév.) Boedijn in Sydowia, 5, p. 214, 1951. (Syn. Phlebophora rugulosa Lév.).

Verticillium albo-atrum Reinke & Berthold var. dahliac (Klebahn) Nelson, Verticillium wilt of Peppermint, p. 110, 1950. (Syn. V. dahliae Klebahn).

var. menthae Nelson, Verticillium wilt of Peppermint, p. 111, 1950 on Mentha spp. and Monarda fistulosa.—Michigan, U.S.A. VIEGASIA Batista in Bol. Agric., Pernambuco,

18, p. 32, 1951.—Polystomellaceae.

cissampeli (Hansford) Batista in Bol. Agric., Pernambuco, 18, p. 32, 1951. (Syn. Schneepia cissampeli Hansford).

Volvariella bombycina (Pers. ex Fr.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria

bombycina (Pers. ex Fr.) Quél.).
— cnemidophora (Mont.) Singer in Lilloa, 22, 401, 1951. (Syn. Volvaria cnemidophora (Mont.) Sacc.).

_diplasia (Berk. & Br.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria diplasia (Berk.

& Br.) Sacc.).

esculenta (Massee) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria esculenta Mas-

media (Schum. ex Fr.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria media (Schum.

ex Fr.) Gill.).

- plumulosa (Lasch ex Oudemans) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria plumulosa (Lasch) Quél.).

-pubescentipes (Peck) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria pubescentipes (Peck) Sacc.).

pusilla (Pers. ex Fr.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria pusilla (Pers. ex Fr.) Quél.).

- speciosa (Fr.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria speciosa (Fr.) Gill.).

- var. gloiocephala (DC. ex Fr.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria gloiocephala (DC. ex Fr.) Gill.).

-surrecta (Knapp) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria surrecta (Knapp) Ramsb.).

- taylori (Berk.) Singer in Lilloa, 22, p. 401, 1951. (Syn. Volvaria taylori (Berk.) Quél.).

- villosovolva (Lloyd) Singer in Lilloa, 22,

p. 401, 1951. (Syn. Volvaria villosovolva Lloyd).

- volvacea (Bull. ex Fr.) Singer in Lilloa, 22, p. 401, 1951. Syn. Agaricus volvaceus Bull. ex Fr.).

Whitfordia elegans (Spreng. ex Fr.) Singer in Lilloa, 22, p. 732, 1951. Syn. Daedalea elegans Spreng. ex Fr.).

Xerocomus albobrunneus Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 271, 1951.—Belgian Congo.

- alliaceus (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 266, 1951. (Syn. Boletus alliaceus Beeli).

boletiformis (Beeli) Heinemann in Bull. Jard. bot. Brux., 21, p. 274, 1951. (Syn. Favolus boletiformis Beeli).

pallidiporus Heinemann in Bull. Jard. bot. Brux., 21, p. 273, 1951.—Belgian Congo.

pseudotristis Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 278, 1951.—Belgian Congo.

-sulcatipes Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 276, 1951.—Belgian Congo.

spinulosus Heinemann & Goossens apud Heinemann in Bull. Jard. bot. Brux., 21, p. 268, 1951.—Belgian Congo.

Xeromphalina orickiana (A. H. Smith) Singer in Lilloa, 22, p. 368, 1951. (Syn. Omphalia orickiana A. H. Smith).

Xerula pudens (Pers. ex S. F. Gray) Singer in Lilloa, 22, p. 289, 1951. (Syn. Agaricus pudens Pers.).

Xylosphaeria deviata Petrak in Sydowia, 5, p. 241, 1951 on dead Sabal palmetto.—Florida, U.S.A.

- marylandica Petrak in Sydowia, 5, p. 239, 1951 on dead Ulmus.—Maryland, U.S.A.

Zignoella milleri (Chard.) Petrak in Sydowia, 5, p. 233, 1951. (Syn. Melanopsamma milleri Chard.).

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

ACANTHACEAE Monechma subsessile $Uredo\ monechmae$ Rhinacanthus nasutus Uromyces rhinacanthi ACERACEAE

Acer glabrum var. douglasii Stromatocrea cerebriforme

Acer negundo

Macrophoma negundinis

Algae Oscillatoria rubescens Rhizophidium deformans

Rhizophidium oscillatoriae-rubescentis

Sphaerocystis schroeteri Polyphagus ramosus Vaucheria geminata Chytridium sexuale AMARANTACEAE

Cyathula tomentosa Puccinia padwickii Cyathula uncinulata

Puccinia cyathulicola Puccinia cyathulicola var. kenyensis AMARYLLIDACEAE Agave americana Stagonostroma gigaspora Lycoris Puccinia lycoridicola Narcissus

Stromatinia narcissi Anacardiaceae Lannea acidissima Uredo aburiensis

Annonaceae Annona cherimolia Phomopsis anonae Cleistopholis patens

Asterina disseminata var. cleistopholidis Meliola popowiae var. cleistopholidis

APOCYNACEAE Alafia clusioides Uredo alafiae Carpodinus dulcis $\bar{U}raecium\ carpodini$ Mandevilla Hemileia mandevillae

APOCYNACEAE (continued) Thevetia neriifolia $Fusicoccum\ lahoreanum$ Trachelospermum jasminoides Ascochŷta trachelospermi AQUIFOLIACEAE Ilex aquifolium Hendersonia ilicina ARACEAE Culcasia scandens Annellophora appendiculata ASCLEPIADACEAE Calotrosis procera
Uredo calotropsidis Leptadenia pyrotechnica? Diplodina iranica Margaretta whytei Aecidium märgarettae Tylophora conspicua Aecidium tafoense

BERBERIDACEAE Mahonia aquifolium Colletotrichum mahoniae BETULACEAE Alnus glutinosa Stagonospora betulina f. crassispora BIGNONIACEAE Catalpa koempferi Phomopsis catalpicola Clytostoma calystegioides Prospodium oblectum Stereospermum acuminatissimum Phragmidiella africana Stereospermum suaveolens Synchytrium stereospermi BOMBACACEAE Bombax malabaricum Diplodia bombacina BORAGINACEAE Cordia obliqua Cytosporella corticola BROMELIACEAE Ananas comosus Stachybotrys parvispora Portea Parmularia porteae BURSERACEAE

Nothoravenelia commiphorae

CAPPARIDACEAE Capparis aphylla Camarosporium capparidis CAPRIFOLIACEAE Lonicera $Pleospora\ heterophragmia$ Viburnum tinus Strasseria viburni CARYOPHYLLACEAE Acanthophyllum Thyrostroma acanthophylli Minuartia verna Pleospora rupestris CHENOPODIACEAE Atriplex halimus Cerebella atriplicis CISTACEAE

Commiphora

COMBRETACEAE
Combretum
R
Cerotelium combreti
Terminalia
Stilbospora terminaliae

Cistus ladaniferus

Hendersonia cisti

F

COMPOSITAE Aster ageratoides subsp. obovatus Uncinula asteris Baccharis Puccinia enixa Blumea Entyloma globigena Centaurea jacea Leptosphaeria jaceae Erlangea ?marginata Angiopsora wiehei Galinsoga parviflora Protomyces wodziczkoi Guizotia scabra Puccinia guizotiae Lactuca scariola $Phyllosticta\ multiform is$ Olearia avicenniaefolia Nectria westlandica Pertya glabrescens Coleosporium pertyae Senecio scandens Aecidium senecionis-scandentis Vernonia cistifolia Puccinia kenyana CONIFERAE Cryptomeria japonica Sclerotinia kitajimana Larix occidentalis Coccodinium laricis Pinus palustris $Nae \overset{ au}{m} a cyclus\ stictiform is$ Pinus ponderosa $Trichoscyphella\ tenuipilosa$ Pseudotsuga taxifolia var. glauca

Helminthosporium pseudotsugae
Convolvulaceae
Calystegia sepium
Phoma macrocollum
Phoma minuta
Phomopsis macrocollum
Convolvulus
Torula convolvuli
Connaceae
Helwingia japonica
Microsphaera helwingiae
Cucurrettaee
Luffa acutangula

Luffa acutangula
Colletotrichopsis luffae
Trichosanthes dioica
Blastotrichum chowdhuryi
Trichosanthes multiloba
Uromyces yashimensis
CYPERACEAE

Scirpus tabernaemontanus
Arthrinium curvatum var. minus
Rhynchospora plumosa
Thecaphora rhynchosporae

Datisca cannabina
Cercospora datiscicola
DILLENIACEAE
Tetracera alnifolia
Asterina scruposa var. longipoda

ERICACEAE
Arbutus unedo
Didymosphaeria dimastospora
EUPHORBIACEAE
Croton ?macrostachys
Uraecium magnisporum
Croton sincorensis
Phyllosticta caatingae
Septoria sincorensis

EUPHORBIACEAE (continued) Euphorbia pulcherrima Fusicoccum euphorbiae Macaranga huraefolia Meliola bougheyana Manihot palmata Gloeosporium caballeroi Tragia spathulata Asterina tragiae

FAGACEAE

Quercus Discosia nobilis Hercospora concinna Mycosphaerella psilospora Quercus atropatena

Cladosporium manoutchehrii

Quercus serrata

Microsphaera querci

Exidia glandulosa Helicogloea parasitica Melanconiopsis africana Nectria fuliginosispora

Phyllachora Leptosphaeria caucana

GERANIACEAE

Pelargonium peltatum Dothiorella paucilocelata

GLOBULARIACEAE Globularia cordifolia Trichodothella blumeri

GRAMINEAE Agropyron intermedium

Tilletia brevifaciens Cenchrus ciliaris Puccinia cenchri var. africana

Cynodon dactylon Dothiorella graminicola Distichlis stricta

Ustilago halophiloides

Enneapogon desvauxii Ustilago enneapogonis Hilaria jamesii

Ustilago hilariicola Hystrix hackeli

Puccinia asprellae-japonicae Imperata cylindrica var. africana Deightoniella africana

Lolium

Puccinia graminis subsp. lolii Lolium multiflorum

Ustilago compacta Loudetia

Sorosporium loudetiae Muhlenbergia filiformis Tilletia asperifolioides

Muhlenbergia utilis
Tilletia pachyderma

Oryza sativa Fusarium annulatum

Fusarium moniliforme var. oryzae Fusarium nivale var. oryzae Gibberella fujikuroi f. oryzae

Oryzopsis miliacea

Leptosphaeria papillosa Panicum antidotale Diplodina panici Panicum plicatum

Uredo panici-plicati Panicum trypheron

Tilletia narasimhanii Phleum alpinum

Clathrospora multiseptata

GRAMINEAE (continued) Phleum phleoides Pleospora phlei

Poa alpina Pleospora subalpina

Poa secunda Tilletia scrobiculata

Saccharum officinarum Dictyoarthrinium africanum

Setaria pallidifusca Sorosporium setaricola

Tilletia makutensis Setaria splendida Puccinia wiehei

Tripsacum dactyloides $Puccinia\ tripsacicola$

Trisetum distichophyllum Pleospora raetica

Trisetum flavescens Neottiosporella triseti

Zea mays

Acanthostigma zeae Coleroa boukokoensis Coleroa maydicola Coniothyrium maydis Didymosphaeria maydis Diplodia zeicola Diplodina drouillonii Gibbera maydis

Hendersonia maydis Leptosphaeria zeae-maydis

Leptosphaeria zeicola Mycosphaerella zeina Nectria zeae

Ophiobolus zeae Ophioceras zeae

Phialophora radicicola Phyllosticta zeae-maydis

Pleospora zeina Stagonospora zeina Trichoseptoria maydina

HAMAMELIDACEAE

Liquidambar styraciflua Cryptodiapothe liquidambaris Discosporium liquidambaris

Ancistrotermites latinótus Termitomuces medius

Bembidion picipes Laboulbenia bembidio-palpi Laboulbenia odobena Laboulbenia tapirina

INVERTEBRATA (other than Insecta)

Nematodes

Arthrobotrys robusta Dactylella lobata

Didymozoophaga arthrobotryoides var. indolens

Didymozoophaga dolioformis Didymozoophaga globospora

Didymozoophaga globospora var. microspora Didymozoophaga globospora var. rosea

Didymozoophaga kirghizica

Didymozoophaga oligospora var. fusiformis Didymozoophaga oviformis

Didymozoophaga oviformis var. ramosa

Didymozoophaga pravicovia

Didymozoophaga spongiosa Didymozoophaga superba var. macrospora

Trichothecium cystosporium

JUNCACEAE

Juncus densiflorus var. pohlii Uromyces occultus

LILIACEAE

LABIATAR Elsholtzia patrini Ischnochaeta elsholtziae Iboza multiflora Puccinia ibozae Lavandula stoechas Leptosphaeria lavandulae Marrubium vulgare Diplodina marrubii Mentha spp.
Verticillium albo-atrum var. menthae Monarda fistulosa Verticillium albo-atrum var. menthae Nepeta glechoma Erysiphe nepetae Salvia Dothiorella salviae Salvia azurea Puccinia farinacea var. azurea Salvia fulgens Puccinia biporula Salvia karwinskii Puccinia farinacea var. constricta Salvia pseudococcinea Aecidium wiehei Salvia purpurea Puccinia mitrata var. basiporula Salvia tiliaefolia Puccinia alamedensis Teucrium cravense Septoria cravensis LARDIZABALACEAE Akebia quinata Microsphaera akebiae Akebia trifoliata Microsphaera akebiae LAURACEAE Beilschmeidia tawa Nectria tawa LEGUMINOSAE Acacia Ravenelia ajmerensis Acacia arabica Cytosporella lignicola Acacia cuninghami Colletotrichum acaciae Acacia senegal Ravenelia acaciae-senegaliae Ravenelia acacicola Albizzia harveyi Ravenelia albizziicola Baphia nitida Asterina baphiae Uraecium africanum Bauhinia purpurea Phomopsis bauhiniae Carmichaelia Nectria hauturu Cassia Phomopsis cassiae Ravenelia wiehei Ceratonia siliqua Amphichaeta ceratoniae Erinacea pungens $Pseudos arcophoma\ caballeroi$ Fabricia laevigata Diplodia fabriciae Massaria sphaerelloidea Gymnocladus canadensis Colletotrichum gymnocladi Indigofera Helminthosporium iranicum Pithecolobium polycephalum Massaria sphaerelloidea Stictis caballeroi

Agapanthus umbellatus Strasseria agapanthi Asparagus Fusicoccum asparagi Asparagus plumosus Phomopsis asparagicola LOGANIACEAE Anthocleista nobilis $Annellophora\ africana$ LORANTHACEAE Loranthus Asterina aburiensis LYTHRACEAE Lagerstroemia alba Dothiorella lagerstroemiae MAGNOLIACEAE Magnolia obovata $ar{M}icrosphaera\ magnoliae$ Schizandra nigra Microsphaera schizandra MALVACEAE Abutilon sordidum Phomopsis abutilonis Abutilon striatum $Ascochyta\ abutilonicola$ Plagianthus betulinus Nectria plagianthi Sida Coleosporium sidae MARANTACEAE Hypselodelphis ?poggeana Meliola hypselodelphidis MELIACEAE Melia azedarach Pseudovalsa shearii Pyrgostroma shearii MENISPERMACEAE Triclisia subcordata Meliola pericampyli var. triclisiae MORACEAE Chlorophora regia Uredo chlorophorae Ficus palmata
Dothiorella ficina Morus alba Uredo morifolia Morus australis Uredo morifolia Ficus benjamina Valsaria squarrosa MYOPORACEAE Myoporum acuminatum Microbotryodiplodia myopori Myoporum sandwichense Uredo myopori MYRTACEAE Eucalyptus Cylindrocladium scoparium var. brasiliensis Leptospermum ericoides Nectria manuka

Nyctaginaceae Bougainvillaea Diplodia bougainvilleae Phomopsis bougainvilleae

OLEACEAE
Fontanesia phillyraeoides
Alveophoma caballeroi
Phoma valentina
Phomopsis fontanesiae
Jasminum officinalis
Pleurophomopsis valentinus

OLEACEAE (continued)
Ligustrum vulgare
Cytospora teheranica
Nyotanthes arbor-tristis
Synchytrium nyotanthidis
ONAGRACEAE
Epilobium angustifolium
Pleospora epilobii

Borassus aethiopus Dictyoarthrinium quadratum Cocos nucifera Dictyosporium cocophylum Sabal palmetto Massarina floridana Xylosphaeria deviata PEDALIACEAE Sesamum indicum Synchytrium stereospermi PINACEAE Pinus radiata Nectria radiata PITTOSPORACEAE Pittosporum abyssinicum Uromyces kigesianus Pittosporum undulatum Coryneum doliolioides PLATANACEAE Platanus Sphaeronaema platani POLEMONIACEAE Polemonium californicum Entyloma montis-ranieri PORTULACACEAE Claytonia lanceolata Puccinia claytoniicola

RANUNCULACEAE
Clematis hayata
Puccinia clematis-hayatae
Paeonia officinalis
Ascockyta paeoniae
Thalictrum rhynchocarpum
Uromyces wiehei
RAPATEACEAE

Physoderma marsileae

Stenochlaena vestita

Uredo stenochlaenae

PTERIDOPHYTA Marsilea vestita

Maschalocephalus dinklagei *Uredo maschalocephali* RHAMNACEAE Berchemia racemosa

Microsphaera berchemiae Zizyphus jujuba Diplodiella milleri

ROSACEAE
Acomastylis turbinata
Cashiella atra
Prunus

Massaria sphaerelloidea Prunus grayana Podosphaera longiseta

Pyrus malus Phialophora goidanichii Rubus

Uredo jeffersii Spiraea prunifolia Sphaerotheca spiraeae Spiraea thunbergii Sphaerotheca spiraeae RUBIACEAE Anthocephalus cadamba Gloeosporium anthocephali Asperula galioides Passeriniella adeana Borreria hispida Synchytrium borreriae Borreria laevis Uromyces wolfii Coprosma grandifolia Nectria coprosmae Coprosma pseudocuneata Nectria ruapehu Galium japonicum Puccinia ishizuchiensis Ixora Asterinella ixoricola RUTACEAE Citrus limonum Gloeosporium pedemontanum

Salicaceae
Salix reticulata var. gigantifolia
Uredo mckinleyensis
Salvadoraceae
Salvadora oleoides
Diplodia salvadorina

Samydaceae Homalium dolichophyllum Asterina homaliicola Saxifragaceae

Lithophragma parviflora
Entyloma lithophragmae
SCROPHULARIACEAE
Pedicularis latifolia

Pleospora minor var. americana SIMARUBACEAE

Picrasma quasioides
Microsphaera picrasmae

SOLANACEAE
Grabowskia boerhaaviaefolia
Dothiorella valentina
Phomopsis grabowskiae
Withania somnifera
Coniothyrium withaniae
Diplodia withaniae

Diplodia withaniae
STAPHYLEACEAE
Staphylea bumalda
Microsphaera staphyleae

STERCULIACEAE Cola vera

Melanconiopsis africana
Melomastis hyalostoma
Phaeobotryosphaeria varians
Teichosporella pachyasca
Dombeya nairobiensis
Puccinia dombeyae
Theobroma cacao
Menisporopsis theobromae

ULMACEAE
Celtis prantlii
Meliola celtidiae var. prantlii
Ulmus
Xylosphaeria marylandica
UMBELLIFERAE
Angelica morrisonicola
Puccinia nokoensis
Cachrys
Puccinia behboudii
Hydrocotyle ranunculoides
Entyloma fimbriatum
Lomatium grayi

Ascochyta lomatii

URTICACEAE
Boehmeria caudata
Kuchneromyces nudus
Laportea bulbifera
Uredo laporteae
Pilea petiolaris
Ischnochaeta pileae

VERBENACEAE
Vitex agnus-castus
Phomopsis viticis
Vitex macrophylla
Phomopsis viticis


Vertebratae
Homo sapiens
Sabourdites rivalieri
VITACEAE
Cissus oreophila
Asterina cissi
Leea guineensis
Asterina leeae

WINTERACEAE
Pseudowintera colorata
Nectria fragilis

The Editor gratefully acknowledges the assistance of Drs. R. Singer, J. A. Stevenson, and Edith Cash for supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

BOTANY Of Allahabado



INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 6

1953

Achorion decipiens (Boedijn & Verbunt) Boedijn in Mycopathologia, 6, p. 133, 1951. (Syn. Favotrichophyton decipiens Boedijn & Verbunt).

Actinodothidopsis nitida Petrak in Sydowia. 6, p. 242, 1952 on Coprosma.—Hawaii.

Aecidium satsumense Hiratsuka f. in Mem. Fac. Agric. Tokyo Univ. 1, p. 89, 1952 on Arisaema ringens var. praecox.—Japan.

Agrocybe fimicola (Speg.) Singer in Lilloa, 23, p. 209, 1950. (Syn. Naucoria fimicola Speg.).
ANTENNOPSIS Heim in Bull. Soc. mycol.

Fr., 67, p. 347, 1952.—Moniliales.

gallica Heim & Buchli in Bull. Soc. mycol. Fr., 67, p. 347, 1952 on Reticulitermes flavipes var. santonensis .- France.

Aplanes ozeensis Kobayasi in J. Jap. Bot.,

Aplanes Ozeensis Robayasi in v. ap. Bos., 27, p. 181, 1952 in water.—Japan. Arrhenia flabellula (Berk. & Curt.) Dennis in Kew. Bull., 1952, p. 327, 1952. (Syn. Laschia flabellula [Berk. & Curt.] Cooke).

Asterina systema-solare Massee var. minor E. Fischer in Proc. roy. Soc. Vict., N.S., 62, p. 131, 1950 on Banksia robur and B. robur var. minor.—Queensland, Australia.

Basidiophora butleri (Weston) Thirumalachar & Whithead in Amer. J. Bot., 39, p. 418, 1952. (Syn. Sclerospora butleri Weston).

Belonioscypha lactea (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 177, 1951. (Syn. Helotium lacteum Ellis & Ev.).

Belonium atrosanguineum (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 172, 1951. (Syn. Calloria atrosanguinea Rehm).

- basitrichum (Sacc.) Seaver, The North American Cup-Fungi (Inoperculates), p. 170, 1951. (Syn. Belonidium basitrichum Sacc.).

-caricincolum (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 175, 1951. (Syn. Belonidium caricincolum Rehm). - culmicola (Desm.) Seaver, The North American Cup-Fungi (Inoperculates), p. 176, 1951. (Syn. Peziza culmicola Desm.).

glyceriae (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 170, 1951.

(Syn. Belonidium glyceriae Peck). heteromorphum (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 174, 1951. (Syn. Peziza heteromorpha Ellis

& Ev.). intermedium (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 175, 1951. (Syn. Belonidium intermedium Rehm).

minimum (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 172, 1951. (Syn. Belonidium minimum Ellis & Ev.).

- parksi (Cash) Seaver, The North American

Cup-Fungi (Inoperculates), p. 171, 1951. (Syn. Belonidium parksi Cash).

phlegmaceum (Ellis) Seaver, The North Âmerican Cup-Fungi (Inoperculates), p. 172, 1951. (Syn. Peziza phlegmacea Ellis).

quisquiliarum (Berk. & Curt.) Seaver, The North American Cup-Fungi (Inoperculates), p. 172, 1951. (Syn. Peziza quisquiliarum Berk. & Curt.).

sclerogenum (Berk. & Curt.) Seaver, The North American Cup-Fungi (Inoperculates), p. 173, 1951. (Syn. Peziza sclerogena Berk. & Curt.).

tympanoides (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 171, 1951. (Syn. Belonidium tympanoides Ellis & Ev.).

Beltrania indica C. V. Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 45, 1952 on dead pods of Caesalpinia pulcherrima.—

Botryoconis sanguinea Tubaki apud Kominami, Kobayasi, & Tubaki in Nagaoa, 1, p. 7, 1952 from soil.—Japan.

Botryotinia draytoni (Buddin & Wakef.) Seaver, The North American Cup-Fungi (Inoperculates), p. 62, 1951. (Syn. Sclerotinia draytoni Buddin & Wakef.).

-narcissicola (Gregory) Seaver, The North American Cup-Fungi (Inoperculates), p. 63, 1951. (Syn. Sclerotinia narcissicola Gregory). [But see this Index, 1, p. 277.]

Calloria caricinella (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 167, 1951. (Syn. Helotium caricinellum Peck).

coccinea (Earle) Seaver, The North American Cup-Fungi (Inoperculates), p. 164, 1951. (Syn. Niptera coccinea Earle). - cremea (Cash) Seaver, The North American

Cup-Fungi (Inoperculates), p. 168, 1951. (Syn. Helotium cremeum Cash). glagosa (Ellis & Ev.) Seaver, The North

American Cup-Fungi (Inoperculates), p. 167, 1951. (Syn. Peziza glagosa Ellis & Ev.).

- helotioides (Rehm) Seaver, The North
American Cup-Fungi (Inoperculates), p. 167,

1951. (Syn. Lanzia helotioides Rehm). - lithospermi (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 165, 1951. (Syn. Niptera lithospermi Ellis

& Ev.) - muelleri (Willey) Seaver, The North American Cup-Fungi (Inoperculates), p. 168, 1951. (Syn. Phacopsis muelleri Willey).

nitens (Cash) Seaver, The North American Cup-Fungi (Inoperculates), p. 165, 1951. (Syn. Helotium nitens Cash)

Calonectria novae-zealandiae Dingley in Trans. roy. Soc. N.Z., 79, p. 404, 1952 on Discaria toumatou.—New Zealand.



Calosphaeria cryptospora Munk in Dansk. bot. Ark., 14, No. 8, p. 5, 1952 on Cryptospora suffusa.-Denmark.

Calycina petiolorum (Roberge) Seaver, The North American Cup-Fungi (Inoperculates), p. 110, 1951. (Syn. Peziza petiolorum Rob.). Camarophyllus adonis Singer in Sydowia, 6,

p. 172, 1952.—Argentine.

laccarioides Singer in Sydowia, 6, p. 170, 1952.—Argentine.

-tehuelches (Speg.) Singer in Sydowia, 6, p. 169, 1952. (Syn. Agaricus tehuelches Speg.). Camposporium cambrense Hughes in

Mycol. Pap. 36, p. 11, 1951 on Fagus sylvaticus .- Great Britain.

pellucidum (Grove) Hughes in Mycol. Pap. 36, p. 9, 1951. (Syn. Bactrodesmium caulin-cola (Corda) Grove var. pellucidum Grove).

Candida claussenii Lodder & Kreger-Van Rij,

The Yeasts, p. 672, 1952.—Denmark.
- curvata (Diddens & Lodder) Lodder &
Kreger-Van Rij, The Yeasts, p. 576, 1952.
(Syn. C. heveanensis (Groen.) Diddens & Lodder var. curvata Diddens & Lodder).

guilliermondii (Cast.) Lang. & Guerra var. membranaefaciens Lodder & Kreger-Van Rij, The Yeasts, p. 672, 1952 from figs.-U.S.A.

melibiosi Lodder & Kreger-Van Rij, The Yeasts, p. 672, 1952 from flower of Gentiana imbricata.-Germany.

-var. membranaefaciens Lodder & Kreger-Van Rij, The Yeasts, p. 673, 1952 from urine.—Japan.

mycoderma (Reess) Lodder & Kreger-Van Rij, The Yeasts, p. 477, 1952. (Syn. Saccharomyces mycoderma Reess).

-solani Lodder & Kreger-Van Rij, The Yeasts, p. 672, 1952 from potato flour.—

sorbosa Hedrick & Burke in Mycopathologia, 6, p. 94, 1951 from Drosophila crucigera .- Hawaii.

utilis (Henneb.) Lodder & Kreger-Van Rij, The Yeasts, p. 546, 1952. (Syn. Torula utilis Henneb.).

Cantharellula tarnensis (Speg.) Singer in Sydowia, 6, p. 196, 1952. (Syn. Agaricus tarnensis Speg.).

Cenangium dimorphum (Seaver) Seaver, The North American Cup-Fungi (Inoperculates), p. 303, 1951. (Syn. Dermatea dimorpha Seaver).

pruinosum (Ell. & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 300, 1951. (Syn. Peziza pruinosa Ellis & Ev.). [See also C. pruinosum Ces., Hedwigia, 1, p. 43, 1854.1

Cephalosporium salmosynnematum Roberts in Mycologia, 44, p. 304, 1952.-Michigan, U.S.A.

Ceratostoma marylandicum Petrak in Sydowia, 6, p. 12, 1952 on wood.—Maryland and Florida, U.S.A.

Cercospora chionanthi-retusi Togashi & Katsuki in Sci. Rep. Yokohama nat. Univ., Sect. II, 1, p. 1, 1952 on Chionanthus retusus.

-fukuokaensis Chupp apud Togashi & Kat-suki in Sci. Rep. Yokohama nat. Univ., Sect. II, 1, p. 2, 1952 on Styrax japonica.—Japan.

grewiae Srivastava & Mehta in Indian Phytopath., 4, p. 69, 1951 on Grewia asiatica.

-horiana Togashi & Katsuki in Sci. Rep.

Yokohama nat. Univ., Sect. II, 1, p. 4, 1952

on Parthenocissus tricuspidata.—Japan.
nojimai Togashi & Katsuki in Sci. Rep. Yokohama nat. Univ., Sect. II, 1, p. 5, 1952 on Impatiens textori.—Japan.

punctiformis (Fuckel) de Vries, Contribution to the knowledge of the Genus Clado-sporium, p. 97, 1952. (Syn. Cladosporium punctiforme Fuckel).

Cercosporella geranii W. B. Cooke & Shaw in Lloydia, 15, p. 126, 1952 on Geranium viscossissimum.—Washington State, U.S.A. Chaetosphaeria fusispora Larsen in Dansk.

bot. Ark., 14, No. 7, p. 7, 1952 on Fagus sylvatica.—Denmark.
- subcaespitosa Larsen in Dansk. bot. Ark.,

14, No. 7, p. 8, 1952 on dead Sambucus nigra.—Denmark.

Chaetothyrium babingtonii (Berk.) Dennis & M. B. Ellis in Trans. Brit. mycol. Soc., 35, p. 196, 1952. (Syn. Strigula babingtonii Berk.). [Comb. made by Keissler, 1937.]

Chlorociboria strobilina (Alb. & Schw.) Seaver, The North American Cup-Fungi (Inoperculates), p. 99, 1951. (Syn. Peziza tuberosa strobilina Alb. & Schw.). [Comb. made by Seaver in Mycologia, 1936.] Chloroscypha cryptomeriae Terrier in Ber.

schweiz. bot. Ges., 62, p. 422, 1952 on Crypto-meria japonica.—Switzerland.

Chlorosplenium olivaceum Seaver, The North American Cup-Fungi (Inoperculates), p. 105, 1951. [See also C. olivaceum Rick,

Brotéria, Ser. Bot., 25, p. 98, 1931.]
Chytridium versatile Scherffel var. podochytrioides Friedmann in Öst. Dot. Z., 99, p. 186, 1952 on Navicula oblonga.—Germany. CIBORIELLA Seaver, The North American Cup-Fungi (Inoperculates), p. 107, 1951.— Discomycetes. Type, C. rufescens. - rufescens (Kanouse) Seaver, The North

American Cup-Fungi (Inoperculates), p. 107, 1951. (Syn. Ciboria rufescens Kanouse).

Ciborinia bifrons (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 71, 1951. (Syn. Scientium bifrons Ellis & Ev.). [But see this Index, 1, p. 148.] - gracilipes (Cooke) Seaver, The North Ameri-

can Cup-Fungi (Inoperculates), p. 72, 1951. (Syn. Peziza gracilipes Cooke).

whetzelii (Seaver) Seaver, The North American Cup-Fungi (Inoperculates), p. 70, 1951. (Syn. Sclerotinia whetzelii Seaver). Cintractia atratae Savile in Canad. J. Bot.,

30, p. 423, 1952 on Carex atrata.—Montana, U.S.A.

- caricis (Pers.) Magn. var. acutarum Savile in Canad. J. Bot., 30, p. 425, 1952 on Carex aquatilis.—Yukon.

var. intermedia Savile in Canad. J. Bot., 30, p. 424, 1952 on Carex pennsylvanica var. pennsylvanica.—Manitoba, Canada.

carpophila (Schum.) Liro var. elynae (Syd.) Savile in Canad. J. Bot., 30, p. 419, 1952. (Syn. C. elynae Syd.).

var. kenaica Savile in Canad. J. Bot., 30, p. 419, 1952 on Carex pyrenaica subsp. micropoda.—Alaska.

var. verrucosa Savile in Canad. J. Bot., 30, p. 420, 1952 on Carex ebenea. - Wyoming, U.S.A.

limosa Syd. var. gigantissima (Lehtola) Savile in Canad. J. Bot., 30, p. 426, 1952. (Syn. C. gigantissima Lehtola).

var. minor Savile in Canad. J. Bot., 30,

p. 426, 1952 on Carex bigelowii.—Quebec, Canada.

Cladosporium avellaneum de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 56, 1952 from 'Nivea' ointment. -Netherlands.

var. albidum de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 56, 1952.—Netherlands.

p. 50, 1502. Avellaneum, Contribution to the knowledge of the Genus Cladosporium, p. 56, 1952.—Netherlands.

-var. sterile de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 56,

1952.—Netherlands.

-var. viride de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 56, 1952.—Netherlands.

cladosporioides (Fres.) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 57, 1952. (Syn. Penicillium cladosporioides Fres.).

forma pisicola (Snyder) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 61, 1952. (Syn. C. pisicolum Snyder).

- echinulatum (Berk.) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 49, 1952. (Syn. Heterosporium echinulatum (Berk.) Cooke).

- iridis (Fautr. & Roum.) de Vries, Contribution to the knowledge of the Genus Cladosporium. p. 49, 1952. (Syn. Heterosporium iridis Fautr. & Roum.).

- ornithogali (Klotsch) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 49, 1952. (Syn. Heterosporium ornithogali (Klotsch) Cooke).

- phlei (C. T. Gregory) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 49, 1952. (Šyn. Heterosporium phlei C. T. Gregory).

- stipae H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 41, p. 127, 1952 on Stipa spartea.—Wisconsin, U.S.A.

-variabile (Cooke) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 85, 1952. (Syn. Helminthosporium variabile Cooke).

Clathrospora cookei Wehmeyer in Mycologia, 44, p. 653, 1952 on Stipa californica.

California, U.S.A.

- simmonsii Wehmeyer in Mycologia, 44, p. 652, 1952 on Carex oblata.—Washington, U.S.A.

*Clitocybe atrostriata Métrod in Bull. Soc. mycol. Fr., 67, p. 397, 1952.—France.

cyanolens Métrod nom. nov. in Bull. Soc. mycol. Fr., 67, p. 387, 1952. (Syn. C. ditopoda (Fr.) var. longispora Métrod).

- incarnata Métrod in Bull. Soc. mycol. Fr.,

67, p. 398, 1952.—France.

- lepistoides (Maire) Pilát, Agaric. Europae. clavis dichot., p. 135, 1951. (Syn. Tricholoma lepistoides Maire). -pleurotus Singer in Sydowia, 6, p. 182, 1952

on dead Nothofagus pumilio.—Argentine. - subhygrophanoides Singer in Sydowia, 6, p. 181, 1952.—Argentine.

subleptoloma Singer in Sydowia, 6, p. 179, 1952 on Nothofagus.—Argentine. tricolor (Peck) Pilát, Agaric. Europae. clavis

dichot., p. 127, 1951. (Syn. Tricholoma tricolor Peck).

Clitopilus pusillimus (Speg.) Singer in Lilloa,

23, p. 226, 1950. (Syn. Omphalia pusillima Speg.).

Colletotrichum mangenoti Chevaugeon in Rev. Path. vég., 31, p. 36, 1952 on Arachis hypogea.—French Sudan.

pehkinense Katsura in Forsch. PflKr., Tokyo, 4, p. 105, 1951 on Abutilon avicennae. -China.

Collybia collybioides (Speg.) Singer in Lilloa, 23, p. 162, 1950. (Syn. Clitocybe collybioides Speg.).

- cupreovirens (Speg.) Singer in Lilloa, 23, p. 164, 1950. (Syn. Omphalia cupreovirens Speg.).

- ferruginella Pearson in Trans. Brit. mycol. Soc., 35, p. 102, 1952.—England.

- fuegiana Singer in Sydowia, 6, p. 186, 1952.

-Argentine. griseospora Pearson in Trans. Brit. mycol. Soc., 35, p. 102, 1952.—Wales.

- olivacea Schaeffer in Pilát, Agaric. Europae. clavis dichot., p. 193, 1951.—Europe. paupertina Pearson in Trans. Brit. mycol.

Soc., 35, p. 103, 1952.—England.

platensis (Speg.) Singer in Sydowia, 6, p. 185, 1952. (Syn. Marasmius platensis Speg.).

Coniosporium paradoxum (Corda) Mason & p. 16, 1951. (Syn. Sporodesmium paradoxum Corda).

peziza (Cooke & Ellis) Mason & Hughes apud Hughes in Mycol. Pap. 37, p. 16, 1951. (Syn. Sporodesmium peziza Cooke & Ellis).

Coniothyrium nerterae Jørstad in Results Norweg. Exped. T. da Cunha, 14, p. 26, 1947 on Nertera granadensis.—Tristan da Cunha.

Conocybe macrorhina (Speg.) Singer in Lilloa, 23, p. 204, 1950. (Syn. Galera macrorhina Speg.).

- macrorhiza (Speg.) Singer in Lilloa, 23, p. 205, 1950. (Syn. Naucoria macrorhiza

striatipes (Speg.) Singer in Lilloa, 23, p. 205, 1950. (Syn. Galera striatipes Speg.).

Coprinus macrorhizus (Fr.) Rea forma microsporus Hongo in J. Jap. Bot., 27, p. 161, 1952 on dung.—Japan. Coremium triostel H. C. Greene in Trans.

Wis. Acad. Sci. Arts Lett., 41, p. 127, 1952 on Triosteum perfoliatum.—Wisconsin, U.S.A.

Cortinarius amarescens Moser nom. nov. in Sydowia, 6, p. 68, 1952. (Syn. C. talus sensu Lange, non Fr.).

- argenteo-lilacinus Moser in Sydowia, 6, p. 151, 1952.—Austria.

aureofulvus Moser in Sydowia, 6, p. 154, 1952.—Austria.

- aureo-pulverulentus Moser in Sydowia, 6, p. 152, 1952.—Austria.

caesiocanescens Moser in Sydowia, 6, p. 151, 1952.—Austria.

calyculatus Moser in Sydowia, 6, p. 153, 1952.—Austria.

citrino-olivaceus Moser in Sydowia, 6, p. 154, 1952.—Austria.

durissimus Moser in Sydowia, 6, p. 152, 1952.—Austria.

helobius Romagnesi in Bull. Soc. Nat. Oyonnax, 6, p. 62, 1952.—France.

infractus Fr. forma olivellus Moser in Sydowia, 6, p. 153, 1952.—Austria.

melliolens Schaeff. var. luteus Moser in Sydowia, 6, p. 152, 1952.—Austria.
— montanus Kaufim. subsp. europaeus



Moser nom. nov. in Sydowia, 6, p. 108, 1952. (Syn. C. scaurus sensu Bres.

subsp. europaeus var. lilaceus Moser in Sydowia, 6, p. 153, 1952.—Austria.

odorifer Britz. var. luteolus Moser in Sy-

dowia, 6, p. 153, 1952.—Austria. purpurascens Fr. forma lividus Moser in

Sydowia, 6, p. 153, 1952.—Austria. - var. obscurus Moser in Sydowia, 6, p. 153,

1952.—Austria.

russeoides Moser in Sydowia, 6, p. 153, 1952.—Austria.

sericellus Moser nom. nov. in Sydowia, 6, p. 82, 1952. (Syn. C. turmalis auet. p.p.). - spectabilis Moser in Sydowia, 6, p. 152, 1952.—Austria.

- squameo-radicans Bellivier in Bull. Soc.

Nat. Oyonnax, 6, p. 67, 1952.—France.
- subarquatus Moser nom. nov. in Sydowia, 6, p. 59, 1952. (Syn. C. arquatus sensu Lange, non Fr.).

subscripes Romagnesi in Bull. Soc. Nat. Oyonnax, 6, p. 63, 1952.—France.

- vitellinus Moser in Sydowia, 6, p. 154, 1952.

Coryneum castaneae (Sacc.) Petrak in Sydowia, 6, p. 15, 1952. (Syn. C. kunzei Corda var. castaneae Sacc.).

Cryptococcus diffluens (Zach) Lodder & Kreger-Van Rij, The Yeasts, p. 391, 1952. (Syn. Torulopsis diffluens Zach).

·laurentii (Kuff.) Skinner var. flavescens (Saitq) Lodder & Kreger-Van Rij, The Yeasts, p. 381, 1952. (Syn. Torula flavescens Saito).

-var. magnus Lodder & Kreger-Van Rij, The Yeasts, p. 670, 1952 from air.—Holland.

neoformans (Sanf.) Vuill. var. uniguttulatus (Zach) Lodder & Kreger-Van Rij, The Yeasts, p. 373, 1952. (Syn. Eutorulopsis uniguttulatus Zach).

Cunninghamella homothallica Kominami & Tubaki in Nagaoa, 1, p. 21, 1952 from soil.-

Curvularia interseminata (Berk. & Rav.) Gilman, A Manual of Soil Fungi, p. 303, 1945. (Syn. Helminthosporium interseminatum Berk. & Rav.).

- sudanensis (Frag. & Cif.) Castellani in Riv. Agric. subtrop., 46, p. 164, 1952. (Syn. Helminthosporium sudanense Frag. & Cif.)

tetramera (McKinney) Boedijn ex Gilman, A Manual of Soil Fungi, p. 303, 1945. (Syn. Helminthosporium tetramera McKinney)

Cystobasidium proliferans Olive in Mycologia, 44, p. 564, 1952 on insect excreta on dead pines.-New Jersey, U.S.A.

Dactylella acrochaeta Drechsler in Mycologia, 44, p. 541, 1952 on nematodes.—Maryland,

helminthodes Drechsler in Mycologia, 44, p. 553, 1952 on Pythium debaryanum and Cochlonema megalosomum.—Utah, U.S.A.

- mammillata Dixon in Trans. Brit. mycol. Soc., 35, p. 144, 1952 on nematodes.—Eng-

Dasturella boswelliae Patel, Payak, & Kulkarni in Indian Phytopath., 4, p. 72, 1951 on Boswellia serrata.-India.

Debaryomyces hansenii (Zopf) Lodder & Kreger-Van Rij, The Yeasts, p. 280, 1952. (Syn. Saccharomyces hansenii Zopf).

mrakii Bouthilet in Mycopathologia, 6, p. 82, 1951 from soil.—Minnesota, U.S.A.

- subglobosus (Zach) Lodder & Kreger-Van Rij, The Yeasts, p. 290, 1952. (Syn. Eutorulopsis subglobosa Zach).

Dermatella caryigena (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 314, 1951. (Syn. Dermatea caryigena Ellis & Ev.). [But the original description was as Dermatella.]

- deformata (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 313, 1951. (Syn. Cenangium deformatum Peck).

magnoliae (Berk. & Curt.) Seaver, The North American Cup-Fungi (Inoperculates), p. 314, 1951. (Syn. Cenangium magnoliae Berk. & Curt.).

DESCOLEA Singer in Lilloa, 23, p. 256, 1950. -Agaricales.

antarctica Singer in Lilloa, 23, p. 257, 1950.—Argentine.

Diaporthe larseniana Munk in Dansk. bot. Ark., 14, No. 8, p. 3, 1952 on dead Picea -Denmark.

DICTYODESMIUM Hughes in Mycol. Pap. 36, p. 29, 1951.—Hyphomycetes.

ulmicola (Ellis & Kellerman) Hughes in Mycol. Pap. 36, p. 29, 1951. (Syn. Cerato-phorum ulmicola Ellis & Kellerman).

Dictyosporium hepatosporum (Garov.) Da. mon in Lloydia, 15, p. 118, 1952. (Syn. Cattanea hepatospora Garov.).
- minor (Sacc.) Damon in Lloydia, 15, p. 118,

1952. (Syn. Speira minor Sacc.).

- polystichum (von Höhn.) Damon in Lloydia, 15, p. 118, 1952. (Syn. Speira polysticha von Höhn.).

prolificum Damon in Lloydia, 15, p. 119,

1952 on Juncus.—New Jersey, U.S.A. Didymella euphoriae Naito in Sci. Rep. Kagoshima Univ., 1, p. 71, 1952 on Euphoria longana.—Japan.

- ilicis Larsen in Dansk. bot. Ark., 14, No. 7, p. 21, 1952 on dead Ilex aquifolium.-Denmark.

Didymosphaeria cladii Larsen & Munk in Dansk. bot. Ark., 14, No. 7, p. 20, 1952 on Cladium mariscus.—Denmark.

equiseti-hiemalis Larsen & Munk in Dansk. bot. Ark., 14, No. 7, p. 17, 1952 on dead Equisetum hiemale.—Denmark.

Discosporina commutata Petrak in Sydowia, 6, p. 14, 1952 on Carya.—Maryland, U.S.A. Durandiella fraxini (Schw.) Seaver. The North American Cup-Fungi (Inoperculates), p. 367, 1951. (Syn. Peziza fraxini Schw.).

Eccilia decurrens (Vel.) Pilát, Agaric. Europae. clavis dichot., p. 228, 1951. (Syn. Leptonia decurrens Vel.).

– velenovskyi Svrček in Pilát, Agaric. Europae. clavis dichot., p. 228, 1951.– Agaric. Czechoslovakia.

Echinella rhabdocarpa (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 294, 1951. (Syn. Peziza rhabdocarpa Ellis).

Ectrogella eunotiae Friedmann in Ost. bot. Z., 99, p. 200, 1952 on Eunotia arcus.—Ger-

Endoconidiophora fimbriata (Ell. & Halst.) Davidson forma platani Walter in Phytopathology, 42, p. 236, 1952 on Platanus noxius.—Washington, D.C., U.S.A.

Endomycopsis fibuliger (Lindn.) Dekker var. monospora (Saito) Lodder & Kreger-Van Rij, The Yeasts, p. 100, 1952. (Syn. E. monosporus Saito).

*Entoloma gabrettae Pilát, Agaric. Europae. clavis dichot., p. 244, 1951.—Czechoslovakia. Epidermophyton angustisporum Boedijn in

Mycopathologia, 6, p. 129, 1951 from human skin .- Java.

ERINELLINA Seaver nom. nov., The North American Cup-Fungi (Inoperculates), p. 290, 1951. (Syn. Erinella Sacc. non Quél.).

- appressa (Cash) Seaver, The North American Cup-Fungi (Inoperculates), p. 292, 1951. (Syn. Dasyscyphella appressa Cash). - calospora (Pat.) Seaver, The North Ameri-

can Cup-Fungi (Inoperculates), p. 291, 1951.

(Syn. Erinella calospora Pat.).

cervina (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 292, 1951. (Syn. Erinella cervina Ellis & Ev.).

-longispora (Karst.) Seaver, The North American Cup-Fungi (Inoperculates), p. 293, 1951. (Syn. Lachnum longisporum Karst.).

maculosa (Ellis & Martin) Seaver, The North American Cup-Fungi (Inoperculates), 293, 1951. (Syn. Helotium maculosum p. 293, 1991. Ellis & Martin).

- miniopsis (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 291, 1951.

(Syn. Peziza miniopsis Ellis). - nylanderi (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 293, 1951.

(Syn. Erinella nylanderi Rehm).

-rhapidospora (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 291, 1951. (Syn. Peziza rhapidospora Ellis).

Fabraea earliana (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 190, 1951. (Syn. Peziza earliana Ellis & Ev.).

-rosae (Wolf) Seaver, The North American Cup-Fungi (Inoperculates), p. 190, 1951. (Syn. Diplocarpon rosae Wolf).

Favolaschia singeriana Dennis in Kew Bull., 1952, p. 331, 1952.—Venezuela.

p. 218, 1952. (Syn. Panus dusenii Bres.).

forficulae Shanor in Amer. J. Bot., 39, p. 499, 1952 on Prolabia pulchella.—Louisiana, U.S.A.

Flammula bellula (Peck) Pilát, Agaric. Europae. clavis dichot., p. 351, 1951. (Syn.

Fusarium aquaeductuum (Radlk. & Rabh.) Lagh. subsp. medium (Wollenw.) Riallo,

Fr.).

(Sacc.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], p. 188, 1950. (Syn. F. detonianum Sacc.).

bulbigenum Cooke & Massee var. apii (Nels. & Cochr.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], р. 251, 1950. (Syn. *F. apii* Nels. & Cochr.). — var. cucumis Raillo, Грибы Рода

Фузариум [$Fungi\ of\ the\ Genus\ Fusarium$], р. 252, 1950 on Cucumis melo var. reticulatum.

-var. pisi (Linford) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], 250, 1950. (Syn. F. orthoceras App. &

p. 250, 1990. (Sym. 1990). Wollenw. var. pisi Linford). — caudatum Wollenw. var. filiferum Raillo, Грибы Рода Фузарнум [Fungi of the Genus Fusarium], р. 179, 1950.—U.S.S.R.

Pusarrum, p. 173, 103.—0.5.551.

Poga Pysaphym [Fungi of the Genus Fusarium], p. 180, 1950. (Syn. F. scirpi Lamb. & Fautr. var. compactum Wollenw.).


equiseti (Corda) Sacc. subsp. ossicola (Berk. & Curt.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], p. 175, 1950. (Syn. Fusisporium ossicola Berk. & Curt.).

-heterosporum Nees var. negundinis (Sherb.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], p. 217, 1950. (Syn. F. reticulatum Mont. var. negundinis (Sherb.) Wollenw.).

javanicum Koord. subsp. ensiforme (Wollenw. & Reink.) Raillo, Грибы Рода Фузарнум [Fungi of the Genus Fusarium], р. 229, 1950. (Syn. F. ensiforme Wollenw. & Reink.).

-lateritium Nees subsp. majus (Wollenw.) Raillo, Грибы Рода Фузарнум [Fungi of the Genus Fusarium], p. 270, 1950. (Syn. F. lateritium var. majus Wollenw.).

-moniliforme Sheld. subsp. majus (Wollenw. & Reink.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium],



[Fungi of the Genus Fusarium], p. 177, 1950. (Syn. F. acuminatum Ell. & Ev.).

sporotrichioides Sherb. subsp. minus (Wollenw.) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], р. 196, 1950. (Syn. F. sporotrichioides var. minus Wollenw.).

-var. tricinctum (Corda) Raillo, Грибы Рода Фузариум [Fungi of the Genus Fusarium], р. 197, 1950. (Syn. Selenosporium

tricinctum Corda).

Fuscoporia prunicola (Murr.) Aoshima in Rep. For. Exp. Sta. 46, p. 160, 1950. (Syn. Fomitiporia prunicola Murr.).

GAEUMANNIELLA Petrak in Sydowia, 6, p. 162, 1952.—Pyrenomycetes.

singularis Petrak in Sydowia, 6, p. 162, 1952 on wood.—Florida, U.S.A.

Galeropsis allospora Singer nom. nov. in Lilloa, 23, p. 239, 1950. (Syn. Galera paradoxa Speg.) [See this Index, 2, p. 78 as Galeropsis allosperma Singer.]

Gallowaya crowellii (Cummins) Thirumalachar & Mundkur in Indian Phytopath., 2, p. 204, 1949. (Syn. Coleosporium crowellii

Cummins).

Gibberella macrolopha (Syd.) Dingley in Trans. roy. Soc. N.Z., 79, p. 406, 1952. (Syn.

Botryosphaeria macrolopha Syd.).

Godronia abieticola (Zeller & Goodding) Seaver, The North American Cup-Fungi (Inoperculates), p. 332, 1951. (Syn. Sclero-derris abieticola Zeller & Goodding).

- abietina (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 332, 1951. (Syn. Scleroderris abietina Ellis & Ev.).

Goplana cissi Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 429, 1952 on Cissus poly-antha.—Ivory Coast.

Gorgoniceps montanensis (Kanouse) Seaver, The North American Cup-Fungi (Inoperculates), p. 180, 1951. (Syn. Belonopsis montanensis Kanouse)

Graphiola cylindrica Kobayasi in Nagaoa, 1, p. 36, 1952 on Livistona chinensis.-Japan.

Gymnopilus flavipunctatus (Speg.) Singer in Lilloa, 23, p. 222, 1950. (Syn. Flammula flavipunctata Speg.).
- spectabilis (Fr.) A. H. Sm. subsp. pam-

peanus (Speg.) Singer in Lilloa, 23, p. 222, 1950. (Syn. Flammula pampeana Speg.).

Hansenula anomala (Hansen) H. & P. Sydow var. ciferrii (Lodder) Lodder & Kreger-Van Rij, The Yeasts, p. 251, 1952. (Syn. H. ciferrii Lodder)

Hapalophragmium millettiae-rhodanthae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 430, 1952 on Millettia rhodantha.-Ivory Coast.

Harposporium lilliputanum Dixon in Trans. Brit. mycol. Soc., 35, p. 146, 1952 on nematodes.—England.

Helotiella lonicerae (Cash) Seaver, The North American Cup-Fungi (Inoperculates), p. 288, 1951. (Syn. Tapesia lonicerae Cash).

Helotium ammoides (Sacc.) Seaver, The North American Cup-Fungi (Inoperculates), p. 145, 1951. (Syn. Pseudohelotium ammoides Sacc.).

- amplum (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 133, 1951. (Syn. Phialea ampla Ellis & Ev.).

arenicola (Ellis & Ev.) Seaver, The North

American Cup-Fungi (Inoperculates), p. 148, 1951. (Syn. Phialea arenicola Ellis & Ev.).

-aurantium Seaver nom. nov., The North American Cup-Fungi (Inoperculates), p. 140, 1951. (Syn. Pezizella aurantiaca Cash non H. aurantiacum Cooke).

cassandrae (Kanouse) Seaver, The North American Cup-Fungi (Inoperculates), p. 146, 1951. (Syn. Phialea cassandrae Kanouse).

craginianum (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 144, 1951. (Syn. Peziza craginiana Ellis & Ev.).

-dakotense (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 132, 1951. (Syn. Pezizella dakotense Rehm).

eschscholtziae (Phill. & Hark.) Seaver, The North American Cup-Fungi (Inoperculates), p. 129, 1951. (Syn. Peziza eschscholtziae Phill. & Hark.).

fumosellum (Cooke & Ellis) Seaver, The North American Cup-Fungi (Inoperculates), . 126, 1951. (Syn. Peziza fumosella Cooke &

- lanceolato-paraphysatum (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 145, 1951. (Syn. Pezizella lanceo. lato-paraphysata Rehm).

laricinum (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 139, 1951. (Syn. Pseudohelotium laricinum Ellis

& Ev.).

luteovirescens (Rob.) Seaver, The North American Cup-Fungi (Inoperculates), p. 131, 1951. (Syn. Peziza luteovirescens Rob.). [See H. luteovirescens (Desm.) Karst. in Hedwigia, 22, p. 164, 1883.]

-nigromaculatum (Earle) Seaver, The North American Cup-Fungi (Inoperculates), p. 123, 1951. (Syn. Hymenoscypha nigro-

maculata Earle).

- phaeoconium (Fairman) Seaver, The North American Cup-Fungi (Inoperculates), p. 129, 1951. (Syn. Phialea phaeoconia Fairman). rhizicola Seaver, The North American Cup.

Fungi (Inoperculates), p. 142, 1951 on roots & stems of Polygonum virginianum and Collinsonia canadensis.—New York, U.S.A.

- simulatum (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 137, 1951.

(Syn. Peziza simulata Ellis).

umbrinum (Kanouse) Seaver, The North American Cup-Fungi (Inoperculates), p. 147, 1951. (Syn. Pseudociboria umbrina Kanouse).

Hemileia mussaendae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 431, 1952 on Mussaenda erythrophylla.—Ivory Coast. Hendersonia ginkginis Naito in Sci. Rep.

Kagoshima Univ., 1, p. 76, 1952 on Ginkgo biloba.—Japan.

-holoschoeni (Mont.) Petrak in Sydowia, 6, . 236, 1952. (Syn. Ascospora holoschoeni Mont.).

-livistonae Naito in Sci. Rep. Kagoshima Univ., 1, p. 76, 1952 on Livistona subglobosa. –Japan.

phormii Naito in Sci. Rep. Kagoshima Univ., 1, p. 77, 1952 on Phormium tenax.-Japan.

Heterosporium echinulatum (Berk.) Cooke var. dianthi Losa in Coll. bot., Barcinone, 3, p. 149, 1952 on Dianthus seguieri.—Spain.

Hirschioporus versatilis (Berk.) Imazeki in J. Jap. Bot., 20, p. 288, 1945. (Syn. Trametes versatilis Berk.).

Hygrophorus langei (Kühn.) Pearson in Trans. Brit. mycol. Soc., 35, p. 105, 1952. (Syn. Hygrocybe langei Kühn.).

miniatus Fr. forma sphagnophilus (Peck) Hongo in J. Jap. Bot., 27, p. 160, 1952. (Syn. H. miniatus var. sphagnophilus Peck). Hypocrea coprosma Dingley in Trans. roy. Soc. N.Z., 79, p. 328, 1952 on rotten Copsosma robusta.—New Zealand.

-hunua Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 327, 1952 on wood.—New Zealand.

macrospora Dingley in Trans. roy. Soc. N.Z., 79, p. 330, 1952 on Leptospermum scoparium.—New Zealand.

scoparium .manuka Dingley in Trans. roy. Soc. N.Z.,

79, p. 327, 1952 on rotten Leptospermum scoparium.—New Zealand. novae-zealandica Dingley in Trans. roy. Soc. N.Z., 79, p. 336, 1952 on dead Melicytus ramiflorus.—New Zealand.

- tawa Dingley in Trans. roy. Soc. N.Z., 79, p. 335, 1952 on rotten Beilschmiedia tawa.— New Zealand.

- toro Dingley in Trans. roy. Soc. N.Z., 79, p. 329, 1952 on dead Suttonia salicina.—New Zealand.

*Hypoxylon nummularium (Bull.) ex Fr. var. macrosporum Gilman & Tiffany in Iowa St. Coll. J. Sci., 26, p. 470, 1952 on white oak.—Iowa, U.S.A.

Hysterangium knappii Soehner in Sydowia,

6, p. 253, 1952.—Switzerland.

Inocybe commutabilis Furrer-Ziogas in Schweiz. Z. Pilzk., 30, p. 127, 1952.—Europe.
hypophaea Furrer-Ziogas in Schweiz. Z.

Pilzk., 30, p. 131, 1952.—Switzerland. - lucifuga Fr. forma gralla Furrer-Ziogas in Schweiz. Z. Pilzk., 30, p. 134, 1952.—Europe.

Karschia nootkatensis Terrier in Ber. schweiz. bot. Ges., 62, p. 427, 1952 on Chamaecyparis nootkatensis forma pendula.—Switzerland. Karstenula sorbicola Petrak in Sydowia, 6,

p. 8, 1952 on dead Sorbus.—Maine, U.S.A. Kriegeria alutipes (Phill.) Seaver, The North American Cup-Fungi (Inoperculates), p. 103,

1951. (Syn. Peziza alutipes Phill.).
- enterochroma (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 101, 1951. (Syn. Peziza enterochroma Peck).

Laboulbenia buehlmannii Poelt in Mitt. bot. Staatssamml. München 4, p. 116, 1952 on

Elaphrus cupreus .- Germany. Lachnella acanthonitschkeae (Cash & Davidson) Seaver, The North American Cup-Fungi (Inoperculates), p. 262, 1951. (Syn. Dasyscypha acanthonitschkeae Cash & Davidson).

- agassizii (Berk. & Curt.) Seaver, The North American Cup-Fungi (Inoperculates), p. 247, 1951. (Syn. Peziza agassizii Berk. & Curt.).

- agrostina (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 259, 1951. (Syn. Peziza agrostina Peck).

arida (Phill.) Seaver, The North American Cup-Fungi (Inoperculates), p. 268, 1951.

(Syn. Peziza arida Phill.).

- arundinariae (Cash) Seaver, The North American Cup-Fungi (Inoperculates), p. 259, 1951. (Syn. Lachnum arundinariae Cash).

- atropurpurea (Durand) Seaver, The North American Cup-Fungi (Inoperculates), p. 266, 1951. (Syn. Lachnum atropurpureum Durand). - canadensis (Ellis & Dearn.) Seaver, The North American Cup-Fungi (Inoperculates), p. 265, 1951. (Syn. Pseudohelotium canadensis Ellis & Dearn.).

- capitata (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 254, 1951.

Syn. Peziza capitata Peck). cilata (Hahn) Seaver, The North American Cup-Fungi (Inoperculates), p. 247, 1951.

(Syn. Dasyscypha cilata Hahn). -corni (Cash) Seaver, The North American

Cup-Fungi (Inoperculates), p. 271, 1951.

(Syn. Lachnum corni Cash).

dicranopteridis (Seaver & Whetzel) Seaver, The North American Cup-Fungi (Inoperculates), p. 262, 1951. (Syn. Dasyscypha dicranopteridis Seaver & Whetzel).

ellisiana (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 248, 1951.

(Syn. Peziza ellisiana Rehm).

eupatorii (Schw.) Seaver, The North American Cup-Fungi (Inoperculates), p. 272, 1951. (Syn. Peziza eupatorii Schw.).

fasciculata (Seaver & Waterston) Seaver, The North American Cup-Fungi (Inoperculates), p. 251, 1951. (Syn. Dasyscypha fasciculata Seaver & Waterston).

gaultheriae (Ellis & Ev.) Seaver, The North American Cup-Fungi (Inoperculates), p. 256, 1951. (Syn. Dasyscypha gaultheriae Ellis & Ev.).

gleicheniae (Cash) Seaver, The North American Cup-Fungi (Inoperculates), p. 266, 1951. (Syn. Lachnum gleicheniae Cash).

-hahniana Seaver nom. nov., The North American Cup-Fungi (Inoperculates), p. 245, 1951. (Syn. Dasyscypha calycina Fuckel non

Peziza calycina Schum.).
- ivae (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 265, 1951.

(Syn. Dasyscypha ivae Rehm).

microspora (Kanouse) Seaver, The North American Cup-Fungi (Inoperculates), p. 267, 1951. (Syn. L. tricolor var. microspora Kanouse).

oblongospora (Hahn & Ayers) Seaver, The North American Cup-Fungi (Inoperculates), p. 245, 1951. (Syn. Dasyscypha

oblongospora Hahn & Ayers).

occidentalis (Hahn & Ayers) Seaver, The North American Cup-Fungi (Inoperculates), p. 244, 1951. (Syn. Dasyscypha occidentalis Hahn & Ayers).

- pollinaria (Cooke) Seaver, The North American Cup-Fungi (Inoperculates), p. 255, 1951.

(Syn. Peziza pollinaria Cooke).

populicola Seaver, The North American Oup-Fungi (Inoperculates), p. 270, 1951 on old wood of Populus tremuloides.—Colorado,

-populina Seaver, The North American Cup-Fungi (Inoperculates), p. 270, 1951 on bark and wood of Populus tremuloides .- Colorado,

pseudotsugae (Hahn) Seaver, The North American Cup-Fungi (Inoperculates), p. 246, 1951. (Syn. Dasyscypha pseudotsugae Hahn).

pteridicola Seaver nom. nov. The North American Cup-Fungi (Inoperculates), p. 261, 1951. (Syn. Hyalopeziza pteridis Kanouse non L. pteridis Phill.).

pulveracea (Alb. & Schw.) Seaver, The North American Cup-Fungi (Inoperculates), p. 268, 1951. (Syn. Peziza pulveracea Alb. & Schw.).

- solenia (Peck) Seaver, The North American

Cup-Fungi (Inoperculates), p. 260, 1951.

(Syn. Peziza solenia Peck).

subochracea (Cooke & Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 251, 1951. (Syn. Peziza subochracea Cooke & Peck).

- succina (Phill.) Seaver, The North American Cup-Fungi (Inoperculates), p. 263, 1951. (Syn. Peziza succina Phill.)

tautilla (Phill. & Hark.) Seaver, The North American Cup-Fungi (Inoperculates), p. 256, 1951. (Syn. Peziza tautilla Phill. & Hark.).

virginella (Cooke) Seaver, The North American Cup-Fungi (Inoperculates), p. 256, 1951. (Syn. Peziza virginella Cooke)

viridicoma (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 267, 1951. (Syn. Peziza viridicoma Peck).

Lactarius mairei Malençon var. zonatus A. A. Pearson in Naturalist, Lond., 1950, p. 100, 1950.—England.

neotropicus Singer in Kew Bull., 1952, p. 299, 1952.—Trinidad.

panuoides Singer in Kew Bull., 1952, p. 300,

1952.—Trinidad. Lepiota pinguipes Pearson in Trans. Brit.

mycol. Soc., 35, p. 97, 1952.—England. LEPTOLEGNIELLA Huneycutt in J. Elisha Mitchell sci. Soc., 68, p. 109, 1952.—Phyco-

keratinophila Huneycutt in J. Elisha Mitchell sci. Soc., 68, p. 110, 1952 from soil.-Tennessee, U.S.A.

Leptosphaeria berlesei Larsen & Munk in Dansk. bot. Ark., 14, No. 7, p. 23, 1952 on dead Equisetum hiemale.—Denmark.

elongata Wehmeyer in Mycologia, 44, p. 633, 1952 on Elymus glaucus.-Washington,

- filiformis Wehmeyer in *Mycologia*, 44, p. 641,1952 on Compositae.—Washington, U.S.A.

- larseniana Munk nom. nov. in Dansk. bot. Ark., 14, No. 7, p. 27, 1952. (Syn. L. elymi Larsen, non Atkinson).

- sieversiae (Clem.) Petrak in Sydowia, 6, p. 6, 1952. (Syn. Massaria sieversiae Clem.). Leptosphaerulina kiusiana Naito in Sci. Rep. Kagoshima Univ., 1, p. 73, 1952 on Michelia chinensis.—Japan.

Leptospora sorbina (Nyl.) Munk in Dansk. bot. Ark., 14, No. 7, p. 6, 1952. (Syn. Bizzozeria sorbina (Nyl.) Höhnel).

subsquarrosus Locquin in Bull. mens. Soc. linn. Lyon, 14, p. 52, 1945.—France.

Leucocoprinus heimii Locquin nom. nov. in Rev. Mycologie, N.S., 17, p. 53, 1952. (Syn. L. naucinus Locquin non Fr.).

Lilliputia rufula (Berk. & Br.) Hughes in Mycol. Pap., 42, p. 2, 1951. (Syn. Chaetomium rufulum Berk. & Br.).

LIPOMYCES Lodder & Kreger-Van Rij, The Yeasts, p. 669, Type, L. starkeyi. Ŧ 1952.—Endomycetaceae.

· lipoferus (den Dooren de Jong) Lodder & Kreger-Van Rij, The Yeasts, p. 335, 1952. (Syn. Torula lipofera den Dooren de Jong). starkeyi Lodder & Kreger-Van Rij, The

Yeasts, p. 669, 1952 from soil.—Holland. Lophium mayori Zogg in Ber. schweiz. bot. Ges., 62, p. 295, 1952 on dead Larix decidua. -Switzerland.

Marasmiellus tropicalis (Speg.) Singer in R Lilloa, 23, p. 189, 1950. (Syn. Pleurotus tropic lis Speg.).

Marasmius caussei (Maire) Pilát, Agaric, Europae. clavis dichot., p. 185, 1951. (Syn. Xerula caussei Maire).

- hymeniicephalus (Speg.) Singer in Lilloa, 23, p. 197, 1950. (Syn. Agaricus hymaniicephalus Speg.).

Maravalia sebastianiae Lindquist in Darwiniana, B. Aires, 9, p. 609, 1951 on Sebastiania klotschiana.—Argentine.

Margarinomyces heteromorpha (Nannf.) Mangenot in Rev. gén. Bot., 59, p. 394, 1952. (Syn. Trichosporium heteromorphum Nannf.). var. robusta Mangenot in Rev. gén. Bot.,

59, p. 397, 1952 on dead Betula.—France. -microsperma (Corda) Mangenot in Rev. gén. Bot., 59, p. 397, 1952. (Syn. Cerato. cladium microspermum Corda).

MASONIA G. Smith in Trans. Brit. mycol. Soc., 35, p. 149, 1952.—Hyphomycetes. Type, M. grisea. [Non Masonia Hansf., this Index, 1, p. 121. See Masoniella below.]

chartarum G. Smith in Trans. Brit. mycol. Soc., 35, p. 150, 1952 on wallpaper.-England.

grisea G. Smith in Trans. Brit. mycol. Soc., 35, p. 149, 1952 as a culture contaminant.— England.

MASONIELLA G. Smith nom. nov. in Trans. Brit. mycol. Soc., 35, p. 237, 1952. (Syn. Masonia G. Smith, non Hansford). Type,

- chartarum (G. Smith) G. Smith in Trans. Brit. mycol. Soc., 35, p. 237, 1952. (Syn. Masonia chartarum G. Smith).

grisea (G. Smith) G. Smith in Trans. Brit. mycol. Soc., 35, p. 237, 1952. (Syn. Masonia grisea G. Smith)

Massaria shearii Petrak in Sydowia, 6, p. 5, 1952 on dead Magnolia.—Georgia, Ú.S.A.

Massarina floridana Petrak in Sydowia, 6, p. 7, 1952 on dead Staphylea rufa.—Florida, U.S.A.

- staphyleae Petrak in Sydowia, 6, p. 7, 1952 on dead Staphylea rufa.—Florida, U.S.A.

Melanconiella corni (Wehm.) Petrak in Sydowia, 6, p. 15, 1952. (Syn. Melanconis corni Wehm.)

Melanconis commutata Petrak in Sydowia, 6, p. 18, 1952 on Carya.—Maryland, U.S.A. Melanoleuca balansae (Speg.) Singer in Lilloa, 23, p. 177, 1950. (Syn. Clitocybe

balansae (Speg.) Sacc.).

- deserticola (Speg.) Singer in Lilloa, 23, p. 177, 1950. (Syn. Tricholoma panaeolum var. deserticola Speg.).

longispora Singer in Sydowia, 6, p. 206, 1952.—Argentine.

- spegazzinii (Sacc. & D. Sacc.) Singer in Lilloa, 23, p. 175, 1950. (Syn. Tricholoma spegazzinii Sacc. & D. Sacc.).

strictipes (Karst.) Schaeffer in Pilát, Agaric. Europae. clavis dichot., p. 157, 1951. (Syn. Tricholoma strictipes Karst.).

- umbrinella (Speg.) Singer in Sydowia, 6, p. 204, 1952. (Syn. Tricholoma umbrinellum Speg.).

Meliola polytricha Kalchbr. & Cooke var. queenslandica E. Fisher in Proc. roy. Soc. Vict., N.S., 62, p. 133 on Callistemon viminalis.—Queensland, Australia.

Metaspheria bispora Larsen in Dansk. bot. Ark., 14, No. 7, p. 33, 1952 on Typha latifolia.—Denmark.

MICROCOLLYBIA Métrod in Rev. Mycol., Paris, N.S., 17, p. 75, 1952 — Agaricaceae.

- cirrhata (Fr.) Métrod in Rev. Mycol., Paris, N.S., 17, p. 87, 1952. (Syn. Agaricus cirrhatus Schum. ex Fr.).

racemosa (Fr.) Métrod in Rev. Mycol., Paris, N.S., 17, p. 88, 1952. (Syn. Agaricus

racemosus Pers. ex Fr.).

tuberosa (Fr.) Métrod in Rev. Mycol., Paris, N.S., 17, p. 87, 1952. (Syn. Agaricus tuber-asus Bull. ex Fr.).

Microsphaera penicillata (Wallr. ex Fr.) Lév. var. calocladophora (Atk.) W. B. Cooke in Mycologia, 44, p. 574, 1952. (Syn.

M. alni var. calocladophora (Atk.) Salmon). var. extensa (Cooke & Peck) W. B. Cooke in Mycologia, 44, p. 573, 1952. (Syn. M. alni var. extensa (Cooke & Peck) Salmon). var. lonicerae (Fr.) W. B. Cooke in

Mycologia, 44, p. 572, 1952. (Syn. M. alnivar. lonicerae (DC.) Salmon).

—var. ludens (Salmon) W. B. Cooke in Mycologia, 44, p. 574, 1952. (Syn. M. alni var. ludens Salmon).

var. rhamni-frangulae (Fr.) W. B. Cooke in Mycologia, 44, p. 572, 1952. (Syn. Erysiphe penicillata var. rhamni-frangulae

var. vaccinii (Schw.) W. B. Cooke in Mycologia, 44, p. 573, 1952. (Syn. M. alni

var. vaccinii (Schw.) Salmon).

Microthyrium nigro-annulatum J. Webster in Trans. Brit. mycol. Soc., 35, p. 208, 1952 on Dactylis glomerata.—England.

Midotis floridana Seaver, The North American Cup-Fungi (Inoperculates), p. 95, 1951 on rotten wood.—Florida, U.S.A.

- nicaraguensis (Durand) Seaver, The North American Cup-Fungi (Inoperculates), p. 93, 1951. (Syn. Ionomidotis nicaraguensis Dur.). olivascens (Durand) Seaver, The North American Cup-Fungi (Inoperculates), p. 94, 1951. (Syn. Ionomidotis olivascens Dur.).

versiformis (Pers.) Seaver, The North American Cup-Fungi (Inoperculates), p. 94, 1951. (Syn. Peziza versiformis Pers.).

-westii Seaver, The North American Cup-Fungi (Inoperculates), p. 96, 1951 on wood of Ostrya.—Florida, U.S.A.

Mollisia exigua (Cooke) Seaver, The North American Cup-Fungi (Inoperculates), p. 207, 1951. (Syn. Peziza exigua Cooke).

- incrustata (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 215, 1951.

(Syn. Peziza incrustata Ellis).

oenotherae (Cooke & Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 211, 1951. (Syn. Peziza oenotherae Cooke & Ellis).

- sabalidis (Ellis & Mart.) Seaver, The North American Cup-Fungi (Inoperculates), p. 214, 1951. (Syn. Dermatea sabalidis Ellis & Mart.).

subcinerea (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 207, 1951. (Syn. Mollisiopsis subcinerea Rehm).

Mucor recurvus E. E. Butler in Mycologia, 44, p. 561, 1952 from diseased Fragaria roots.—Minnesota, U.S.A.

MURANGIUM Seaver, The North American Cup-Fungi (Inoperculates), p. 367, 1951.-Discomycetes.

- sequoiae (Plow.) Seaver, The North American Cup-Fungi (Inoperculates), p. 368, 1951. (Syn. Cenangium sequoiae Plow.).

Mycena flos-nivium Kühner in Bull. Soc. Nat. Oyonnax, 6, p. 71, 1952.—France.

Mycenella funebris Singer in Sydowia, 6, p. 213, 1952.—Argentine.

Mycosphaerella elymifoliae Munk in Dansk. bot. Ark., 14, No. 8, p. 2, 1952 on dead Elymus arenarius.—Denmark.

koldingensis Munk in Dansk. bot. Ark., 14, No. 8, p. 1, 1952 on dead Geum rivale. Denmark.

- larsenii Munk in Dansk. bot. Ark., 14, No. 8, p. 3, 1952 on dead Geum urbanum.—Denmark.

*Mycosyrinx globosa Viennot-Bourgin in Rev. int. Bot. appl., 32, p. 264, 1952 on Cissus .- French Congo.

Nectria submersa Kobayasi in J. Jap. Bot., 27, p. 185, 1952 from water.—Japan.

Octojuga chionea (Pers.) Pilát, Agaric. Europae. clavis dichot., p. 224, 1951. (Syn. Pleurotus chioneus Pers.)

Oedocephalum coprophilum Kobayasi apud Kominami, Kobayasi & Tubaki in Nagaoa, 1, . 8, 1952 from dung.—Japan.

Oidiodenron ambiguum (Peyronel) Malan in Nuovo G. bot. ital., 56, p. 738, 1949. (Syn. Dicyma ambigua Peyronel).

Olpidiopsis gillii (de Wildeman) Friedmann in Öst. bot. Z., 99, p. 209, 1952. (Syn. Olpi-dium gillii de Wildeman). *Omphalia aulacomnii Schaeffer in Pilát,

Agaric. Europae. clavis dichot., p. 174, 1951.-

barbularum Romagnesi in Rev. Mycologie, N.S., 17, p. 44, 1952 among Barbula.—France. galericolor Romagnesi in Rev. Mycologie, N.S., 17, p. 45, 1952 among Barbula.—

France. roseotincta Pearson in Trans. Brit. mycol. Soc., 35, p. 105, 1952.—England.

Omphalina defibulata Singer in Sydowia, 6, p. 190, 1952.—Argentine.

griseopallida (Desm.) Quél. forma tetraspora Ŝinger in Sydowia, 6, p. 189, 1952.-Argentine.

Ophiostoma coffeae (Zimmerm.) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 210, 1952.

(Syn. Rostrella coffeae Zimmerm.).

leptographoides (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella (Grosmannia) leptographoides Davidson).

-lunae (Kitajima) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Endo-

conidiophora lunae Kitajima).

-microsporum (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella (Ophiostoma) microspora Davidson).

montium (Rumbold) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn.

Ceratostomella montium Rumbold)

multiannulatum (Hedge. & Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, (Syn. Ceratostomella multiannulata Hedge. & Davidson).

obscurum (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella obscura Davidson).

-piceaperdum (Rumbold) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella piceaperda Rumbold).

pseudotsugae (Rumbold) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella pseudotsugae Rumbold). radicicolum (Bliss) von Arx in Leeuwen-hoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Ceratostomella radicicola Bliss).

rostrocylindricum (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 212, 1952. (Syn. Ceratostomella (Ophiostoma) rostrocylindrica Davidson).

serpens (Goid.) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 211, 1952. (Syn. Grosmannia serpens Goid.).

-variosporum (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 212, 1952. (Syn. Endoconidiophora variospora Davidson).

virescens (Davidson) von Arx in Leeuwenhoek ned. Tijdschr., 18, p. 212, 1952. (Syn. Endoconidiophora virescens Davidson).

Orbicula parietina (Schrader ex Fr.) Hughes in Mycol. Pap. 42, p. 1, 1951. (Syn. Didy-mium parietinum Schrad. ex Fr.). Orbilia cruenta (Schw.) Seaver, The North

American Cup-Fungi (Inoperculates), p. 158, 1951. (Syn. Peziza cruenta Schw.).

cucurbitae (Gerard) Seaver, The North American Cup-Fungi (Inoperculates), p. 155, 1951. (Syn. Peziza cucurbîtae Ger.)

diaphanula (Cooke) Seaver, The North American Cup-Fungi (Inoperculates), p. 153, 1951. (Syn. Peziza diaphanula Cooke).

-fairmani (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 154. 1951. (Syn. Pezizella fairmani Rehm).

phymatodes (Phill.) Seaver, The North American Cup-Fungi (Inoperculates), p. 156,

1951. (Syn. Peziza phymatodes Phill.).
- pulviscula (Cooke) Seaver, The North American Cup-Fungi (Inoperculates), p. 160, 1951. (Syn. Peziza pulviscula Cooke).

Ovulariopsis cynarae (Ferr. & Massa) Ciccarone in Boll. Staz. Pat. veg. Roma, Ser. 3, 9, p. 36, 1952. (Syn. Oidium cynarae Ferr. & Massa).

Ovulinia perplexa (Lawrence) Seaver, The North American Cup-Fungi (Inoperculates), 65, 1951. (Syn. Sclerotinia perplexa Lawrence).

Panellus longinquus (Berk.) Singer in Sydowia, 6, p. 209, 1952. (Syn. Agaricus longinquus Berk.).

Passalora milii (Syd.) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 94, 1952. (Syn. Cladosporium milii Syd.).

Peridermium (Cronartium) appalachianum Hepting & Cummins in Phytopathology, 42, p. 115, 1952 on Pinus virginiana.—North Carolina, U.S.A.

Petersenia panicicola Thirumalachar & Lacy in Mycopathologia, 6, p. 75, 1951 on Panicum repens .--India

Pezicula brenckleana Seaver nom. nov., The North American Cup-Fungi (Inoperculates), p. 341, 1951. (Syn. Cenangium rosae Sacc. non Schw.).

I

F

F

- ocellata (Pers.) Seaver, The North American Cup-Fungi (Inoperculates), p. 345, 1951. (Syn. Peziza ocellata Pers.).

olivascens (Rehm) Seaver, The North American Cup-Fungi (Inoperculates), p. 339, 1951. (Syn. Dermatea olivascens Rehm).

phyllophila (Peck) Seaver, The North American Cup-Fungi (Inoperculates), p. 350, 1951. (Syn. Dermatea phyllophila Peck).
[See also P. phyllophila (Desm.) Karst., Bidr.
Finl. Nat. Folk. 19, p. 167, 1871.]
-populi (Thompson) Seaver, The North R

American Cup-Fungi (Inoperculates), p. 346, 1951. (Syn. Neofabraea populi Thompson). Phaeosphaeria japonica Naito in Sci. Rep. Kagoshima Univ., 1, p. 72, 1952 on Livistona

subglobosa.—Japan. Phleospora panici H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 41, p. 126, 1952 on Panicum praecocius.—Wisconsin, U.S.A.

Phragmidiella heterophragmae (Mundkur & Thirumalachar) Thirumalachar & Mundkur in Indian Phytopath., 2, p. 240, 1949. (Syn. Santapauella heterophragmae Mundkur & Thirumalachar).

*Phyllosticta crassicaulis Losa in Coll. bot., Barcinone, 3, p. 151, 1952 on Silene crassicaulis .- Spain.

sequoiae Naito in Sci. Rep. Kagoshima Univ., 1, p. 74, 1952 on Sequoia sempervirens .- Japan. Phytophthora primulae Tomlinson in Trans.

Brit. mycol. Soc., 35, p. 233, 1952 on Primula oolyantha.—England.

PLEIOCHAETA (Sacc.) Hughes in Mycol. Pap. 36, p. 39, 1951. (Syn. Ceratophorum subgen. Pleiochaeta Sacc.).

- albizziae (Petch) Hughes in Mycol. Pap. 36, p. 39, 1951. (Syn. Geratophorum albizziae Petch).

- setosa (Kirchner) Hughes in Mycol. Pap. 36, p. 39, 1951. (Syn. Čeratophorum setosum Kirchner).

Pleomassaria acericola Petrak in Sydowia, 6, p. 10, 1952 on dead Acer.—Pennsylvania, U.S.A.

- helvetica Petrak in Sydowia, 6, p. 9, 1952 on dead Cytisus laburnum.—Switzerland.

Pleospora gaeumanni Müller in Ber. schweiz. bot. Ges., 61, p. 165, 1951 on dead grass stems .- Switzerland.

herbarum Rabenh. var. herbarum in Lloydia, 15, p. 82, 1952 on Allium.—Europe. hippophaës Larsen in Dansk. bot. Ark., 14,

No. 7, p. 36, 1952 on dead Hippophaës rhamnoides.—Denmark.

- laricina Rehm var. laricina in *Lloydia*, 15, p. 94, 1952 on Larix.—Europe.

media Niessl var. acuta Wehmeyer in Lloydia, 15, p. 78, 1952 on Juncus.—Europe. var. media in *Lloydia*, **15**, p. 75, 1952.-

N. & S. America, Europe.
— var. obtusa Wehmeyer in Lloydia, 15,

p. 78, 1952 on *Herniaria*.—Germany. - obtusa (Fuckel) Höhn. var. macrocarpa Wehmeyer in Lloydia, 15, p. 93, 1952 on Sorbus. - Sweden.

var. obtusa in Lloydia, 15, p. 92, 1952 on Ephedra, pine wood and pasteboard.-Europe, Argentine.

richtophensis Ellis & Ev. var. pallida Wehmeyer in Lloydia, 15, p. 73, 1952 on Aster.—Washington, U.S.A.

var. richtophensis in Lloydia, 15, p. 73, 1952 on Helianthus.—Colorado, U.S.A.

rubicunda Niessl var. americana Wehmeyer in Mycologia, 44, p. 645, 1952 on Pedicularis latifolia.—Washington, U.S.A.

vulgaris Niessl var. ferruginea Wehmeyer in Lloydia, 15, p. 72, 1952 on Pentstemon.-Wyoming, U.S.A.

var. vulgaris in Lloydia, 15, p. 71, 1952. -N. & S. America, Europe.

Pleuroflammula bruchii (Speg.) Singer in

Lilloa, 23, p. 218, 1950. (Syn. Crepidotus bruchii Speg.).

Pleurotus sutherlandii Singer in Sydowia, 6, p. 211, 1952 on dead Nothofagus pumilio. Argentine.

Pluteus carneipes Kühner in Bull. mens. Soc. linn. Lyon, 19, p. 102, 1950.—France.

defibulatus Singer in Sydowia, 6, p. 222, 1952 on dead trunks of Nothofagus.—Argen-

-lepiotoides Pearson in Trans. Brit. mycol. Soc., 35, p. 109, 1952.—England.

spegazzinianus Singer in Sydowia, 6, p. 221, 1952 on trunks of Nothofagus.—Argen-

splendidus Pearson in Trans. Brit. mycol. Soc., 35, p. 110, 1952.—England.

Podosphaera clandestina (Wallr. ex Fr.) Lév. var. tridactyla (Wallr.) W. B. Cooke in Mycologia, 44, p. 572, 1952. (Syn. P. oxycanthae var. tridactyla (Wallr.) Salmon).
Poromycena violacella (Speg.) Singer in

Lilloa, 23, p. 200, 1950. (Syn. Collybia violacella Speg.).

PORPOLOMA Singer in Sydowia, 6, p. 198,

1952.—Agaricales. Type P. sejunctum.

portentosum Singer in Sydowia, 6, p. 199, 1952.—Argentine.

sejunctum Singer in Sydowia, 6, p. 198, 1952.—Argentine.

terreum Singer in Sydowia, 6, p. 201, 1952.

-Argentine. Psathyra acutilamella (Favre) Pilát, Agaric. Europae. clavis dichot., p. 387, 1951. (Syn. Psathyrella acutilamella Favre).

Psathyrella fatua (Fr.) Pearson in Trans. Brit. mycol. Soc., 35, p. 119, 1952. (Syn.

Psathyra fatua Fr.). Fusca (Schum. ex Lange) Pearson in Trans. Brit. mycol. Soc., 35, p. 120, 1952. (Syn. Psathyra fusca (Schum.) Lange).

- microspora (Imai) Hongo in J. Jap. Bot., 27, p. 194, 1952. (Syn. Psathyra microspora Imai).

multissima (Imai) Hongo in J. Jap. Bot., 27, p. 193, 1952. (Syn. Psathyra multissima Imai).

pygmea (Bull. ex Fr.) Pearson in Trans. Brit. mycol. Soc., 35, p. 120, 1952. (Syn. Drosophila pygmea (Bull. ex Fr.) Quél.).

Pseudotrichia minor Munk in Dansk. bot. Ark., 14, No. 8, p. 7, 1952 on Diaporthe larseniana.—Denmark.

Puccinia agropyricola Hiratsuka f. nom. nov. in Bot. Mag., Tokyo, 64, p. 221, 1951. (Syn. Rostrupia miyabeana Ito non P. miyabeana Miyake).

-baphiae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 431, 1952 on Baphia pubescens.—Ivory Coast.

caricina DC. var. uliginosa (Juel) Jørstad in Skr. norske VidenskAkad., 1951, No. 2,

p. 30, 1952. (Syn. P. uliginosa Juel).
- crepidis-integrae Hiratsuka f. in Mem. Fac. Agric. Tokyo Univ. 1, p. 61, 1952 on Crepidiastrum lanceolatum.—Japan.

- digitariae-velutinae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 432, 1952 on Digitaria velutina.—Ivory Coast.

 hydrocotyles (Link) Cooke var. tristan-ensis Jørstad in Results Norweg. Exped. T. da Cunha 14, p. 8, 1947 on Hydrocotyle capitata.—Tristan da Cunha.

*- ruttneri Fischer in PflSchBer., 9, p. 21, 1952 on Petasites and Carex gracilis.—Austria. - virectae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 432, 1952 on Virecta multi-flora.—Ivory Coast.

Pucciniastrum vaccinii (Wint.) Jørstad in Skr. norske Vidensk Akad., 1951, No. 2, p. 55, 1952. (Syn. Melampsora vaccinii Wint.).

Pullularia werneckii (Horta) de Vries, Contribution to the knowledge of the Genus Cladosporium, p. 101, 1952. (Syn. Cladosporium werneckii Horta).

Ramularia nivosa (Ellis & Ev.) W. B. Cooke & Shaw in Lloydia, 15, p. 127, 1952. (Syn. Cercosporella nivosa Ellis & Ev.).

Rhizophydium achnanthis Friedmann in Öst. bot. Z., 99, p. 181, 1952 on Achnanthes affinis.-Germany.

- melosirae Friedmann in Öst. bot. Z., 99, p. 179, 1952 on Melosira varians.—Germany.

Rhodophyllus argentinus (Speg.) Singer in Lilloa, 23, p. 228, 1950. (Syn. Claudopus argentinus Speg.).

pampicola (Speg.) Singer in Lilloa, 229, 1950. (Syn. Naucoria pampicola Speg.).

subgoniosporus (Speg.) Singer in Lilloa, 23, p. 229, 1950. (Syn. Collybia subgoniosporâ Speg.).

Rhodotorula marina Phaff, Mrak, & Williams in Mycologia, 44, p. 436, 1952 from Peneaus satiferus .- Texas.

peneaus Phaff, Mrak, & Williams in Mycologia, 44, p. 438, 1952 from Peneaus setiferus. -Texas.

pilimanae Hedrick & Burke in Myco-pathologia, 6, p. 94, 1951 from Drosophila pilimanae.-Hawaii.

texensis Phaff, Mrak, & Williams in Mycologia, 44, p. 437, 1952 from Peneaus setiferus. -Texas.

RHOPALOCONIDIUM Petrak in Sydowia, 6, p. 300, 1952.—Hyphomycetes.

- asiminae (Ell. & Morg.) Petrak in Sydowia, 6, p. 301, 1952. (Syn. Phleospora asiminae Ell. & Morg.).

Rosenscheldiella phoradendri Limber & Jenkins in Mycologia, 44, p. 560, 1952 on Phoradendron robustissimum.—El Salvador, Central America.

ROSTROSPORA C. V. Subramanian & K. Ramakrishnan in J. Madras Univ., Sect. B, 22, p. 67, 1952.—Melanconiales.

-ciliata (T. S. & K. Ramakrishnan) C. V. Subramanian & K. Ramakrishnan in J. Madras Univ., Sect. B, 22, p. 67, 1952. (Syn. Colletotrichum ciliatum T. S. & K. Ramakrishnan).

Russula alpina (Blytt) Möll. & Schaeff. in Schaeff., Russula-Monographie, p. 222, 1952. (Syn. not cited).

- aosma Singer in Kew Bull., 1952, p. 298, 1952,-Trinidad.

cessans A. A. Pearson in Naturalist, Lond., 1950, p. 101, 1950 under Pinus sylvestris.-England.

chlorantha Zvára in Schaeff., Russula-Monographie, p. 209, 1952.—Czechoslovakia. dennisii Singer in Kew Bull., 1952, p. 296, 1952.—Trinidad.

erubescens Zvára in Schaeff., Russula-Monographie, p. 108, 1952.—Europe.

fragilis Fr. var. carminea Schaeff., Russula-Monographie, p. 216, 1952.--Europe. integra Fr. var. aurantiaca 161,

Russula-Monographie, p. Europe.

*- kauffmanii Schaeff., Russula-Monographie, p. 95, 1952.—?U.S.A.

laeta Möll. & Schaeff. in Schaeff., Russula-Monographie, p. 162, 1952.—Europe. metachromatica Singer in Kew Bull., 1952,

p. 297, 1952.—Venezuela.

odorata Romagnesi in Bull. mens. Soc. linn. Lyon, 19, p. 76, 1950.—France.
puellula Ebbesen, Möll. & Schaeff. in

Schaeff., Russula-Monographie, p. 118, 1952. –Denmark.

puiggarii (Speg.) Singer in Lilloa, 23, p. 239, 1950. (Syn. Clitocybe puiggarii Speg.). querceti Haas & Schaeff. 'n. subsp.' in

Schaeff., Russula-Monographie, p. 164, 1952. -Germany.

rhodopoda Zvára forma compactior Schaeff., Russula-Monographie, p. 231, 1952. -Europe.

striatella Schaeff., Russula-Monographie, p. 185, 1952.—Europe.

-venezueliana Singer in Kew Bull., 1952, p. 295, 1952.—Venezuela.

vinosopurpurea Schaeff., Russula-Mono-

graphie, p. 260, 1952.—Europe. -zonatula Ebbesen & Schaeff. in Schaeff., Russula-Monographie, p. 127, 1952.—Den-

SABOURAUDIELLA Boedijn in Mycopathologia, 6, p. 123, 1951.—Trichophytonae. Type, S. purpurea.

interdigitalis (Priestley) Boedijn in Mycopathologia, 6, p. 125, 1951. (Syn. Trichophyton interdigitale Priestley).

purpurea (Bang) Boedijn in Mycopathologia, 6, p. 123, 1951. (Syn. Trichophyton purpureum Bang).

- rubra (Castell.) Boedijn in Mycopathologia, 6, p. 125, 1951. (Syn. Epidermophyton (Syn. Epidermophyton rubrum Castellani).

Saccharomyces acidifaciens (Nickerson) Lodder & Kreger-Van Rij, The Yeasts, p. 214, 1952. (Syn. Zygosaccharomyces acidifaciens Nick.).

-bisporus (Naganishi) Lodder & Kreger-Van Rij, *The Yeasts*, p. 194, 1952. Syn. Zygosaccharomyces bisporus Nag.)

delbruecki var. mongolicus (Saito) Lodder & Kreger-Van Rij, The Yeasts, p. 173, 1952. (Syn. Zygosaccharomyces mongolicus Saito).

elegans Lodder & Kreger-Van Rij, The Yeasts, p. 668, 1952 from apple juice.— Holland.

- fermentati (Saito) Lodder & Kreger-Van Rij, The Yeasts, p. 200, 1952. (Syn. Torula-spora fermentati Saito).

florentinus (Castelli) Lodder & Kreger-Van Rij, The Yeasts, p. 213, 1952. (Syn.

Zygosaccharomyces florentinus Castelli).

-fructuum Lodder & Kreger-Van Rij, The
Yeasts, p. 668, 1952 from fruit juice.— Holland.

- mellis (Fabian & Quinet) Lodder & Kreger-F Van Rij, The Yeasts, p. 208, 1952. (Syn. Zygosaccharomyces mellis Fabian & Quinet).

I

R pastori (Guil.) Lodder & Kreger-Van Rij, The Yeasts, p. 197, 1952. (Syn. Zygosaccharomyces pastori Guill.).

rosei (Guill.) Lodder & Kreger-Van Rij, The Yeasts, p. 187, 1952. (Syn. Torulaspora rosei Guill.).

rouxii Boutroux var, polymorphus (Kroem. & Krumbh.) Lodder & Kreger-Van Rij, The Yeasts, p. 142, 1952. (Syn. Zygosaccharomyces polymorphus Kroem. & Krumbh.).

- steineri Lodder & Kreger-Van Rij nom. nov., The Yeasts, p. 668, 1952. (Syn. S. chodati Steiner non Schweizer).

veronae Lodder & Kreger-Van Rij, The Yeasts, p. 669, 1952 from grapes.—Italy. *Sarcodon abietinum Heim in Rev. Myc., Paris, N.S., 8, Suppl. 1, p. 10, 1943 and

Faris, N.S., 8, Suppl. 1, p. 10, 1943 and Bull. Soc. mycol. Fr., 67, part 4, [page unnumbered], atlas, pl. 99, 1952.—France.
Sclerotinia temulenta (Prill. & Delacr.) Seaver, The North American Cup-Fungi (Inoperculates), p. 76, 1951. [See also S. temulenta (Pr. & Del.) Rehm apud Hoehn.,

Ann. Myc., 1, p. 406, 1903.]
SERENOMYCES Petrak in Sydowia, 6, p. 296, 1952.—Ceratostomataceae.

- shearii Petrak in Sydowia, 6, p. 296, 1952 on dead leaves of Serenoa serrulata.— Florida, U.S.A.

Setella halophila E. Fisher in Proc. roy. Soc. Vict., N.S., 62, p. 129, 1950 on Aegiceras corniculatum.—Queensland, Australia. Shearia acericola Petrak in Sydowia, 6, p. 11,

1952 on Acer.—Pennsylvania, U.S.A. SHEARIELLA Petrak in Sydowia, 6, p. 302,

1952.—Sphaeropsidales. carbonacea Petrak in Sydowia, 6, p. 303,

1952 on dead branches.—Hawaii. Sirobasidium indicum K. Ramakrishnan &

C. V. Subramanian in J. Madras Univ., Sect. B, 21, p. 304, 1951 on dead twigs. India.

Sphaceloma magnoliae Jenkins & Miller in J. Wash. Acad. Sci., 42, p. 323, 1952 on Magnolia grandiflora.—Georgia, U.S.A.

Sphacelotheca themedicola Ling in Sydowia, 5, p. 44, 1951 on Themeda gigantea.—Philippines. Included in error under Leptosphaeria in this Index, 2, 57.

SPHAERANGIÚM Seaver nom. nov., The North American Cup-Fungi (Inoperculates), p. 308, 1951. (Syn. Phaeangium Sacc. non Pat.).

-magnisporum (Cash & Stevenson) Seaver, The North American Cup-Fungi (Inoperculates), p. 309, 1951. (Syn. Phaeangium magnisporum Cash & Stevenson).

tetrasporum (Ellis) Seaver, The North American Cup-Fungi (Inoperculates), p. 308, 1951. (Syn. Dermatea tetraspora Ellis).

-tiliae Seaver, The North American Cup-Fungi (Inoperculates), p. 309, 1951 on Tilia heterophylla.—Georgia, U.S.A.

Sphaerophragmium millettiae Bourgin in Bull. Soc., mycol. Fr., 67, p. 433, 1952 on Millettia stapfiana.—Ivory Coast.

monodorae Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 433, 1952 on Monodora tenuifolia.—Ivory Coast.

Sphaerotheca macularis (Wallr. ex Fr.) W. B. Cooke in *Mycologia*, **44**, p. 572, 1952. (Syn. *Erysiphe macularis* Wallr. ex Fr.).

var. fuliginea (Schlecht. ex Fr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. S. humuli var. fuliginea (Schlect.) Salmon). Sphaerulina cucurbitae Naito in Sci. Rep.

Kagoshima Univ., 1, p. 71, 1952 on Cucurbita moschata var. toonas.—Japan.

Sporodesmium subulatum (Cooke & Ellis) Hughes in Mycol. Pap. 36, p. 31, 1951. (Syn. Ceratophorum subulatum Cooke & Ellis). *SPOROPHORA Luteraan in Rev. Biol. gén. theor. appl., 2, p. 2, 1952. Hyphomycetes, 'Sporophorées'.

toruliformis Luteraan in Rev. Biol. gén.

théor. appl., 2, p. 2, 1952.—France. Stagonospora recedens (Massal.) Jones & Weimer forma trifolii-alexandrini Ciccarone in Ann. Sper. agr., N.S. 6, p. 11, 1952 on Trifolium alexandrinum.-Italy.

STEVENSONULA Petrak in Sydowia, 6,

p. 1, 1952.—Fungi Imperfecti.

ciliata Petrak in Sydowia, 6, p. 2, 1952 on dead Baccharis halimifolia.—Florida, U.S.A.

Synchytrium hibisci Gupta & Sinha in Indian Phytopath., 4, p. 8, 1951 on Hibiscus esculentus.-India.

-melongenae Gupta & Sinha in Indian Phytopath., 4, p. 8, 1951 on Solanum melongena.-India. phaseoli-radiati Sinha & Gupta in Indian

Phytopath., 4, p. 7, 1951 on Phaseolus radiatus.—India.

- sesami Sinha & Gupta in Indian Phytopath., 4, p. 8, 1951 on Sesamum indicum.-India.

- vernoniae Gupta & Sinha in Indian Phytopath., 4, p. 9, 1951 on Vernonia patula.-India.

Telimena foreaui Moreau in Bull. Soc. bot. Fr., 98, p. 209, 1951 on Anaptychia speciosa. -India.

TETRAPOSPORIUM Hughes. Given erroneously as TETRAPOSPORUM in this Index, 2, p. 63.

Thecaphora aterrima Tul. var. fimbri-stylidis (Mundk. & Thirum.) Mundk. & Thirumalachar, Ustilaginales of India, p. 58, 1952. (Syn. Thecaphora fimbristylidis Mundk. & Thirum.).

Tilletia pulcherrima Ell. & Gall. var. brachiariae Pavgi & Thirumalachar in Mycologia, 44, p. 323, 1952 on Brachiaria distachya.—India.

-setaricola Pavgi & Thirumalachar in My-cologia, 44, p. 321, 1952 on Setaria inter-media.—India.

Tilletiopsis cremea Tubaki in Nagaoa, 1, p. 30, 1952 on leaves.—Japan.

-lilacina Tubaki in Nagaoa, 1, p. 29, 1952 on Acer & Cornus controversa. - Japan.

- minor Nyland var. flava Tubaki in Nagaoa, 1, p. 28, 1952 on Acer.—Japan.

Tolyposporium andropogonis Patel & Kulkarni apud Patel, Gokhale, & Kulkarni in Indian Phytopath., 4, p. 65, 1951 on Andropogon triticeus .- India.

restifaciens D. E. Shaw in Proc. Linn. Soc. N.S.W., 77, p. 145, 1952 on Stipa aristi-glumis.—New South Wales, Australia. Torulopsis anomala Lodder & Kreger-Van

Rij, The Yeasts, p. 670, 1952 from cucumber brine.—U.S.A.

ernobii Lodder & Kreger-Van Rij, The Yeasts, p. 671, 1952 from Ernobius mollis.— Germany.

-etchellsii Lodder & Kreger-Van Rij, The Yeasts, p. 670, 1952 from cucumber brine.

-famata (Harrison) Lodder & Kreger-Van Rij, The Yeasts, p. 417, 1952. (Syn. Mycotorula famata Harrison).

globosa (Olson & Hammer) Lodder & Kreger-Van Rij, *The Yeasts*, p. 426, 1952. (Syn. *Torula globosa* Olson & Hammer).

- inconspicua Lodder & Kreger-Van Rij,

The Yeasts, p. 671, 1952 from human sputum. ·?Holland

lactis-condensi (Hammer) Lodder Kreger-Van Rij, The Yeasts, p. 409, 1952. (Syn. Torula lactis-condensi Hammer)

- magnoliae Lodder & Kreger-Van Rij, The Yeasts, p. 671, 1952 from Magnolia flower.-Holland.

pinus Lodder & Kreger-Van Rij, The \hat{Y} easts, p. 671, 1952 from pine heartwood.— Sweden.

pintolopesii van Uden in Arch. Microbiol., 17, p. 207, 1952 from Mus musculus. Portugal.

-sake (Saito & Ota) Lodder & Kreger-Van Rij, The Yeasts, p. 425, 1952. (Syn. Eutorulopsis sake Saito & Ota).

- stellata (Kr. & Krumbh.) Lodder var. cambresieri Lodder & Kreger-Van Rij, *The*

Yeasts, p. 670, 1952 from gum.—Belgium.
- versatilis (Etchells & Bell) Lodder & Kreger-Van Rij, The Yeasts, p. 427, 1952. (Syn. Brettanomyces versatilis Etchells & Bell).

Trenomyces aquaticus Eichler in Fedde Repert., 54, p. 195, 1952 on Cincloecus cinci.-Germany.

- guaraunae Eichler in Fedde Repert., 54,

p. 196, 1952 on Ardeicola guaranae.—Brazil. -helveticus Eichler in Fedde Repert., 54, p. 198, 1952 on Myrsidea cucullaris.—Switzer-

- keleri Eichler in Fedde Repert., 54, p. 200, 1952 on Gliricola mesomydis.—Brazil.

thaxteri Eichler in Fedde Repert., 54, p. 201, 1952 on Lunaceps inaequalis.—Germany.

Trichobelonium leucorrhodinum (Mont.) Seaver, The North American Cup-Fungi (Inoperculates), p. 161, 1951. (Syn. Peziza leucorrhodina Mont.).

Trichocladium opacum (Corda) Hughes in Trans. Brit. mycol. Soc., 35, p. 154, 1952. (Syn. Sporodesmium opacum Corda).

Tricholoma alpestris (Britz.) Pilát, Agaric. Europae. clavis dichot., p. 156, 1951. (Syn. Agaricus alpestris Britz.).

cortinatum Singer in Sydowia, 6, p. 192, 1952.—Argentine.

fagnani Šinger in Sydowia, 6, p. 194, 1952. -Argentine.

favrei (Haller & Haller) Pilát, Europae. clavis dichot., p. 149, 1951. (Syn.

Lyophyllum favrei Haller & Haller).

- naucoria (Murr.) Pilát, Agaric. Europae. clavis dichot., p. 155, 1951. (Syn. Melano-

leuca naucoria Murr.)

- pseudolilaceum (Singer) Pilát, Agaric. Europae. clavis dichot., p. 156, 1951. (Syn. Calocybe pseudolilacea Singer).

- rickeni (Singer) Pilát, Agaric. Europae. clavis dichot., p. 160, 1951. (Syn. Lepista

rickeni Singer).

Trichophyton gallinae (Mégnin) Silva & Benham in J. invest. Derm., 18, p. 453, 1952. (Syn. Epidermophyton gallinae Mégnin). (See also T. gallinae (Mégnin) Georg in Mycologia, 44, p. 474, 1952.)

Trichosporon behrendii Lodder & Kreger-Van Rij, *The Yeasts*, p. 673, 1952 from sputum.—Holland.

- cutaneum (de Beurm., Goug. & Vauch.) Ota var. multisporum (Cochet) Lodder & Kreger-Van Rij, *The Yeasts*, p. 619, 1952. (Syn. Trichosporum multisporum Cochet).

var. peneaus Phaff, Mrak, & Williams in

Mycologia, 44, p. 439, 1952 from Peneaus setiferus.—Texas.

— diddensii Phaff, Mrak, & Williams in Mycologia, 44, p. 440, 1952 from Peneaus setiferus.—Texas.

lodderi Phaff, Mrak, & Williams in Mycologia, 44, p. 441, 1952 from Peneaus setiferus.
 Texas.

Trichothecium polyctonum Drechsler in Mycologia, 44, p. 550, 1952 on Arcella vulgaris, Pythium spinosum and Polyangium.—Oregon, U.S.A.

Tubercularia abutilonis Katsura in Forsch.

PfiKr., Tokyo, 4, p. 105, 1951 on Abutilon
avicennae.—China.

 Uleomyces wellmanii Jenkins & Limber in Mycologia, 44, p. 557, 1952 on Phoradendron robustissimum.—El Salvador, Central America.

Uncinula adunca (Fr.) W. B. Cooke in Mycologia, 44, p. 573, 1952. (Syn. Erysiphe adunca Fr.).

bicornis (Fr.) Lev. var. tulasnei (Fuckel)
 W. B. Cooke in Mycologia, 44, p. 572, 1952.
 (Syn. U. aceris var. tulasnei (Fuckel)
 Salmon).

Uredo bosquieae Viennot-Bourgin in Bull.

Soc. mycol. Fr., 67, p. 434, 1952 on Bosquiea angolensis.—Ivory Coast.

— caricis-thouarsii Jørstad in Results Norweg. Exped. T. da Cunha, 14, p. 10, 1947 on Carex thouarsii.—Tristan da Cunha.

thouarsii.—Tristan da Cunha.

— markhamiae [as 'markamiae'] ViennotBourgin in Bull. Soc. mycol. Fr., 67, p. 434,
1952 on Markhamia lutea.—Ivory Coast.

— newbouldiae Viennot-Bourgin in Bull. Soc.

mycol. Soc., 67, p. 435, 1952 on Newbouldia laevis.—Ivory Coast.

Uromyces aspiliella Viennot-Bourgin in Bull. Soc. mycol. Fr., 67, p. 435, 1952 on Aspilia latifolia.—Ivory Coast.

— planiusculus (Mont.) Jørstad in Results Norweg. Exped. T. da Cunha, 14, p. 15, 1947. (Syn. Uredo planiuscula Mont. in Gay).

— yakushimensis Hiratsuka f. & Katsuki in Mem. Fac. Agric. Tokyo Univ. 1, p. 53, 1952 on Trichosanthes multiloba.—Japan.

Xiphomyces caricis Jørstad in Results Norweg. Exped. T. da Cunha, 14, p. 28, 1947 on Carex insularis.—Tristan da Cunha.

Zygosporium chartarum Camposano in Nuovo G. bot. ital., N.S., 58, p. 360, 1951 on paper.—Italy.

HOST INDEX

For Phanerogams see under families; for Algae, Bacteria, Fungi, Lichenes, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

ACERACEAE

Acer Pleomassaria acericola Shearia acericola Tilletiopsis lilacina Tilletiopsis minor var. flava

ALGAE

S

٤

Achnanthes affinis
Rhizophydium achnanthis

Eunotia arcus

Ectrogella eunotiae

Melosira varians

Rhizophydium melosirae Navicula oblonga

Chytridium versatile var. podochytrioides

Annonaceae Monodora tenuifolia

Sphaerophragmium monodorae AQUIFOLIACEAE

Ilex aquifolium

Didymella ilicis

Didymella ilicis
ARACEAE

Arisaema ringens var. praecox Aecidium satsumense

BACTERIA Polyangium

Trichothecium polyctonum

BALSAMINACEAE Impatiens textori Cercospora nojimai

BETULACEAE Ostrya

R

Midotis westii Bignoniaceae

Markhamia lutea
Uredo markhamiae

Newbouldia laevis Uredo newbouldiae Burseraceae Boswellia serrata

Dasturella boswelliae

CAPRIFOLIACEAE

Sambucus nigra Chaetosphaeria subcaespitosa

Triosteum perfoliatum Coremium triostei

CARYOPHYLLACEAE Dianthus seguieri

Heterosporium echinulatum var. dianthi

Herniaria

Pleospora media var. obtusa

Silene crassicaulis
Phyllosticta crassicaulis

COMPOSITAE

Leptosphaeria filiformis

Aspilia latifolia Uromyces aspiliella

Aster
Pleospora richtophensis var. pallida

Baccharis halimifolia
Stevensonula ciliata
Crenidiastrum lancaoletu

Crepidiastrum lanceolatum Puccinia crepidis-integrae

Helianthus

Pleospora richtophensis var. richtophensis Petasites

Puccinia ruttneri Vernonia patula

Synchytrium vernoniae

CONIFERAE

Chamaecyparis nootkatensis forma pendula Karschia nootkatensis

Cryptomeria japonica
Chloroscypha cryptomeriae

Larix

Pleospora laricina var. laricina

CONIFERAE (continued) Larix decidua Lophium mayori Picea abies Diaporthe larseniana Pinus virginiana

Peridermium (Cronartium) appalachianum

Sequoia sempervirens Phyllosticta seguoiae CORNACEAE

Cornus controversa Tilletiopsis lilacina CUCURBITACEAE

Cucumis melo var. reticulatum Fusarium bulbigenum var. cucumis Cucurbita moschata var. toonas

Sphaerulina cucurbitae Trichosanthes multiloba Uromyces yakushimensis CYPERACEAE

Carex aquatilis Cintractia caricis var. acutarum Carex atrata Cintractia atratae

Carex bigelowii Cintractia limosa var. minor

Carex ebenea Cintractia carpophila var. verrucosa Carex gracilis

Puccinia ruttneri Carex insularis Xiphomyces caricis

Carex oblata ${\it Clathrospora\ simmonsii}$ Carex pensylvanica var. pensylvanica

Cintractia caricis var. intermedia Carex pyrenaica subsp. micropoda Cintractia carpophila var. kenaica

Carex thouarsii Uredo caricis-thouarsii Cladium mariscus Didymosphaeria cladii

ELAEAGNACEAE Hippophaës rhamnoides Pleospora hippophaës EUPHORBIACEAE

Sebastiania klotschiana Maravalia sebastianiae

FAGACEAE Fagus sylvaticus Camposporium cambrense Chaetosphaeria fusispora Nothofagus

Clitocybe subleptoloma Pluteus defibulatus Pluteus spegazzinianus

Nothofagus pumilio Clitocybe pleurotus Pleurotus sutherlandii Fungi

Cochlonema megalosomum Dactylella helminthodes Cryptospora suffusa Calosphaeria cryptospora Diaporthe larseniana Pseudotrichia minor Pythium debaryanum Dactylella helminthodes Pythium spinosum

Trichothecium polyctonum GERANIACEAE Geranium viscossissimum Cercosporella geranii

GINKGOACEAE Ginkgo biloba Hendersonia ginkginis GNETACEAE

Ephedra

Pleospora obtusa var. obtusa

GRAMINEAE Andropogon triticeus

Tolyposporium andropogonis Brachiaria distachya

Tilletia pulcherrima var. brachiariae Dactylis glomerata

Microthyrium nigro-annulatum Digitaria velutina

 $reve{P}uccinia digitariae-velutinae$ Elymus arenarius

Mycosphaerella elymifoliae Elymus glaucus

Leptosphaeria elongata Panicum praecocius Phleospora panici

Panicum repens Petersenia panicicola Setaria intermedia Tilletia setaricola

Stipa aristiglumis Tolyposporium restifaciens Stipa californica

Clathrospora cookei Stipa spartea Cladosporium stipae

INSECTA

Ardeicola guaraunae Trenomyces guaraunae Cincloecus cinci

Trenomyces aquaticus Drosophila crucigera Candida sorbosa

Drosophila pilimanae Rhodotorula pilimanae

Elaphrus cupreus Laboulbenia buehlmannii

Ernobius mollis Torulopsis ernobii Gliricola mesomydis Trenomyces keleri

Lunaceps inaequalis Trenomyces thaxteri Myrsidea cucullaris Trenomyces helveticus

Prolabia pulchella Filariomyces forficulae Reticulitermes flavipes var. santonensis

Antennopsis gallica Invertebrata (other than Insecta)

Arcella vulgaris Trichothecium polyctonum

Nematodes Dactylella acrochaeta Dactylella mammillata Harposporium lilliputanum

Peneaus setiferus Rhodotorula marina Rhodotorula peneaus Rhodotorula texensis Trichosporon cutaneum var. peneaus Trichosporon diddensii Trichosporon lodderi

JUGLANDACEAE Discosporina commutata Melanconis commutata

JUNCACEAE Juneus Dictyosporium prolificum Pleospora media var. acuta LABIATAE Collinsonia canadensis Helotium rhizicola LATIRACEAE Beilschmiedia tawa Hypocrea tawa LEGUMINOSAE Arachis hypogea Colletotrichum mangenoti Baphia pubescens Puccinia baphiae Caesalpinia pulcherrima Beltrania indica Cytisus laburnum Pleomassaria helvetica Millettia rhodantha Hapalophragmium millettiae-rhodanthae Millettia stapfiana Sphaerophragmium millettiae Phaseolus radiatus Synchytrium phaseoli-radiati Trifolium alexandrinum Stagonospora recedens forma trifolii-alexandrini LICHENES Anaptychia speciosa Telimena foreaui LILIACEAE Allium Pleospora herbarum var. herbarum Phormium tenax Hendersonia phormii LORANTHACEAE Phoradendron robustissimum Rosenscheldiella phoradendri Uleomyces wellmannii S MAGNOLIACEAE Magnolia Massaria shearii Torulopsis magnoliae Magnolia grandiflora Sphaceloma magnoliae Michelia chinensis Leptosphaerulina kiusiana MALVACEAE Abutilon avicennae Colletotrichum pehkinensis Tubercularia abutilonis Hibiscus esculentus Synchytrium hibisci MORACEAE Bosquiea angolensis Uredo bosquieae MYRSINACEAE Aegiceras corniculatum Setella halophila Suttonia salicina Hypocrea toro MYRTACEAE Callistemon viminalis Meliola polytricha var. queenslandica Leptospermum scoparium Hypocrea macrospora Hypocrea manuka OLEACEAE Chionanthus retusus

Cercospora chionanthi-retusi

R

PALMAE Livistona chinensis Graphiola cylindrica Livistona subglobosa Hendersonia livistonae Phaeosphaeria japonica Serenoa serrulata Serenomyces shearii PEDALIACEAE Sesamum indicum Synchytrium sesami PLATANACEAE Platanus noxius Endoconidiophora fimbriata forma platani POLYGONACEAE Polygonum virginianum Helotium rhizicola PRIMULACEAE Primula polyantha $Phytophthora\ primulae$ PROTEACEAE Banksia robur Asterina systema-solare var. minor Banksia robur var. minor Asterina systema-solare var. minor PTERIDOPHYTA Equisetum hiemale Didymosphaeria equiseti-hiemalis Leptosphaeria berlesei RHAMNACEAE Discaria toumatou Calonectria novae-zealandiae ROSACEAE Fragaria $Mucor\ recurvus$ Geum rivale Mycosphaerella koldingensis Geum urbanum Mycosphaerella larsenii Sorbus Karstenula sorbicola Pleospora obtusa var. macrocarpa RUBIACEAE Coprosma Actinodothidopsis nitida Coprosma robusta Hypocrea coprosma Mussaenda erythrophylla Hemileia mussaendae Nertera granadensis Coniothyrium nerterae Virecta multiflora Puccinia virectae SALICACEAE Populus tremuloides Lachnella populicola Lachnella populina SAPINDACEAE Euphoria longana Didymella euphoriae SCROPHULARIACEAE Pedicularis latifolia Pleospora rubicunda var. americana Pentstemon Pleospora vulgaris var. ferruginea SOLANACEAE Solanum melongena Synchytrium melongenae STAPHYLEACEAE

Staphylea rufa

Massarina floridana

Massarina staphyleae

STYRACACEAE Styrax japonica Cercospora fukuokaensis

TILIACEAE
Grewia asiatica
Cercospora grewiae
Tilia heterophylla
Sphaerangium tiliae
TYPHACEAE
Typha latifolia
Metasphaeria bispora

UMBELLIFERAE Hydrocotyle capitata *Puccinia hydrocotyles* var. *tristanensis* VERTEBRATA
Homo sapiens
Epidermophyton angustisporum
Mus musculus
Torulopsis pintolopesii
VIOLACEAE
Melicytus ramiflorus
Hypocrea novae-zealandica
VITACEAE
Cissus
Mycosyrinx globosa
Cissus polyantha
Goplana cissi
Parthenocissus tricuspidata

Cercospora horiana

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

٤

S

and care consistent and

1

1

4

R .





COMMONWEALTH MYCOLOGICAL INSTITUTE

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

Vol. II

PART 7

1953

ABROTHALLOMYCES¹ Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 75, 1952.—For the fungal element of Abrothallus (lichen).

*Absidia ginsan Kominami, Kobayasi, & Tubaki in Mycol. J. Nagao Inst., No. 2, p. 56,

1952.-Manchuria.

ACANTHOTHECOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 75, 1952.—For the fungal element of Acanthothecium (lichen).

ACAROSPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1952.—For the fungal element of Acaro-

spora (lichen).

ACOLIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.— For the fungal element of Acolium (lichen).

ACROCORDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Acrocordia

ACROTELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Acrotellum

(lichen)

ACTINOPLACOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of Actinoplaca (lichen)

ACTINOSPORA Ingold in Trans. Brit. mycol. Soc., 35, p. 66, 1952.—Hyphomycetes. - megalospora Ingold in Trans. Brit. mycol. Soc., 35, p. 66, 1952 on submerged decaying twig of Crataegus.—England.

Aecidium anaphalis-leptophyllae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 87, 1952 on

Anaphalis leptophylla.—India.

clematidis-songaricae Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 178, 1950 on Clematis songarica.—U.S.S.R.

- cuspidatum Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 86, 1953 on Strobilanthes cuspidatus.

- inulae-grandis Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 175, 1950 on Inula grandis.—U.S.S.R.

- kondoriense Kuprevicz in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 171, 1950 on Ostrowskia magnifica.—U.S.S.R.

meliosmae-wightii Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 87, 1952 on Meliosma wightii.—India.

- millefolii Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 172, 1950 on Achillea micrantha.—U.S.S.R.

- pavoniae-odoratae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 89, 1952 on Pavonia odorata. -India.

- trichodesmae Kuprevicz in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 171, 1950 on Trichodesma incana.—U.S.S.R.

ALECTORIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 70, 1952.—For the fungal element of Alectoria (lichen).

Aleurisma immite (Stiles) Bogliolo & Neves in Mycopathologia, 6, p. 147, 1952. (Syn.

Coccidioides immitis Stiles.)

Aleurodiscus delicatus Wakefield in Trans. Brit. mycol. Soc., 35, p. 44, 1952 on dead leaves of Cladium mariscus.—England.

ALLARTHOTHELIOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Allarthothelium (lichen).

Allomyces javanicus Kniep var. allo-morphus Indoh in Mycol. J. Nagao Inst., No. 2, p. 28, 1952 from soil.—Japan.

*— monspeliensis Arnaud in Bull. Soc. mycol. Fr., 68, p. 184, 1952 on eggs of a batrachian.—France.

Amanita ameghinoi (Speg.) Singer in Sydowia, 6, p. 344, 1952. (Syn. Armillaria ameghinoi Speg.).

- antillana Dennis in Kew Bull., 1952, p. 459, 1952.—Trinidad.

- caesareoides Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 199, 1950.— U.S.S.R.

fuliginea Hongo in J. Jap. Bot., 28, p. 69, 1953.—Japan.

- rubens (Scop.) Quél. var. areolata Smarda in Česká Mykol., 2, p. 46, 1948.—Czechoslovakia.

Amauroderma rugosum (Blume & Nees) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 99, 1952. (Syn. Polyporus rugosus Blume & Nees). [See also this Index, ii, pp. 15 and 51.]

scopulosum (Berk.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 99, 1952. (Syn.

Polyporus scopulosus Berk.).

Amphididymella clypeata Petrak in Sydowia, 6, p. 399, 1952 on dead Andromeda ferruginea. Florida, U.S.A.

Amphisphaerella xylostei (Pers.) Munk in Dansk bot. Ark., 15, 2, p. 89, 1953. (Syn. Sphaeria xylostei Pers.).

Anthostomella bambusicola Deighton apud Petrak & Deighton in Sydowia, 6, p. 309, 1952 on Bambusa arundinacea.—Sierra Leone.

punicae Lucas & da Camara in Agron. lusit., 14, p. 197, 1952 on Punica.—Portugal. ANTHRACOTHECOMYCES Ciferri

¹ The type species for this and similar genera are specified by name only without diagnosis and are omitted from this Index.

(lichen).

Coast.

dalzellii.-India.

Aspidothelium (lichen).

Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Anthracothecium (lichen).

Aphanostigme costaricensis (Stev.) Toro in J. Agric. Univ. P.R., 36, p. 70, 1952. (Syn. Dimeriellopsis costaricensis Stev.).

- heterotrichi (Toro) Toro in J. Agric. Univ. P.R., 36, p. 70, 1952. (Syn. Dimeriellopsis heterotrichi Toro).

Aphelaria amboinensis (Lév.) Corner in Ann. Bot., Lond., N.S., 17, p. 348, 1953. (Syn. Thelephora amboinensis Lév.).

flagelliformis (Berk.) Corner in Ann. Bot., Lond., N.S., 17, p. 350, 1953. (Syn. Clavaria flagelliformis Berk.).

Apiosphaeria controversa (Starb.) von Arx in Ber. schweiz. bot. Ges., 62, p. 358, 1952. (Syn. Apiospora controversa Starb.).

topographica (Speg.) von Arx in Ber. schweiz. bot. Ges., 62, p. 359, 1952. (Syn. Munkiella topographica Speg.). Aposphaeria bambusae Lucas & da Camara

 $\hat{\mathbf{n}}$ in $\hat{A}gron.\,lusit.$, 14, p. 203, 1952 on Bambusa.– Portugal.

mesembryanthemi da Costa & da Camara in Portug. acta biol., 3, p. 296, 1952 on branches of Mesembryanthemum.—Portugal.

Armillaria atkinsoniana (Coker) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited]

- beillii (Beauseign.) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited]. cinereoconia (Atk.) Locquin in Bull. Soc.

mycol. Fr., 68, p. 167, 1952. [Syn. not cited]. - codinae (Maire) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited].

- echinocephala (Vitt.) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited].

mycol. Fr., 08, p. 101, 1952. [Syn. not cited].

— nana (Singer) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited].

— strobiliformis (Vitt.) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited].

— vittadinii (Mor.) Locquin in Bull. Soc. mycol. Fr., 68, p. 167, 1952. [Syn. not cited].

ARTHOPYRENIOMYCES Ciferri & Toma-

selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Arthopyrenia (lichen).

ARTHOTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Arthothelium (lichen)

ARTHOTHELIOPSIDOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of

Arthotheliopsis (lichen).

Ascochyta caricis W. B. Cooke & Shaw in Mycologia, 44, p. 799, 1952 on Carex.—California, U.S.A.

cypripedii H. C. Greene in Amer. Midl. Nat., 48, p. 50, 1952 on Cypripedium candidum.—Wisconsin, U.S.A.

heveana Saccas in Agron. trop., Nogent, 8, p. 182, 1953 on Hevea brasiliensis.—French Equatorial Africa.

- rĥamni W. B. Cooke & Shaw in Mycologia, 44, p. 799, 1952 on Rhamnus purshiana.—Idaho, U.S.A.

Aspergillus brevipes G. Smith in Trans. Brit. mycol. Soc., 35, p. 241, 1952 from soil. -Australia.

quadricinctus Yuill in Trans. Brit. mycol. Soc., 36, p. 57, 1953 from cardboard.-England. ASPICILIOMYCES Ciferri & Tomaselli in

1952.—For the fungal element of Asteroporum (lichen)

mycol. Fr., 68, p. 189, 1952 on wood.—France. ASTEROPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61,

ASTEROTHYRIOMYCES Ciferri & Toma. selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Asterothyrium (lichen).

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76,

1952.—For the fungal element of Aspicilia

ASPIDOTHELIOMYCES Ciferri & Toma.

Asterina clasterosporium Hughes in Mycol.

Pap., C.M.I., 50, p. 5, 1953 on Maba war-neckei.—Gold Coast.

jaundeae Hughes in Mycol. Pap., C.M.I. 50. p. 6, 1953 on Jaundea pinnata.-Gold

pleioceratis Hughes in Mycol. Pap., C.M.I.,

50, p. 7, 1953 on Pleioceras barteri.—Gold

Pap., C.M.I., 50, p. 8, 1953 on Rhaphiostylis beninensis.—Togoland.

Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 93, 1953 on Nothopegia

Asterinella rhaphiostylidis Hughes in Mycol.

Asteroconium nothopegiae Ramakrishnan,

*Asterophora lignicola Arnaud in Bull. Soc.

selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10,

p. 60, 1952.—For the fungal element of

Astrocystis sublimbata (Dur. & Mont.) Hughes in Mycol. Pap., C.M.I., 50, p. 9, 1953. (Syn. Sphaeria sublimbata Dur. & Mont.).

AULAXINOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Aulaxina (lichen).

BACIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.-For the fungal element of Bacidia (lichen).

BACTROSPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Bactrospora (lichen).

Baeospora myriadophylla (Peck) Singer forma cavernatilis Favre, Furrer, & Haller in Schweiz. Z. Pilzk., 29, p. 172, 1951.— Switzerland.

*BAINIERA Arnaud in Bull. Soc. mycol. Fr., 68, p. 189, 1952.—Moniliales.

- hyalina Arnaud in Bull. Soc. mycol. Fr., 68, p. 189, 1952 on dead needles of Pinus

sylvestris.—France.
Beauveria simplex Mangenot, Recherches méthodiques sur les champignons de certains bois en décomposition, p. 40, 1952.-France.

virella (Fr.) Mangenot, Recherches méthodiques sur les champignons de certains bois en décomposition, p. 36, 1952. (Syn. Botrytis virella Fr.)

BELONIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Belonia

BELTRANIELLA Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 227, 1952.— Dematiaceae.

odinae Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 227, 1952 on dead leaves of Odina wodier.—India.

BERTOSSIA Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.— For the fungal element of Ciferriolichen (lichen).

BICILIOSPORA Petrak in Sydowia, 6, p.

429, 1952.—Sphaeriales.

velutina Petrak in Sydowia, 6, p. 429, 1952 on wood.-Puerto Rico.

BISCLADINOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Cladonia rangiferina (lichen).

BISEUCLADONIÓMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Cladonia uncialis (lichen).

BLASTENIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 74, 1952.—For the fungal element of Blastenia

Blastocladiella emersonii Cantino & Hyatt in Leeuwenhoek ned. Tijdschr., 19, p. 67, 1953 from water.-Pennsylvania, U.S.A.

Blennoria coluteae Mitrosh. in Not. Syst. Crupt. Inst. Bot. Acad. Sci. URSS, 6, p. 84, 1949 on Colutea arborescens.—U.S.S.R.

Blyttiomyces laevis Sparrow in Mycologia, 44, p. 765, 1952 on Zygnema.—Michigan. U.S.A.

Boletellus floriformis Imazeki in Mycol. J. Nagao Inst., No. 2, p. 42, 1952.—Japan.

Ciferri BOMBYLIOSPOROMYCES Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of Bombyliospora (lichen).

*BOTRYOBOLUS Arnaud in Bull. Soc. mycol. Fr., 68, p. 184, 1952.—Entomophthorales.
— parasiticus Arnaud in Bull. Soc. mycol.

Fr., 68, p. 184, 1952 on an animalcule.

Botryotinia globosa Buchwald in Phytopath. Z., 20, p. 250, 1953 on Allium ursinum. Germany, Denmark, and England. Stat.

conid. Botrytis globosa Raabe.
BOTTARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Bottaria (lichen)

*BRACHYHELICOON Arnaud in Bull. Soc. mycol. Fr., 68, p. 208, 1952.—Moniliales. xylogenum Arnaud in Bull. Soc. mycol.

Fr., 68, p. 209, 1952 on wood.—France.

CALENIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.— For the fungal element of Calenia

*Calonectria hederae Arnaud in Bull. Soc. mycol. Fr., 68, p. 214, 1952 on Hedera helix.-

CALYCIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952.—For the fungal element of Calycidium (lichen).

Camarosporium propinquum Sacc. var. microsporum Lucas & da Camara in Agron. lusit., 14, p. 223, 1952 on Salix.— Portugal.

Camptomeris crataevae Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 167, 1952 on Crataeva religiosa.—India.

Candelospora penicilloides Tubaki apud Kominami, Kobayasi, & Tubaki in Mycol. J. Nagao Inst., No. 2, p. 58, 1952 on Prunus.-Japan.

Capnodiastrum leptaleum (Petrak) Petrak in Sydowia, 6, p. 341, 1952. (Syn. Oothecium leptaleum Petr.).

- macarangae (Petrak) Petrak in Sydowia. 6, p. 342, 1952. (Syn. Oothecium macarangae

stylosporum (Cooke) Petrak in Sydowia, 6, p. 343. Cooke). 343, 1952. (Syn. Asterina stylospora

tremae (Syd.) Petrak in Sydowia, 6, p. 342, 1952. (Syn. Oothecium tremae Syd.).

Catenochytridium kevorkianii Sparrow in Rev. Soc. cubana Bot., 9, p. 70, 1952 from soil. -Cuba.

Catenularia heimii Mangenot, Recherches méthodiques sur les champignons de certains bois en décomposition, p. 27, 1952 on dead Fagus sylvatica.—France.

Ceratobasidium terrigenum (Bres.) Wakefield in Trans. Brit. mycol. Soc., 35, p. 64, 1952. (Syn. Corticium terrigenum Bres.).

Ceratocystis acoma (Miller & Tcherntzoff) Moreau in Rev. Mycol., Paris, 17, Suppl. Col.

No. 1, p. 22, 1952. [Syn. not cited].

– adiposa (Butler) Moreau in Rev. Mycol.,
Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Sphaeronema adiposum Butl.].

bunae (Kitajima) Moreau in Rev. Mycol. Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn.

buxi (Borissof) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella buxi Borissof].

cana (Münch) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ce-

ratostomella cana Münch].

- capillifera (Hedge.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella capillifera Hedge.].

castaneae (Vanine & Solov.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

- catoniana (Goidàn.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

- coerulea (Münch) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952.

[Syn. Ceratostomella coerulea Münch].
- comata (Miller & Tcherntzoff) Moreau in
Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

fagi (Loos) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not

imperfecta (Miller & Tcherntzoff) Moreau in *Rev. Mycol.*, *Paris*, **17**, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

ips (Rumb.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella ips Rumb.].

major (van Beyma) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 18, 1952. [Syn. Ceratostomella major van Beyma].

merolinensis (Georgev.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella merolinensis Georgev.].

- microcarpa (Karst.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella microcarpa Karst.].

moniliformis (Hedge.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella moniliformis

paradoxa (Dade) Moreau in Rev. Mycol.,



Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella paradoxa Dade].

- penicillata (Grossm.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22,

1952. [Syn. not cited].
- piceaperda (Rumb.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited).

pilifera (Fr.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella pilifera (Fr.) Wint.].

- pini (Münch) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella pini Münch].

pluriannulata (Hedge.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella pluriannulata

polonica (Siemaszko) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

- pseudotsugae (Rumb.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

- querci (Georgev.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn.

Ceratostomella quercus Georgev.].

- radicicola (Bliss) Moreau in Rev. Mycol.,
Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella radicicola Bliss].

- schrenkiana (Hedge.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella schrenkiana Hedge.].-serpens (Goidan.) Moreau in Rev. Mycol.,

Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].

stenoceras (Robak) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella stenoceras Robak].

- ulmi (Buism.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Ceratostomella ulmi Buism.].

- variospora (Davids.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Endoconidiophora variospora Davids.].

virescens (Davids.) Moreau in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. Endoconidiophora virescens Davids.].

Ceratosphaeria subferruginea (Fuckel) Munk in Dansk bot. Ark., 15, 2, p. 69, 1953. (Syn. Zignoella subferruginea (Fuckel) Sacc.).

Ceratosporella stipitata (Goid.) Hughes in Trans. Brit. mycol. Soc., 35, p. 243, 1952. (Syn. Speira stipitata Goidanich).

Cercospora adenostemmae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 18, 1952 on Adenostemma viscosum.—Japan.

- amphicarpaeae Togashi & Katsuki in Ann. phytopath. Soc. Japan, 17, p. 5, 1952 on Amphicarpaea trisperma.—Japan.

barleriicola Payak in Indian Phytopath., 2, p. 191, 1949 on Barleria cristata.—India.

chloroxyli Ramakrishnan & Reddy in Proc. Indian Acad. Sci., Sect. B, 35, p. 121, 1952 on Chloroxylon swietenia.-India.

- cissi-japonicae Hori apud Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 19, 1952 on Cissus japonica.—Japan.

corylopsidis Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 20, 1952 on Corylopsis pauciflora.—Japan.
- ehretiae Togashi & Katsuki in Bot. Mag.,

Tokyo, 65, p. 20, 1952 on Ehretia thyrsiflora. Japan.

euptelaeae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 21, 1952 on Euptelaea polyandra.—Japan.

hederae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 21, 1952 on Hedera rhombea,-

-houttuyniae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 21, 1952 on Houttuynia cordata .-- Japan.

kadsurae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 22, 1952 on Kadsura japonica. -Japan.

- nothopegiae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 94, 1953 on Nothopegia dalzellii. India.

- palmicola Speg. forma stilbacea Moreau in Rev. Mycol., Paris, 12, Suppl. Col. No. 2. p. 38, 1947 on Elaeis guineensis.—French West Africa. [= Helminthosporium stil-baceum (Moreau) Hughes, this Index, ii, p. 79.7

pellioniae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 22, 1952 on Pellionia scabra.— Japan.

perillulae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 24, 1952 on Perillula reptans. Japan.

picrasmae Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 24, 1952 on Picrasma ailanthoides .- Japan.

securinegae Togashi & Katsuki in Ann. phytopath. Soc. Japan, 17, p. 7, 1952 on Securinega flueggeoides.—Japan.

selini-gmelini (Sacc. & Scalia) Chupp apud Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 24, 1952. (Syn. C. apii var. seleni-gmelini Sacc. & Scalia).

- togashiana Katsuki & Urasawa in Ann. phytopath. Soc. Japan, 15, p. 144, 1951 on Ophiopogon japonicus.—Japan.

yakushimensis Togashi & Katsuki in Bot.

Mag., Tokyo, 65, p. 25, 1952 on Hydrangea kawagoena.—Japan.

- zingiberi Togashi & Katsuki in Bot. Mag., Tokyo, 65, p. 25, 1952 on Zingiber mioga.—

Cercosporella acerina (? Hartig) Arnaud in Bull. Soc. mycol. Fr., 68, p. 206, 1952. (Syn.? Cercospora acerina Hartig).

Ceriospora sandwicensis Petrak in Sydowia, 6, p. 363, 1952 on Gunnera.—Hawaii.

CHAENOTHECOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, 67, 1952.—For the fungal element of Chaenotheca (lichen).

Chaetapiospora rhododendri (Tengwall) von Arx in Ber. schweiz. bot. Ges., 62, p. 359, 1952. (Syn. Venturia rhododendri Tengwell).

Chaetosphaeria fusispora Larsen, 1952 (this Index, ii, p. 98). See also C. fusispora (Kawamura) Hino, Bull. Miyazaki Coll. Agric. For., No. 4, p. 191, 1932.

Chaetotrichum floridanum Petrak Sydowia, 6, p. 405, 1952 on Persea pubescens.
—Florida, U.S.A.

Chaetotyphula gelatinosa Corner in Ann. Bot., Lond., N.S., 17, p. 352, 1953.—Panama.—tetraspora Corner in Ann. Bot., Lond., N.S.,

17, p. 353, 1953 on dead leaves.—Brazil. CHIODECTONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.—For the fungal element of Chiodecton (lichen).

Chytridium citriforme Sparrow in Rev. Soc.

cubana Bot., 9, p. 68, 1952 on pollen of Pinus caribaea.—Cuba.

_ surirellae Friedmann in Öst. bot. Z., 100. p. 7, 1953 on Surirella ovata.—Austria.

Ciboria subvillosula (Rehm) Svrček in Česká Mykol., 5, p. 45, 1951. (Syn. Ombrophila subvillosula Rehm).

CILIOPLEA Munk in Dansk bot. Ark., 15,

2, p. 113, 1953.—Pyrenomycetes. coronata (Niessl) Munk in Dansk bot. Ark.,

15, 2, p. 113, 1953. (Syn. Pleospora coronata Niessl).

CLADINOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Cladonia sylvatica (lichen).

*Cladobotryum elegans Arnaud in Bull. Soc. mycol. Fr., 68, p. 191, 1952 on bark, &c.—

France.

Cladochytrium taianum Shen & Siang in Sci. Rep. nat. Tsing Hua Univ., Ser. B, 3, p. 183, 1948 on dead grass.—China.

Cladosporium artemisiae Greene in Amer. Midl. Nat., 48, p. 757, 1952 on Artemisia caudata.—Wisconsin, U.S.A.

banaticum Săvulescu in Bul. ști. Sect. Ști. biol., 3, p. 227, 1951 on Dianthus kitaibelii.— Rumania.

trichophilum Greene in Amer. Midl. Nat., 48, p. 756, 1952 on Lonicera hirsuta.—Wisconsin, U.S.A.

Clavaria pulcherrima Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 190, 1950.—U.S.S.R.

Claviceps maximensis Theis in Mycologia, 44, p. 792, 1952 on Panicum maximum .-Puerto Rico.

Clitocybe bicolor (Baker & Dale) Dennis in Kew Bull., 1952, p. 490, 1952. (Syn. Omphalia bicolor Baker & Dale).

- jamaicensis (Murr.) Dennis in Kew Bull., 1952, p. 489, 1952. (Syn. Melanoleuca jamaicensis Murr.)

*CLITOPILINA Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951.—Thelephoraceae.

*-- striata Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951 on wood.—France.

*Clonostachys cylindrospora Arnaud in Bull. Soc. mycol. Fr., 68, p. 196, 1952 on wood.—France.

Coccomyces cocoes Dennis in Kew Bull., 1953, p. 50, 1953 on fallen leaves of Cocos nucifera.—Gold Coast.

COENOSPHAERIA Munk in Dansk bot. Ark., 15, 2, p. 133, 1953.—Pyrenomycetes.

- diaporthides Munk in Dansk bot. Ark., 15, 2, p. 134, 1953 on dead stem of Sarothamnus scoparius.—Denmark.

COLLEMOPSIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, 76, 1952.—For the fungal element of Collemopsidium (lichen).

Colletotrichum oligotrichum Dias & da Camara in Agron. lusit., 14, p. 121, 1952 on Passiflora coerulea.—Portugal.

COLUMNOSPHAERIA Munk in Dansk bot.

Ark., 15, 2, p. 103, 1953.—Pyrenomycetes. - sarothamni Munk in Dansk bot. Ark., 15, 2, p. 103, 1953 on Sarothamnus scoparius.-Denmark.

Conidiobolus adieretus Drechsler in J. Wash. Acad. Sci., 43, p. 42, 1953 on decaying leaves of Quercus and other trees.-Maryland, Virginia, and New Hampshire, U.S.A.

- firmipilleus Drechsler in Amer. J. Bot., 40,

p. 104, 1953 from decaying *Quercus* leaves.-Virginia, U.S.A.

heterosporus Drechsler in Amer. J. Bot., 40, p. 107, 1953 from leaf mould.—Maryland, U.S.A.

lamprauges Drechsler in J. Wash. Acad. Sci., 43, p. 35, 1953 on decaying Quercus leaves.—Virginia, U.S.A.

thromboides Drechsler in J. Wash. Acad. Sci., 43, p. 38, 1953 in leaf mould.—New Hampshire, U.S.A.

Coniochaeta albido-mucosa Petrak in Sydowia, 6, p. 352, 1952 on wood.—Maryland, U.S.A

CONIOCYBOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 67, 1952.—For the fungal element of Coniocybe (lichen).

Coniosporium fuscum Dias & da Camara in Agron. lusit., 14, p. 122, 1952 on Bromelia. Portugal.

Coniothyrium cerealis Müller apud Zogg in Phytopath. Z., 18, p. 11, 1951 on dead Triticum vulgare.—Switzerland.

heveae Saccas in Agron. trop., Nogent, 8, p. 195, 1953 on Hevea brasiliensis.—French Equatorial Africa.

Conocybe hebelomatoides Middelhoek & Reijnders in Meded. ned. mycol. Ver., 30, p. vii, 1952.—Netherlands.

CONOTREMATOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of Conotrema (lichen).

Coriolus meleagris (Berk.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 100, 1952. (Syn. Polyporus meleagris Berk.).

meyenii (Klotzsch) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 100, 1952. (Syn. Polyporus meyenii Kl.).

occidentalis (Klotzsch) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 100, 1952. (Syn. Polystictus occidentalis Fries).

Corrugaria alba Dennis in Kew Bull., 1952, p. 497, 1952.—Venezuela.

radiata Dennis in Kew Bull., 1952, p. 497, 1952.—Venezuela.

Corticium analogum (Bourd. & Galz.) Wakefield in Trans. Brit. mycol. Soc., 35, p. 53, 1952. (Syn. Gloeocystidium analogum Bourd. & Galz.).

granulosum Wakefield nom. nov. in Trans. Brit. mycol. Soc., 35, p. 54, 1952. (Syn. Hypochnus furfuraceus Bres. 1892, non C. furfuraceum Bres. 1925).

lentum Wakefield nom. nov. in Trans. Brit. mycol. Soc., 35, p. 54, 1952. (Syn. Gloeocystidium ochroleucum Bres. & Torrend 1913, non C. ochroleucum Fr.).

Cryptoderma cercidiphyllum Imazeki in Bull. For. Exp. Sta. Meguro 42, p. 2 (of reprint), 1949 on Cercidiphyllum japonicum. -Japan.

nigrolimitatum (Romell) Imazeki & Aoshima in Ann. phytopath. Soc. Japan, 16, p. 88, 1952. [Syn. not cited].

pachyphloeum (Pat.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 101, 1952. (Syn. Fomes pachyphloeus Pat.).

yamanoi Imazeki nom. nov. in Forsch. PflKr., Tokyo, 4, p. 176, 1951. (Syn. Daedalea jezoensis Yamano, non C. jezoense Imazeki).

Cryptosphaerella shearii Petrak in Sydowia, 6, p. 364, 1952 on dried stems of Phytolacca brachystachya.—Hawaii.

Cryptosporella corynocarpi Dias & da Camara in Agron. lusit., 14, p. 103, 1952 on Corynocarpus laevigata.—Portugal. eugeniae Nutman & Roberts in Ann. appl.

Biol., 39, p. 607, 1952 on Eugenia aromatica. -Zanzibar.

CRYPTOTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of Cryptothele (lichen).

Cyathus sinensis Imazeki in Bot. Mag., Tokyo, 63, p. 96, 1950 on soil.—Japan.

Cylindrocladium macrosporum Sherb. var. hederae Arnaud nom. nov. in Bull. Soc. mycol. Fr., 68, p. 205, 1952. (Syn. Candelospora citri Fawc. & Kl. and Tetracytum lauri Vanderw.).

Cylindrosporium burkii W. B. Cooke & Shaw in Mycologia, 44, p. 807, 1952 on Lupinus burkii.—Idaho, U.S.A.

- fraserae W. B. Cooke & Shaw in Mycologia, 44, p. 807, 1952 on Frasera macrophylla.— Colorado, U.S.A.

Cystopsora antidesmatis Ramakrishnan & Sundaram in Trans. Brit. mycol. Soc., 35, p. 26, 1952 on leaves on Antidesma diandrum. India.

Cytospora eriogoni W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 798, 1952 on Eriogonum pyrolaefolium.—California, U.S.A.

Dactylaria scaphoides Peach in Trans. Brit. mycol. Soc., 35, p. 19, 1952 on nematodes.— England.

*DAČTYLINA Arnaud in Bull. Soc. mycol. Fr., 68, p. 203, 1952.—Moniliales. No species described.

Daedaleopsis rubescens (Alb. et Schw. ex Fr.) Imazeki in Acta phytotax., Kyoto, 13, p. 251, 1943. (Syn. Daedalea rubescens Fr.).

Dasyscypha willkommii (Hartig) Rehm var. hahniana (Seaver) Robak in Medd. Vestland. forstl. Forsøkssta., 9, p. 204, 1952. (Syn. Lachnella hahniana Seaver).

DENDROPLEELLA Munk_in Dansk bot. Ark., 15, 2, p. 125, 1953.—Pyrenomycetes. hirta (Fr.) Munk in Dansk bot. Ark., 15,

2, p. 126, 1953. (Syn. Sphaeria hirta Fr.). DIAPLEELLA Munk in Dansk bot. Ark., 15,

2, p. 74, 1953.—Pyrenomycetes.
- clivensis (Berk. & Br.) Munk in Dansk bot. Ark., 15, 2, p. 75, 1953. (Syn. Leptosphaeria clivensis (Berk. & Br.) Sacc.).

Diaporthe floridana Petrak in Sydowia, 6, p. 400, 1952 on dead Smilax.—Florida, U.S.A. sheariana Petrak in Sydowia, 6, p. 365, 1952 on dried branches of Acacia koa.-Hawaii.

Dichaena quernea (Schw.) Petrak in Sydowia, 6, p. 336, 1952. (Syn. Peziza quernea Schw.). DICHAENOPSELLA Petrak in Sydowia, 6,

p. 375, 1952.—Sphaeropsidales.

quernea Petrak in Sydowia, 6, p. 375, 1952 on branches of Quercus.—Florida, U.S.A.

Dictyoarthrinium sacchari (Stevenson) Damon in Bull. Torrey bot. Cl., 80, p. 164, 1953. Tetracoccosporium(Syn. Stevenson).

Dictyonia lophirae Dennis in Kew Bull., 1953, p. 49, 1953 on leaves of Lophira alata.— Sierra Leone.

DICTYOTRICHIELLA Munk in Dansk bot. Ark., 15, 2, p. 132, 1953.—Pyrenomycetes. pulcherrima Munk in Dansk. bot. Ark., 15, 2, p. 132, 1953 on rotten wood.—Denmark.

Didymaria anethiana W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 805, 1952 on Anethum graveolens.—Oregon, U.S.A.

DIDYMOLEPTA Munk in Dansk bot. Ark., 15, 2, p. 110, 1953.—Pyrenomycetes.

winteriana (Sacc.) Munk in Dansk bot. Ark., 15, 2, p. 111, 1953. (Syn. Didymella winteriana (Sacc.) Petrak).

DIDYMOPLEELLA Munk in Dansk bot. Ark., 15, 2, p. 109, 1953.—Pyrenomycetes. - cladii (Larsen & Munk) Munk in Dansk bot,

Ark., 15, 2, p. 109, 1953. (Syn. Didymosphaeria cladii Larsen & Munk). Didymosphaeria abutilonis Lucas & da

Camara in Agron. lusit., 14, p. 198, 1952 on Abutilon.—Portugal.

- jambolana Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 84, 1953 on Syzigium jambolanum. -India.

Didymosporium concinnum Petrak in Sydowia, 6, p. 358, 1952 on bark of Quercus.— Virginia, U.S.A.

DIDYMOTRICHIELLA Munk in Dansk bot. Ark., 15, 2, p. 131, 1953.—Pyrenomycetes.

inconspicua Munk in Dansk bot. Ark., 15, 2, p. 132, 1953 on dead branches of Lonicera periclymenum.—Denmark.

Diedickea piptadeniae Deighton apud Petrak & Deighton in Sydowia, 6, p. 322, 1952 on Piptadenia elliotii.—Sierra Leone.

Dimerina floridana Petrak in Sydowia, 6, p. 401, 1952 on Xolisma ferrugineum.—Florida, U.S.A.

Diplodina carpini Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 84, 1949 on Carpinus betulus.—U.S.S.R.

silenes W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 800, 1952 on Silene douglasii var. douglasii.—California, U.S.A.

speltae Müller apud Zogg in Phytopath. Z., 18, p. 10, 1951 on dead Triticum spelta .-Switzerland.

Tridentatae W. B. Cooke & Shaw in Mycologia, 44, p. 800, 1952 on Artemisia tridentata.—Utah, U.S.A.

DIPLOGRAMMATOMYCES Ciferri &

Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Diplogramma (lichen).

*Diploospora coprophila Arnaud in Bull. Soc. mycol. Fr., 68, p. 200, 1952 on dung.-France.

*DIPLORHYNCHUS Arnaud in Bull. Soc. mycol. Fr., 68, p. 207, 1952.—Moniliales. - biloba Arnaud in Bull. Soc. mycol. Fr., 68,

p. 207, 1952 on wood.—France. Dipodascus aggregatus Francke-Grosmann in Medd. SkogsforsknInst. Stockh., 41, No. 6, p. 30, 1953 on wood of *Pinus sylvestris.*-Sweden.

DIRINASTROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Diri-

nastrum (lichen). Discosporina carpinicola Petrak in Sydowia, 6, p. 357, 1952. (State of Melanconis carpiniaera).

Dothiorella Ionicerae da Costa & da Camara in Portug. acta biol., 3, p. 297, 1952 on branches of Lonicera. Portugal.

pittosporina (da Cam.) da Costa & da Camara in Portug. acta biol., 3, p. 297, 1952. (Syn. Macrophyllosticta pittosporina da Cam.). syringicola Lucas & da Camara in Agron.

lusit., 14, p. 204, 1952 on Syringa vulgaris.—

Portugal.

prosophila albidula Romagnesi nom. nov. in Bull. mens. Soc. linn. Lyon, 21, p. 151, 1952. (Syn. Psathyrella subatomata sensu Lange, non Karst.). _ var. palustris Romagnesi in Bull.

mens. Soc. linn. Lyon, 21, p. 151, 1952 .-

France.

badiophylla Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 155, 1952.—France. var. neglecta Romagnesi in Bull. mens.

Soc. linn. Lyon, 21, p. 155, 1952.—France. exalbicans Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 155, 1952.—France. - fulvescens Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 153, 1952.—France.

- impexa Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 153, 1952.—France.

involuta Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 156, 1952.—France. - laevissima Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 155, 1952.—France. - lutensis Romagnesi in Bull. mens. Soc. linn.

Lyon, 21, p. 155, 1952.—France. ocellata Romagnesi in Bull. mens. Soc. linn.

Lyon, 21, p. 154, 1952.—France.

- ochracea Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 152, 1952.—France. - opaca Romagnesi in Bull. mens. Soc. linn.

Lyon, 21, p. 152, 1952.—France. orbitarum Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 152, 1952.—France.

picta Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 151, 1952.—France.
polycystis Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 152, 1952.—France. - pseudocasca Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 154, 1952.—France.
-pseudocorrugis Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 154, 1952.—France.

pseudogracilis Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 152, 1952.—France.
- reticulata Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 154, 1952.—France. - squamosa (Karst.) Romagnesi var. ochro-

spora Romagnesi in Bull. mens. Soc. linn. Lyon, 21, p. 153, 1952.—France. - stellata Romagnesi in Bull. mens. Soc. linn.

Lyon, 21, p. 152, 1952.—France. - var. orbicularis Romagnesi Bull. mens.

Soc. linn. Lyon, 21, p. 153, 1952.—France. tephrophylla Romagnesi in Bull. mens. Soc.

linn. Lyon, 21, p. 154, 1952.—France.
DUFOUREOMYCES Ciferri & Tomaselli in
Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Dufourea (lichen).

*DYONISIA Arnaud in Bull. Soc. mycol. Fr., 68, p. 212, 1952.—Moniliales. Type, D. capitata.

* capitata Arnaud in Bull. Soc. mycol. Fr., 68, p. 213, 1952 on wood.—France.

*-- coronata Arnaud in Bull. Soc. mycol. Fr., 68, p. 213, 1952 on wood.—France.

Echidnodes sandwicensis Petrak in Sydowia, 6, p. 366, 1952 on dead leaves of Pandanus odoratissimus.—Hawaii.

Elaphomyces sulphureo-pallidus Vacek in Česká Mykol., 3, p. 57, 1949.—Czechoslovakia.

Elfvingia flabellata Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 103, 1952.—Japan. mastopora (Lév.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 104, 1952. (Syn. Polyporus mastoporus Lév.).

polyzonata Imazeki in Bull. Govt. For. Exp.

Šta. Tokyo 57, p. 105, 1952.—Japan. - williamsiana (Murrill) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 106, 1952. (Svn. Ganoderma williamsianum Murrill).

ENCEPHALOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Encephalographa (lichen).

Endodothella kanarensis Ramakrishnan & Sundaram in Proc. Indian Acad. Sci., Sect. B, 35, p. 111, 1952 on Albizzia odoratissima.

India.

*Endomyces ascobolus Bachinskaya & Kondrateva in Микробиология [Microbiology, Moscow], 21, p. 657, 1952 isolated from apple and cabbage.—U.S.S.R.
ENTERODICTYONOMYCES Ciferri &

Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 80, 1952.—For the fungal element

of Enterodictyon (lichen).

ENTEROSTIGMATOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1952.—For the fungal element of Enterostiqma (lichen).

*ENTOLOMINA Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951.—Thelephoraceae.

- paludosa Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951 on dead leaves.—France. Entomophthora brahminae Bose & Mehta in Trans. Brit. mycol. Soc., 36, p. 55, 1953 on

Brahmina.—India. Entosordaria deightonii Petrak in Sydowia, 6, p. 310, 1952 on dead Elaeis guineensis.

Sierra Leone.

EOLICHENOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Eolichen (lichen).

EPHEBOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952. For the fungal element of Ephebe (lichen).

Eriosphaeria herbarum Wehmeyer Sydowia, 6, p. 419, 1952 on Achillea millefolium var. alpicola.—Washington State,

macrospora Wehmeyer in Sydowia, 6, p. 420, 1952 on Composite stems.—Washington State, U.S.A.

EUCLADONIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Cladonia digitata (lichen).

arthrostylidicola (Stev.) Eudimeriolum Toro in J. Agric. Univ. P.R., 36, p. 71, (Syn. Dimeriopsis arthrostylidicola 1952.Stev.).

dominicanum (Toro) Toro in J. Agric. Univ. P.R., 36, p. 72, 1952. (Syn. Dimerina dominicana Toro).

EVERNIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 70, 1952.—For the fungal element of Evernia (lichen).

Excipulella conglutinata (Ell. & Ev.) Wehmeyer in Sydowia, 6, p. 435, 1952. [Syn. not

FARRIOLLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1952.—For the fungal element of Farriolla (lichen).

Favolaschia fusijanensis Kobayasi in J.

Hattori bot. Lab., 8, p. 2, 1952 on bamboo culms.-Japan.

nipponica Kobayasi in J. Hattori bot. Lab., 8, p. 1, 1952 on bamboo culms.—Japan.

phyllostachydis Imazeki & Kobayasi apud Kobayasi in J. Hattori bot. Lab., 8, p. 2, 1952 on bamboo culms.—Japan.

Favolus russiceps (Berk.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 109, 1952. (Syn. Polyporus russiceps Berk.).

*FLAHAULTIA Arnaud in Bull. Soc. mycol. Fr., 67, p. 195, 1951.—Moniliales.

*- hyalina Arnaud in Bull. Soc. mycol. Fr., 67, p. 195, 1951 on Sebacina and other fungi.-France.

Fomes ajazi Hussain in Mycologia, 44, p. 823, 1952 on Lonicera quinquelocularis.— Pakistan.

- robustus Karst, forma abietis Baxter in Pap. Mich. Acad. Sci., 37, p. 103, 1952 on Abies.—Colorado, U.S.A.

— forma juniperinus (Murr.) Baxter in Pap. Mich. Acad. Aci., 37, p. 103, 1952. (Syn. Fuscoporia juniperina Murr.).

Fomitopsis albo-marginata (Lév.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 110, 1952. (Syn. Polyporus albo-marginatus Lév.). caliginosa (Berk.) Imazeki in Bull. Govt.

For. Exp. Sta., Tokyo 57, p. 110, 1952. (Syn. Polyporus caliginosus Berk.).

castanea Imazeki in Bull. For. Exp. Sta. Meguro 42, p. 1 (of reprint), 1949 on trunk of chestnut tree.-Japan.

insularis (Murrill) Imazeki in Acta phytotax., Kyoto, 13, p. 253, 1943. (Syn. Trametes insularis Murrill).

vinosa (Berk.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 111, 1952. (Syn. Polyporus vinosus Berk.).

Fusicladiella melaena (Fuckel) Hughes in Mycol. Pap., C.M.I., 49, p. 21, 1952. (Syn. Ramularia melaena Fuckel).

*FUSICLADINA Arnaud in Bull. Soc. mycol. Fr., 68, p. 200, 1952.—Moniliales.

*— lasiosphaeriae Arnaud in Bull. Soc. mycol. Fr., 68, p. 200, 1952 in company with Lasiosphaeria.—France.

Fusicoccum corynocarpi Dias & da Camara in Agron. lusit., 14, p. 107, 1952 on Coryno-carpus laevigata.—Portugal.

spiraeae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 83, 1949 on Spiraea chamaedryfolia.—U.S.S.R.

*Fusidium longisporum Arnaud in Bull. Soc. mycol. Fr., 68, p. 194, 1952 on wood.— France.

GAEUMANNOMYCES von Arx & Olivier in Trans. Brit. mycol. Soc., 35, p. 32, 1952.— Pyrenomycetes.

graminis (Sacc.) von Arx & Olivier in Trans. Brit. mycol. Soc., 35, p. 32, 1952. (Syn. Rhaphidophora graminis Sacc.).

Galactinia succosella Le Gal & Romagnesi (this Index, i, p. 183). Citation should be Rev. Mycol., Paris, N.S., 5, p. 109, 1940.

*Galerina nana (Petri) Kühn. forma bohemica Singer in Acta Inst. bot. Acad. Sci. URSS, Ser. II, 6, p. 467, 1950.—U.S.S.R.—vittaeformis (Fr.) Singer in Acta Inst. bot. Acad. Sci. URSS, Ser. II, 6, p. 472, 1950.

(Syn. Agaricus vittaeformis Fr.)

Geaster atratus Smarda in Česká Mykol., 1, 74, 1947.—Czechoslovakia.

GEISLERIOMYCES Ciferri & Tomaselli in

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Geisleria (lichen).

*Geotrichum cyphellae Arnaud in Bull. Soc. mycol. Fr., 68, p. 192 on Cyphella alboviolas.

—France.

dulcitum (Berkh.) Windisch in Beitr. Biol. Pfl., 29, p. 156, 1952. (Syn. Oospora dulcita Berkh.).

gracile (Weigmann & Wolff) Windisch in Beitr. Biol. Pfl., 29, p. 159, 1952. Oidium gracile Weigmann & Wolff).

*— hirtum Windisch in Beitr. Biol. Pfl., 29, p. 164, 1952 from milk.—Germany. GEOTUS Pilát & Svrček in Česká Mykol., 7,

p. 9, 1953.—Leptotaceae. glaucus (Batsch.) Pilát & Svrček in Česká Mykol., 7, p. 10, 1953. (Syn. Agaricus

glaucus Batsch.). GIACOMINIA Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Santessoniolichen

(lichen). Gloeosporium arctostaphyli W. B. Cooke & Shaw in Mycologia, 44, p. 806, 1952 on Arctostaphylos uva-ursi var. coactilis.— Idaho, U.S.A.

ceanothi H. C. Greene in Amer. Midl. Nat., 48, p. 755, 1952 on Ceanothus americanus.—Wisconsin, U.S.A.

corni H. C. Greene in Amer. Midl. Nat., 48, p. 756, 1952 on *Cornus femina*.—Wisconsin, U.S.A.

desmodii H. C. Greene in Amer. Midl. Nat., 48, p. 755, 1952 on Desmodium canadense.—Wisconsin, U.S.A.

- iliamnae W. B. Cooke & Shaw in Mycologia, 44, p. 806, 1952 on Iliamna rivularis.-Oregon, U.S.A.

pentstemonicola H. C. Greene in Amer. Midl. Nat., 48, p. 756, 1952 on Penstemon hirsutus.—Wisconsin, U.S.A.

Gloeotulasnella aggregata Olive in Bull. Torrey bot. Cl., 80, p. 40, 1953 on wood.—N. Carolina, U.S.A.

caroliniana Olive in Bull. Torrey bot. Cl., 80, p. 41, 1953 on wood.—N. Carolina, U.S.A. *Glomerella lagenaria Watanabe & Tamura (as '(Pass.) Watanabe & Tamura') in Ann. phytopath. Soc. Japan, 16, p. 140, 1952.— Japan. Perfect state of Colletotrichum lagenarium (Pass.) Ellis & Halst.

pezizoidea Petrak in Sydowia, 6, p. 366, 1952 on dead leaves of Cheirodendron. -Hawaii.

GLYP-OLECHIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Glypholecia (lichen)

GLYPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952. -For the fungal element of Glyphis (lichen).

GOIDANICHIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Goidanichia (lichen)

Gomphidius purpurascens Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 193, 1950.—U.S.S.R.

*Gonatobotrys ramosissima Arnaud in Bull. Soc. mycol. Fr., 68, p. 187, 1952 on wood. -France.

GONGRONELLA Ribaldi in Riv. Biol. gen., N.S., 44, p. 164, 1952.—Mortierellaceae. urceolifera Ribaldi in Riv. Biol. gen., N.S.,

44, p. 164, 1952 from soil.—Italy.

GONOHYMENIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63, 1952.—For the fungal element of Gonohymenia (lichen).

GRAPHINOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of Graphina

Guignardia caryophyllea (Cooke & Harkn.) Wehmeyer in Sydowia, 6, p. 420, 1952. (Syn. Sphaerella caryophyllea Cooke & Harkn.).

rugosa Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 85, 1953 on Rubus rugosus.—India.

GYMNODERMATOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 67, 1952.—For the fungal element of Gymnoderma (lichen).

GYMNOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Gymnographa (lichen).

Gyromitra ussuriensis Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 189, 1950 on dead Pinus korajensis and Retula costata.—U.S.S.R.

Gyroporus punctatus Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 193, 1950.—U.S.S.R.

GYROSTOMOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Gyrostomum (lichen).

HAEMATOMMATOMYCES Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5. 10, p. 72, 1952.—For the fungal element of Haematomma (lichen).

HAPLOPYRENULOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Haplopyrenula (lichen).

*Helicocephalum megalosporum Arnaud in Bull. Soc. mycol. Fr., 68, p. 208, 1952 on debris.-France.

*Heliscus versaillensis Arnaud in Bull. Soc. mycol. Fr., 68, p. 212, 1952 on wood.-

France. HELMINTHOCARPONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5. 10, p. 75, 1952.—For the fungal element of Helminthocarpon (lichen).

Helminthosporium abietis W. B. Cooke & Shaw in Mycologia, 44, p. 808, 1952 on Abies.—Washington, U.S.A.

Abies.—Washington, O.B.A.

- dorycarpum Mont. var. amazoniae
Hughes in Mycol. Pap., C.M.I., 50, p. 24,
1953 on Amazonia psychotriae.—Togoland.

Petrak in

Hendersonia Sydowia, 6, p. 404, 1952 on dead Gramineae.
—Florida, U.S.A.

Hendersonulina trabicola (Sacc.) Lucas & da Camara in Agron lusit., 14, p. 222, 1952. (Syn. Hendersonia trabicola Sacc.).

HÈPPIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Heppia (lichen).

Hermatomyces sphaericus (Sacc.) Hughes in Mycol. Pap., C.M.I., 50, p. 100, 1953. (Syn. in Mycol. Pap., C. M. I., O., F.
Stemphylium sphaericum Sacc.).

brasiliensis Bodman

Heterochaete brasiliensis

Lloydia, 15, p. 210, 1953.—Brazil.

mussooriensis Bodman in Lloydia, 15, p. 221, 1953.—India.

- sanctae-martae Bodman in Lloydia, 15, p. 226, 1953.—Colombia.

subgelatinosa Bodman in Lloydia, 15, p. 228, 1953.—Panama.

tremellispora (Möll.) Bodman in *Lloydia*, 15, p. 228, 1953. (Syn. *Exidiopsis tremelli*spora Möll.).

verruculosa (Möll.) Bodman in Lloydia, 15, p. 229, 1953. (Syn. Exidiopsis verruculosa Möll.).

Heterosporium terrestre R. G. Atkinson in Mycologia, 44, p. 813, 1952 from soil.-Ontario, Canada

HOLOSPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Holospora (lichen).

HOMOPSELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 70, 1952.—For the fungal element of Homopsella (lichen).

Hormomitaria albidula Corner in Ann. Bot., Lond., N.S., 17, p. 362, 1953 on dead wood. Brazil.

Hyaloscypha reticulata Vacek in Česká Mykol., 2, p. 119, 1948.—Czechoslovakia.

Hydnangium carneum Wallr. var. xanthosporum Hawker in Trans. Brit. mycol. Soc., 35, p. 281, 1952.—Wales.

Hydnum schestunovii Nikol. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 87, 1949 on Quercus pedunculata.—U.S.S.R.

Hygrophoropsis purpurascens (Berk. & Curt.) Dennis in Kew Bull., 1952, p. 491, 1952. (Syn. Marasmius purpurascens Berk. & Curt.).

Hymenogaster luteus Vitt. forma trigonosporus Vacek in Česká Mykol., 2, p. 10, 1948. Czechoslovakia.

HYMENOPLEELLA Munk in Dansk bot. Ark., 15, 2, p. 89, 1953.—Pyrenomycetes.

- hippophaes (Fabre) Munk in Dansk bot. Ark., 15, 2, p. 90, 1953. (Syn. Melanomma hippophaes Fabre).

*Hypochnus capnophilus Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951 on Capnodium meridionale.—France.

Hypoderma viburni Ramakrishnan, Srini-

vasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 85, 1953 on Viburnum erubescens .- India.

Hysterium rosmarini Dias & da Camara in Agron. lusit., 14, p. 106, 1952 on Rosmarinus officinalis.—Portugal.

Inocybe aureostipes Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 95, 1952.—Japan.

avellanea Y. Kobayasi in Mycol. J. Nagao

Inst., No. 2, p. 94, 1952.—Japan.
- calospora Quél. forma minor Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 114, 1952.

- coerulescens Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 104, 1952.—Japan.

geophylla (Fr.) Quél. forma squamosa Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 87, 1952.—Japan.

- inaensis Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 109, 1952.—Japan.

- lilacina (Boud.) Kauffm. forma violacea Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 88, 1952.—Japan.

- lutea Y. Kobayasi & Hongo apud Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 103, 1952.—Japan.

- montana Y. Kobayasi in Mycol. J. Nagao

Inst., No. 2, p. 97, 1952.—Japan.
- neoflocculosa Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 85, 1952.—Japan.
- neomicrospora Y. Kobayasi in Mycol. J.

Nagao Inst., No. 2, p. 82, 1952.—Japan.
-neoumbrina Y. Kobayasi in Mycol. J.

Nagao Inst., No. 2, p. 106, 1952.—Japan.
- nikkoensis Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 111, 1952.—Japan.

nodulosospora Y. Kobayasi in Mycol. J.
Nagao Inst., No. 2, p. 113, 1952.—Japan.

ozeensis Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 84, 1952.—Japan.

- phaeosticta Furrer-Ziogas in Schweiz. Z. Pilzk., 30, p. 176, 1952.—Switzerland.
- polycystidiata Y. Kobayasi in Mycol. J.

Nagao Inst., No. 2, p. 101, 1952.—Japan. - rimosa (Fr.) Quél. forma squarrosa Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 90, 1952.—Japan.

senkawaensis Y. Kobayasi in Mycol. J.

- Seinkawaensis I. Kodayasi in Mycol. J. Nagao Inst., No. 2, p. 107, 1952.—Japan. - sphaerospora Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 80, 1952.—Japan. - squamulosa Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 100, 1952.—Japan. - tabacina Furrer-Ziogas in Schweiz. Z. Pilzk.,

- tabacına Furrer-Ziogas in Schwetz, D. Fuzk., 30, p. 173, 1952.—Switzerland.
- titibuensis Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 110, 1952.—Japan.
- umbrinella Bres. forma pallidula Y. Kobayasi in Mycol. J. Nagao Inst., No. 2, p. 97, 1952.—Japan.

Irene uapacicola Hughes in Mycol. Pap. C.M.I., 50, p. 30, 1953 on Uapaca.—Gold

Irpex foliaceo-dentatus Nikol. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 85, 1949 on Fagus orientalis.—U.S.S.R.

Ischnoderma novo-guineense Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 112, 1952.-Japan.

Isthmospora trichophila (Atk.) Damon in Bull. Torrey bot. Cl., 80, p. 160, 1953. (Syn. Spegazzinia trichophila Atk.).

*JACOBIA Arnaud in Bull. Soc. mycol. Fr., 67, p. 195, 1951.—Moniliales.

- conspicua Arnaud in Bull. Soc. mycol. Fr., 67, p. 195, 1951 on Lasiosphaeria ovina.-France.

JATTAEOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Jattaeolichen (lichen)

JENMANIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of Jenmania

Karstenula alnicola Petrak in Sydowia, 6, p. 353, 1952 on dead Alnus.—Maryland, U.S.A. KERATINOMYCES Vanbreuseghem in Bull.

Acad. Belg. Cl. Sci., 38, p. 1075, 1952.-

Dermatophytes.
- ajelloi Vanbreuseghem in Bull. Acad. Belg. Cl. Sci., 38, p. 1075, 1952 in soil.—Belgium. Kirschsteiniella californica Petrak

Sydowia, 6, p. 353, 1952 on wood.—California, U.S.A.

Kmetia corticola W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 808, 1952 on Abies magnifica var. shastensis.—California, U.S.A. Krombholzia extremiorientalis Vassiljeva

in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 191, 1950.—U.S.S.R.

Kuehneola trichosanthes (Petch) Rama. krishnan & Sundaram in Proc. Indian Acad. Sci., Sect. B, 35, p. 114, 1952. (Syn. Uredo trichosanthes Petch).

LACELLINOPSIS Subramanian in Proc. Indian Acad. Sci., Sect. B, 37, p. 103, 1953.— Dematiaceae.

- sacchari Subramanian in Proc. Indian Acad. Sci., Sect. B, 37, p. 104, 1953 on dead Saccharum officinarum.-India.

Lachnella africanus (Pat.) Locquin in Bull, Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited].

- asperifolius (Pat.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited1

- bicolor (Pat. & Demange) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited1.

- carnelioruber (Singer) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not

congoanus (Pat.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited], craterellus (Dur. & Lév.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not

cited1. - fasciculata (Schw.) Locquin in Bull. Soc. - fasciculata (Schw.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited]. fragilis (Pat.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited]. galeatus (Berk. & Curt.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited].

liliputianus (Mont.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited]. niduliformis (Murr.) Locquin in Bull. Soc.

mycol. Fr., 68, p. 166, 1952. [Syn. not cited]. pachytrichus (Sing.) Locquin in Bull. Soc. mycol. Fr., 68, p. 166, 1952. [Syn. not cited]. Lactarius aurantiaco-ochraceus Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci.

URSS, 6, p. 196, 1950.—U.S.S.R.
grandisporus Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 195, 1950.-U.S.S.R.

- hradecensis Schaefer in Česká Mykol., 2, p. 85, 1948.—Czechoslovakia.

violaceomarginatus Vassiljeva in Not.
 Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6,
 p. 196, 1950.—U.S.S.R.
 LAHMIOMYCES Ciferri & Tomaselli in Atti

Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952,—

For the fungal element of Lahmia (lichen). LAUREROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Laurera (lichen).

LECANÁCTIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 74, 1952.—For the fungal element of Lecanacis (lichen).

Lembosia anogeissi Hughes in Mycol. Pap., C.M.I., 50, p. 32, 1953 on Anogeissus schimperi.—Ivory Coast.

Lepiota armillarioides Dennis in Kew Bull., 1952, p. 486, 1952.—Trinidad.

- azalearum (Murr.) Dennis in Kew Bull., 1952, p. 474, 1952. (Syn. Cortinellus azalearum Murr.).

bakeri Dennis in Kew Bull., 1952, p. 483, 1952.—Trinidad.

- citriodora Dennis in Kew Bull., 1952, p. 483, 1952.—Trinidad.

erinana Dennis in Kew Bull., 1952, p. 484.

1952.—Trinidad.

micropholis (Berk. & Br.) Sacc. var. lactea (Murr.) Dennis in Kew Bull., 1952, p. 472, 1952. (Syn. L. lactea Murr.).

minima (Berk.) Dennis in Kew Bull., 1952, p. 465, 1952. (Syn. Hiatula minima

Berk.).

- nigropunctata Dennis in Kew Bull., 1952. p. 466, 1952.—Trinidad.

- var. lutea Dennis in Kew Bull., 1952, p. 466, 1952.—Trinidad.

ochraceo-aurantiaca Dennis in Kew Bull.,

1952, p. 487, 1952.—Trinidad. - pseudoroseola Dennis in Kew Bull., 1952,

p. 476, 1952.—Venezuela. quinamana Dennis in Kew Bull., 1952, p.

474, 1952.—Trinidad.

- roseolamellata Dennis in Kew Bull., 1952, p. 466, 1952.—Trinidad.

sipariana Dennis in Kew Bull., 1952, p. 488, 1952.—Trinidad.

subamanitiformis Dennis in Kew Bull., 1952, p. 476, 1952.—Trinidad.

- subgranulosa Murr. var. major Dennis in Kew Bull., 1952, p. 478, 1952.—Venezuela. - tobagensis Dennis in Kew Bull., 1952, p. 473, 1952.—Tobago.

LEPTOGYDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.—For the fungal element of Leptogidium (lichen).

Leptomassaria anisophylleae Petrak in Sydowia, 6, p. 309, 1952 on Anisophyllea

laurina.-Sierra Leone.

— quercina Petrak in Sydowia, 6, p. 354, 1952 on dead Quercus.—Maryland, U.S.A.

LEPTOMYCORHAPHIS Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Leptorhaphis (lichen)

LEPTORHAPHIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of

Leptorhaphis (lichen).

Leptosphaeria amorphae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 82, 1949 on Amorpha fruticosa.-U.S.S.R. penniseticola Deighton apud Petrak & Deighton in Sydowia, 6, p. 311, 1952 on Pennisetum purpureum.—Sierra Leone.

Leptothyrella graminis Wehmeyer in Sydowia, 6, p. 436, 1952 on Muhlenbergia filiformis.—Washington State, U.S.A.

Leptotus queletii Pilat & Svrček nom. nov. in Česká Mykol., 7, p. 12, 1953. (Syn. Dictyolus glaucus sensu Quélet et al., non 'Agaricus glaucus Batsch').

Leucoagaricus ianthinophaeus Locquin in Bull. Soc. mycol. Fr., 68, p. 177, 1952.—

France.

Leucocoprinus flos-sulphuris (Schnitz.) Cejp in Česká Mycol., 2, p. 78, 1948. (Syn. Agaricus flos-sulphuris Schnitz.).

-var. incertus (Mattir.) Cejp in Česká Mykol., 2, p. 82, 1948. (Syn. Lepiota incerta Mattir.).

otsuensis Hongo in J. Jap. Bot., 28, p. 70, 1953.—Japan.

Limacium camarophyllum (Alb. & Schw. ex Fr.) Herink in Česká Mykol., 3, p. 109, 1949. (Syn. Agaricus camarophyllus Alb. & Schw. ex Fr.).

subsp. calophyllum (Karst.) Herink in Česká Mykol., 3, p. 109, 1949. [Syn. not

- subsp. marzuolum (Fr.) Herink in Česká Mykol., 3, p. 109, 1949. (Syn. Agaricus marzuolum Fr.).

Linocarpon cajani Deighton apud Petrak & Deighton in Sydowia, 6, p. 312, 1952 on dead Cajanus cajan.—Sierra Leone.

- cariceti (Berk & Br.) Petrak in Sydowia, 6, p. 387, 1952. (Syn. Sphaeria cariceti Berk. & Br.).

- elaeidis Petrak in Sydowia, 6, p. 312, 1952 on dead *Elaeis guineensis*.—Sierra Leone. - eucryptum (Berk. & Br.) Petrak in *Sydowia*,

6, p. 387, 1952. (Syn. Sphaeria eucrypta Berk. & Br.).

-halimum (Diehl & Mounce) Petrak in Sydowia, 6, p. 388, 1952. (Syn. Ophiobolus halimus Diehl & Mounce).

- maritimum (Sacc.) Petrak in Sudowia, 6. p. 388, 1952. (Syn. Rhaphidophora maritima Sacc.).

- medusa (Ell. & Ev.) Petrak in Sydowia, 6, p. 388, 1952. (Syn. Ophiobolus medusa Ell.

- oryzinum (Sacc.) Petrak in Sydowia, 6, p. 387, 1952. (Syn. Ophiobolus oryzinus Sacc.).

- versisporum (Ell. & Mart.) Petrak in Sydowia, 6, p. 388, 1952. (Syn. Ophiobolus versisporus Ell. & Mart.).

LITHOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Lithographa (lichen)

LLANOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 74, 1952.—For the fungal element of Llanolichen

LOPADIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 64, 1952.—For the fungal element of Lopadium (lichen)

LOPADIOPSIDOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Lopadiopsis (lichen).

Lophodermium castellani Graniti in Nuovo G. bot. ital., N.S., 59, p. 40, 1952 on Sesleria disticha and S. caerulea.—Italy.

Loramyces macrospora Ingold & Chapman in Trans. Brit. mycol. Soc., 35, p. 270, 1952 on dead Equisetum limosum.—England.

MACRAEA Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 164, 1952.—Moniliales. Type, M. crataevae.

crataevae (Syd.) Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 164, 1952. (Syn. Napicladium crataevae Syd.).

punjabensis Subramanian in Proc. Indian Acad. Sci., Sect. B, 36, p. 166, 1952 on leaves of ?Crataeva religiosa.—India.

Macrophoma chrysothamni W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 797, 1952 on Chrysothamnus nauseosus var. occidentalis.—California, U.S.A.

Macrophyllosticta coryneoidea Dias & da Camara in Agron. lusit., 14, p. 107, 1952 on Silene inflata.—Portugal.

ensetes (Sacc. & Scal.) Dias & da Camara in Agron. lusit., 14, p. 108, 1952. (Syn. Macrophoma ensetes Sacc. & Scal.).

- heterospora Lucas & da Camara in Agron.

lusit., 14, p. 206, 1952 on Smilax aspera. Portugal

- sterculiae da Costa & da Camara in Portug. acta biol., 3, p. 299, 1952 on Sterculia diversifolia var. occidentalis.—Portugal.

- ulcinjensis (Bubák) da Costa & da Camara in Portug. acta biol., 3, p. 299, 1952. (Syn. Macrophoma ulcinjensis Bub.).

*MAGDALAENAEA Arnaud in Bull. Soc. mycol. Fr., 68, p. 209, 1952.—Moniliales. monogramma Arnaud in Bull. Soc. mycol. Fr., 68, p. 209, 1952 on wood.—France.

MAGNUSSONIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Magnussoniolichen (lichen).

Marasmiellus laschiopsis Singer apud Dennis in Kew Bull., 1953, p. 41, 1953.— Trinidad.

Marasmius acicola Romagnesi in Bull. Soc. mycol. Fr., 68, p. 139, 1952.—France.

alniphilus Favre in Ber. schweiz. bot. Ges., 62, p. 410, 1952 on dead leaves of Alnus viridis.-France.

- brassicolens Romagnesi in Bull. Soc. mycol. Fr., 68, p. 139, 1952.—France.

hybridus Kühner & Romagnesi apud Romagnesi in Bull. Soc. mycol. Fr., 68, p. 140, 1952.—France.

*MARIANNAEA Arnaud in Bull. Soc. mycol. Fr., 68, p. 196, 1952.—Moniliales.

*— elegans Arnaud in Bull. Soc. mycol. Fr., 68, p. 196, 1952 on wood.—France. MARONEOMYCES Ciferri & Tomaselli in

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1952.—For the fungal element of Maronea (lichen).

Marssonina gloeodes (H. C. Greene) H. C. Greene in Amer. Midl. Nat., 48, p. 53, 1952. (Syn. Marsonia gloeodes H. C. Greene).

MASSALONGOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 71, 1952.—For the fungal element of Massalongia (lichen).

Massarina berchemiae Petrak in Sydowia, 6, p. 355, 1952 on dead Berchemia scandens. Louisiana, U.S.A.

MATTICKIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 71, 1952.—For the fungal element of Mattickiolichen (lichen).

MELAMPYDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 70, 1952.—For the fungal element of Melampydium (lichen).

Melanconis carpinigera (Berk. & Curt.) Petrak in Sydowia, 6, p. 355, 1952. (Syn. Diatrype carpinigera Berk. & Curt.).

Melanconium lycopersici Orillo in Philipp. Agric., 35, p. 339, 1952 on Lycopersicon esculentum.—Philippines.

Melanoleuca parisiorum Haller nom. nov. in Schweiz. Z. Pilzk., 31, p. 42, 1953. (Syn. M. cnista sensu Heim & Romag., non Fries).

MELANOTHECOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Melanotheca (lichen).

Melanotus cassiaecolor (Berk.) Singer in Sydowia, 6, p. 348, 1952. (Syn. Crepidotus cassiaecolor (Berk.) Sacc.).

MELASPILEOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Melaspilea (lichen).

Meliola capensis (Kalchbr. & Cooke) Theiss, var. pancoviae Hughes in Mycol. Pap., C.M.I., 50, p. 33, 1953 on Pancovia bijuga. Gold Coast.

cryptica Hughes in Mycol. Pap., C.M.I., 50, p. 34, 1953 on Chrysophyllum albidum.—Gold Coast.

- togoensis Hughes in Mycol. Pap., C.M.I., 50, p. 37, 1953 on Trichilia heudelotii. Togoland.

var. angulata Hughes in Mycol. Pap., C.M.I., 50, p. 38, 1953 on Trichilia prieuriana.—Gold Coast.

trichostroma (Kunze) Toro in J. Agric, Univ. P.R., 36, p. 62, 1952. (Syn. Sphaeria trichostroma Kunze).

triplochitonis Hughes in Mycol. Pap., C.M.I., 50, p. 39, 198 scleroxylon.—Gold Coast. 39, 1953 on Triplochiton

Metasphaeria leonensis Petrak in Sydowia, 6, p. 313, 1952 on dead Bambusa vulgaris,-Sierra Leone.

Microdiplodia bonnayae Petrak in Sydowia, 6, p. 360, 1952 on Bonnaya coulteri.—Cali. fornia, U.S.A.

MICROGLAENOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Microglaena (lichen).

MICROGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, 77, 1952.—For the fungal element of Micrographa (lichen).

Microhaplosporella broussonetiae Dias & da Camara in Agron. lusit., 14, p. 114, 1952

on Broussonetia papyrifera.—Portugal.
MICROHENDERSONULA Dias & da
Camara in Agron. lusit., 14, p. 118, 1952.— Sphaeropsidales. - cestri Dias & da Camara in Agron. lusit.,

14, p. 118, 1952 on Cestrum fasciculatum. Portugal.

Micromphale brevipes (Berk. & Rav.) Singer apud Dennis in Kew Bull., 1953, p. 42, (Syn. Marasmius brevipes Berk. & Rav.).

Micropeltis strophanthi Müller in Ber. schweiz. bot. Ges., 62, p. 104, 1952 on Strophanthus sarmentosus.—Angola, Africa.

Microporus rhinocerotis (Cooke) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 113, 1952. (Syn. Fomes rhinocerotis Cooke).

sacer (Fr.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 113, 1952. (Syn. Polystictus sacer Fr.).

Microstroma delonicis Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 94, 1952 on Delonix elata. India.

MICROTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Microthelia (lichen)

MICROTHELIOPSIDOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Microtheliopsis (lichen).

Mirandia cordiicola (P. Henn.) Toro in J. Agric. Univ. P.R., 36, p. 70, 1952. (Syn. Dimerosporium cordiicolum P. Henn.).

*MIRANDINA Arnaud in Bull. Soc. mycol. Fr., 68, p. 205, 1952.—Moniliales. Type, M. corticola.

- brachyspora Arnaud in Bull. Soc. mycol. Fr., 68, p. 206, 1952 on bark.—France.

*_ corticola Arnaud in Bull. Soc. mycol. Fr., 68, p. 206, 1952 on bark.—France.

Monascostroma typhae (Schroet.) Munk in Dansk bot. Ark., 15, 2, p. 108, 1953. (Syn. Phaeosphaerella typhae (Schroet.) Sacc.).

Monochaetia rhododendri Yoshii in Forsch. PfKr., Tokyo, 4, p. 180, 1951 on Rhodo-dendron linearifolium var. macrosepalum.—

rhododendricola Yoshii in Forsch. PflKr., Tokyo, 4, p. 182, 1951 on Rhododendron obtusum var. kaempferi.—Japan.
MORIOLOMYCES Ciferri & Tomaselli in

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Moriola (lichen).

Mucor saprophilus Novot. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 160,

1950 in water.—U.S.S.R.

stagnalis Novot. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 158, 1950 in water.—U.S.S.R.

Mucronella flava Corner in Ann. Bot., Lond., N.S., 17, p. 356, 1953 on dead wood.—Iowa,

U.S.A.

MUELLERELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Muellerella (lichen).

Mycena acicula (Fr.) Quél. var. longispora Dennis in Kew. Bull., 1952, p. 498, 1952.

Trinidad.

– metata (Fr.) Quél. forma sphagnicola Kotlaba in *Česká Mykol.*, 6, p. 75, 1952.— Czechoslovakia.

minima Dennis in Kew Bull., 1952, p. 498, 1952.—Trinidad.

- typhae (Schweers) Kotlaba in Česká Mykol., 7, p. 44, 1953. (Syn. Omphalia typhae Schweers).

umbilicata Dennis (this *Index*, ii, p. 83). See M. umbilicata Métrod (ibid., ii, p. 6).

MYCOARTHOPYRENIA Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Arthopyrenia (lichen).

MYCOBLASTOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 64, 1952.—For the fungal element of Myco-

blastus (lichen).

MYCOCIFERRIA Tomaselli apud Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Ciferriolichen (lichen).

MYCOLEPTORHAPHÍS Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Lepto-

rhaphis (lichen).

Mycosphaerella meliosmae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 86, 1953 on Meliosma

wightii .- India.

- rosigena (Ell. & Ev.) Stev. & Roldan var. madagascariensis (Bouriquet) Wallace in Rep. Dep. Agric. Tanganyika, 1950, p. 171, 1952. [Syn. Sphaerella rosigena Ell. & Ev. var. madagascariensis Bouriquet].

schisandrae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 82, 1949 on

Schizandra chinensis.—U.S.S.R.

MYCOTHELOCARPON Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.—For the fungal element of The locar pon(lichen).

MYRIOSTIGMELLA Arnaud nom. nov. in Bull. Soc. mycol. Fr., 68, p. 221, 1952. (Syn. Myriostigma Arn., non Krempelh.). species listed.

MYXODICTYONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Myxodictyon (lichen).

*MYXODOCHIUM Arnaud in Bull. Soc. mycol. Fr., 67, p. 196, 1951.—Moniliales.

- hyalinum Arnaud in Bull. Soc. mycol. Fr., 67, p. 196, 1951 on wood.—France.

Naematoloma ferrei (Bres.) Singer forma Iuteum (Hongo) Hongo in J. Jap. Bot., 27,p. 372, 1952. (Syn. Stropharia rugosoannulata Farlow forma lutea Hongo).

NARASIMHANIA Thirumalachar & Pavgi in

Sydowia, 6, p. 390, 1952.—Ustilaginales.
— alismatis Pavgi & Thirumalachar in Sydowia, 6, p. 390, 1952 on Alisma.—India.
Naucoria rubi (Berk.) Singer in Sydowia, 6, p. 348, 1952. (Syn. Crepidotus rubi (Berk.)

NAUMOVIELLA Novot. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 155, 1950. -Mortierellaceae.

nivea Novot. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 156, 1950 in water.—

Nematostoma pycnothymi Petrak in Sydowia, 6, p. 402, 1952 on Pycnothymus rigidus—Florida, U.S.A.

NORMANDINOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Normandina (lichen).

*NYCTALINA Arnaud in Bull. Soc. mycol.

Fr., 68, p. 189, 1952.—Moniliales.

*- lignicola Arnaud in Bull. Soc. mycol. Fr., 68, p. 190, 1952 on mycelium.—France.

Octaviania asterosperma Vitt. forma mutabilis Vacek in Česká Mykol., 2, p. 69, 1948. Czechoslovakia.

Olpidiopsis? vuilleminiae Arnaud in Bull. Soc. mycol. Fr., 68, p. 182, 1952 on Corticium comedens.—France.
Omphalina cyathiformis (Berk. & Curt.)

Dennis in Kew Bull., 1952, p. 494, 1952. (Syn. Marasmius cyathiformis Berk. & Curt.). - cylindrospora Dennis in Kew Bull., 1952,

p. 494, 1952.—Trinidad.

euomphalos (Berk.) Dennis in Kew Bull., 1952, p. 495, 1952. (Syn. Agaricus euomphalos Berk.). - var. lutea Dennis in Kew Bull., 1952, p

496, 1952.—Trinidad.

viridifusca (Berk. & Curt.) Dennis in Kew Bull., 1952, p. 493, 1952. (Syn. Marasmius viridifuscus Berk. & Curt.).

Onnia incisa (Lloyd) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 114, 1952. (Syn. Polystictus incisus Lloyd).

*Oospora chalaroides Arnaud in Bull. Soc. mycol. Fr., 68, p. 195, 1952 on paper.-

*- lasiosphaeriae Arnaud in Bull. Soc. mycol. Fr., 68, p. 195, 1952 on Lasiosphaeria.

*- stercorea Arnaud in Bull. Soc. mycol. Fr., 68, p. 195, 1952 on dung.—France.

tholispora Arnaud in Bull. Soc. mycol. Fr., 68, p. 195, 1952 on stroma of Gibberella. -France.

OPEGRAPHELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Opegraphella (lichen).

Ophiobolus constrictus Müller in Ber. schweiz. bot. Ges., 62, p. 317, 1952 on dead Carduus nutans.—Switzerland.

— gracilis (Nessi) Müller in Ber. schweiz. bot.

Ges., 62, p. 336, 1952. (Syn. Lasiosphaeria gracilis Niessl).

mayorii Müller in Ber. schweiz. bot. Ges., 62, p. 327, 1952 on dead $Phaca\ alpina$.-Switzerland.

- volkartii Müller in Ber. schweiz. bot. Ges., 62, p. 313, 1952 on dead Peucedanum ostruthium .- Switzerland.

*OPHIODENDRON Arnaud in Bull. Soc. mycol. Fr., 68, p. 208, 1952.—Moniliales.

*_ laocooni Arnaud in Bull. Soc. mycol. Fr., 68, p. 208, 1952 on dead leaves of Quercus. France.

Ophiostoma moniliforme (Hedge.) H. & P. Syd. forma davidsonii (Hedge.) Luc nom. nov. in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 12, 1952. (Syn. Endoconidiophora moniliformis sensu Davidson).

forma theobromae Luc in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 13, 1952 on

root of Theobroma. - Madagascar.

- forma pycnanthi Luc in Rev. Mycol., Paris, 17, Suppl. Col. No. 1, p. 12, 1952 on wood of Pycnanthus kombo.—French Cameroons.

ORPHNIOSPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 64, 1952.—For the fungal element of Orphniospora (lichen).

*OSTEOMORPHA Arnaud in Bull. Soc.

mycol. Fr., 68, p. 192, 1952.—Moniliales.

fragilis Arnaud in Bull. Soc. mycol. Fr., 68, p. 192, 1952.—France.

Oudemansiella brunneomarginata Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad.

Sci. URSS, 6, p. 197, 1950.—U.S.S.R.
Ovularia lupini W. B. Cooke & Shaw in
Mycologia, 44, p. 802, 1952 on Lupinus.— Colorado, U.S.A.

Oxydothis elaeicola Petrak in Sydowia, 6, p. 314, 1952 on dead Elaeis guineensis.—Sierra

Leone. - pandanicola (Syd.) Petrak in Sydowia, 6, p. 367, 1952. (Syn. Didymella pandanicola Syd.).

parvula (Syd.) Petrak in Sydowia 6, p. 314,

1952. (Syn. Merrilliopeltis parvula Syd.). - sabalensis (Cooke) Petrak in Sydowia, 6, p. 403, 1952. (Syn. Sphaeria sabalensis Cooke).

Panus Iuteus Dennis in Kew Bull., 1953, p. 44, 1953 on wood.—Trinidad.

PAPULARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Papulare (lichen)

PARMENTARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Parmentaria (lichen).

Parodiopsis lophirae Deighton apud Petrak & Deighton in Sydowia, 6, p. 315, 1952 on Lophira alata.—Sierra Leone. PECCANIOMYCES Ciferri & Tomaselli in

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 63,

1952.—For the fungal element of Peccania (lichen).

*Pedilospora? macrospora Arnaud in Bull, Soc. mycol. Fr., 68, p. 212, 1952 on wood,-France.

tricornis Arnaud in Bull. Soc. mycol. Fr., 68, p. 210, 1952 on wood.—France.

Peltosphaeria californica Petrak in Sydowia, 6, p. 357, 1952 on wood.—California, U.S.A. sandwicensis Petrak in Sydowia, 6, p. 368,

1952 on wood of Myoporum sandwicense,-Hawaii.

Penicillium albocinerascens Chalabuda [non (Maubl.) Biourge] in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 166, 1950 in soil. ---U.S.S.R.

- arenicola Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 162, 1950 in soil.-U.S.S.R.

- bilaji Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 165, 1950 in soil. -U.S.S.R.

cinereoatrum Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 167, 1950 in soil.—U.S.S.R.

cremeogriseum Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 168, 1950 in soil.—U.S.S.R.

glaucocinerascens Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 165, 1950 in soil.—U.S.S.R.

glaucolanosum Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 167, 1950 in soil.—U.S.S.R.

kurssanovii Chalabuda in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 164, 1950 in soil.-U.S.S.R.

pidoplitschkanum Chalabuda in Not. Šyst. Črypt. Inst. Bot. Acad. Sci. URSS, 6, p. 161, 1950 in soil.—U.S.S.R.

Peniophora incrassata Malençon in Bull. Soc. mycol. Fr., 68, p. 316, 1952 on dead wood of Cedrus atlantica.—France.

- reticulata Wakefield in Trans. Brit. mycol. Soc., 35, p. 57, 1952 on rotten coniferous wood.—England.

Penzigia leonensis Deighton apud Petrak & Deighton in Sydowia, 6, p. 315, 1952 on dead Alchornea cordifolia.—Sierra Leone.

PERFORARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 80, 1952.—For the fungal element of Perforaria

Peronospora esperaussensis Mayor in Ber. schweiz. bot. Ges., 62, p. 481, 1952 on Lotus angustissimus.—France.

viennoti Mayor in Ber. schweiz. bot. Ges., 62, p. 478, 1952 on Sarothamnus scoparius.— France.

PETRAKOMYCES Subramanian & Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 37, p. 112, 1953.—Sphaeropsidales.

- indicus Subramanian & Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 37, p. 112, 1953 on Bambusa.—India. *PEYRONELINA Arnaud in Bull. Soc. mycol.

Fr., 68, p. 213, 1952.—Moniliales.

glomerulata Arnaud in Bull. Soc. mycol. Fr., 68, p. 213, 1952 on Lasiosphaeria.

PEYRONELLULA Malan in Mycopathologia, 6, p. 173, 1952.—Plectomycetes.

mirabilis Malan in Mycopathologia, 6, p. 173, 1952 on damp soil.—Italy. Conidial state Cephalosporium mirabilis Malan.

PHAEOAPHELARIA Corner in Ann. Bot., Lond., N.S., 17, p. 357, 1953.—Clavariaceae. australiensis Corner in Ann. Bot., Lond.,

N.S., 17, p. 357, 1953 on wood.—Australia. Phaeobotryosphaeria fusca (N. E. Stev.) Petrak. in Sydowia, 6, p. 317, 1952. (Syn. Physalospora fusca N. E. Stev.).

_leonensis Petrak in Sydowia, 6, p. 316, 1952 on dead Lonicera japonica.—Sierra Leone.

Phaeodimeriella meliolinae (Toro) Toro in J. Agric. Univ. P.R., 36, p. 79, 1952. (Syn. Chaetostigmella meliolinae Toro).

parasitica (Toro) Toro in J. Agric. Univ. P.R., 36, p. 79, 1952. (Syn. Chaetostigmella

parasitica Toro).

Phaeodothiora palmarum (Höhn.) Petrak in Sydowia, 6, p. 317, 1952. (Syn. Monographus palmarum Höhn.).

PHAEOGRAPHIDOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of Phaegraphis (lichen).

PHAEOGRAPHINÓMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of Phaeographina (lichen).

Phakopsora chorisandrae Ramakrishnan & Reddy in Proc. Indian Acad. Sci., Sect. B, 35, p. 115, 1952 on Chorisandra pinnata.

mangalorica Ramakrishnan & Sundaram in Proc. Indian Acad. Sci., Sect. B, 35, p. 118, 1952 on Desmodium triquetrum.—India.

Phellinus dependens (Murill) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 114, 1952. (Syn. Pyropolyporus dependens Mur-

- mangrovicus (Imazeki) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 114, 1952.

(Syn. Fomes mangrovicus Imaz.)

senex (Nees & Mont.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 115, 1952. (Syn. Polyporus senex Nees & Mont.).

Phellorinia stepnovskii Sossin in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 185,

1950.-U.S.S.R.

PHILIPPIREGIS Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Polyblastidea (lichen).

PHLOEOPECCÁNIOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Phloeopeccania* (lichen).

PHLYCTELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Phylctella (lichen).

Phlyctidium tenue Sparrow in Mycologia, 44, p. 760, 1952 on Zygnema.—Michigan, U.S.A.

Phlyctochytrium longicollum Sparrow in Mycologia, 44, p. 763, 1952 on Euglena.—Michigan, U.S.A.

— papillatum Sparrow in Mycologia, 44, p. 764, 1952 on pine pollen.—Michigan, U.S.A. Phoma eriogoni W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 797, 1952 on Eriogonum marifolium.—California, U.S.A.

-lunulatospora Weymeyer in *Sydowia*, 6, p. 437, 1952 on herbaceous stems.—Washing-

ton State, U.S.A.

pedicularis var. minor Wehmeyer in Sydowia, 6, p. 437, 1952 on Pedicularis.— Washington State, U.S.A.

- raetica Müller apud Zogg in Phytopath. Z.,

18, p. 11, 1951 on Hordeum distichum.-Switzerland.

- siliquastrum Desm. var. arabidis-hirsutae Bernaux in Bull. Soc. mycol. Fr., 68, p. 393, 1952 on Arabis hirsuta.—France. Phomopsis celottii (Sacc.) Lucas & da Camara

in Agron. lusit., 14, p. 210, 1952. (Syn. Phoma celotii Sacc.).

chamaecristae Petrak in Sydowia, 6, p. 405, 1952 on dead branches of Chamaecrista brachiana.--Florida, U.S.A.

chrysanthemi (Vogl.) da Costa & da Camara in Portug. acta biol., 3, p. 301, 1952. (Syn. Phoma chrysanthemi Vogl.).

hydrangeae Lucas & da Camara in Agron. lusit., 14, p. 211, 1952 on Hydrangea hortensis. Portugal.

iridina (Maire & Sacc.) Lucas & da Camara in Agron. lusit., 14, p. 211, 1952. (Syn. Phoma agapanthi (Thüm.) Sacc. subsp. iridina Maire & Sacc.).

- mandevillae da Costa & da Camara in Portug. acta biol., 3, p. 302, 1952 on branches

of Mandevilla laxa.—Portugal.

neriicola (Pat.) da Costa & da Camara in Portug. acta biol., 3, p. 302, 1952. (Syn. Phoma neriicola Pat.).

- parietariae (Allesch.) da Costa & da Camara in Portug. acta biol., 3, p. 302, 1952. (Syn. Phoma parietariae Allesch.).

polygalae-myrtifoliae (P. Henn.) Dias & da Camara in Agron. lusit., 14, p. 111, 1952. (Syn. Phoma polygalae-myrtifoliae P. Henn.).

pterocarpi Hughes in Mycol. Pap., C.M.I., 50, p. 54, 1953 on Pterocarpus erinaceus.-Togoland.

tipuanae (F. Tassi) Lucas & da Camara in Agron. lusit., 14, p. 213, 1952. (Syn. Phoma tipuanae Tassi).

Phyllachora carpodini Hughes in Mycol. Pap., C.M.I., 50, p. 54, 1953 on Carpodinus barteri.-Gold Coast.

leptoderridis Deighton apud Petrak & Deighton in Sydowia, 6, p. 318, 1952 on dead leaves of Leptoderris.—Sierra Leone.

Phyllosticta cladrastidis Mitrosh. in Not. Šyst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 83, 1949 on Cladrastis amurensis.—U.S.S.R.

- eriogoni W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 797, 1952 on Eriogonum elatum.—Washington, U.S.A.

erythronii W. B. Cooke & Shaw in Mycologia, 44, p. 796, 1952 on Erythronium parviflorum.—Wyoming, U.S.A.

favillensis H. C. Greene in Amer. Midl. Nat., 48, p. 50, 1952 on Silphium integri-folium.—Wisconsin, U.S.A.

Shaw in Mycologia, 44, p. 796, 1952 on Lotus douglasii.—Washington, U.S.A.
-lactucicola (as 'lactucaecola') Hara &

Ogawa in Ann. phytopath. Soc. Japan, 16, p. 183, 1952 on Lactuca sativa.—Japan.

madisonensis H. C. Greene nom. nov. in Amer. Midl. Nat., 48, p. 50, 1952. (Syn. P. solidaginicola H. C. Greene 1944, non Tehon & Daniels).

- maianthemi W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 795, 1952 on dilatatum.—Washington, Maian the mumU.S.A.

pennsylvanica H. C. Greene in Amer. Midl. Nat., 48, p. 49, 1952 on Prunus pennsylvanica.—Wisconsin, U.S.A.

philodendri Allesch. forma ellipticospora

Lucas & da Camara in Agron. lusit., 14, p. 214, 1952 on Monstera deliciosa.—Portugal.

— schizandrae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 83, 1949 on Schizandra chinensis.—U.S.S.R.

— wulfeniae H. C. Greene in Amer. Midl. Nat., 48, p. 49, 1952 on Wulfenia bullii.—Wisconsin, U.S.A.

Physalospora clerodendri Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 35, p. 112, 1952 on Clerodendron infortunatum.—India.

— maclurae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 82, 1949 on Maclura aurantiaca.—U.S.S.R.

Pirottaea glauco-viridis Vacek in Česká Mykol., 4, p. 44, 1950.—Czechoslovakia. Pistillaria trispora Corner in Ann. Bot.,

Pistillaria trispora Corner in Ann. Bot., Lond., N.S., 17, p. 358, 1953 on dead leaves of Fraxinus.—Iowa, U.S.A.

- tucumanensis (Speg.) Corner in Ann. Bot., Lond., N.S., 17, p. 360, 1953. (Syn. Typhula tucumanensis Speg.)

tucumanensis Speg.).

PLACOTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Placothelium (lichen).

PLACYNTHIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.—For the fungal element of Placynthium (lichen).

Planctomyces stranskae Wawrik in Sydowia, 6, p. 448, 1952 in plankton.—Europe.

— subulatus Wawrik in *Sydowia*, 6, p. 448, 1952 in plankton.—Europe.

Platycarpium caulicola Wehmeyer in Sydowia, 6, p. 438, 1952 on Anaphalis margaritacea.—U.S.A.

Platygloea subvestita Olive in Bull. Torrey bot. Cl., 80, p. 33, 1953 on wood.—N. Carolina, U.S.A.

PLATYGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 75, 1952.—For the fungal element of Platygrapha (lichen).

Pleospora chloes (Clem.) Petrak in Sydowia, 6, p. 337, 1952. (Syn. Graphyllium chloes Clem.).

- dakotensis (Rehm) Petrak in Sydowia, 6, p. 337, 1952. (Syn. Graphyllium dakotense Rehm.).

*PLEUROBASIDIUM Arnaud in Bull. Soc. mycol. Fr., 67, p. 193, 1951.—Thelephoraceae.

*— telae Arnaud in Bull. Soc. mycol. Fr., 67, p. 194, 1951 on cloth.—France.

*PLEUROCATENA Arnaud in Bull. Soc. mycol. Fr., 68, p. 195, 1952.—Moniliales. *— acicularis Arnaud in Bull. Soc. mycol. Fr.,

68, p. 195, 1952 on *Phialea albida*.—France. PLEUROCYBOMYCES Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Pleurocybe* (lichen).

Pleuroflammula flavomarginata (Berk. & Br.) Singer in Sydowia, 6, p. 349, 1952. (Syn. Crepidotus flavomarginatus (Berk. & Br.) Sacc.).

Pleurotus brunnescens (Earle) Dennis in Kew Bull., 1953, p. 33, 1953. (Syn. Micromphale brunnescens Earle).

distantifolius (Murrill) Dennis in Kew Bull.,
1953, p. 32, 1953. (Syn. Scytinotus distantifolius Murrill).
eugrammus (Mont.) Dennis in Kew Bull.,

1953, p. 35, 1953. (Syn. Agaricus eugrammus Mont.).

hygrophanus (Mont.) Dennis in Kew Bull., 1953, p. 36, 1953. (Syn. Panus hygrophanus Mont.).

Plicaria hyalino-alba (Speg.) Vacek in Česká Mykol., 4, p. 11, 1940. (Syn. Humaria hyalino-alba Speg.).

Podoconis bicolor Hughes in Mycol. Pap., C.M.I., 50, p. 56, 1953 on Cissus oreophila.—Gold Coast.

— flagellata Hughes in Mycol. Pap., C.M.I., 50, p. 57, 1953 on wood.—Gold Coast.

macrura (Sacc.) Hughes in Mycol. Pap.,
C.M.I., 50, p. 58, 1953. (Syn. Helminthosporium macrurum Sacc.).
parva Hughes in Mycol. Pap., C.M.I., 50,

p. 59, 1953 on dead Rauwolfia vomitoria.

Sierra Leone.

Podoscypha involuta (Klotzgel) Level

Podoscypha involuta (Klotzsch) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 98, 1952. (Syn. Stereum involutum Kl.). POLYBLASTIOMYCES Ciferri & Tomaselli

in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Polyblastia (lichen).

Polyporellus hemicapnodes (Berk. & Br.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 115, 1952. (Syn. Polyporus hemicapnodes Berk. & Br.).

— murinus Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 115, 1952.—Japan.

— obovatus (Junghun) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 116, 1952. (Syn. Polyporus obovatus Jungh.).

— satakei Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 116, 1952.—Japan. — stereinus (Berk. & Curt.) Imazeki in *Bull.*

— stereinus (Berk. & Curt.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 117, 1952. (Syn. Polyporus stereinus Berk. & Curt.). — subdealbatus (Murrill) Imazeki in Bull.

Govt. For. Exp. Sta., Tokyo 57, p. 117, 1952. (Syn. Microporellus subdealbatus Murrill). Polyporus tepeitensis (Murr.) Lowe in Pan

Polyporus tepeitensis (Murr.) Lowe in Pap. Mich. Acad. Sci., 37, p. 51, 1952. [Syn. Coriolus tepeitensis Murr.].

Poria laeviĝata (Fr.) Cooke forma prunicola (Murr.) Baxter in Pap. Mich. Acad. Sci., 37, p. 98, 1952. (Syn. P. prunicola Murr.).

— rhizomorpha Bagchee in *Indian For.*, 79, p. 22, 1953 on *Gmelina arborea*.—India and Pakistan.

Porphyrellus atrobrunneus Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 192, 1950.—U.S.S.R.

Protodontia oligacantha Martin in J. Wash. Acad. Sci., 43, p. 16, 1953 on dead Populus trichocarpa.—British Columbia, Canada.

PSEUDACOLIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.—For the fungal element of Pseudocolium (lichen).

Pseudobaeospora cygnea (Lange) Locquin in *Bull. Soc. mycol. Fr.*, **68**, p. 169, 1952. [Syn. not cited].

serena (Fr.) Locquin in Bull. Soc. mycol.
Fr., 68, p. 169, 1952. [Syn. not cited].
sericifera Locquin nom. nov. in Bull. Soc.

mycol. Fr., 68, p. 169, 1952. (Syn. Lepiota serica Cool.).

Pseudomassaria agrifolia (Ellis & Ev.) von Arx in Ber. schweiz. bot. Ges., 62, p. 354, 1952. (Syn. Physalospora agrifolia Ellis & Ev.).

- calophylli (Frag. & Cif.) von Arx in Ber.

schweiz. bot. Ges., **62**, p. 355, 1952. (Syn. Physalospora calophylli Frag. & Cif.).

corni (Sow.) von Arx in Ber. schweiz. bot. Ges., 62, p. 349, 1952. (Syn. Sphaeria corni Sow.).

fallax (Petrak) von Arx in Ber. schweiz. bot. Ges., 62, p. 349, 1952. (Syn. Apiosporina fallax Petrak).

necans (Rehm) von Arx in Ber. schweiz. bot. Ges., 62, p. 352, 1952. (Syn. Physalospora

necans Rehm).

necans Dellini, polystigma (Ellis & Ev.) von Arx in Ber. schweiz. bot. Ges., 62, p. 352, 1952. (Syn. Sphaerella polystyma Ellis & Ev.).

quercifolia (Ellis & Ev.) von Arx in Ber. schweiz. bot. Ges., 62, p. 353, 1952. (Syn. Physalospora quercifolia Ellis & Ev.).

sepincolaeformis (de Not.) von Arx in Ber, schweiz. bot. Ges., 62, p. 350, 1952. (Syn. Sphaerella sepincolaeformis de Not.).

thistletonia (Cooke) von Arx in Ber. schweiz. bot. Ges., 62, p. 355, 1952. (Syn. Physalospora thistletonia Cooke).

PSEUDOTYPHULA Corner in Ann. Bot., Lond., N.S., 17, p. 366, 1953.—Clavariaceae. Type, P. ochracea.

nype, F. ocuracea.
-ochracea Corner in Ann. Bot., Lond., N.S., 17, p. 366, 1953 on dead wood.—Belgian Congo.
-tenuipes (Lloyd) Corner in Ann. Bot., Lond., N.S., 17, p. 367, 1953. (Syn. Mucronella tenuipes Lloyd).

PSOROGLAENOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Psoroglaena (lichen).

PSOROMATOMYĆES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Psoroma

(lichen).

PSOROTICHIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Psorotichia (lichen)

PTERYGIOPSIDOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 76, 1952.—For the fungal element of

Pterygiopsis (lichen).

PTYCHOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Ptychographa (lichen).

Puccinia agropyricola Hiratsuka f. nom. nov. in Bot. Mag., Tokyo, 64, p. 221, 1951. (Syn. Rostrupia miyabeana Ito, non P. miyabeana

T. Miyake).

- alatavica Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 179, 1950 on Ferula alatavica.—U.S.S.R.

- arenariae-griffithii Kuprevicz in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 170, 1950 on Arenaria griffithii.—U.S.S.R.

- chloridis-incompletae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 91, 1952 on Chloris incompleta.—India.

conspersa Diet. var. paramensis (Mayor) Baxter in *Mycologia*, **45**, p. 124, 1953. (Syn.

P. paramensis Mayor).
- croci Gäumann & Terrier in Ber. schweiz. bot. Ges., 62, p. 301, 1952 on Crocus versicolor. -France.

gymnopetali-wightii Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 90, 1952 on Gymnopetalum wightii.—India.

- kunthiana Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 88, 1953 on Isachne kunthiana.

mitoensis Baxter in Mycologia, 45, p. 129, 1953 on Salvia punctata var. glabra.—Peru.

- oreophilae Nevodovsky & Golov. apud Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 181, 1950 on Phlomis oreophila.—U.S.S.R.

pectiniformis Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 89, 1953 on Venonia pectini-formis.—India.

rhamni Kuprevicz [non Wettst. 1886] in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 169, 1950 on Rhamnus dolichophylla. U.S.S.R.

- striatifera Baxter in Mycologia, 45, p. 132, 1953 on Salvia revoluta. - Peru.

- tranzscheliana Brezhn. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 80, 1949 on Tragopogon brevirostris and Carex colchica.— U.S.S.R.

- valerianicola Lindquist in Rev. Fac. Agron. La Plata, 28, p. 94, 1951 on Valeriana

ruiz-lealii.—Argentina. PYCNOTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 78, 1952.—For the fungal element of Cladonia papillaria (lichen).

PYRENASTROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Pyrena-

strum (lichen).

PYRENIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 58, 1952.—For the fungal element of Pyrenidium (lichen).

Pyrenochaeta oligotricha Dias & da Camara in Agron. lusit., 14, p. 113, 1952 on Acacia.

Portugal.

Pyrenophora alternarina Whitehead & Dickson in Mycologia, 44, p. 748, 1952 on decaying Avena sativa.—Wisconsin, U.S.A.

- secalis Whitehead & Dickson in Mycologia, 44, p. 752, 1952 on decaying Secale cereale. Wisconsin, U.S.A.
PYRENOPHOROMYCES Ciferri & Toma-

selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 56, 1952.—For the fungal element of Pyrenophorum (lichen).

PYŘENÔTHAMNIOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of

Pyrenothamnia (lichen).

PYRGIDIOMYCES Ciferri & Tomaselli in

Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952.—For the fungal element of Pyrgidium (lichen).

PYRGILLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 75, 1952.—For the fungal element of Pyrgillus

RAESAENENIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Raesaeneeniolichen (lichen).

Ramularia lathyri W. B. Cooke & Shaw in

Mycologia, 44, p. 803, 1952 on Lathyrus latifolius.—Washington, U.S.A.

- orogeniae W. B. Cooke & Shaw in Mycologia, 44, p. 803, 1952 on Orogenia linearifolia.-Washington, U.S.A.

- polemonii W. B. Cooke & Shaw in Mycologia, 44, p. 804, 1952 on Polemonium californicum.—Washington, U.S.A.

synthyridis W. B. Cooke apud Cooke & Shaw in Mycologia, 44, p. 804, 1952 on Synthyris reniformis.—Washington, U.S.A. trillii W. B. Cooke & Shaw in Mycologia,

44, p. 805, 1952 on Trillium ovatum.—Idaho, U.S.A.

Ravenelia coimbatorica Ramakrishnan & Sundaram in Proc. Indian Acad. Sci., Sect. B, 35, p. 119, 1952 on Phyllanthus urinaria.— India.

prosopidicola Lindquist in Rev. Fac. Agron. La Plata, 28, p. 82, 1951 on Prosopis

?alpataco.—Argentina.

REINKELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 75, 1952.—For the fungal element of Reinkella (lichen).

RHABDOPSOROMYCES Ciferri & Toma-selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Rhabdopsora (lichen).

Rhabdospora schizandrae Mitrosh. in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 84, 1949 on Schizandra chinensis.-U.S.S.R.

Rhinocladiella elatior Mangenot, Recherches méthodiques sur les champignons de certains bois en décomposition, p. 44, 1952.—France.

Rhinotrichum domesticum Balfour-Browne in Trans. Brit. mycol. Soc., 35, p. 274, 1952 on damp paper and wall plaster.—England. *— stellatum Arnaud in Bull. Soc. mycol. Fr., 68, p. 190, 1952 on wood.—France. RHIZOCARPONOMYCES Ciferri & Toma-

selli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.—For the fungal element of Rhizocarpon (lichen).

Rhizophydium bullatum Sparrow in Mycologia, 44, p. 762, 1952 on pine pollen.-Michigan, U.S.A.

parasiticum Shen & Siang in Sci. Rep. nat. Tsing Hua Univ., Ser. B, 3, p. 181, 1948 on Oedogonium.-China.

Rhizopogon graveolens Tul. forma sulphurea Vacek in Česká Mykol., 2, p. 69, 1948.—Czechoslovakia.

Rhodopaxillus munduliformis Dennis in Kew Bull., 1952, p. 489, 1952.—Trinidad.

subisabellinus (Murr.) Dennis in Kew Bull., 1952, p. 488, 1952. (Syn. Melanoleuca subisabellina Murr.).
hynchosphaeria floridana Petrak in

Rhynchosphaeria Sydowia 6, p. 403, 1952 on dead Sabal palmetto.—Florida, U.S.A.

shearii Petrak in Sydowia, 6, p. 369, 1952 on wood.-Hawaii.

Rhynchostoma gnatostomatica Dias & da Camara in Agron. lusit., 14, p. 104, 1952 on Ulex minor .- Portugal.

RICKELLA Locquin nom. nov. in Bull. Soc. mycol. Fr., 68, p. 168, 1952. (Syn. Lepiotella Rick, 1938 non Gilbert, 1936).

Rigidoporus durus (Junghun) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 117, 1952. (Syn. Polyporus durus Jungh.).

lignosus (Kl.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 118, 1952. (Syn. Polyporus lignosus Kl.).

rhodophaeus (Lév.) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 118, 1952. (Syn. Polyporus rhodophaeus Lév.).

zonalis (Berk.) Imazeki in Bull. Govt. For.

Exp. Sta., Tokyo 57, p. 119, 1952. (Syn, Polyporus zonalis Berk.).

ROBAKIA Petrak in Sydowia, 6, p. 372, 1952. Sphaeropsidales.

arctica Petrak in Sydowia, 6, p. 372, 1952 on wood.—Norway.
ROCCELLOGRAPHOMYCES

Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Roccellographa (lichen)

ROSTROCORONOPHORA Munk in Dansk bot. Ark., 15, 2, p. 98, 1953.—Pyrenomycetes. - geranii Munk in Dansk bot. Ark., 15, 2, p. 98, 1953 on dead stems of Geranium sanguineum.—Denmark.

Rozites flavoannulata Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 199, 1950.—U.S.S.R.

Russula aeruginea Lindblad var. pseudoaeruginea Romagnesi in Bull. Soc. linn. Lyon, 21, p. 111, 1952.—France. * amoena var. intermedia Blum in Bull.

Soc. mycol. Fr., 68, p. 255, 1952.—France. amoenolens Romagnesi in Bull. Soc. linn.

Lyon, 21, p. 111, 1952.—France. - floccosa Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 194, 1950. U.S.S.R.

*— grisea var. leucospora Blum in Bull. Soc. mycol. Fr., 68, p. 257, 1952.—France.

ionochlora Romagnesi in Bull. Soc. linn. Lyon, 21, p. 110, 1952.—France. - rutila Romagnesi. (This Index, 1, p. 215).

[Latin diagnosis in Bull. Soc. linn. Lyon, 21, p. 112, 1952].

terenopus Romagnesi in Bull. Soc. linn. Lyon, 21, p. 111, 1952.—France.

SAGEDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.— For the fungal element of Sagedia (lichen).

SAMBOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 70, 1952.— For the fungal element of Samboa (lichen).

SANTESSONIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Santes-soniolichen (lichen).

SARCOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 80, 1952.—For the fungal element of

Sarcographa (lichen).
SARCOPYRENIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Sarcopyrenia (lichen).

Sarcosoma amurense Vassiljeva in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 188, 1950 on dead Picea jezoensis.—U.S.S.R. Sarcoxylon deightonii Petrak in Sydowia,

6, p. 319, 1952 on dead Theobroma cacao.-Sierra Leone.

SCHELEROPHYTONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1952.—For the fungal element of Schlerophyton (lichen).

SCHISMATOMMATOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.—For the fungal element of Schismatomma (lichen).

SCHIZOPELTOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 74, 1952.—For the fungal element of Schizopette (lichen).

Sclerospora dichanthiicola Thirumalachar

& Narasimhan in Phytopathology, 42, p. 598, 1952 on Dichanthium annulatum.—India.

secalina Naumov in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 79, 1949 on Secale cereale .- U.S.S.R.

Sclerotinia veselyi Pilát & Svrček in Česká Mykol., 1, p. 44, 1947 on dead Equisetum limosum.—Bohemia.

SCOLICIOSPOROMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.—For the fungal element of Scoliciosporum (lichen).

*SCOPULA Arnaud in Bull. Soc. mycol. Fr.,

68, p. 198, 1952.—Moniliales.

*_ hyalina Arnaud in Bull. Soc. mycol. Fr., 68, p. 198, 1952 on wood.—France.

Scopulariopsis rhodogena Mangenot, Recherches méthodiques sur les champignons de certains bois en décomposition, p. 25, 1952.

-France.

Sepedonium albo-griseum Balfour-Browne in Trans. Brit. mycol. Soc., 35, p. 276, 1952 on damp plaster and wallpaper.—England.

Septoria anychiae H. C. Greene in Amer. Midl. Nat., 48, p. 52, 1952 on Anychia canadensis.—Wisconsin, U.S.A.

_ jasioneicola Urries in An. Jard. bot. Madr., 11, p. 159, 1953 on Jasione montana.—Spain.

- lapsanae Bernaux in Bull. Soc. mycol. Fr., 68, p. 396, 1952 on Lapsana communis. France.

-scorzonellae W. B. Cooke & Shaw in Mycologia, 44, p. 801, 1952 on Scorzonella nutans.—Washington, U.S.A.

– tellimae W. B. Čooke & Shaw in Mycologia, 44, p. 801, 1952 on Tellima parviflora.-Washington, U.S.A.

Siroscyphellina lupini Wehmeyer in Sydowia, 6, p. 440, 1952 on Lupinus subalpinus.-U.S.A.

SOROLINELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 64, 1952.—For the fungal element of Solorinella (lichen).

Sorosporium brachiariae-ramosae Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 35, p. 113, 1952 on Brachiaria ramosa.-

India.

Spegazzinia tessarthra (Berk. & Curt.) Sacc. var. deightonii Hughes in Mycol. Pap., C.M.I., 50, p. 65, 1953 on dead Saccharum officinarum.—Gold Coast.

Spĥacelotheca constantineanui Săvulescu in Bul. sti. Sect. Sti. biol., 3, p. 214, 1951 on

Alopecurus aequalis.—Rumania.

- mysorensis Pavgi & Thirumalachar in Sydowia, 6, p. 394, 1952 on Capillipedium hugelii.—India.

tragi Săvulescu in Bul. ști. Sect. Ști. biol., 3, p. 215, 1951 on Tragus racemosus. Rumania.

Sphaerographium dombeyae Dias & da Camara in Agron. lusit., 14, p. 119, 1952 on Dombeya .- Portugal.

SPHAEROPHORONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952.—For the fungal element of

Sphaerophoron (lichen).

Sphaeropsis vaccinii W. B. Cooke & Shaw in Mycologia, 44, p. 798, 1952 on Vaccinium

ovatum.-Washington, U.S.A.

SPHECONISCOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Spheconisca (lichen).

SPIROGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 69, 1952.—For the fungal element of Spirographa (lichen).

*Sporendonema roseum Grove var. album Arnaud in Bull. Soc. mycol. Fr., 68, p. 192, 1952 on soil.—France.

Sporidesmium bakeri Syd. var. maydicum (Sacc.) Hughes in Mycol. Pap., C.M.I., 50, p. 68, 1953. (Syn. Clasterosporium maydicum Sacc.).

- — var. sacchari (Speg.) Hughes in Mycol. Pap., C.M.I., 50, p. 69, 1953. (Syn. Stigmella

sacchari Speg.).

*Sporobolomyces holsaticus Windisch in Arch. Mikrobiol., 14, p. 289, 1949, from a culture.-Germany.

*SPOROCEPHALUM Arnaud in Bull. Soc. mycol. Fr., 68, p. 187, 1952.—Moniliales.

- peniophorae Arnaud in Bull. Soc. mycol. Fr., 68, p. 189, 1952 on Peniophora longispora.—France.

Sporotrichum uvarum (Karamb.) Windisch in Beitr. Biol. Pfl., 29, p. 161, 1952. (Syn. Oospora uvarum Karamb.).

Stagonopsis ulicis Dias & da Camara in Agron. lusit., 14, p. 120, 1952 on Ulex minor. -Portugal.

Stagonospora polyspora Lucas & da Camara in Agron. lusit., 14, p. 222, 1952 on Lippia citriodora.—Portugal.

spiculisperma H. C. Greene in Amer. Midl. Nat., 48, p. 50, 1952 on Stipa spartea.—Wisconsin, U.S.A.

- thaspii (Ell. & Ev.) H. C. Greene in Amer. Midl. Nat., 48, p. 52, 1952. (Syn. Ascochyta thaspii Ell. & Ev.).

- urenze Guillemat in Cotton Fibres trop., 7, 141, 1952 on Urena lobata.—French P. 141, 1002 Equatorial Africa.

verbenae H. C. Greene in Amer. Midl. Nat., 48, p. 52, 1952 on Verbena stricta.—Wisconsin, U.S.A.

STEREOCLAMYDOMYCES Ciferri Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Stereoclamys (lichen).

Stereum pekinense Imazeki in Acta phytotax., Kyoto, 13, p. 247, 1943.—Japan.

Stevensula meliolae (Stev.) Toro in J. Agric. Univ. P.R., 36, p. 80, 1952. (Syn. Perisporium meliolae Stev.).

- meliolicola (Syd.) Toro in J. Agric. Univ. P.R., 36, p. 80, 1952. (Syn. Chaetosphaeria meliolicola Syd.).

STIGMATOMÁSSARIA Munk in Dansk bot. Ark., 15, 2, p. 126, 1953.—Pyrenomycetes.

pupula (Fr.) Munk in Dansk bot. Ark., 15, 2, p. 127, 1953. (Syn. Massaria pupula (Fr.) Tul.).

Stigmina maculata (Cooke) Hughes in Mycol. Pap., C.M.I., 49, p. 11, 1952. (Syn. Clasterosporium maculatum Cooke).

palmivora (Sacc.) Hughes in Mycol. Pap., C.M.I., 49, p. 13, 1952. (Syn. Exosporium palmivorum Sacc.).

platani-racemosae (Dearn. & Barth.) Hughes in Mycol. Pap., C.M.I., 49, p. 9, 1952. Syn. Stigmella platani-racemosae Dearn. & Barth.).

-pulviniformis (Syd.) Hughes in Mycol. Pap., C.M.I., 49, p. 24, 1952. (Syn. Brachysporium pulviniforme Syd.).

Stigmopeltis graminicola Wehmeyer in

Sydowia, 6, p. 442, 1952 on Elymus glaucus.-Washington State, U.S.A.

Stilbospora grewiae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 37, p. 94, 1953 on Grewia asiatica.--India.

Strasseria sequoiae Dias & da Camara in Agron. lusit., 14, p. 113, 1952 on Sequoia. -Portugal.

STRIGULOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of Strigula

Stropharia rugosoannulata Farlow forma lutea Hongo in J. Jap. Bot., 27, p. 371, 1952. -Japan.

Stylopage cymosa Duddington in Ann. Bot., Lond., N.S., 17, p. 129, 1953 on amoebae.-England

Suillus grevillei (Kl.) Imazeki in Mycol. J. Nagao Inst., No. 2, p. 33, 1952. (Syn. Boletus grevillei Kl.).

- viscidus (L. ex Fr.) Imazeki in Mycol. J. Nagao Inst., No. 2, p. 34, 1952. (Syn. Boletus viscidus L. ex Fr.).

SYNARTHONIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 79, 1952.—For the fungal element of Synarthonia (lichen).

Synchytrium akshaiberi Lingappa in Mycologia 45, p. 292, 1953 on Solanum melongena.-India.

asterum Cook in Mycologia, 45, p. 106, 1953 on Aster.—Louisiana, U.S.A.

bignoniae Cook in Mycologia, 45, p. 109, 1953 on Bigonia capreolata.—Louisiana, U.S.A.

callicarpae Cook in Mycologia, 45, p. 110, 1953 on Callicarpa americana.—Louisiana, U.S.A.

cardiospermi Cook in Mycologia, 45, p. 108, 1953 on Cardiospermum halicacabum.

Louisiana, U.S.A.
- carpini Cook in *Mycologia*, 45, p. 109, 1953 on *Carpinus*.—Louisiana, U.S.A.

clematidis Cook in *Mycologia*, **45**, p. 109, 1953 on *Clematis*.—Louisiana, U.S.A. - cocculi Cook in Mycologia, 45, p. 106, 1953 on Cocculus carolinus.—Louisiana, U.S.A.

cookii Lingappa in Mycologia, 45, p. 291,

1953 on Alysicarpus moniliferus.—India. corni Cook in Mycologia, 45, p. 104, 1953 on Cornus drummondi.—Louisiana, U.S.A.

duchesneae Cook in Mycologia, 45, p. 104, 1953 on Duchesnea indica.—Louisiana, U.S.A. erechtitis Cook in Mycologia, 45, p. 109, 1953 on Erectites hieracifolia.—Louisiana, U.S.A.

fraxini Cook in Mycologia, 45, p. 112, 1953 on Fraxinus.-Louisiana, U.S.A.

- gonolobi Cook in Mycologia, 45, p. 108, 1953 on Gonolobus.—Louisiana, U.S.A. - ilicicola Cook in Mycologia, 45, p. 108, 1953

on Ilex vomitoria and I. decidua. Louisiana, U.S.A.

laevis (Canter) Karling in Mycologia, 45, p. 278, 1953. [Syn. Micromyces laevis Canter]. liquidambaris Cook in Mycologia, 45, p. 108, 1953 on Liquidambar styraciflua. Louisiana, U.S.A.

· longispinosus(Couch) Karling in Mycologia, 45, p. 278, 1953. (Syn. Micromyces longispinosus Couch).

meliloti Lingappa in Mycologia, 45, p. 293, 1953 on Melilotus indica. India.

- millingtoniicola Safeeulla & Govindu in Curr. Sci., 21, p. 319, 1952 on Millingtonia hortensis.-India.

mitchellae Cook in Mycologia, 45, p. 112, 1953 on Mitchella repens.—Louisiana, U.S.A. ovalis (Rieth) Karling in Mycologia, 45, p. 278, 1953. (Syn. Micromyces ovalis Rieth).

parthenocissi Cook in Mycologia, 45, p. 103, 1953 on Parthenocissus quinquefolia. Louisiana, U.S.A. petersenii (Scherff.) Karling in Mycologia,

45, p. 278, 1953. [Syn. not cited].
polygoni Cook in Mycologia, 45, p. 110,
1953 on Polygonum.—Louisiana, U.S.A.

spirogyrae (Skvort.) Karling in Mycologia, 45, p. 278, 1953. [Syn. not cited].

tecomae Cook in Mycologia, 45, p. 110, 1953 on Tecoma radicans.—Louisiana, U.S.A. trachelospermi Cook in Mycologia, 45, p. 112, 1953 on Trachelospermum deforme.— Louisiana, U.S.A.

ulmi Cook in Mycologia, 45, p. 114, 1953 on Ulmus.-Louisiana, U.S.A.

- urticae Cook in Mycologia, 44, p. 827, 1952 on Urtica chamaedryoides.—Louisiana, U.S.A. violae Cook in Mycologia, 45, p. 114, 1953

on Viola.—Louisiana, U.S.A. zygogonii (Dang.) Karling in Mycologia, 45, p. 278, 1953. (Syn. Micromyces zygogonii Dang.).

*?Tetracrium puttemansii Arnaud in Bull, Soc. mycol. Fr., 68, p. 210, 1952 on Sida

urens. -Brazil. THELENIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 57, 1952.—For the fungal element of Thelenidia (lichen).

THELIDIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 59, 1952.—For the fungal element of Thelidium (lichen).

THELOCARPONOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 72, 1952.—For the fungal element of p. 72, 1904.——Thelocarpon (lichen).

THELOPSIDOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 60, 1952.—For the fungal element of Thelopsis (lichen).

THELOSCHISTOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, 74, 1952.—For the fungal element of p. 74, 1902.-Theloschistes (lichen).

THERMUTOMYCE'S Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 65, 1952.—For the fungal element of Thermutis (lichen)

THOLURNOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952.—For the fungal element of Tholurna (lichen).

Thyridaria koae Petrak in Sydowia, 6, p. 369, 1952 on wood of Acacia koa.—Hawaii.

leonensis Petrak in Sydowia, 6, p. 320, 1952 on dead Thevetia neriifolia.—Sierra Leone.

TICOMYCES Toro nom. nov. in J. Agric. Univ. P.R., 36, p. 48, 1952. (Syn. Tonduzia Stev. 1927, non Boeck. 1895, nec Pittier 1908).

- psychotriae (Stev.) Toro in J. Agric. Univ. P.R., 36, p. 49, 1952. (Syn. Tonduzia psychotriae Stev.).

Tilletia digitariicola Pavgi & Thirumalachar

in Sydowia, 6, p. 393, 1952 on Digitaria royleana .- India.

perotidis Thirumalachar & Pavgi in Sydowia, 6, p. 392, 1952 on Perotis indica.— India.

Titaea acarifera (Höhnel) Damon in J. Wash. Acad. Sci., 42, p. 367, 1952. (Syn. Araneo-

myces acariferus Höhnel).

miconiae (Stevens) Damon in J. Wash. Acad. Sci., 42, p. 367, 1952. (Syn. Monogrammia miconiae Stevens).

*TITAEELLA Arnaud in Bull. Soc. mycol.

Fr., 67, p. 196, 1951.—Moniliales.

*_ capnophila Arnaud in Bull. Soc. mycol. Fr., 67, p. 196, 1951 on Capnodium meridionale.

TOMASELLIELLOMYCES Ciferri apud Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Tomaselliella (lichen).

TOMASELLIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Tomasellia

(lichen).

TRACHYDERMA Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 97, 1952.—Polyporaceae. Type, T. tsunodae.

subresinosum (Murrill) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 119, 1952. (Syn. Fomes subresinosus Murrill).

tsunodae (Yasuda) Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 97, 1952.—[Syn.

not cited 1. TRAMETELLA Pinto-Lopes in 'Polyporaceae' (ex. Mem. Soc. broteriana, 8), p. 164, 1952. Based on Trametes hispida (Bagl.) Fr.

and its subsp. trogii (Berk.) Bourd. & Galz. Trametes beckleri (Berk.) Imazeki in Acta phytotax., Kyoto, 13, p. 254, 1943. (Syn. Lenzites beckleri Berk.).

leonina (Klotzsch) Ímazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 120, 1952. (Syn. Polystictus leoninus Kl.).

- salmonea Imazeki in Bull. Govt. For. Exp. Sta., Tokyo 57, p. 120, 1952.—Japan.

TREMOTYLIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 77, 1952.—For the fungal element of Tremotylium (lichen).

TRICHODELITSCHIA Munk in Dansk bot. Ark., 15, 2, p. 109, 1953.—Pyrenomycetes. - bisporula (Crouan) Munk in Dansk. bot.

Ark., 15, 2, p. 109, 1953. (Syn. Hormospora bisporula Crouan)

TRICHOMETASPHAERIA Munk in Dansk bot. Ark., 15, 2, p. 135, 1953.—Pyrenomycetes.

dianthi (E. Rostr.) Munk in Dansk bot. Ark., 15, 2, p. 135, 1953. (Syn. Metasphaeria dianthi E. Rostr.).

Trichosporium tingens Lagerb. & Melin var. macrosporum Francke-Grosmann in Medd. SkogsforsknInst. Stockh., 41, No. 6, p. 27,

1953 on wood of Pinus sylvestris.—Sweden. *Trichosporon undulatum Windisch in Beitr. Biol. Pfl., 29, p. 147, 1952 from milk.-

TRICHOTHELIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Trichothelium* (lichen).

Trichothyrium hansfordii Hughes in Mycol. Pap., C.M.I., 50, p. 83, 1953 on Meliola.-

Gold Coast.

- reptans (Berk. & Curt.) Hughes in Mycol.

Pap., C.M.I., 50, p. 85, 1953. (Syn. Asterina reptans Berk. & Curt.).

ugandense (Hansf.) Hughes in Mycol. Pap., C.M.I., 50, p. 96, 1953. (Syn. Loran-thomyces ugandensis Hansf.).

Trimmatostroma pini W. B. Cooke apud Cooke & Shaw in *Mycologia*, **44**, p. 808, 1952 on Pinus monticola.—Washington, U.S.A. TRYPETHELIOMYCES Ciferri & Tomaselli

in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 62, 1952.—For the fungal element of Trypethelium (lichen).

Tuber excavatum Vitt. forma globispora Vacek in Česká Mykol., 2, p. 69, 1948.-

Czechoslovakia.

TYLOPHORELLOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 73, 1954.— I. Tylophorella (lichen). 73, 1952.—For the fungal element of

Tympanis abietina Groves in Canad. J. Bot., 30, p. 599, 1952 on Abies balsamea.

Ontario, Canada.

- amelanchieris Groves in Canad. J. Bot., 30, p. 617, 1952 on Amelanchier .- Ontario, Canada.

diospyri Groves in Canad. J. Bot., 30, p. 620, 1952 on Diospyros virginiana.—Georgia,

forsythiae Groves in Canad. J. Bot., 30, p. 628, 1952 on Forsythia.—New Jersey, U.S.A.-hansbroughiana Groves in Canad. J. Bot.,

30, p. 602, 1952 on Pseudotsuga taxifolia.— Massachusetts, U.S.A.

- hydrangeae Groves in Canad. J. Bot., 30, 627, 1952 on Hydrangea.—Washington, Ū.S.A.

- magnoliae Groves in Canad. J. Bot., 30, 618, 1952 on Magnolia.—New Jersey, U.S.A.

- malicola Groves in Canad. J. Bot., 30, p. 637, 1952 on Pyrus malus.—Massachusetts, U.S.A.

piceae Groves in Canad. J. Bot., 30, p. 590, 1952 on Picea glauca.—Ontario, Canada.

piceina Groves in Canad. J. Bot., 30, p. 601, 1952 on Picea glauca.—Quebec, Canada. prunicola Groves in Canad. J. Bot., 30, p.

614, 1952 on Prunus.—Ontario, Canada. - pseudotsugae Groves in Canad. J. Bot., 30, p. 585, 1952 on Pseudotsuga taxifolia.— California.

rehmiana Groves nom. nov. in Canad. J. Bot., 30, p. 638, 1952. (Syn. T. truncatula sensu Rehm 1889, non Peziza truncatula Pers. ex Fr. 1822).

- rhoina Groves in Canad. J. Bot., 30, p. 619, 1952 on Rhus typhina.—New Hampshire, U.S.A.

salicina Groves in Canad. J. Bot., 30, p. 629,

1952 on Salix.—Quebec, Canada. sorbi Groves in Canad. J. Bot., 30, p. 636, 1952 on Sorbus americana.—Ontario, Canada. tsugae Groves in Canad. J. Bot., 30, p. 595,

UMBILICARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 66, 1952.—For the fungal element of Umbilicaria (lichen).

1952 on Tsuga canadensis.—Ontario, Canada.

URCEOLARÍOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Urceolaria (lichen).

Uredo acalyphae-fruticosae (as 'acalyphaefruiticosae') Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 93, 1952 on Acalypha fruticosa. India.

- monninae Lindquist in Rev. Fac. Agron. La Plata, 28, p. 86, 1951 on Monnina dyctiocarpa.—Argentina.

Urocystis arrhenatheri (Kuprewitz) Săvulescu in *Bul. ști. Sect. Ști. biol*, **3**, p. 217, 1951. (Syn. *Tuburcinia arrhenatheri* Kuprewitz).

- irregularis (Wint.) Săvulescu in *Bul. ști.* Sect. Ști. biol, **3**, p. 220, 1951. (Syn. *Urocystis* sorosporoides var. irregularis Winter).

Uromyces amphilophis-insculptae Ramakrishnan, Srinivasan, & Sundaram in Proc. Indian Acad. Sci., Sect. B, 36, p. 92, 1952 on Amphilophis insculpta.—India.

arenariae-grandiflorae Viennot-Bourgin in Rev. Path. vég., 31, p. 187, 1952 on Arenaria

grandiflora.-France.

astragali-lasiosemi Kuprevicz in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, 170, 1950 on Astragalus lasiosemus .p. U.S.S.Ř.

azukicola Hirata in Ann. phytopath. Soc. Japan, 16, p. 18, 1952 on Phaseolus angularis. —Japan.

— brominus Gutsevich, Обзор Рысавчин-ных Грибов Крыма [Survey of Rust Fungi of Crimea], p. 35, 1952 on Bromus riparius.— Crimea.

- sphaerophysae Pospelov ex Nevodovsky in Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS, 6, p. 183, 1950 on Swainsonia salsula.— U.S.S.R.

- volkartii Gäumann & Terrier in Ber. schweiz, bot. Ges., 62, p. 299, 1952 on Trisetum flavescens.—Switzerland.

Ustilaginoidea oplismeni Ramakrishnan & Sundaram in Proc. Indian Acad. Sci., Sect. B, 35, p. 112, 1952 on Oplismenus burmannii. India.

Ustilago poae-bulbosae Săvulescu in Bul. şti. Šect. Şti. biol., 3, p. 213, 1951 on Poa bulbosa.—Rumania.

Valsaria leonensis Deighton apud Petrak &

Deighton in Sydowia, 6, p. 321, on dead Tecoma stans.—Sierra Leone.

VARICELLARIOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 80, 1952.—For the fungal element of Varicellaria (lichen).

Venturia sporoboli H. C. Greene in Amer. Midl. Nat., 48, p. 753, 1952 on Sporobolus cryptandrus.—Wisconsin, U.S.A.

Vialaea minutella Petrak in Sydowia, 6, p. 370, 1952 on wood of Mangifera indica. Hawaii.

Vizella gomphispora (Berk. & Br.) Hughes in Mycol. Pap., C.M.I., 50, p. 97, 1953. (Syn. Micropeltis gomphispora Berk. & Br.).

Micropeltis gomphispora Berk. & Br.).

hendrickxii (Hansf.) Hughes in Mycol.

Pap., C.M.I., 50, p. 99, 1953. (Syn. Ento.

peltis hendrickxii Hansf.).

interrupta (Winter) Hughes in Mycol. Pap., C.M.I., 50, p. 99, 1953. (Syn. Asterina inter. rupta Winter).

Xerocomus astereicola Imazeki in Mycol, J. Nagao Inst., No. 2, p. 35, 1952 on Astraeus hygrometricus .- Japan.

*Xerula fraudulenta Métrod in Bull. Soc. mycol. Fr., 68, p. 179, 1952.—?France.

XYLOGRAPHOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Xylographa (lichen).

XYLOSCHISTOMYCES Ciferri & Tomaselli in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 68, 1952.—For the fungal element of Xyloschistes (lichen).

ZUNDELULA Thirumalachar & Narasimhan

in Sydowia, 6, p. 409, 1952.—Ustilaginales, fimbristylidis Thirumalachar & Narasimhan in Sydowia, 6, p. 410, 1952 on Fimbristylis.—India.

*Zygorhizidium planktonicum Canter apud Canter & Lund in Trans. Brit. mycol. Soc., 36, p. 34, 1953 on Synedra acus var. angustissima.—Switzerland.

HOST INDEX

For Phanerogams see under families; for Algae and Fungi see under those names; for animal hosts see under Insecta and Invertebrata

ACANTHACEAE Barleria cristata Cercospora barleriicola Strobilanthes cuspidatus Aecidium cuspidatum AIZOACEAE Mesembryanthemum Aposphaeria mesembryanthemi

ALGAE Euglena

Phlyctochytrium longicollum Oedogonium Rhizophydium parasiticum Surirella ovata

Chytridium surirellae Synedra acus var. angustissima Zygorhizidium planktonicum

Zygnema Blyttiomyces laevis Phlyctidium tenue

ALISMACEAE Alisma

Narasimhania alismatis

NACARDIACEAE Mangifera indica Vialaea minutella Nothopegia dalzellii Asteroconium nothopegiae

Cercospora nothopegiae Odina wodier $Beltraniella\ odinae$

Rhus typhina Tympanis rhoina APOCYNACEAE

Carpodinus barteri Phyllachora carpodini Mandevilla laxa $Phomopsis\ mandevillae$ Pleioceras barteri

Asterina pleioceratis Rauwolfia vomitoria

 $Podoconis\ parva$ Strophanthus sarmentosus Micropeltis strophanthi Thevetia neriifolia

Thyridaria leonensis

APOCYNACEAE (continued)
Trachelospermum deforme
Synchytrium trachelospermi
AQUIFOLIACEAE
Tlex decidua

Synchytrium ilicicola Ilex vomitoria

Synchytrium ilicicola

Monstera deliciosa Phyllosticta philodendri forma ellipticospora Araliaceae

Cheirodendron
Glomerella pezizoidea
Hedera helix
Calonectria hederae
Hedera rhombea

Cercospora hederae ASCLEPIADACEAE Gonolobus

Synchytrium gonolobi

BETULACEAE
Alnus
Karstenula alnicola
Alnus viridis
Marasmius alniphilus
Betula costata
Gyromitra ussuriensis

Carpinus
Synchytrium carpini
Carpinus betulus
Diplodina carpini

BIGNONIACEAE
Bignonia capreolata
Synchytrium bignoniae
Millingtonia hortensis
Synchytrium millingtoniicola

Tecoma radicans
Synchytrium tecomae
Tecoma stans
Valsaria leonensis

BORAGINACEAE
Ehretia thyrsiflora
Cercospora ehretiae
Trichodesma incana

Aecidium trichodesmae Bromeliaceae

Bromelia
Coniosporium fuscum
CAMPANULACEAE
Jasione montana

Septoria jasioneicola Ostrowskia magnifica Aecidium kondoriense

Capparidaceae Crataeva religiosa Camptomeris crataevae Macraea punjabensis

CAPRIFOLIACEAE
Lonicera
Dothiorella lonicerae
Lonicera hirsuta

Cladosporium trichophilum Lonicera japonica Phaeobotryosphaeria leonensis

Lonicera periclymenum

Didymotrichiella inconspicua

Lonicera quinquelocularis

Fomes ajazi
Viburnum erubescens
Hypoderma viburni
CARYOPHYLLACEAE
Anychia canadensis

Septoria anychiae

CARYOPHYLLACEAE (continued)

Arenaria grandiflora
Uromyces arenariae-grandiflorae
Arenaria griffithii

Puccinia arenariae-griffithii Dianthus kitaibelii

Cladosporium banaticum Silene douglasii var. douglasii Diplodina silenes

Silene inflata
Macrophyllosticta coryneoidea

CERCIDIPHYLLACEAE
Cercidiphyllum japonicum
Cryptoderma cercidiphyllum
COMBRETACEAE

Anogeissus schimperi Lembosia anogeissi Compositae

Achillea micrantha Aecidium millefolii

Achillea millefolium var. alpicola Eriosphaeria herbarum

Adenostemma viscosum

Cercospora adenostemmae

Anaphalis leptophylla

Aecidium anaphalis-leptophyllae Anaphalis margaritacea

Platycarpium caulicola Artemisia caudata Cladosporium artemisiae Artemisia tridentata

Artemisia tridentata
Diplodina tridentatae
Aster
Synchytrium asterum

Carduus nutans
Ophiobolus constrictus

Chrysothamnus nauseosus var. occidentalis Macrophoma chrysothamni

Erechtites hieracifolia
Synchytrium erechtitis

Inula grandis Aecidium inulae-grandis Lactuca sativa

Phyllosticta lactucicola Lapsana communis Septoria lapsanae

Scorzonella nutans Septoria scorzonellae Silphium integrifolium Phyllosticta favillensis

Tragopogon brevirostris

Puccinia tranzscheliana

Vernonia pectiniformis

Puccinia pectiniformis

CONIFERAE

Fomes robustus forma abietis Helminthosporium abietis

Abies balsamea
Tympanis abietina
Abies magnifica var. shastensis

Kmetia corticola Cedrus atlanticus

Peniophora incrassata
Picea glauca
Tympanis piceae
Tympanis niceina

Tympanis piceina
Picea jezoensis
Sarcosoma amurense

Pinus caribaea Chytridium citriforme Pinus korajensis

Gyromitra ussuriensis
Pinus monticola

'inus monticola Trimmatostroma pini Coniferae (continued)
Pinus sylvestris
Bainiera hyalina
Dipodascus aggregatus
Trichosporium tingens var. macrosporum
Pseudotsuga taxifolia
Tympanis hansbroughiana
Tympanis pseudotsugae
Sequoia
Strasseria sequoiae
Tsuga canadensis

Tympanis tsugae
Connaraceae
Jaundea pinnata
Asterina jaundeae
Cornaceae

Cornus drummondi
Synchytrium corni
Cornus femina

Gloeosporium corni CORYNOCARPACEAE Corynocarpus laevigata

Cryptosporella corynocarpi Fusicoccum corynocarpi CRUCIFERAE

Arabis hirsuta
Phoma siliquastrum var. arabidis-hirsutae
CUCURBITACEAE
Gymnopetalum wightii
Puccinia gymnopetali-wightiae
CYPERACEAE
Carex

Ascochyta caricis
Carex colchica
Puccinia tranzscheliana
Cladium mariscus
Aleurodiscus delicatus
Fimbristylis
Zundelula fimbristylidis

EBENACEAE
Diospyros virginiana
Tympanis diospyri
Maba warneckei
Asterina clasterosporium
EQUISETACEAE
Equisetum limosum
Loranyces macrospora
Sclerotinia verselyi
ERICACEAE

Andromeda ferruginea

Amphididymella clypeata

Arctostaphylos uva-ursi var. coactilis

Gloeosporium arctostaphyli

Rhododendron linearifolium var. macrosepalum

Monochaetia rhododendri Rhododendron obtusum var. kaempferi Monochaetia rhododendricola Vaccinium ovatum

Sphaeropsis vaccinii
Xolisma ferrugineum
Dimerina floridana
EUPHORBIACEAE
Acalypha fruticosa

Alchornea cordifolia
Penzigia leonensis
Antidesma diandrum
Cystopsora antidesmatis

Uredo acalyphae-fruticosae

Chorisandra pinnata

Phakopsora chorisandrae

Heyes brasilionsis

Hevea brasiliensis Ascochyta heveana Coniothyrium heveae EUPHORBIACEAE (continued)
Phyllanthus urinaria
Revenelia coimbatorica
Securinega flueggeoides
Cercospora securinegae
Uapaca
Irene uapacicola

FAGACEAE
Fagus orientalis
Irpex foliaceo-dentatus
Fagus sylvaticus
Catenularia heimii

Quercus
Conidiobolus adieretus
Conidiobolus firmipilleus
Conidiobolus lamprauges
Dichaenopsella quernea
Didymosporium concinnum
Leptomassaria quercina
Ophiodendron laocooni
Quercus pedunculata
Hydnum schestunovii

Amazonia psychotriae

Helminthosporium dorycarpum var. amazoniae

Astraeus hygrometricus Xerocomus astereicola Capnodium meridionale Hypochnus capnophilus Titaeella capnophila Corticium comedens

? Olpidiopsis vuilleminiae Cyphella alboviolascens Geotrichum cyphellae Gibberella

Oospora tholispora
Lasiosphaeria
Oospora lasiosphaeriae
Peyronelina glomerulata
Lasiosphaeria ovina
Jacobia conspicua

Meliola
Trichothyrium hansfordii
Peniophora longispora
Sporocephalum peniophorae
Phialea albida
Pleurocatena acicularis

Sebacina Flahaultia hyalina

GENTIANACEAE
Frasera macrophylla
Cylindrosporium fraserae
GERANIACEAE

Geranium sanguineum
Rostrocoronophora geranii
GRAMINEAE

Hendersonia merriltensis Alopecurus aequalis Sphacelotheca constantineanui Amphilophis insculpta Uromyces amphilophis-insculptae

Avena sativa
Pyrenophora alternarina
Bambusa

Aposphaeria bambusae Petrakomyces indicus Bambusa arundinacea Anthostomella bambusicola

Bambusa vulgaris Metasphaeria leonensis

Brachiaria ramosa Sorosporium brachiariae-ramosae GRAMINEAE (continued) Bromus riparius Uromyces brominus Capillipedium hugelii Sphacelotheca mysorensis Chloris incompleta Puccinia chloridis-incompletae

Dichanthium annulatum Sclerospora dichanthiicola

Digitaria royleana Tilletia digitariicola Elymus glaucus

Stigmopeltis graminicola Hordeum distichum

Phoma raetica Isachne kunthiana Puccinia kunthiana Muhlenbergia filiformis
Leptothyrella graminis
Oplismenus burmanii Ustilaginoidea oplismeni Panicum maximum

Claviceps maximensis Pennisetum purpureum Leptosphaeria penniseticola

Perotis indica Tilletia perotidis

Poa bulbosa Ustilago poae-bulbosae Saccharum officinarum Lacellinopsis sacchari

Spegazzinia tessarthra var. deightonii

Secale cereale Pyrenophora secalis Sclerospora secalina Sesleria caerulea Lophodermium castellani

Sesleria disticha Lophodermium castellani Sporobolus eryptandrus Venturia sporoboli

Stipa spartea

Stagonospora spiculisperma

Tragus racemosus Sphacelotheca tragi Trisetum flavescens Uromyces volkartii Triticum spelta Diplodina speltae Triticum vulgare

Coniothyrium cerealis HALORAGIDACEAE Gunnera Ceriospora sandwicensis

HAMAMELIDACEAE Corylopsis pauciflora Cercospora corylopsidis Liquidambar styraciflua

Ŝynchytrium liquidambaris HYDRANGEACEAE Hydrangea

Tympanis hydrangeae Hydrangea kawagoena Cercospora yakushimensis

ICACINACEAE Rhaphiostylis beninensis Asterinella rhaphiostylidis INSECTA Brahmina Entomophthora brahminae

INVERTEBRATA (other than Insecta)

Stylopage cymosa

INVERTEBRATA (continued) Nematodes Dactylaria scaphoides IRIDACEAE Crocus versicolor Puccinia croci

Labiatae Perillula reptans Cercospora perillulae Phlomis oreophila Puccinia oreophilae Pycnothymus rigidus Nematostoma pycnothymi Rosmarinus officinalis Hysterium rosmarini Salvia punctata var. glabra Puccinia mitoensis Salvia revoluta Puccinia striatifera LAURACEAE

Persea pubescens

Chaetotrichum floridanum

LEGUMINOSAE Acacia

Pyrenochaeta oligotricha Acacia koa Diaporthe sheariana

Thyridaria koae Albizzia odoratissima Endodothella kanarensis Alysicarpus moniliferus

Synchytrium cookii Amorpha fruticosa $Leptosphaeria\ amorphae$

Amphicarpaea trisperma Cercospora amphicarpaeae Astragalus lasiosemus

 $Uromyces\ astragali$ -lasiosemi Cajanus cajan

Linocarpon cajani Chamaecrista brachiana Phomopsis chamaecristae

Cladrastis amurensis Phyllosticta cladrastidis Colutea arborescens

Blennoria coluteae Delonix elata

Microstroma delonicis Desmodium canadense Gloeosporium desmodii Desmodium triquetrum

Phakopsora mangalorica Lathyrus latifolius

Ramularia lathyri Leptoderris

Phyllachora leptoderridis Lotus angustissimus

Peronospora esperaussensis Lotus douglasii

Phyllosticta hosackiae Lupinus

Övularia lupini Lupinus burkii Čylindrosporium burkii

Lupinus subalpinus Siroscyphellina lupini Melilotus indica

Synchytrium meliloti Phaca alpina

Ophiobolus mayorii Phaseolus angularis Uromyces azukicola

Piptadenia elliotii Diedickea piptadeniae

LEGUMINOSAE (continued) Prosopis ?alpataco Ravenelia prosopidicola Pterocarpus erinaceus Phonopsis pterocarpi Sarothamnus scoparius Coenosphaeria diaporthides Columnosphaeria sarothamni Peronospora viennoti Swainsonia salsula Uromyces sphaerophysae Ulex minor Rhynchostoma gnatostomatica Stagonopsis ulicis LILIACEAE Allium ursinum Botryotinia globosa Erythronium parvifolium Phyllosticta erythronii Maianthemum dilatatum Phyllosticta maianthemi Ophiopogon japonicus Cercospora togashiana Smilax Diaporthe floridana Smilax aspera Macrophyllosticta heterospora Trillium ovatum Ramularia trillii

MAGNOLIACEAE Kadsura japonica Cercospora kadsurae Magnolia $ar{T}ympanis~magnoliae$ Schizandra chinensis Mycosphaerella schizandrae Phyllosticta schizandrae Rhabdospora schizandrae MALVACEAE AbutilonDidymosphaeria abutilonis Iliamna rivularis Gloeosporium iliamnae Pavonia odorata Aecidium pavoniae-odoratae Sida urens Tetracrium ? puttemansii Urena lobata Stagonospora urenae MELIACEAE Trichilia heudelotii Meliola togoensis Trichilia prieuriana Meliola togoensis var. angulata MENISPERMACEAE Cocculus carolinus Synchytrium cocculi MORACEAE Broussonetia papyrifera $Microhaplosporella\ broussonetiae$ Maclura aurantiaca Physalospora maclurae MYOPORACEAE Myoporum sandwicense

Peltosphaeria sandwicensis

Čryptosporella eugeniae

Didymosphaeria jambolana

Ophiostoma moniliforme f. pycnanthi

MYRISTICACEAE

MYRTACEAE

Pycnanthus kombo

Eugenia aromatica

Syzigium jambolanum

Ochnaceae
Lophira alata
Dictyonia lophirae
Parodiopsis lophirae
Oleaceae
Forsythia
Tympanis forsythiae
Fraxinus
Pistillaria trispora
Synchytrium fraxini
Syringa vulgaris
Dothiorella syringicola
Orchidaceae
Cypripedium candidum
Ascochyta cypripedii

PALMAE Cocos nucifera Coccomyces cocoes Elaeis guineensis Cercospora palmicola forma stilbacea Entosordaria deightonii Linocarpon elacidis Oxydothis elaeicola Sabal palmetto Rhynchosphaeria floridana PANDANACEAE Pandanus odoratissimatus Echidnodes sandwicensis PASSIFLORACEAE Passiflora coerulea Colletotrichum oligotrichum PHYTOLACCACEAE Phytolacca brachystachya Cryptosphaerella shearii POLEMONIACEAE Polemonium californicum Ramularia polemonii POLYGALACEAE Monnina dyctiocarpa Uredo monninae POLYGONACEAE Eriogonum elatum $Preve{hyllostict} a \ eriogoni$ Eriogonum marifolium $Phoma\ eriogoni$ Eriogonum pyrolaefolium Cytospora eriogoni Polygonum Šynchytrium polygoni PUNICACEAE Punica Anthostomella punicae

Clematis Synchytrium clematidis Clematis songarica Aecidium clematidis-songaricae RHAMNACEAE Berchemia scandens Massarina berchemiae Ceanothus americanus Gloeosporium ceanothi Rhamnus dolichophylla Puccinia rhamni Kupr. Rhamnus purshiana Ascochyta rhamni RHIZOPHORACEAE Anisophyllea laurina Leptomassaria anisophylleae ROSACEAE Amelanchier Tympanis amelanchieris

RANUNCULACEAE

Rosaceae (continued)
Crataegus
Actinospora megalospora
Duchesnea indica
Synchytrium duchesneae
Mitchella repens

Mitchella repens
Synchytrium mitchellae

Prunus
Candelospora penicilloides
Tympanis prunicola
Prunus pennsylvanica
Phyllosticta pennsylvanica
Pyrus malus
Tympanis malicola
Rubus rugosus

Rubus rugosus
Guignardia rugosa
Sorbus americana
Tympanis sorbi
Spiraea chamaedryfolia
Fusicoccum spiraeae

RUTACEAE Chloroxylon swietenia Cercospora chloroxyli

SABIACEAE Meliosma wightii Aecidium meliosmae-wightii Mycosphaerella meliosmae SALICACEAE

Populus trichocarpa Protodontia oligacantha

Salix
Camarosporium propinquum var. microsporum
Tympanis salicina

SAPINDACEAE
Cardiospermum halicacabum
Synchytrium cardiospermi
Pencoyis hujuga

Pancovia bujuga Meliola capensis var. pancoviae SAPOTACEAE

Chrysophyllum albidum *Meliola cryptica* SAURURACEAE Houttuynia cordata

Houttuynia cordata

Cercospora houttuyniae

SAXIFRAGACEAE

Hydrangea hortensis

Hydrangea hortensis
Phomopsis hydrangeae
Tellima parviflora
Septoria tellimae
Scropfullariace
Bonnaya coulteri

Microdiplodia bonnayae Pedicularis Phoma pedicularis var. minor

Pentstemon hirsutus
Gloeosporium pentstemonicola
Synthyris reniformis

Synthyris reniformis
Ramularia synthyridis
Wulfenia bullii
Phyllosticta wulfeniae

SIMARUBACEAE
Picrasma ailanthoides
Cercospora picrasmae

SOLANACEAE
Cestrum fasciculatum
Microhendersonula cestri
Lycopersicon esculentum
Melanconium lycopersici

SOLANACEAE (continued)
Solanum melongena
Synchytrium akshaiberi
STERCULIACEAE
Dombeya

Sphaerographium dombeyae Sterculia diversifolia

Macrophyllosticta sterculiae Theobroma Ophiostoma moniliforme

Theobroma cacao
Sarcoxylon deightonii
Triplochiton scleroxylon
Meliola triplochitonis

TILIACEAE
Grewia asiatica
Stilbospora grewiae
TROCHODENDRACEAE
Euptelaea polyandra
Cercospora euptelaeae

ULMACEAE
Ulmus
Synchytrium ulmi
UMBELLIFERAE
Anethum graveolens
Didymaria anethiana
Ferula alatavica
Puccinia alatavica
Orogenia linearifolia
Ramularia orogeniae
Peucedanum ostruthium
Ophiobolus volkartii

Ophiobolus volkartii
URTICACEAE
Pellionia scabra
Cercospora pellioniae
Urtica chamaedryoides
Synchytrium urticae

Valeriana ruiz-lealii
Puccinia valerianicola
Verbenaceae
Callicarpa americana
Synchytrium callicarpae
Clerodendron infortunatum
Physalospora clerodendri
Gmelina arborea
Poria rhizomorpha
Lippia citriodora
Stagonospora polyspora
Verbena stricta
Stagonospora verbenae

VIOLACEAE
Viola
Synchytrium violae
VITACEAE
Cissus japonica
Cercospora cissi-japonicae
Cissus oreophila
Podoconis bicolor
Parthenocissus quinquefolia
Synchytrium parthenocissi

ZINGIBERACEAE Zingiber mioga Cercospora zingiberi

The Editor gratefully acknowledges the assistance of Dr. R. W. G. Dennis in supplying details of certain citations.

PRINTED IN GREAT BRITAIN AT THE UNIVERSITY PRESS OXFORD $\mathbf{B}\mathbf{Y}$ CHARLES BATEY PRINTER TO THE UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 8

1954

Acaulopage acanthospora Drechsler var. magna Juniper in Trans. Brit. mycol. Soc., 36, p. 356, 1953 on animal excreta.—Eng-

Actinodochium jenkinsii Uppal, Patel, & Kamat in Indian Phytopath., 5, p. 44, 1953 on Mangifera indica.—India.

Actinopeltis philodendri Batista in An. IV Congr. Soc. bot. Brasil, p. 114, 1953 on Philodendron imbe.—Brazil.

Aecidium approximans Lindquist in Bol. Soc. argent. Bot., 4, p. 167, 1952 on Eupatorium clematideum.—Brazil.

-brachycomes Petrak in Sydowia, 7, p. 1, 1953 on Brachycome.—New South Wales, Australia.

-dioscoreae Lindquist [non Berk. & Br., 1875] in Rev. Fac. Agron. Eva Perón, 29, p. 41, 1953 on Dioscorea.—Argentina.

dubitabile Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 42, 1953 on ? Xanthosoma.

dunaliae Lindquist in Rev. Fac. Agron. Eva Perón, 28, p. 226, 1952 on Dunalia australis. -Argentina.

-gaubae Petrak in Sydowia, 7, p. 2, 1953 on Arthrocnemum arbuscula.—Victoria, ArthrocnemumAustralia.

- hypseocharidis (as 'hypsochaeridis') Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 43, 1953 on Hypseocharis pimpinellifolia.-Argentina.

- jatrophicola (as 'jatrophiicolum') Lind-quist in Bol. Soc. argent. Bot., 4, p. 168, 1952 on Jatropha hieronymii.—Argentina.
- saltense Lindquist in Rev. Fac. Agron. Eva

Perón, 28, p. 227, 1952 on Portulacaceae. Argentina.

- tafiense Lindquist in Bol. Soc. argent. Bot., 4, p. 168, 1952 on Solanum clavatium.-

-tumbayense Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 43, 1953 on Stevia effusa.

viscosum Lindquist in Rev. Fac. Agron. Eva Perón, 28, p. 227, 1952 on Physalis viscosa .-- Argentina.

Agostaea nigra (Viégas) Thirumalachar & Jenkins in Mycologia, 45, p. 786, 1953. (Syn. Whetzeliomyces niger Viégas).

Agrocybeaegerita (Brig.) Singer var. rugoso-

venosa Singer in Rev. Mycol., Paris, 18, p. 19, 1953 on Allophylus edulis.—Argentina.

broadwayi (Murr). Dennis in Bull. Soc. mycol. Fr., 69, p. 179, 1953. (Syn. Hebeloma broadwayi Murr). broadwayi Murr.).

praecox (Pers. ex Fr.) Fayod var. cutefracta (Lange) Singer in Sydowia, 7, p. 214, 1953. (Syn. Pholiota praecox (Pers. ex Fr.) Kummer var. cutefracta Lange).

- sacchari (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 180, 1953. (Syn. Naucoria sacchari Murr.).

Alternaria amaranthi (Peck) Venkatakrishnaiah in *Phytopathology*, **42**, p. 669, 1952. (Syn. *Macrosporium amaranthi* Peck).

araliae Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 80, 1953 on Aralia racemosa.
—Wisconsin, U.S.A.

consortiale (Thum.) Groves & Hughes apud Hughes in Canad. J. Bot., 31, p. 636, 1953. (Syn. Macrosporium consortiale Thüm.).

Amanita flavivolva Murrill in Mycologia, 45, p. 794, 1953.—Florida, U.S.A.

foetens Singer in Rev. Mycol., Paris, 18, p. 15, 1953.—Argentina.

Amerosporium concinnum Petrak in Sydowia, 7, p. 68, 1953 on dead plants.— Iran.

Arcangeliella malaiensis Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 128, 1953.—

Arnaudiella pontica (Bub.) Petrak in Sydowia, 7, p. 18, 1953. (Syn. Asterina pontica Bub.).

Arthrobotryum noz-moscatae Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 144, 1953 on Meliola.—Brazil.

Arthuria glochidionis Gokhale, Patel, & Thirumalachar in Curr. Sci., 22, p. 246, 1953 on Glochidion.-India.

Ascobolus indicus Sanwal in Sydowia, 7, p.

Ascobotus indreas Sahwai in Sydotat, 7, p. 202, 1953 on cow dung.—India.

Ascochyta helosciadii (Fautr. & Lamb.)

Petrak in Sydowia, 7, p. 29, 1953. (Syn. Marsonia helosciadii Fautr. & Lamb.).

- mangiferae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 166, 1952 on Mangifera indica.—Brazil.

Ascochytella bremeri Petrak in Sydowia, 7, p. 30, 1953 on Eryngium.—Turkey.

capparidis (Sacc.) Petrak in Sydowia, 7, p. 30, 1953. (Syn. Ascochyta capparidis Sacc.). meliae Petrak in *Sydowia*, 7, p. 30, 1953 on *Melia azedarach*.—Turkey.

pycnocyclae Petrak in Sydowia, 7, p. 69,

1953 on Pycnocycla acanthorhipsis.—Iran.

Aspergillus ornatus Raper, Fennell, &
Tresner in Mycologia, 45, p. 678, 1953 from soil.—Wisconsin, U.S.A.

Asterina cupaniae Batista in An. IV Congr. Soc. bot. Brasil, p. 162, 1953 on Cupania revoluta.—Brazil.

-davillae J. A. Stevenson var. major Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 164, 1953 on Davilla rugosa.— Brazil.

-lafoensiae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 166, 1953 on Lafoensia glyptocarpa.—Brazil.

lucida Batista in An. IV Congr. Soc. bot. Brasil, p. 168, 1953 on Eugenia lucida. Brazil.

*- perae Batista in An. IV Congr. Soc. bot. Brasil, p. 169, 1953 on Pera ferruginea.-Brazil.

ASTERINEMA Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 160, 1953.-Asterinaceae.

- caseariae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 161, 1953 on Casearia. Brazil.

Bactrodesmium masonii Hughes in Canad. J. Bot., 31, p. 654, 1953 on dead Fagus sylvatica.—England.

- spilomeum (Berk. & Br.) Mason & Hughes apud Hughes in Canad. J. Bot., 31, p. 616, 1953. (Syn. Sporidesmium spilomeum Berk. & Br.).

Balladynastrum anacardii Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 88, 1953 on Anacardium occidentale.—Brazil.

BATTARREOIDES Herrera in An. Inst. Biol. Univ. Méx., 24, p. 41, 1953.—Gasteromycetes.

potosinus Herrera in An. Inst. Biol. Univ. Méx., 24, p. 41, 1953.—Mexico. BIHARIA Thirumalachar & Mishra in Sydowia,

7, p. 79, 1953.—Moniliales.

vangueriae Thirumalachar & Mishra in Sydowia, 7, p. 79, 1953 on Vangueria spinosa.—India.

Bispora antennata (Pers. ex Fr.) Mason apud Hughes in Canad. J. Bot., 31, p. 582, 1953. (Syn. Monilia antennata Pers.)

BITANCOURTIA Thirumalachar & Jenkins in Mycologia, 45, p. 781, 1953.—Myriangiales. cassythae Thirumalachar & Jenkins in

Mycologia, 45, p. 782, 1953 on Cassytha filiformis.—South India.

Bolbitius broadwayi (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 193, 1953. (Syn. Pholiota broadwayi Murr.).

Botryodiplodia circinans (Berk. & Br.) Petrak in Sydowia, 7, p. 113, 1953. (Syn. Diplodia circinans Berk. & Br.).

- sphaerospora Petrak in Sydowia, 7, p. 147, 1953 on Aralia.—Puerto Rico.

Botryotinia squamosa Viennot-Bourgin in Ann. Inst. nat. Rech. agron., Paris, Sér. C. (Ann. Epiphyt.), 4, p. 38, 1953 on Allium cepa.-France.

Boudiera seaveri Sanwal in Sydowia, 7, p. 194, 1953 on soil.—India.

BRACHYSPORIELLA Batista in Bol. Sec. Agric. Pernambuco, 19, p. 108, 1952. Dematiaceae.

gayana Batista in Bol. Sec. Agric. Pernambuco, 19, p. 109, 1952 on Phoenix dactylifera. -Brazil. [After the collector Teresa de J. Gayão].

Bulgariastrum cordiae Batista in An. IV Congr. Soc. bot. Brasil, p. 75, 1953 on Cordia nodosa.—Brazil.

Calospora aceris Dias & da Camara in Agron. lusit., 15, p. 19, 1953 on Acer.—Portugal.

Calothyriopeltis anonae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 151, 1953 on Annona marckgravii.—Brazil. Camarosporium viticis Petrak in Sydowia,

7, p. 31, 1953 on Vitex agrus-castus. Turkey.

Camptomeris floridana Bessey in Mycologia

45, p. 377, 1953 on Pithecellobium unguis.—Florida, U.S.A.

- martynii Bessey in Mycologia, 45, p. 375, 1953 on Acacia villosa.—Jamaica,

verruculosa (Syd.) Bessey in Mycologia, 45, p. 373, 1953. (Syn. Stigmina verruculosa Syd.).

Candida castellanii van Uden & Assis-Lopes in Arch. Mikrobiol., 18, p. 360, 1953 from yoghurt.—Portugal.

Catenochytridium carolinianum Berdan forma marinum Kobayashi & Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 57, 1953 on Cladophora japonica.—Japan.

Cercoseptoria iridis (Ell. & Halst.) Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 80, (Syn. Cylindrosporium iridis Ell. & 1953.

scirpi Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 79, 1953 on Scirpus acutus.—Wisconsin, U.S.A.

Cercospora boerhaavicola Thirumalachar & Govindu in Sydowia, 7, p. 45, 1953 on Boerhaavia diffusa.—India. cadabae Thirumalachar & Govindu in

Sydowia, 7, p. 45 on Cadaba indica.—India.—fleuryae Thirumalachar & Govindu in Sydowia, 7, p. 46, 1953 on Fleurya interrupta. India.

hiratsukana Togashi & Katsuki apud Katsuki in J. Jap. Bot., 28, p. 286, 1953 on Dioscorea quinqueloba.—Japan.

-leucadis Thirumalachar & Govindu in Sydowia, 7, p. 46, 1953 on Leucas mollissima. -India.

moringae Thirumalachar & Govindu in Sydowia, 7, p. 47, 1953 on Moringa oleifera. -India.

peristrophes Thirumalachar & Govindu in Sydowia, 7, p. 47, 1953 on Peristrophe bicalyculata.—India.
-rejouae Thirumalachar & Govindu in

Sydowia, 7, p. 47, 1953 on Rejoua dichotoma. -India.

-rhynchosiae-minimae Thirumalachar & Govindu in Sydowia, 7, p. 48, 1953 on Rhynchosia minima.—India.

-rosigena Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 149, 1953 on Rosa,--Brazil.

tabernaemontanae Thirumalachar Govindu in Sydowia, 7, p. 48, 1953 on Tabernaemontana coronaria.—India.

tridacis-procumbentis Govindu Thirumalachar in Sydowia, 7, p. 49, 1953 on Tridax procumbens.—India.

zizaniae Thirumalachar & Govindu in Sydowia, 7, p. 49, 1953 on Zizania aquatica.— India.

Chaetomium atrosporum Skolko & Groves in Canad. J. Bot., 31, p. 784, 1953 on seed of Daucus carota var. sativa. — Minnesota, U.S.A.

rufum Ramakrishnan in Proc. Indian Acad, Sci., Sect. B, 38, p. 118, 1953 on wet straw.

Chaetothyrium tapirirae Batista in An. IV Congr. Soc. bot. Brasil, p. 76, 1953 on Tapirira guianensis.—Brazil.

Chalara insignis (Sacc., Rouss., & Bomm.) Hughes in Canad. J. Bot., 31, p. 622, 1953. (Syn. Sporoschisma insigne Sacc., Rouss., & Bomm.).

Chamonixia mucosa (Petri) Corner Hawker in Trans. Brit. mycol. Soc., 36, p. 131, 1953. (Syn. Hymenogaster mucosus Petri).

octorugosa Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 133, 1953.-

Choniochaeta sordaria (Fr.) Petrak in Sydowia, 7, p. 124, 1953. (Syn. Sphaeria sordaria Fr.).

Chytridium lagenaria Schenk var. japonense Kobayashi & Ookubo in Bull. nat. Sci. Mus. 56, 1953 on Cladophora Tokyo 33, p japonica.—Japan.

Cintractia dovrensis Jørstad nom. nov. in Zundel, The Ustilaginales of the World, p. 27, 1953. (Syn. Ustilago hyperborea Blytt, non

C. hyperborea Cif.).

Cistella teucrii (Fuckel) Gremmen in Fungus, Wageningen, 23, p. 37, 1953. (Syn. Mollisia teucrii Rehm).

chlorocephalum Cladosporium Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 123, 1953. (Syn. Periconia chlorocephala Fres.).

griseum (Berk. & Br.) Hughes in Canad. J. Bot., 31, p. 587, 1953. (Syn. Dendryphion

griseum Berk. & Br.).

harknessii (Peck) Hughes in Canad. J. Bot., 31, p. 586, 1953. (Syn. Monilia harknessii Peck).

Clitocybe spodoxutha Singer in Rev. Mycol., Paris, 18, p. 3, 1953.—Argentina.

Coleroa papyricola Saccas in Rev. Mycol., Paris, 18, p. 58, 1953 on paper.— ?Europe. Colletotrichum averrhoae Batista in An. IVCongr. Soc. bot. Brasil, p. 143, 1953 on

Averrhoa carambola.—Brazil.

begoniae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 148, 1952 on Begonia gracilis.—

Brazil.

-cylindricum Srivastava in Curr. Sci., 22, p. 244, 1953 on Pothos scandens.—India.

dahliae da Costa & da Camara in Portug. acta biol., 4, p. 172, 1953 on Chrysanthemum and Dahlia.—Portugal.

-inamdarii Lal in J. Indian bot. Soc., 32, p. 58, 1953 on Carissa carandas.—India.

madisonense Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 78, 1953 on Carex lacustris.-Wisconsin, U.S.A. - rubi Dias & da Camara in Agron. lusit., 15,

p. 34, 1953 on Rubus idaeus.—Portugal. sativum Horn in *Phytopathology*, **42**, p. 673, 1952 on *Vicia sativa*.—Louisiana, U.S.A.

Collybia sleumeri Singer in Rev. Mycol., Paris, 18, p. 4, 1953.—Argentina.

Coniothyrium karelii Petrak in Sydowia, 7, p. 32, 1953 on Capparis spinosa.—Turkey. Conocybe crispa (Longyear) Singer var. microspora Dennis in Bull. Soc. mycol. Fr.,

69, p. 197, 1953.—Trinidad. -megalospora (J. Schäff.) Singer subsp. nivalis Singer in Rev. Mycol., Paris, 18,

p. 18, 1953.—Argentina. microspora (Vel.) Dennis in Bull. Soc. mycol. Fr., 69, p. 189, 1953. (Syn. Galera microspora Vel.).

-radicata Singer in Rev. Mycol., Paris, 18,

p. 18, 1953.—Argentina.

Coprinus amphithallus Lange & A. H. Smith in Mycologia, 45, p. 774, 1953.— Denmark. -callinus Lange & A. H. Smith in Mycologia,

45, p. 770, 1953.—Denmark.

eurysporus Lange & A. H. Smith in Mycologia, 45, p. 773, 1953.—Oregon, U.S.A. fallax Lange & A. H. Smith in Mycologia, 45, p. 765, 1953.—Michigan, U.S.A.

- heptemerus Lange & A. H. Smith nom. nov. in Mycologia, 45, p. 751, 1953. (Syn. Coprinus curtus forma macrosporus Romagnesi).

sassii Lange & A. H. Smith nom. nov. in Mycologia, 45, p. 755, 1953. (Syn. Coprinus

ephemerus forma bisporus Sass).

sclerocystidiosus Lange & A. H. Smith in Mycologia, 45, p. 769, 1953.—Denmark. subdisseminatus M. Lange in Mycologia,

45, p. 777, 1953.—Denmark.
- subimpatiens Lange & A. H. Smith in Mycologia, 45, p. 772, 1953.—Michigan,

Coremiella ulmariae (McWeeney) Mason apud Hughes in Canad. J. Bot., 31, p. 640, 1953. (Syn. Stysanus ulmariae McWeeney).

Costantinella micheneri (Berk. & Curt.) Hughes in Canad. J. Bot., 31, p. 605, 1953. (Syn. Botrytis micheneri Berk. & Curt.).

Crinipellis catamarcensis Singer in Rev. Mycol., Paris, 18, p. 12, 1953 on roots.-Argentina.

commixta Singer in Rev. Mycol., Paris, 18,

p. 11, 1953.—Argentina. Cryptovalsa deusta (Ell. & Mart.) Petrak in Śydowia, 7, p. 103, 1953. (Syn. Diatrypella deusta Ell. & Mart.).

Cucurbitaria asparagi da Camara & de Vasconcelos in Agron. lusit., 14, p. 252, 1952

on Asparagus albus.—Portugal.
Curvularia indica Subramanian in Proc. Indian Acad. Sci., Sect. B, 38, p. 34, 1953 on dead Scirpus.—India.

palmarum Subramanian in Proc. Indian Acad. Sci., Sect. B, 38, p. 38, 1953 on dead leaves of Cocos nucifera.—India.

janthothele Wollenw. Cyclindrocarpon forma quercinum Moreau in Rev. Path. vég., 31, p. 214, 1952 on Quercus.—France.

Cylindrosporium interstitiale Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 79, 1953 on Spartina pectinata.—Wisconsin, U.S.A.

Cylindrothyrium coryli (Fuckel) Ribaldi in Ann. Sper. agr., N.S., 7, p. 1953, 1953. (Syn. Leptothyrium coryli Fuckel).

Cytosporina cocoës Dias, Lucas, de Vascone., & da Camara in Agron. lusit., 15, p. 10, 1953 on Cocos nucifera.—S. Tomé Isl.

Dendrogaster aurantius Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 134, 1953.-Malaya.

Dendrostilbella chlorina Malençon in Bull. Soc. Hist. nat. Afr. N., 44, p. 145, 1953 on

dead wood.—Morocco.

Dendryphion interseminatum (Berk. & Rav.) Hughes in Canad. J. Bot., 31, p. 638, 1953. (Syn. Helminthosporium interseminatum Berk. & Rav.).

DENDRYPHIOPSIS Hughes in Canad. J. Bot., 31, p. 655, 1953.—Hyphomycetes.

- atra (Corda) Hughes in Canad. J. Bot., 31, p. 655, 1953. (Syn. Dendryphion atrum Corda).

Dichomera heterospora da Costa & da Camara in Portug. acta biol., 4, p. 171, 1953 on Mesembryanthemum.—Portugal.

inclusa Lucas & da Camara in Agron. lusit., 15, p. 173, 1953 on Cytisus lusitanicus. Portugal.

Dictyopanus pusillus (Lév.) Singer var. pseudorhipidium Singer in Rev. Mycol., Paris, 18, p. 14, 1953 on wood.—Argentina.



Dictyopeltis erythroxyli Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 117, 1953 Erythroxylumonpelletieranum. Brazil.

- lucumae Batista in An. IV Congr. Soc. bot. Brasil, p. 117, 1953 on Lucuma.—Brazil.

Dictyothyrium brunneum Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 118, 1953 on Cordia nodosa.-Brazil.

Didymella aegaea Petrak in Sydowia, 7, p. 19, 1953 on dead Campanula tubulosa. arcuata Röder in Phytopath Z., 12, p. 329,

1940 on Cannabis sativa.—Germany.

-heveana Saccas in Agron. trop., Nogent, 8, p. 229, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.

mangiferae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 167, 1952 on Mangifera indica.—Brazil.

Didymosphaeria oliveirana Dias, Lucas, de Vascone., & da Camara in Agron. lusit., 15, p. 6, 1953 on Artocarpus communis.—S. Tomé

— polytrichospora Lucas & da Camara in Agron. lusit., 15, p. 156, 1953 on Cytisus multiflorus.—Portugal.

Dimeriellopsis cocoicola (as 'coccoicola') Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 91, 1953 on Cocos nucifera.—Brazil.

Diplococcium indivisum (Sacc.) Hughes in Canad. J. Bot., 31, p. 634, 1953. Virgaria indivisa Sacc.).

uniseptatum (Berk. & Curt.) Hughes in Canad. J. Bot., 31, p. 634, 1953. Virgaria uniseptata Berk. & Curt.).

Diplodina ignota Batista in An. IV Congr. Soc. bot. Brasil, p. 77, 1953 on Serjania.-

DISCOMYCETELLA Sanwal in Sydowia, 7, p. 200, 1953.—Pezizales.

aquatica Sanwal in Sydowia, 7, p. 200, 1953 on wood in water.-India.

Discosphaerina euganea (Sacc.) Petrak in Sydowia, 7, p. 85, 1953. (Syn. Physalospora euganea Sacc.).

Domingoella pycnopeltarum Batista in An. IV Congr. Soc. bot. Brasil, p. 77, 1953 on Pycnopeltis conspicua.—Brazil.

Dothiorella adanensis Petrak in Sydowia, 7, p. 34, 1953 on Vitex agnus-castus.—Turkey.

brassicae da Costa & da Camara in Portug. acta biol., 4, p. 166, 1953 on Brassica oleracea. -Portugal.

-rhoina (Schw.) Petrak in Sydowia, 7, p. 128, 1953. (Syn. Macrophoma rhoina (Schw.) Sacc.).

Echidnodes myrtaceicola (as 'mirtaciicola') Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 153, 1953 on Myrtaceae.—Brazil.

Ectostroma echinopis Petrak in Sydowia, 7, p. 43, 1953 on Echinops.—Turkey.

Elachopeltis cinnamomi (as 'cinnamomae') Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 134, 1953 on Cinnamomum zeylanicum.—Brazil.

Elaphomyces carbonaceus Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 137, 1953.-Singapore.

singaporensis Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 136, 1953.—Singapore.

Elasmomyces malaiensis Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 129, 1953. Malaya.

*Elsinoë boucheae Kevorkian in Phyto. pathology, 43, p. 406, 1953 on Bouchea prismatica.—Cuba.

- miconiae (Stev. & Weedon) Limber & Bitancourt apud Thirumalachar & Jenkins in Mycologia, 45, p. 785, 1953. Myriangina miconiae Stev. & Weedon). (Syn.

Endoconidiophora coerulescens Münch forma douglasii Davidson in Mycologia, 45, 584, 1953 on Pseudotsuga taxifolia.

Western U.S.A.

Entoloma aripoanum Dennis in Bull. Soc. mycol. Fr., 69, p. 196, 1953 on wood, Trinidad. - bakeri Dennis in Bull. Soc. mycol. Fr., 69,

p. 196, 1953.—Trinidad. brunneostriatum Dennis in Bull. Soc.

mycol. Fr., 69, p. 196, 1953.—Trinidad.
- cubense (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 168, 1953. (Syn. Eccilia cubensis Murr.).

cyathiforme Dennis in Bull. Soc. mycol. Fr., 69, p. 196, 1953.—Trinidad.

howellii (Peck) Dennis in Bull. Soc. mycol, Fr., 69, p. 159, 1953. (Syn. Nolanea howellii Peck).

-inocephalum (Romagnesi) Dennis in Bull. Soc. mycol. Fr., 69, p. 160, 1953. (Syn. Rhodophyllus inocephalus Romagnesi).

- metale (Romagnesi) Dennis in Bull. Soc. mycol., Fr., 69, p. 160, 1953. (Syn. Rhodo. phyllus metalis Romagnesi).

naranjanum Dennis in Bull. Soc. mycol. Fr., 69, p. 195, 1953.—Trinidad.

obscurum Dennis in Bull. Soc. mycol. Fr., 69, p. 196, 1953.—Trinidad.

- papillatum (Bres.) Dennis in Bull. Soc. mycol. Fr., 69, p. 162, 1953. (Syn. Nolanea papillata Bres.).

-pinnum (Romagnesi) Dennis in Bull. Soc. mycol. Fr., **69**, p. 160, 1953. (Syn. Rhodo-phyllus pinnus Romagnesi).

siparianum Dennis in Bull. Soc. mycol. Fr., 69, p. 195, 1953.—Trinidad.

trinitense Dennis nom. nov. in Bull. Soc. mycol. Fr., 69, p. 165, 1953. (Syn. Nolanea fragilis Baker & Dale, non Entoloma fragile Murr.).

tucuchense Dennis in Bull. Soc. mycol. Fr., 69, p. 196, 1953.—Trinidad.

umbilicatum Dennis in Bull. Soc. mycol. Fr., 69, p. 195, 1953.—Trinidad.

- underwoodii Dennis nom. nov. in Bull. Soc. mycol. Fr., 69, p. 166, 1953. (Syn. Eccilia earlei Murr., non Entoloma earlei Murr.).

*Entyloma asteris-alpini Syd. ex Zundel, The Ustilaginales of the World, p. 237, 1953 on Aster alpinus.—Switzerland.

leontodontis Syd. ex Zundel, The Usti-laginales of the World, p. 256, 1953 on Leontodon autumnalis.—Germany.

Eremotheca pernambucensis Batista in An. IV Congr. Soc. bot. Brasil, p. 119, 1953 on leaves.—Brazil.

Farysia barberi (Mundkur) Zundel, The Ustilaginales of the World, p. 40, 1953. (Syn. Ustilago barberi Mundkur).

olivacea (DC.) Syd. var. macrospora (Yen) Zundel, The Ustilaginales of the World, p. 44, 1953. (Syn. Ustilago olivacea var. macrospora Yen).

Fenestella cubensis Petrak in Sydowia, 7, p. 146, 1953 on Gliricidia sepium.—Cuba. Fomes chaquensis Iaconis & Wright in An. Soc. cient. argent., 156, p. 14, 1953 .-

Argentina. pinicola (Swartz ex Fr.) Cooke var. marginatus (Pers. ex. Fr.) Overholts, The Polyporaceae of the United States, Alaska, and Canada, Univ. Mich. Stud., 19, p. 44, 1953. (Syn. Polyporus marginatus Pers. ex Fr.).

Fusarium orthoceras Appel & Wollenw. var. lentis Vasudeva & Srinivasan in Indian Phytopath., 5, p. 28, 1953 on Lens esculenta.

Fusidomus pulchellus Batista in Bol. Sec. Agric. Pernambuco, 19, p. 144, 1952 on Pera ferruginea.—Brazil.

Galerina (?) fuegiana Singer in Sydowia, 7, p. 242, 1953 on peat.—Argentina.

riparia Singer in Sydowia, 7, p. 249, 1953.

_Argentina.

vittaeformis (Fr.) Singer var. subannulata Singer in Sydowia, 7, p. 246, 1953.— Argentina.

*Gautieria morchelliformis Vitt. var. magnicellaris Pilát in Sydowia, 7, p. 12, 1953.-

Central Europe.

Gloeosporium anonae Batista in An. IV Congr. Soc. bot. Brasil, p. 142, 1953 on Annona marckgravii.—Brazil.

_jambosae Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 143, 1953 on Jambosa malaccensis.—Brazil.

Glomerella phomoides Swank in Phytopathology, 43, p. 285, 1953 on Lycopersicon esculentum.—U.S.A.; perfect state of Colletotrichum phomoides (Sacc.) Chester.

Gonatobotryum apiculatum (Peck) Hughes in Canad. J. Bot., 31, p. 594, 1953. (Syn. Haplographium apiculatum Peck).

Graphium cuneiferum (Berk. & Br.) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 41, 1953. (Syn. Stilbum cuneiferum Berk. & Br.).

Haplosporella asiminae (Ell. & Ev.) Petrak in Sydowia, 7, p. 128, 1953. (Syn. Sphaeropsis asiminae Ell. & Ev.).

casuarinae Petrak in Sydowia, 7, p. 35,

1953 on Casuarina.—Turkey.

-chamaecristae Petrak in Sydowia, 7, p. 114, 1953 on Chamaecrista brachiana. Florida, U.S.A.

- cydoniae (Cooke & Ell.) Petrak in Sydowia, 7, p. 129, 1953. (Syn. Sphaeropsis cydoniae

Cooke & Ell.).

-juniperi (Peck) Petrak in Sydowia, 7, p. 129, 1953. (Syn. Sphaeropsis juniperi Peck).

-linderae (Peck) Petrak in Sydowia, 7, p. 129, 1953. (Syn. Sphaeropsis linderae Peck). meliae Petrak in Sydowia, 7, p. 36, 1953 on

Melia azedarach.—Turkey.

-neilliae (Ell. & Ev.) Petrak in Sydowia, 7, p. 129, 1953. (Syn. Sphaeropsis neilliae Ell. & Ev.).

-pistaciarum Petrak in Sydowia, 7, p. 37,

1953 on Pistacia.—Turkey.

-punctum (Cooke & Ell.) Petrak in Sydowia, 7, p. 129, 1953. (Syn. Sphaeropsis punctum Cooke & Ell.).

- squieriae (Clint.) Petrak in Sydowia, 7, 129, 1953. (Syn. Sphaeropsis squieriae

-syriaca Petrak in Sydowia, 7, p. 37, 1953 on Draba oxycarpa.—Turkey.

Helicodendron multicatenulatum

Beverwijk in Trans. Brit. mycol. Soc., 36, 115, 1953 on dead leaves in water.-Holland.

- westerdijkae van Beverwijk in Trans. Brit. mycol. Soc., 36, p. 117, 1953 on dead leaf in water.-Holland.

Helminthosporium atrovirens (Harz) Mason & Hughes apud Hughes in Canad. J. Bot., 31, p. 631, 1953. (Syn. Spondyocladium atrovirens Harz).

- **desmodii** Togʻashi & Katsuki apud Katsuki in J. Jap. Bot., 28, p. 285, 1953 on Desmodium

buergeri.—Japan.

pyracanthae Lucas & da Camara in Agron. lusit., 15, p. 179, 1953 on Pyracantha. Portugal.

spiciferum (Bain.) Nicot in Öst. Bot. Z., 100, p. 482, 1953. (Syn. Brachycladium spiciferum Bain.).

Hendersonia capparidincola Petrak in Sydowia, 7, p. 71, 1953 on Capparis spinosa.

-scirpi (Wehm.) Petrak in Sydowia, 7, p. 130, 1953. (Syn. Phaeoseptoria scirpi Wehm.). Hericium alpestre Pers. forma caput-ursi (Fr.) Nikol. in Acta Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 337,

1950. (Syn. Hydnum caput-ursi Fr.). — forma caucasicum (Sing.) Nikol. in Acta Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 336, 1950. (Syn. Hericium

caucasicum Singer).

-cirrhatum (Pers.) Nikol. in Acta Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 343, 1950. (Syn. Hydnum cirrhatum

-coralloides (Scop.) Pers. forma caput-ursi (Bourd. & Galz.) Nikol. in Acta. Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 342, 1950. (Syn. Dryodon coralloides (Scop.) Quél. forma caput-ursi Bourd. & Galz.).

-forma confluens Nikol. in Acta. Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.)

fasc. 5, p. 342, 1950.—U.S.S.R.

- diversidens (Fr.) Nikol. in Acta Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 342, 1950. (Syn. Hydnum diversidens Fr.).

-erinaceum (Bull.) Pers. forma caputmedusae (Bull.) Nikol. in Acta Inst. bot. Acad. Sci. URSS, Ser. II, (Pl. Crypt.) fasc. 5, p. 340, 1950. (Syn. Hydnum caputmedusae Bull.).

Hydnangium echinulatum Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 126, 1953

on soil.—Malaya.

virescens Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 125, 1953 in soil.-Singapore.

Hydrocybe alnea Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 124, 1953.—Austria.

atrocaerulea Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 126, 1953.—Austria.

cedriolens Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 125, 1953.—Austria.

- multicolor Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 127, 1953.—Austria.

palustris Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 122, 1953.—Austria.

- tigrina Moser in Bull. Soc. Nat. Oyonnax, 1953, p. 121, 1953.—Austria.

Hygrophorus bakeri Dennis in Kew Bull., 1953, p. 258, 1953.—Trinidad.

- buccinulus (Speg.) Dennis in Kew Bull.,

1953, p. 256, 1953. (Syn. Clitocybe buccinula Speg.).

-conico-palustris Haller in Schweiz. Z. Pilzk., 31, p. 141, 1953.—Switzerland.—cremeus (Murr.) Dennis in Kew Bull.,

1953, p. 257, 1953. (Syn. Omphalina cremea Murr.).

erinensis Dennis in Kew Bull., 1953, p. 262, 1953.—Trinidad.

firmus Berk. & Br. var. occidentalis Dennis in Kew Bull., 1953, p. 267, 1953.-Trinidad.

var. purpureus Dennis in Kew Bull., 1953, p. 267, 1953.—Trinidad.

- var. trinitensis Dennis in Kew Bull. 1953, p. 266, 1953.—Trinidad.

-luteistipes Dennis in Kew Bull., 1953, p. 264, 1953.—Trinidad.

marginatus Peck var. concolor A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 59, 1953.—Michigan, U.S.A.

- nodulisporus Dennis in Kew Bull., 1953, p. 259, 1953.—Trinidad.

papillatus Dennis in Kew Bull., 1953, p. 263, 1953.—Trinidad.

umbrinus Dennis in Kew Bull., 1953, p. 257, 1953.—Trinidad.

Hymenogaster effodiendus G. H. Cunn. in Trans. roy. Soc. S. Aust., 75, p. 14, 1952 in soil.—Victoria, Australia.

Hysterangium purpureum Zeller & Dodge var. malaiense Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 135, 1953.— Singapore.

Inocybe bridgesiana Singer in Sydowia, 7, p. 227, 1953.—Argentina.

calcaris Métrod in Schweiz. Z. Pilzk., 31, p. 158, 1953.—?France.

cerasphora Singer in Sydowia, 7, p. 228, 1953 on rotten wood of Nothofagus. Argentina.

-dissocystis Singer in Sydowia, 7, p. 231, 1953.—Argentina.

fuscata Singer in Sydowia, 7, p. 236, 1953,-Argentina.

- fuscocinnamomea Singer in Sydowia, 7, p. 233, 1953,—Argentina.

geophyllomorpha Singer in Sydowia, 7,

p. 229, 1953.—Argentina.

gigacystis Singer in Sydowia, 7, p. 231, 1953.—Argentina.

- lasseri Dennis in Bull. Soc. mycol. Fr., 69, p. 197, 1953.—Venezuela.

lutescens Singer in Sydowia, 7, p. 223,

1953 in Nothofagus woods.—Argentina.
- pseudo-cookel Métrod in Schweiz. Z.
Pilzk., 31, p. 158, 1953.—France.

retipes Singer in Sydowia, 7, p. 225, 1953.— Argentina.

rubens (Heim) Huijsman [n. comb. ?] in Bull. Soc. Nat. Oyonnax, 1953, p. 73, 1953. (Syn. Inocybe obscura var. rubens Heim).

subfibrosoides Singer in Sydowia, 7, p. 234, 1953.—Argentina.

Irenina cassiicola Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 91, 1953 on Cassia bacillaris.—Brazil.

protiicola Batista & Gayão in An IV Congr. Soc. bot. Brasil, p. 94, 1953 on Protium heptaphyllum.-Brazil.

tabebuiae Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 96, 1953 on Tabebuia ipe.

ximeniae Batista & Silva in An. IV Congr.

Soc. bot. Brasil, p. 95, 1953 on Ximenia americana.—Brazil.

JAPONOCHYTRIUM Kobayashi & Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 57, 1953. -Thraustochytriaceae.

-marinum Kobayashi & Ookubo in Bull, nat. Sci. Mus. Tokyo 33, p. 60, 1953 on Gracillaria confervoides.—Japan.

Kirschsteiniella conica (Lév.) Petrak in Sydowia, 7, p. 57, 1953. (Syn. Sphaeropsis conica Lév.).

Kuehneromyces cystidiosus Singer in Sydowia, 7, p. 221, 1953 on dead trunks of Nothofagus.—Argentina.

- macrosporus Šinger in Sydowia, 7, p. 220, 1953.—Argentina.

Lagynodella acerina (Peck) Petrak in Sydowia, 7, p. 130, 1953. (Syn. Sphaeronema acerinum Peck).

Lasiosphaeria disjuncta Ahmad & Lodhi in Sydowia, 7, p. 267, 1953 on dead wood. W. Pakistan. Lembosia clusiae Batista & Vital in An. IV

Congr. Soc. bot. Brasil, p. 172, 1953 on Clusia. —Brazil.

- coccolobicola Batista & Gayão in An IV Congr. Soc. bot. Brasil, p. 173, 1953 on Coccoloba paniculata.—Brazil.

-cordiarum Batista in An. IV Congr. Soc. bot. Brasil, p. 174, 1953 on Cordia nodosa. Brazil.

Lentinellus pilati Herink in Čes. Mykol., 7, p. 162, 1953 on dead Carpinus betulus.— Czechoslovakia.

LEPTODISCUS Gerdemann in Mycologia, 45, p. 552, 1953.—Melanconiales.

terrestris Gerdemann in Mycologia, 45, p. 552, 1953 on *Trifolium pratense*.—Illinois, U.S.A.

Leptomassaria Sydowia, 7, p. 121, 1953 on Sassafras.—Maryland, U.S.A. americana Petrak in

- capparidis Ahmad & Lodhi in Sydowia, 7, p. 268, 1953 on dead branches of Capparis aphylla.—W. Pakistan.

Leptonia pilati Svrček in Čes. Mykol., 7, p. 176, 1953.—Bohemia.

Leptosphaeria cornuta Müller in Sydowia, 7, p. 273, 1953 on dead Laserpitium siler .-Switzerland.

– daphnes Dias & da Camara in Agron. lusit., 15, p. 23, 1953 on Daphne gnidium.-Portugal.

- davisiana Petrak in Sydowia, 7, p. 20, 1953 on Scutellaria brevibracteata.—Turkey.

-heveae Saccas in Agron. trop., Nogent, 8, p. 244, 1953 on *Hevea brassiliensis*.—French Equatorial Africa.

- platanicola Petrak in Sydowia, 7, p. 122, 1953 on Platanus occidentalis.—Maryland, U.S.A.

platychorae Müller in Sydowia, 7, p. 275, 1953 on Platychora ulmi.—France.

Leptothyrium discretum Batista in An. IV Congr. Soc. bot. Brasil, p. 135, 1953 on Sorocea ilicifolia.—Brazil.

fagarae Dias, Lucas, de Vasconc., & da Camara in Agron. lusit., 15, p. 10, 1953 on Fagara.—S. Tomé Isl.

Lopadiopsis lichenicola Batista in An. IV Congr. Soc. bot. Brasil, p. 78, 1953 on Eschweilera luschnatii.—Brazil.

Lophiostoma persicum Petrak in Sydowia, 7, p. 58, 1953 on dead Acer cinerascens. Iran.

Macrophoma politii Apostolidès in Ann. Inst. phytopath. Benaki, 6, p. 71, 1952 on dead Centranthus ruber.—Greece.

_shoreae Bagchee in Indian For. Rec., N.S., Mycol., 1, p. 17, 1953 on Shorea robusta.

India. Macrophyllosticta atriplicis Dias & da Camara in Agron. lusit., 15, p. 27, 1953 on

Atriplex halimus.—Portugal. borziana (Scal.) da Costa & da Camara in

Portug. acta biol., 4, p. 167, 1953. (Syn. Macrophoma borziana Scal.).

fagarae Dias, Lucas, de Vasconc., & da

Camara in Agron. lusit., 15, p. 8, 1953 on

Fagara.—S. Tomé Isl. Marasmiellus byssisedus (Bres.) Singer in Rev. Mycol., Paris, 18, p. 7, 1953. [Syn. not

cited1. _vinosus Singer in Rev. Mycol., Paris, 18, p. 10, 1953 on wood.—Argentina.

Massarina floridana Petrak, 1952 (this Index, 2, p. 104) is a later homonym of M. floridana Petrak, 1951 (ibid., p. 82).

Mattirolia maclurae Lucas & da Camara in Agron. lusit., 15, p. 159, 1953 on Maclura aurantiaca.-Portugal.

Melanoleuca sparrei Singer in Rev. Mycol., Paris, 18, p. 5, 1953.—Argentina.

Melanopsichium nepalense (Liro) Zundel, The Ustilaginales of the World, p. 46, 1953. (Syn. Ustilago nepalensis Liro).

Melanotaenium brachiariae Viégas var. arthraxonis Thirumalachar & Pavgi in Sydowia, 7, p. 101, 1953 on Arthraxon .-India.

Melasmia singeri Petrak in Sydowia, 7, p. 148, 1953 on Duranta serratifolia.—Argentina.

- spiralis Petrak in Sydowia, 7, p. 149, 1953 on Duranta benthamii.-Bolivia.

Meliola aristidae Batista & Silva in An. IV Congr. Soc. bot. Brasil. p. 99, 1953 on Aristida marginalis.—Brazil.

- buchenaviae Batista in An. IV Congr. Soc. bot. Brasil, p. 102, 1953 on Buchenavia

capitata.—Brazil.

 cupaniae-major (as 'cupaniae majoris')
 Batista in An. IV Congr. Soc. bot. Brasil, p. 104, 1953 on Thyrsodium.—Brazil.

erythroxylifolii Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 105, 1953 on Erythroxylum.—Brazil.

- serjanicola Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 110, 1953 on Serjania.—Brazil.

-soroceana Batista in An. IV Congr. Soc. bot. Brasil, p. 112, 1953 on Sorocea ilicifolia. -Brazil.

Melophia cinnamomi (as 'cinnamomae') Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 135, 1953 on Cinnamomum zeylanicum.—Brazil.

- protii (as 'protiae') Batista in An. IV Congr. Soc. bot. Brasil, p. 136, 1953 on Protium

heptaphyllum.—Brazil.

Metasphaeria apiosporoides Petrak in Sydowia, 7, p. 107, 1953 on Sabal palmetto. —Florida, U.S.A.

Microdiplodia bessey [sic] Apostolidès in Ann. Inst. phytopath. Benaki, 6, p. 72, 1952 on Viburnum tinum .- Greece.

- rhamnincola Petrak in Sydowia, 7, p. 72, 1953 on Rhamnus.—Iran.

salicina Petrak in Sydowia, 7, p. 73, 1953 on Salix .- Iran.

Micromycopsis oedogonii Roberts in Trans. Brit. mycol. Soc., 36, p. 320, 1953 on Oedogonium.-England.

Micropeltella discreta Batista in An. IV Congr. Soc. bot. Brasil, p. 128, 1953 on Sorocea ilicifolia.—Brazil.

philodendricola Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 128, 1953 on Philodendron imbe.—Brazil.

- picramniae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 120, 1953 on Picramnia bahiensis?—Brazil.

Micropeltis bauhiniae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 121, 1953 on Bauhinia.—Brazil.

- cupaniae Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 123, 1953 on Cupania.— Brazil.

picramniae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 123, 1953 on Picramnia bahiensis.—Brazil.

soroceae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 124, 1953 on Sorocea. Brazil.

- theobromae Batista in An. IV Congr. Soc. bot. Brasil, p. 125, 1953 on Theobroma cacao. -Brazil.

Microthyriella ocoteae Batista in An. IV Congr. Soc. bot. Brasil, p. 126, 1953 on Ocotea gardneri.—Brazil.

swartziae Batista & Gayão in An IV Congr. Soc. bot. Brasil, p. 127, 1953 on Swartzia pickelli.—Brazil.

Monoblepharella endogena Sparrow in Mycologia, 45, p. 593, 1953 in soil.— Mississippi, U.S.A.

MONOSPORELLA Hughes [non Keilin, 1920] in *Canad. J. Bot.*, **31**, p. 654, 1953— Hyphomycetes. Type, *M. setosa*.

- setosa (Berk. & Curt.) Hughes in Canad. J. Bot., 31, p. 654, 1953. (Syn. Monotospora setosa Berk. & Curt.).

sphaerocephala (Berk. & Br.) Hughes in Canad. J. Bot., 31, p. 654, 1953. (Syn. Monotospora sphaerocephala Berk. & Br.).

Morenoina byrsonimae Batista in An. IV Congr. Soc. bot. Brasil, p. 154, 1953 on Byrsonima coclobifolia.—Brazil.

Mycarthonia culmicola (Petrak) Petrak in Sydowia, 7, p. 28, 1953. (Syn. Arthonia culmicola Petrak).

- dispersa (Schrad.) Petrak in Sydowia, 7, p. 28, 1953. (Syn. Arthonia dispersa Schrad.). punctiformis (Ach.) Petrak in Sydowia, 7, p. 28, 1953. (Syn. Arthonia punctiformis

Mycena mackinawensis A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 67, 1953.—Michigan, U.S.A.

- viscosissima Métrod in Bull. Soc. mycol. Fr., 69, p. 128, 1953.—France.

Mycenella subtropicalis Singer in Rev.

Mycol., Paris, 18, p. 7, 1953.—Argentina. Mycosphaerella afghanica Petrak in Sydowia, 7, p. 88, 1953 on Astragalus.-Afghanistan.

edelbergii Petrak in Sydowia, 7, p. 89, 1953 on Sedum.—Afghanistan.

- hevicola Saccas in Agron. trop., Nogent, 8, p. 247, 1953 on Hevea brasiliensis.—French Equatorial Africa.

melanorhabdos Petrak in Sydowia, 7, p. 22, 1953 on Agave.—Turkey.

-nuristanica Petrak in Sydowia, 7, p. 90, 1953 on Lonicera.—Afghanistan.

- scopulorum (Sacc. & Cav.) Petrak in Sydowia, 7, p. 23, 1953. (Syn. Sphaerella scopulorum Sacc. & Cav.).

- togashiana Itô & Kobayashi in Bull. Govt. For. Exp. Sta. Tokyo 59, p. 23, 1953 on Populus simonii.—Japan.

- websteri Wiehe in Mycol. Pap., C.M.I., 55, p. 2, 1953 on Aleurites montana.—Nyasaland. Myiocopron cassiicola Batista & Gayão in

An. IV Congr. Soc. bot. Brasil, p. 155, 1953 on Cassia.—Brazil.

Myzocytium proliferum Schenk forma marinum Kobayashi & Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 64, 1953 on Cladophora japonica.—Japan.

Naucoria distantifolia (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 183, 1953. (Syn. Galerula distantifolia Murr.).

polytropa Singer in Sydowia, 7, p. 237,

1953 on rotten wood.—Argentina.
*Nectria flavoviridis (Fuckel) Wollenw. forma macrospora Moreau in Rev. Path. vég., 31, p. 215, 1953 on Quercus.—France.

- hakonensis Kobayashi in Bull. nat. Sci. Mus. Tokyo 33, p. 38, 1953 on Pieris japonica. --Japan.

*- rubi Osterw. forma quercina Moreau in Rev. Path. vég., 31, p. 207, 1952 on Quercus.-France.

ematogonium parasiticum (Thaxt.) Hughes in Canad. J. Bot., 31, p. 594, 1953. Nematogonium (Syn. Gonatorrhodiella parasitica Thaxt.).

Oedocephalum argillaceum Malençon in Bull. Soc. Hist. nat. Afr. N., 44, p. 144, 1953 on soil.—Morocco.

Oidium ramosum (Fuckel) Hughes in Canad. J. Bot., 31, p. 591, 1953. (Syn. Torula ramosa Fuckel).

Ophiostoma persicinum Govi & Di Caro in Ann. Sper. agr., N.S., 7, p. 1644, 1953 on Prunus persica.—Italy.

Otthia elaeagni (Rehm) Petrak in Sydowia, 7, p. 60, 1953. (Syn. Amphisphaeria elaeagni Rehm).

Ovularia iranica Petrak in Sydowia 7, p. 77, 1953 on Salvia.—Iran.

*Ozonium texanum Neal & Wester var. parasiticum Thirumalachar in Curr. Sci., 20, p. 245, 1951 on Solanum tuberosum.—

Passalora robiniae (Shear) Hughes in Canad. J. Bot., 31, p. 572, 1953. (Syn. Fusicladium robiniae Shear).

Pellicularia filamentosa (Pat.) Rogers f. sp. microsclerotia (Matz) Exner in Mycologia, 45, p. 716, 1953. (Syn. Rhizoctonia microsclerotia Matz).

- f. sp. sasakii (Shirai) Exner in Mycologia, 45, p. 717, 1953. (Syn. Hypochnus sasakii Shirai).

- f. sp. solani (Kühn) Exner in Mycologia, 45, p. 716, 1953. (Syn. Rhizoctonia solani Kühn).

-f. sp. timsii Exner in Mycologia, 45, p. 717, 1953 on Ficus carica.—Louisiana, U.S.A. Peniophora angusta Rogers & Weresub apud Weresub in Canad. J. Bot., 31, p. 764, 1953 on wood .- Ontario.

pilatiana Pouzar & Svrček in Čes. Mykol., 7, p. 181, 1953 on Cornus mas.—Bohemia.

sceptrifera Jackson & Weresub apud Weresub in Canad. J. Bot., 31, p. 772, 1953 on wood .- Ontario.

Periconia cambrensis Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 108, 1953 on wood of Fagus sylvatica.—Britain.
- cecropiae Batista & Vital in Bol. Sec.

Agric. Pernambuco, 19, p. 148, 1952 on Cecropia peltata.—Brazil. - cookei Mason & M. B. Ellis in Mycol. Pap.,

C.M.I., 56, p. 72, 1953 on stems.—England. curta (Berk.) Mason & M. B. Ellis in Mycol. Pap. C.M.I., 56, p. 98, 1953. (Syn. Cephalo. trichum curtum Berk.).

funerea (Ces.) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 117, 1953. (Syn. Torula funerea Ces.).

glyceriicola Mason & M. B. Ellis in Mycol, Pap., C.M.I., 56, p. 109, 1953 on dead Glyceria maxima.—England.

hispidula (Pers. ex Pers.) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 112, 1953. (Syn. Conoplea hispidula Pers.).

igniaria Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 104, 1953 on scorched leaves. -England.

-laminella Mason & M. B. Ellis in Mycol. Pap. C.M.I., 56, p. 120, 1953 on dead Carex. –Ēngland.

-paludosa Mason & M. B. Ellis in Mycol, Pap., C.M.I., 56, p. 94, 1953 on dead Carex riparia.—England.

typhicola Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 80, 1953 on dead Typha latifolia.—England.

Periconiella echinochloae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 174, 1952 on Echinochloa polystachya.—Brazil.

*Peronospora dianthicola Barthelet in Ann. Inst. nat. Rech. agron., Paris, Sér. C. (Ann. Epiphyt.), 4, p. 183, 1953 on Dianthus.— France. [See also this Index, 1, p. 192.]

- hypecoi Bremer apud Petrak in Sydowia, 7, p. 14, 1953 on Hypecoum.—Turkey.

Pestalotiopsis adusta (Ell. & Ev.) Steyaert in Trans. Brit. mycol. Soc., 36, p. 82, 1953. (Syn. Pestalotia adusta Ell. & Ev.).

- angusta Steyaert in Trans. Brit. Mycol. Soc., 36, p. 241, 1953 on leaves of Borassus aethiopum.—Gold Coast.

gigas Steyaert in Trans. Brit. mycol. Soc., 36, p. 86, 1953 on Thea sinensis.—Kenya.

guepini (Desm.) Steyaert var. major Steyaert in *Trans. Brit. mycol. Soc.*, **36**, p. 237, 1953 on dead leaves of Encephalartos barteri.—Gold Coast.

- hughesii Steyaert in Trans. Brit. mycol. Soc., 36, p. 237, 1953 on dead Cyperus articulatus.—Gold Coast.

nattrassii Steyaert in Trans. Brit. mycol. Soc., 36, p. 82, 1953 on Thea sinensis. Kenva.

- neglecta (Thuem.) Steyaert in Trans. Brit. mycol. Soc. 36, p. 83, 1953. (Syn. Pestalotia neglecta Thuem.).

owenii Steyaert in Trans. Brit. mycol. Soc., 36, p. 88, 1953 on Theobroma cacao.—Gold

-var. major Steyaert in Trans. Brit. mycol. Soc., 36, p. 89, 1953 on Theobroma cacao. - Gold Coast.

Pestalozzia pitospora da Costa & da Camara in Portug. acta biol., 4, p. 173, 1953 on Vitis vinifera.—Portugal.

Pezolepis buchenavicola Batista & Vital in An. IV Congr. Soc. bot. Brasil, p. 139, 1953

on Buchenavia capitata.—Brazil.
Phaeoisaria clavulata (Grove) Mason & Hughes in Mycol. Pap., C.M.I., 56, p. 42, 1953. (Syn. Pachnocybe clavulata Grove). Phaeomarasmius ciliatus Singer in Sydowia,

7, p. 250, 1953 on branches.—Argentina. _confragosulus Singer in Rev. Mycol., Paris,

18, p. 20, 1953.—Argentina.

limulatellus Singer in Sydowia, 7, p. 254,

1953 on a rotten log.—Argentina.
-rostratus Singer in Sydowia, 7, p. 252,

1953 on dead log.—Argentina.
Phaeopeltis cyperi Batista in An. IV Congr. Soc. bot. Brasil, p. 80, 1953 on Cyperus rotundus .- Brazil.

Phaeosaccardinula musicola (as 'musaecola') Batista in An. IV Congr. Soc. bot. Brasil, p. 81, 1953 on Musa.—Brazil.

Phlegmacium pinetorum Moser nom. nov. in Bull. Soc. Nat. Oyonnax, 1953, p. 114, 1953. (Syn. Cortinarius multiformis sensu Boud., non Fr.).

Phlyctochytrium marinum Kobayashi & Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 55, 1953 on Cladophora japonica.—Japan. Pholiota baeosperma Singer in Sydowia, 7,

p. 217, 1953 on wood.—Argentina.

megalosperma Singer in Sydowia, 7, p. 216, 1953 on dead Nothofagus pumilio.— Argentina.

Phoma araucariicola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 146, 1952 on Araucaria brasiliana.—Brazil.

-corchororum Batista & Silva in Bol. Sec. Agric. Pernambuco, 19, p. 147, 1952 on Corchorus capsularis.—Brazil.

gymnocladae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 145, 1952 on Euphorbia gymnoclada.—Brazil.

heveicola Saccas in Agron. trop., Nogent, 8, p. 256, 1953 on Hevea brasiliensis.-French Equatorial Africa.

- rubefaciens Togliani in Ann. Sper. agr., N.S., 7, p. 1626, 1953 on Pyrus malus.-

PHOMATOSPHAEROPSIS Ribaldi in Ann. Sper. agr., N.S., 7, p. 847, 1953.—Sphaeropsidales.

pinicola Ribaldi in Ann. Sper. agr., N.S., 7, p. 849, 1953 on Pinus nigra var. austriaca.
—Italy.

Phomatospora stroggylospora da Costa & da Camara in Portug. acta biol., 4, p. 164, 1953 on Mesembryanthemum.—Portugal.

Phomopsis justiciae (F. Tassi) Lucas & da Camara in Agron. lusit., 15, p. 166, 1953. (Syn. Phoma justiciae F. Tassi).

-machaeriicola Petrak in Sydowia, 7, p. 150, 1953 on Machaerium.—Costa Rica. - mastoidea da Costa & da Camara in Portug. acta biol., 4, p. 169, 1953 on Mesembryan-

themum.—Portugal. - oxyspora Petrak in *Sydowia*, 7, p. 122, 1953 on *Ilex verticillata*.—Maryland, U.S.A.

- pimpinellae (Ell.) Greene in *Trans. Wis.*Acad. Sci. Arts Lett., 42, p. 77, 1953. (Syn. Septoria pimpinellae Ell.).

Phragmonaevia gigaspora Gremmen in Sydowia, 7, p. 141, 1953 on Pinus cembra.—

Phragmothyrium confusum Batista in An. IV Congr. Soc. bot. Brasil, p. 156, 1953 on Bombax insigne.—Brazil.

Phyllachora kambakkamensis krishnan in Proc. Indian Acad. Sci., Sect. B, 38, p. 121, 1953 on Ochna.—India.

tetraspora Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 38, p. 123, 1953 on Polyalthia longifolia.—India.
Phylloporus depressus Heinemann in Bull.

Jard. bot. Brux., 23, p. 73, 1953 on wood.— Belgian Congo.

Phyllosticta aegiphilofolia (as 'aegiphilofoliae') Batista & Silva apud Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 4, 1952 on Aegiphila vitelliniflora.—Brazil.

alpiniae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 5, 1952 on Alpinia speciosa.

Brazil.

- alternantherae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 5, 1952 on Alternanthera sessilis.—Brazil.

anacardicola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 6, 1952 on Anacardium occidentale.—Brazil.

- anonarum Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 7, 1952 on Annona marckgravii.—Brazil. - aracicola Batista in Bol. Sec. Agric.

Pernambuco, 19, p. 8, 1952 on Psidium araca.—Brazil.

- artocarpicola Batista in Bol. Sec. Agric. Pernambuco, 19, p. 10, 1952 on Artocarpus incisa.—Brazil.

- aspidospermatis (as 'aspidospermae') Batista in Bol. Sec. Agric. Pernambuco, 19, p. 11, 1952 on Aspidosperma pyrifolium.—Brazil.
- axonopi (as 'axonopii') Batista & Vital in

Bol. Sec. Agric. Pernambuco, 19, p. 12, 1952 on Axonopus scoparius.—Brazil.

- bambusinifolia (as 'bambusinifoliae') Batista in Bol. Sec. Agric. Pernambuco, 19, p. 13, 1952 on Bambusa arundinacea.—Brazil.

-bombacis Batista in Bol. Sec. Agric. Pernambuco, 19, p. 15, 1952 on Bombax insigne. -Brazil

- bromeliicola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 16, 1952 on Bromelia.—Brazil.

caladii Batista in Bol. Sec. Agric. Pernambuco, 19, p. 17, 1952 on Caladium bicolor.-Brazil.

-calopogoniorum Batista in Bol. Sec. Agric. Pernambuco, 19, p. 18, 1952 on Calopogonium velutinum.—Brazil.

- castaneperda (as 'castanieiperda') Batista in Bol. Sec. Agric. Pernambuco, 19, p. 20, 1952 on Castanea vesca.—Brazil.

-christianicola Batista in Bol. Sec. Agric. Pernambuco, 19, p. 21, 1952 on Christiana africana.—Brazil.

cinnamomi-zeylanici Batista & Silva apud Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 22, 1952 on Cinnamomum zeylanicum.—Brazil.

coicis-lacrimae Batista & Silva in An. IV Congr. Soc. bot. Brasil, p. 84, 1953 on Coix lacryma-jobi.—Brazil.

cupaniae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 24, 1952 on Cupania revoluta.—Brazil.

cymbopogonis (as 'cymbopogoni') Batista in Bol. Sec. Agric. Pernambuco, 19, p. 24, 1952 on Cymbopogon nardus.—Brazil.

- dardanoi Batista in Bol. Sec. Agric. Pernam-

buco, 19, p. 25, 1952 on Heliconia angustifolia.—Brazil.

— doliariae Batista & Silva apud Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 26, 1952 on Ficus doliaria.—Brazil.

doliariicola Batista & Silva apud Batista
Wital in Bol. Sec. Agric. Pernambuco, 19,
p. 27, 1952 on Ficus doliaria.—Brazil.
echinodoricola Batista & Vital in Bol. Sec.

Agric. Pernambuco, 19, p. 28, 1952 on Echinodorus floribundus.—Brazil.

— eschweilerae Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 29, 1952 on Eschweilera luschnatti.—Brazil.

— genipae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 30, 1952 on Genipa americana.
 — Brazil.

— gerbericola Batista in Bol. Sec. Agric. Pernambuco, 19, p. 30, 1952 on Gerbera jamesoni.—Brazil.

— gladioli-minor (as 'gladioli-minoris') Batista & Vital in Bol. Sec. Agric. Pernambuco, 19,
 p. 31, 1952 on Gladiolus cardinalis.—Brazil.

-gladioloides Batista in Bol. Sec. Agric. Pernambuco, 19, p. 32, 1952 on Gladiolus communis.—Brazil.

— goebeliae Petrak in Sydowia, 7, p. 38,
1953 on Goebelia.—Turkey.
— guillielmicola Batista & Silva apud

— guillielmicola Batista & Silva apud Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 33, 1952 on Guillielma speciosa.— Brazil.

— helioconiicola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 34, 1952 on Heliconia angustifolia.—Brazil.

 heveana Saccas in Agron. trop., Nogent, 8,
 p. 259, 1953 on Hevea brasiliensis.—French Equatorial Africa.

— heveicola Saccas in Agron. trop., Nogent, 8, p. 261, 1953 on Hevea brasiliensis.—
French Equatorial Africa.

— ingae-edulis Batista & Silva apud Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 36, 1952 on Inga edulis.—Brazil.

— jambosae Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 37, 1952 on Jambosa malaccensis.—Brazil.

— jasminensis Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 37, 1952 on Jasminum grandiflorum.—Brazil.

- lueheae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 40, 1952 on Luehea divaricata.—
Brazil.

— mangiferae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 212, 1952 on Mangifera indica.—Brazil.

— mangifericola Batista in An. IV Congr. Soc. bot. Brasil, p. 85, 1953 on Mangifera indica.—Brazil.

mirabilis Batista in An. IV Congr. Soc. bot.
 Brasil, p. 85, 1953 on Mirabilis jalapa.
 Brazil.

— moquileae Batista in Bol. Soc. Agric. Pernambuco, 19, p. 41, 1952 on Moquilea tomentosa.—Brazil.

moquilearum Batista in Bol. Sec. Agric.
 Pernambuco, 19, p. 41, 1952 on Moquilea tomentosa.—Brazil.

 passifiorimaculans Batista in Bol. Sec. Agric. Pernambuco, 19, p. 44, 1952 on Passifora edulis.—Brazil.

— persearum Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 45, 1952 on Persea gratissima.—Brazil.

— petiveriae Batista & Vital in Bol. Sec. Agric.

Pernambuco, 19, p. 45, 1952 on Petiveria

— philodendricola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 213, 1952 on Philodendron imbe.—Brazil.

— polypodiorum Batista in Bol. Sec. Agric, Pernambuco, 19, p. 47, 1952 on Polypodium phyllitidis.—Brazil.

— polysciatis (as 'polysciae') Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 47, 1952 on Polyscias gneifoylei.—Brazil.

— puerariae Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 48, 1952 on Pueraria thunbergiana.—Brazil.

— sacchari-major (as 'sacchari-majoris') Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 50, 1952 on Saccharum officinarum.—Brazil.— sansevierae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 50, 1952 on Sansevieria.—Brazil.

— serjaniarum Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 51, 1952 on Serjania.—Brazil.

— sizygii Batista in An. IV Congr. Soc. bot.
 Brasil, p. 87, 1953 on Syzgyium jambolanum.
 — Brazil.

 stenotaphricola Batista in Bol. Sec. Agric, Pernambuco, 19, p. 53, 1952 on Stenotaphrum secundatum.—Brazil.

— swartziae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 54, 1952 on Swartzia pickelli.—Brazil.

— tabebuiae Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 55, 1952 on Tabebuia ipe.—Brazil.

— talisiae Batista in Bol. Sec. Agric. Pernambuco, 19, p. 55, 1952 on Talisia esculenta.—
Brazil.

— talisiae-major (as 'talisiae-majoris') Batis. ta in An. IV Congr. Soc. bot. Brasil, p. 86, 1953 on Talisia esculenta.—Brazil.

— vinifera Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 56, 1952 on Mauritia vinifera.—Brazil.

 zeae Batista in An. IV Congr. Soc. bot. Brasil, p. 87, 1953 on Zea mays.—Brazil.
 Phyllostictina anonicola Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 213,

1952 on Annona muricata.—Brazil.—citricarpa (McAlp.) Petrak in Sydowia, 7,

p. 115, 1953. (Syn. Phoma citricarpa McAlp.).

cocoicola (as 'coccoicola') Batista on Bol.
Sec. Agric. Pernambuco, 19, p. 214, 1952 on Cocos nucifera.—Brazil.
euphorbiae Petrak in Sydowia, 7, p. 115,

1953 on Euphorbia.—Florida, U.S.A.
— mangiferae Batista & Vital in Bol. Sec.
Agric. Pernambuco, 19, p. 214, 1952 on

Mangifera indica.—Brazil.
— podophylli (Curt.) Petrak in Sydowia, 7, p. 131, 1953. (Syn. Phyllosticta podophylli (Curt.) Wint.).

Physalospora heveae Saccas in Agron. trop., Nogent, 8, p. 264, 1953 on Hevea brasiliensis. —French Equatorial Africa.

— heveicola Saccas in Agron. trop., Nogent, 8, p. 266, 1953 on Hevea brasiliensis.— French Equatorial Africa.

Physoderma aponogetonis Sparrow in Trans. Brit. mycol. Soc., 36, p. 348, 1953 on Aponogeton undulatus.—England.

geton undulatus.—England.
— nelumbii Mishra & Thirumalachar in Sydowia, 7, p. 83, 1953 on Nelumbium speciosum.—India.

Phytophthora cyperi-bulbosi Seethalakshmi & Ramakrishnan in Curr. Sci., 22, p. 150, 1953 on Cyperus bulbosus.—India.

Placosphaeria guajavae Batista in An. IV Congr. Soc. bot. Brasil, p. 82, 1953 on Psidium

guajava.—Brazil.

plectospira agama Drechsler in Bull. Torrey bot. Cl., 80, p. 386, 1953 from roots of Prunella vulgaris.—Maryland, U.S.A. -plagiocaula Drechsler in Bull. Torrey bot.

Cl., 80, p. 393, 1953 from roots of Rumex acetosella.—Maryland, U.S.A.

Pleosphaerulina heveae Saccas in Agron. trop., Nogent, 8, p. 267, 1953 on Hevea brasiliensis.—French Equatorial Africa.

Wehmeyer clavispora Pleospora Mycologia, 45, p. 401, 1953 on Sorbus

aucuparia.—Sweden.
clementsii Wehmeyer in Mycologia, 45, 403, 1953 on Touteria multicaulis. Colorado, U.S.A.

-cylindrospora Wehmeyer in Mycologia, 45, p. 396, 1953 on herbaceous stems.

Central Europe.

dichromatricha (Speg.) Wehmeyer in Mycologia, 45, p. 401, 1953. (Syn. Pyreno-— dichromatricha

phora dichromatricha Speg.).

var. nigriseda (Rehm) Wehmeyer in Mycologia, 45, p. 402, 1953. (Syn. Pleospora infectoria var. nigriseda Rehm).

galii Wehmeyer in Mycologia, 45, p. 392, 1953 on Galium verum .- Sweden.

-galiorum Wehmeyer in Mycologia, 45, p. 393, 1953 on Galium mollugo.—Sweden. ilicis Wehmeyer in Mycologia, 45, p. 408,

1953 on Ilex paraguayensis.—Argentina.
—petrakii Müller in Sydowia, 7, p. 276, 1953

on dead Humulus lupulus .- Switzerland. - sieversiae Müller in Sydowia, 7, p. 278, 1953 on dead stems of Sieversia reptans.-Alps.

Pleurotellus geobius Favre in Schweiz. Z. Pilzk., 31, p. 179, 1953.—Switzerland.

Pluteus aethalus (Berk. & Curt.) Sacc. var. jamaicensis (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 153, 1953. (Syn. Pluteus jamaicensis Murr.).

var. pulverulentus (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 153, 1953. (Syn.

Pluteus pulverulentus Murr.).

-cubensis (Murr.) Dennis in Bull. Soc. mycol. Fr., 69, p. 155, 1953. (Syn. Nolanea

cubensis Murr.) -hispidulus (Fr.) Quél. var. microsporus

Dennis in Bull. Soc. mycol. Fr., 69, p. 195, 1953.—Trinidad.

spilopus (Berk. & Br.) Sacc. var. albostipitatus Dennis in Bull. Soc. mycol. Fr., 69, p. 195, 1953.—Trinidad.

Polyclypeolum salvadorae Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 38, p. 119, 1953 on Salvadora persica.—India.

Polyporus licnoides Mont. var. sublilacinus (Ell. & Ev.) Overholts, The Polyporaceae of the United States, Alaska, and Canada, Univ. Mich. Stud., 19, p. 404, 1953. (Syn. Mucronoporus sublilacinus Ell. & Ev.).

·lucidus Leys. ex Fr. var. zonatus (Murr.) Overholts, The Polyporaceae of the United States, Alaska, and Canada, Univ. Mich. Stud., 19, p. 210, 1953. (Syn. Ganoderma zonatum

-sublividus (Snell) Lowe in Overholts, The Polyporaceae of the United States, Alaska, and Canada, Univ. Mich. Stud., 19, p. 235, 1953.

(Syn. Polyporoletus sublividus Snell and Polyporus canaliculatus Overh. [this Index 1, p. 28] non Pat., 1898).

Protomycopsis patelii Pavgi & Thirumalachar nom. nov. in Nature, Lond., 172, p. 315, 1953. (Syn. Synchytrium phaseoli Patel et al. [this Index, 2, p. 9), non Weston).

Pseudocercospora pyrosiae Togashi Katsuki apud Katsuki in J. Jap. Bot., 28, p. 287, 1953 on 'Pyrosia lingua'.—Japan. Pseudoplectania kumaonensis Sanwal in

Sydowia, 7, p. 191, 1953 on dead Quercus. India.

Psiloglonium nitidum (Ell.) Petrak in Sydowia, 7, p. 108, 1953. [Syn. Glonium nitidum Ell.].

Puccinia bruchiana Lindquist in Notas Mus. Eva Perón, 16, p. 139, 1953 on Eupatorium viscidum.—Argentina.

- chitralensis Jørstad in Nytt Mag. Bot., 1, 75, 1952 on Pleurospermum stylosum.— N. Pakistan.

coronata Corda f. sp. secalis B. Peturson in Canad. J. Bot., 32, p. 42, 1954 on Secale and other grasses.-Canada.

- geranii-tuberosi Petrak in Sydowia, 7, p. 51, 1953 on Geranium tuberosum.-Iran.

gorganensis Petrak in Sydowia, 7, p. 52, 1953 on Willemetia bulbosa.—Iran.

- hashiokai Hiratsuka f., this Index, 2, pp. 62 and 87. The second entry, p. 87, should be cancelled.

- huber-morathii Petrak in Sydowia, 7, 16, 1953 on Alyssum condensatum. p. 16, Turkey

- humahuacensis Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 38, 1953 on Gom-

phrena umbellata.—Argentina.

- jackyana Gäumann nom. nov. in Sydowia, 7, p. 272, 1953. (Syn. Puccinia scorzonerae (Schum.) Jacky, non auct.).
- lorentziana Lindquist in Bol. Soc. argent.

Bot., 4, p. 170, 1952 on Zexmenia aspilioides.

-Argentina.

- marchionattoi Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 39, 1953 on Schizeilema ranunculis.-Argentina.

meloncilloi Lindquist in Bol. Soc. argent. Bot., 4, p. 171, 1952 on Solanum meloncillo.-Argentina.

peperomiae Lindquist in Rev. Fac. Agron. Ēvā Perón, 29, p. 41, 1953 on Peperomia.-Argentina.

puntana Lindquist in Bol. Soc. argent. Bot., 4, p. 171, 1952 on Wedelia comaxillaris. Brazil.

ruelliicola Lindquist in Bol. Soc. argent. Bot., 4, p. 173, 1952 on Ruellia bahiensis. Argentina.

scaevolincola Petrak in Sydowia, 7, p. 4, 1953 on Scaevola aemula.—New South Wales, Australia.

- scharifii Petrak in Sydowia, 7, p. 53, 1953 on Pycnocycla acanthorhipsis.—Iran.

singeri Lindquist in Bol. Soc. argent. Bot., 4, p. 174, 1952 on Verbesina.—Argentina.

Pucciniostele philippinensis Cummins & Thirumalachar in Mycologia, 45, p. 574, 1953 on Astilbe philippinensis.—Philippine Islands.

Pycnopeltis circinata Batista in An. IV Congr. Soc. bot. Brasil, p. 157, 1953 on leaves.

conspicua Batista in An. IV Congr. Soc. bot. Brasil, p. 159, 1953 on Myrcia.—Brazil. fuscata Batista in An. IV Congr. Soc. bot. Brasil, p. 159, 1953 on Casearia.— Brazil.

PYCNOTHYRIELLA Batista in Bol. Sec. Agric. Pernambuco, 19, p. 110, 1952.— Leptostromataceae.

discreta Batista in Bol. Sec. Agric. Pernambuco, 19, p. 110, 1952 on Myrcia.—Brazil.

Pycnothyrium philodendricola Batista in An. IV Congr. Soc. bot. Brasil, p. 140, 1953 on Philodendron imbe.—Brazil.

vismiae Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 149, 1952 on Vismia micrantha var. brasiliensis.—Brazil.

Pyrenopeziza teheranica Petrak in Sydowia, 7, p. 67, 1953 on Parietaria judaica.—Iran.

Pyrroglossum hepatizon (Berk.) Dennis in Bull. Soc. mycol. Fr., 69, p. 173, 1953. (Syn. Agaricus hepatizon Berk.).

Rhizophydium japonicum Kobayashi Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 54, 1953 on Gracillaria confervoides. Japan.

Rhodocybe pseudonitellina Dennis in Bull.

Soc. mycol. Fr., 69, p. 197, 1953.—Trinidad. Rhodophyllus luteus (Peck) A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 72, 1953. [Syn. not cited].

Rosellinia africana Saccas in Agron. trop., Nogent. 8, p. 269, 1953 on Hevea brasiliensis. —French Equatorial Africa.

- congolensis Saccas in Agron. trop., Nogent, 8, p. 271, 1953 on Hevea brasiliensis.— French Equatorial Africa.

Rozites emodensis (Berk.) Moser in Schweiz. Z. Pilzk., 31, p. 169, 1953. (Syn. Cortinarius emodensis Berk.).

Russula formosa Blum in Bull. Soc. mycol. Fr., 69, p. 59, 1953 on leaves.—France.

roseobrunnea Blum in Bull. Soc. mycol. Fr., 69, p. 64, 1953.—France.

Saccardaea atra (Desm.) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 40, 1953. (Syn. Graphium atrum Desm.).

SAKSENAEA Saksena in Mycologia, 45, p. 434, 1953.—Mucorales.

vasiformis Saksena in Mycologia, 45, p. 434, 1953 in soil.—India.

Sarcodontia crocea (Schw.) Kotlaba in Čes. Mykol., 7, p. 117, 1953. (Syn. Sistotrema croceum Schw.).

Schroeteria bremeri Petrak in Sydowia, 7, p. 14, 1953 on Veronica.—Turkey.

Scleroderma verrucosum (Vaill.) Pers. subsp. bovista (Fr.) Šebek in Sydowia, 7, p. 177, 1953. (Syn. Scleroderma bovista Fr.).

-var. fascirhizum Šebek in Sydowia, 7, p. 179, 1953.—Czechoslovakia.

var. violascens Herink apud Šebek in Sydowia, 7, p. 176, 1953.—Czechoslovakia. SCLEROPHTHORA Thirumalachar, Shaw,

& Narasimhan in Bull. Torrey bot. Cl., 80, p. 299, 1953.—Peronosporales.

macrospora (Sacc.) Thirumalachar, Shaw, & Narasimhan in Bull. Torrey bot. Cl., 80, p. 299, 1953. (Syn. Sclerospora macrospora Sacc.).

Scolecopeltis delitescens Batista in An. IV Congr. Soc. bot. Brasil, p. 129, 1953 on leaves.—Brazil.

pernambucensis Batista in An. IV Congr. Soc. bot. Brasil, p. 130, 1953 on Sorocea ilicifolia.—Brazil.

psidii Batista in An. IV Congr. Soc. bot, Brasil, p. 131, 1953 on Psidium.—Brazil. - swartziae Batista & Gayão in An. IV

Congr. Soc. bot. Brasil, p. 131, 1953 on Swartzia pickelli.—Brazil.

xylopiae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 133, 1953 on Xylopia frutescens.—Brazil.

Secotium fragariosum Cunningham in Trans. roy. Soc. S. Aust., 75, p. 14, 1952 on the ground.—Norfolk Island, Australia.

Septogloeum dalbergiae Ahmad in Sydowia, 7, p. 269, 1953 on pods of Dalbergia sissoo.

W. Pakistan.

Septonema harknessii (Ellis) Hughes in Canad. J. Bot., 31, p. 585, 1953. (Syn. Dendryphion harknessii Ellis).

- leptaleum (Ellis) Hughes in Canad. J. Bot., 31, p. 585, 1953. (Syn. Dendryphion hark. nessii var. leptaleum Ellis).

Septoria adanensis Petrak in Sydowia, 7, p. 40, 1953 on Chrysanthemum indicum. Turkey.

- calopogonii Batista & Vital in Bol. Sec. Agric. Pernambuco, 19, p. 145, 1952 on Calopogonium orthocarpum.—Brazil.

ceibae Batista in An. IV Congr. Soc. bot. Brasil, p. 139, 1953 on Ceiba pentandra. Brazil.

falcariincola Petrak in Sydowia, 7, p. 41, 1953 on Falcaria rivini.—Turkey.

gynurae Katsuki in J. Jap. Bot., 28, p. 283, 1953 on Gynura bicolor.—Japan. Seynesia serrulata (Ell. & Mart.) Petrak in

Sydowia, 7, p. 109, 1953. (Syn. Didymo. sphaeria serrulata Ell. & Mart.).

Sirodesmium peziza (Cooke & Ellis) Mason & Hughes apud Hughes in Canad. J. Bot., 31, p. 627, 1953. (Syn. Sporidesmium peziza Cooke & Ellis).

Sorosporium bonariense (Speg.) Zundel, The Ustilaginales of the World, p. 54, 1953. (Syn. Ustilago bonariensis Speg.).

eulaliae Lee Ling in Sydowia, 7, p. 155, 1953 on Eulalia trispicata.—Queensland, Australia.

monocymbii (Syd.) Lee Ling in Sydowia, 7, p. 155, 1953. (Syn. Sphacelotheca monocymbii Syd.).

nyasalandicum Lee Ling in Sydowia, 7,

p. 156, 1953 on Panicum.—Nyssaland. - taianum (Syd.) Zundel, The Ustilaginales of the World, p. 75, 1953. (Syn. Ustilago taiana Syd.).

urelytri Lee Ling in Sydowia, 7, p. 156, Urelytrium giganteum.—Anglo-1953 on Egyptian Sudan.

Sphaceloma ligulariae Kurosawa & Katsuki apud Katsuki in J. Jap. Bot., 28, p. 284, 1953 on Ligularia tussilaginea.-Japan.

yoshiianum Togashi & Katsuki apud Katsuki in J. Jap. Bot., 28, p. 284, 1953 on Carpesium cernuum.-Japan.

phacelotheca apludae (Syu.) Zunder, — Ustilaginales of the World, p. 81, 1953. (Syn. Ustilago apludae Syd.). [Non S. apludae Pavgi & Mundk. 1949, this Index, 1, p. 283.] Sphacelotheca apludae (Syd.) Zundel, The

(Hirschhorn) Zundel, Ustilaginales of the World, p. 81, 1953. (Syn.

Crozalsiella argentina Hirschhorn).

- consimilis Thirumalachar & Pavgi in Sydowia, 7, p. 100, 1953 on Saccharum munja.—India.

- eleocharidis Thirumalachar & Pavgi in

Sydowia, 7, p. 99, 1953 on Eleocharis.—India.

_koordersiana (Bref.) Zundel, The Ustilaginales of the World, p. 96, 1953. (Syn. Ustilago koordersiana Bref.).

Sphaerognomonia mangiferae Batista in An. IV Congr. Soc. bot. Brasil, p. 141, 1953 on Mangifera indica.—Brazil.

sizygii Batista in An. IV Congr. Soc. bot. Brasil, p. 141, 1953 on Syzygium jambolanum.

Sphaerographium anomalum da Camara & de Vasconcelos in Agron. lusit., 14, p. 256, 1952 on Lonicera implexa.—Portugal.
Spilocaea eriobotryae (Cav.) Hughes in

Canad. J. Bot., 31, p. 563, 1953. Basiascum eriobotryae Cav.).

oleaginea (Cast.) Hughes in Canad. J. Bot., 31, p. 564, 1953. (Syn. Cycloconium oleagineum Cast.).

SPIROSPHAERA van Beverwijk in Trans. Brit. mycol. Soc., 36, p. 120, 1953.—Moni-

floriforme van Beverwijk in Trans. Brit. mycol. Soc., 36, p. 121, 1953 on dead leaves

in water.-Holland.

Spondylocladium obovatum (Cooke & Ellis) Hughes in Canad. J. Bot., 31, p. 634, 1953. (Syn. Acrothecium obovatum Cooke & Ellis).

Sporidesmium densum (Sacc. & Roum.) Mason & Hughes apud Hughes in Canad. J. Bot., 31, p. 618, 1953. (Syn. Helminthosporium densum Sacc. & Roum.).

folliculatum (Corda) Mason & Hughes apud Hughes in Canad. J. Bot., 31, p. 609, 1953. (Syn. Helminthosporium folliculatum Corda).

*Sporotrichum(?) sanguineum Ramirez Gomez in Rev. Mycol., Paris, 17, p. 214, 1952 from tanning liquid.—France.

Stagonospora alliina (Woronich.) Petrak in Sydowia, 7, p. 75, 1953. (Syn. Septoria allima Woronich.).

-californica Petrak in Sydowia, 7, p. 123,

1953 on Juncus.—California, U.S.A.
—citrorum Petrak in Sydowia, 7, p. 76, 1953

on Citrus.-Iran. -recedens (Massal.) Jones & Weimer forma trifolii-alexandrini Ciccarone in Ann. Sper. agr., N.S., 7, p. 471, 1953 on Trifolium alexandrinum.—Italy. [Correction of entry in this Index, 2, p. 109]. Stephanospora penangensis Corner & Hawker in Transa Paris 1997.

Hawker in Trans. Brit. mycol. Soc., 36, p.

130, 1953.—Malaya.

Stigmatea byrsonimae Batista & Gayão in An. IV Congr. Soc. bot. Brasil, p. 138, 1953 on Byrsonima sericea.—Brazil. Streptothrix globosa (Schw. ex Fr.) Hughes

in Canad. J. Bot., 31, p. 606, 1953. (Syn. Trichoderma globosum Schw. ex Fr.).

Stromatographium dispergens Batista in Bol. Sec. Agric. Pernambuco, 19, p. 143, 1952 on stems.—Brazil.

Stysanus fuscus (Corda) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 31, 1953. (Syn. Periconia fusca Corda).

phillipsii (Berk. & Leighton) Mason & M. B. Ellis in Mycol. Pap., C.M.I., 56, p. 40, 1953. (Syn. Periconia phillipsii Berk. & Leighton).

purpureofuscus (Fr.) Hughes in Canad. J. Bot., 31, p. 615, 1953. (Syn. Aspergillus purpureofuscus Fr.).

Synchytrium ampelocissi Mishra in Curr. Sci., 22, p. 152, 1953 on Ampelocissus latifolia.-India.

- marsileae Lodhi apud Ahmad & Lodhi in Sydowia, 7, p. 266, 1953 on Marsilea minuta. W. Pakistan.

Teichospora albulae Müller in Sydowia, 7, p. 279, 1953 on trunk of Alnus viridis.-Switzerland.

- scharifii Petrak in Sydowia, 7, p. 64, 1953 on Quercus brandtii.—Iran.

Thaxteriella pezizula (Berk. & Curt.) Petrak in Sydowia, 7, p. 110, 1953. (Syn. Sphaeria pezizula Berk. & Curt.).

Thecaphora apicis Savile in Canad. J. Bot., 31. p. 664, 1953 on Carex pyrenaica.—B.C., Canada.

- burkartii Lindquist in Notas Mus. Eva Perón, 16, p. 112, 1953 on Elvira biflora.— Bolivia.

Thraustochytrium globosum Kobayashi & Ookubo in Bull. nat. Sci. Mus. Tokyo 33, p. 60, 1953 on marine Ulothricales.—Japan.

Thyridaria heveae Saccas in Agron. trop., Nogent, 8, p. 275, 1953 on Hevea brasiliensis. -French Équatorial Africa.

Thyrostroma halimodendri Petrak in Sydowia, 7, p. 77, 1953 on Halimodendron halodendron.—Iran.

Thyrostromella negundinis (Berk. & Curt.) Hughes in Canad. J. Bot., 31, p. 619, 1953. (Syn. Coryneum negundinis Berk. & Curt.).

- pedunculata (Ell. & Everh.) Hughes in Canad. J. Bot., 31, p. 619, 1953. (Syn. Brachysporium pedunculatum Ell. & Everh.).

- sambucina (Ell. & Everh.) Hughes in Canad. J. Bot., 31, p. 619, 1953. (Syn. Coryneum sambucinum Ell. & Everh.).

Tilachlidium setigerum Malençon in Bull. Soc. Hist. nat. Afr. N., 44, p. 148, 1953 on old Xeromphalina campanella.—Morocco.

Tilletia apludae Thirumalachar & Mishra in Sydowia, 7, p. 81, 1953 on Apluda aristata. India.

-biharica Thirumalachar & Pavgi in Sydowia, 7, p. 101, 1953 on Panicum.— India.

hyparrheniae Lee Ling in Sydowia, 7, p. 151, 1953 on Hyparrhenia subplumosa.— Sierra Leone.

- themedicola Mishra & Thirumalachar in Sydowia, 7, p. 82, 1953 on Themeda quadrivalvis.—India.

Trematosphaeria daphnes Petrak Sydowia, 7, p. 65, 1953 on Daphne angustifolia.—Iran.

Trichopeziza abietina Grelet in Rev. Mycol., Paris, 18, p. 38, 1953 on wood.—France.
- viridula Grelet in Rev. Mycol., Paris, 18,

p. 35, 1953 on wood.—France.

Trichoscyphella hahniana (Seaver) Manners in Trans. Brit. mycol. Soc., 36, p. 364, 1953. (Syn. Lachnella hahniana Seaver).

Trichosporon merulioides Kobayashi in Bull. nat. Sci. Mus. Tokyo 33, p. 40, 1953 on Kalopanax ricinifolium var. typicum. Japan.

neofermentans Kobayashi in Bull. nat. Sci. Mus. Tokyo 33, p. 42, 1953 from exudation of a tree.—Japan.

(Corda) Trimmatostroma betulinum Hughes in Canad. J. Bot., 31, p. 628, 1953. (Syn. Coniothecium betulinum Corda).

Tritirachium hydnicola (Peck) Hughes in Canad. J. Bot., 31, p. 604, 1953. (Syn. Virgaria hydnicola Peck).

Tuburcinia oblonga Massenot in Rev. Mycol.,

Paris, 18, p. 53, 1953 on Allium vineale -France.

Uleomyces guianensis (Stev. & Weedon) Thirumalachar & Jenkins in Mycologia, 45, p. 783, 1953. (Syn. Kusanoopsis guianensis Stev. & Weedon).

pritzelianus (P. Henn.) Thirumalachar & Jenkins in Mycologia, 45, p. 783, 1953. (Syn. Myriangium pritzelianum P. Henn.).

purpurascens (Rehm) Thirumalachar & Jenkins in Mycologia, 45, p. 785, 1953. (Syn. Ascomycetella purpurascens Rehm). Uredo sleumeri Lindquist in Bol. Soc. argent.

Bot., 4, p. 169, 1952 on Nassauvia darwinii.-Argentina.

Urocystis agrostidis (Lavrov) Zundel, The Ustilaginales of the World, p. 307, 1953. (Syn. Tuburcinia agrostidis Lavrov).

- andina (Speg.) Zundel, The Ustilaginales of the World, p. 308, 1953. (Syn. Urocystis

anemones var. andina Speg.).
- atragenes (Liro) Zundel, The Ustilaginales of the World, p. 310, 1953. (Syn. Turbucinia atragenes Liro).

-atropidis (Lavrov) Zundel, The Usti-laginales of the World, p. 311, 1953. (Syn. Tuburcinia atropidis Lavrov).

avenae-elatioris (Kochman) Zundel, The Ustilaginales of the World, p. 311, 1953. (Syn. Tuburcinia avenae-elatioris Kochman).

- bromi (Lavrov) Zundel, The Ustilaginales of the World, p. 312, 1953. (Syn. Tuburcinia bromi Lavrov)

calamagrostidis (Lavrov) Zundel, The Ustilaginales of the World, p. 312, 1953. (Syn. Tuburcinia calamagrostidis Lavrov).

- castellana (Fragoso) Zundel, The Ustilagi-nales of the World, p. 313, 1953. (Syn. Tuburcinia castellana Fragoso).

-dactylidina (Lavrov) Zundel, The Ustilaginales of the World, p. 314, 1953. (Syn. Tuburcinia dactylidina Lavrov).

- eriospermi (Syd.) Zundel, The Ustilagi-nales of the World, p. 315, 1953. (Syn. Tuburcinia eriospermi Syd.).

- ferrarisiana (Cif.) Zundel, The Ustilagi-nales of the World, p. 316, 1953. (Syn. Tuburcinia ferrarisiana Cif.).

hispanica (Syd.) Zundel, The Ustilaginales of the World, p. 320, 1953. (Syn. Tuburcinia hispanica Syd.).

-hordei (Cif.) Zundel in Fischer, The Smut Fungi, p. 110, 1951. (Syn. Tuburcinia hordei Cif.).

- japonica (P. Henn.) Zundel, The Ustilaginales of the World, p. 322, 1953. (Syn.

Urocystis anemones var. japonica P. Henn.).
- komarovii (Lavrov) Zundel, The Ustilaginales of the World, p. 323, 1953. (Syn. Tuburcinia komarovii Lavrov).

-lagerheimii Bub. var. obscura (Liro) Zundel, The Ustilaginales of the World, p. 323, 1953. (Syn. Tuburcinia lagerheimii var. obscura Liro).

- littoralis (Lagerh.) Zundel, The Ustilaginales of the World, p. 325, 1953. (Syn. Urocystis fischeri var. littoralis Lagerh.).

-melicae (Lagerh.) Zundel, The Ustilaginales of the World, p. 326, 1953. (Syn. Tuburcinia melicae Lagerh.).

- murashinskyi (Cif.) Zundel, The Ustilagi-nales of the World, p. 327, 1953. (Syn. Tuburcinia murashinskyi Cif.).

muscaridis (Niessl) Žundel, The Ustilagi-

nales of the World, p. 327, 1953. (Syn. Polycystis colchici var. muscaridis Niessl). - nivalis (Liro) Zundel, The Ustilaginales of the World, p. 327, 1953. (Syn. Tuburcinia

nivalis Liro).

novae-zealandiae (G. H. Cunn.) Zundel, The Ustilaginales of the World, p. 328, 1953, (Syn. Tuburcinia novae-zealandiae G. H. Cunn.).

- pacifica (Lavrov) Zundel, The Ustilaginales of the World, p. 330, 1953. (Syn. Tuburcinia

pacifica Lavrov).

- polygonati (Lavrov) Zundel, The Ustilagi. nales of the World, p. 330, 1953. (Syn. Tuburcinia polygonati Lavrov).

ranunculi-bullati (Cif.) Zundel, The Ustilaginales of the World, p. 331, 1953. (Syn. Tuburcinia ranunculi-bullati Cif.).

ranunculi-lanuginosi (DC.) Zundel, The Ustilaginales of the World, p. 332, 1953. (Syn. Uredo ranunculacearum var. lanuginosi DC.).

-rigida (Liro) Zundel, The Ustilaginales of the World, p. 332, 1953. (Syn. Tuburcinia rigida Liro).

-rodgersiae (Miyabe) Miyabe ex Zundel, The Ustilaginales of the World, p. 332, 1953. (Syn. Tuburcinia rodgersiae Miyabe).

- roivaianenii (Liro) Zundel, The Ustilaginales of the World, p. 332, 1953. (Syn. Tuburcinia roivaianenii Liro).

- schizocaulon (Ces.) Zundel, The Ustilagi. nales of the World, p. 332, 1953. (Syn. Sorosporium schizocaulon Ces.).

scillae (Cif.) Zundel, The Ustilaginales of the World, p. scillae Cif.]. 333, 1953. [Syn. Tuburcinia

- subnuda (Liro) Zundel, The Ustilaginales of the World, p. 334, 1953. (Syn. Tuburcinia subnuda Liro).

- tessellata (Liro) Zundel, The Ustilaginales of the World, p. 334, 1953. (Syn. Tuburcinia tessellata Liro).

- tranzscheliana (Lavrov) Zundel, The Ustilaginales of the World, p. 335, 1953, (Syn. Tuburcinia tranzscheliana Lavrov).

-triseti (Cif.) Zundel, The Ustilaginales of the World, p. 335, 1953. (Syn. Tuburcinia triseti Cif.).

Urohendersonia stipae Greene in Trans. Wis. Acad. Sci. Arts Lett., 42, p. 77, 1953 on Stipa spartea.—Wisconsin, U.S.A.

Uromyces correntinus Lindquist in Bol. Soc. argent. Bot., 4, p. 169, 1952 on Rhynchospora tenuis.—Argentina.

euphorbiae-sylvaticae (DC.) Jørstad in Nytt Mag. Bot., 1, p. 73, 1952. (Syn. Endophyllum euphorbiae-sylvaticae (DC.) Wint.).

gaubae Petrak in Sydowia, 7, p. 5, 1953 on Caltha introloba.—New South Wales, Caltha introloba.—New Australia.

lentincola Petrak in Sydowia, 7, p. 55, 1953 on Lens esculenta.—Iran.

- striatus Schroet. var. pisi Dupias in Bull. Soc. mycol. Fr., 69, p. 231, 1953 on Pisum.-France.

Ustilago andropogonis-tectorum Ling in Sydowia, 7, p. 152, 1953 on Andropogon tectorum.—Sierra Leone.

anomala Kunze var. cordai (Liro) Savile in Canad. J. Bot., 31, p. 669, 1953. (Syn. Ustilago cordai Liro).

-var. tovarae Savile in Canad. J. Bot., 31, p. 670, 1953 on Polygonium virginianum. -Quebec, Canada.

_bullata Berk. var. macrospora (Farl.) G. W. Fischer, Manual of the North American Smut Fungi, p. 250, 1953. Syn. Ustilago bromivora (Tul.) Fisch. v. Waldh. var. macrospora Farl.).

-caricis-wallichianae Thirumalachar & Pavgi in Sydowia, 7, p. 98, 1953 on Carex

wallichiana.-India.

cilinodis Savile in Canad. J. Bot., 31, p. 670, 1953 on Polygonum cilinode.—New York State, U.S.A.

(Komarov) Zundel, — commelinae Ustilaginales of the World, p. 151, 1953. (Syn.

Tilletia commelinae Komarov).

crus-galli Tracy & Earle var. minor Zundel, The Ustilaginales of the World, p. 1953 on Echinochloa holubii.—S. Africa.

deformis Lee Ling in Sydowia, 7, p. 152, 1953 on Sporobolus patulus.—Sierra Leone.

-delicata Lee Ling in Sydowia, 7, p. 153, 1953 on Tricholaena delicatula.—Belgian Congo.

_liroae Zundel nom. nov., The Ustilaginales of the World, p. 175, 1953. (Syn. Ustilago dubiosa Liro 1938, non Speg. 1881).

-polygoni-punctati Savile nom. nov. in Canad. J. Bot., 31, p. 670, 1953. (Syn. Ustilago microspora (Speg.) Liro, non Schroet. & Henn.).

-rhynchelytri Lee Ling in Sydowia, 7, p. 153, 1953 on Rhynchelytrum repens.—Nyasa-

land.

*_shastenis Zundel, The Ustilaginales of the World, p. 201, 1953 on Polygonum shastense. —California, U.S.A.
— sonoriana Zundel in G. W. Fischer, Manual

of the North American Smut Fungi, p. 295, 1953 on Muhlenbergia dumosa.—Mexico.

-sorghi-stipoidei Lee Ling in Sydowia, 7, 154, 1953 on Sorghum stipoideum.p. 154, 1955 on Sorgin Northern Territory, Australia.

-spinulosa Lee Ling in Sydowia, 7, p. 154,

1953 on Sporobolus patulus.—Sierra Leone. -tucumanensis (Hirschhorn) Zundel, The Ustilaginales of the World, p. 182, 1953. (Syn. Ustilago muhlenbergiae P. Henn. var. tucumanensis Hirschhorn).

-violacea (Pers.) Roussel var. stellariae (Sow.) Savile in Canad. J. Bot., 31, p. 674, 1953. (Syn. Farinaria stellariae Sow.).

VALDENSINIA Peyronel in Nuovo G. bot. ital., N.S., 59, p. 184, 1953.—Sclerotiniaceae. -heterodoxa Peyronel in Nuovo G. bot. ital., N.S., 59, p. 184, 1953 on Vaccinium myrtillus. -Europe. Stat. conid., Valdensia heterodoxa

Valsa eugeniae Nutman & Roberts in Trans. Brit. Mycol. Soc., 36, p. 229, 1953 on Eugenia

aromatica.-Zanzibar.

VELOMYCENA Pilát in Schweiz, Z. Pilzk., 31, p. 175, 1953.—Agaricaceae.

pallida Pilát in Schweiz. Z. Pilzk., 31, p. 175, 1953 in Fagus woods.—Bohemia.

VELUTARINA Korf nom. nov. in Mycologia, 45, p. 476, 1953. (Syn. Velutaria sensu

-rufo-olivacea (Alb. & Schw. ex Fr.) Korf in Mycologia. 45, p. 476, 1953. (Syn. Peziza rufo-olivacea Alb. & Schw. ex Fr.).

VERTICICLADIELLA Hughes in Canad. J. Bot., 31, p. 653, 1953.—Hyphomycetes.

abietina (Peck) Hughes in Canad. J. Bot., 31, p. 653, 1953. (Syn. Sporocybe abietina Peck).

Verticillium tricorpus Isaac in Trans. Brit. Mycol. Soc., 36, p. 194, 1953 on Lycopersicon esculentum.—England.

Virgaria lignatilis (Schw.) Hughes in Canad. J. Bot., 31, p. 603, 1953. (Syn. Cladosporium lignatile Schw.).

VIRGARIELLA Hughes in Canad. J. Bot., 31, p. 653.—Hyphomycetes. Type

atra Hughes in Canad. J. Bot., 31, p. 654, 1953 on dead Fraxinus excelsior.—England.

fusca (Cooke) Hughes in Canad. J. Bot., 31, p. 654, 1953. (Syn. Haplaria fusca Cooke).

- globigera (Sacc. & Ell.) Hughes in Canad. J. Bot., 31, p. 654, 1953. (Syn. Virgaria globigera Sacc. & Ell.).

WAKEFIELDIA Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 130, 1953.—Gastero-

striaespora Corner & Hawker in Trans. Brit. mycol. Soc., 36, p. 130, 1953.—Singa-

Xeromphalina fraxinophila A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 79, 1953 on wood.-Michigan, U.S.A.

fulvipes (Murr.) A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 85, 1953. (Syn. Gymnopus fulvipes Murrill).

kauffmanii A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 81, 1953 on wood.— Michigan, Ú.S.A.

picta (Fr.) A. H. Smith in Pap. Mich. Acad. Šci., 38, p. 76, 1953. (Syn. Agaricus pictus Fr.).

- tenuipes (Schw.) A. H. Smith in Pap. Mich. Acad. Sci., 38, p. 84, 1953. (Syn. Agaricus tenuipes Schw.).

Xerula verruculosa Singer in Rev. Mycol., Paris, 18, p. 6, 1953 on wood.—Argentina.

Zythia psidii Batista in An. IV Congr. Soc. bot. Brasil, p. 83, 1953 on Psidium guajava. -Brazil.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names.

ACANTHACEAE Peristrophe bicalyculata Cercospora peristrophes Ruellia bahiensis Puccinia ruelliicola ACERACEAE

Calospora aceris

Acer

Lophiostoma persicum AIZOACEAE ${\bf Mesembry anthemum}$ Dichomera heterospora Phomatospora stroggylospora Phomopsis mastoidea

Aceraceae (continued)

Acer cinerascens

ALGAE

Cladophora japonica Catenochytridium carolinianum forma mari-

Chytridium lagenaria var. japonense Myzocytium proliferum forma marinum Phlyctochytrium marinum

Gracillaria confervoides Japonochytrium marinum Rhizophydium japonicum

Oedogonium Micromycopsis oedogonii

Ulothricales

Thraustochytrium globosum

ALISMACEAE

Echinodorus floribundus $Phyllosticta\ echinodoricola$

AMARANTHACEAE

Alternanthera sessilis Phyllosticta alternantherae Gomphrena umbellata

Puccinia humahuacencis

ANACARDIACEAE

Anacardium occidentale $Balladynastrum\ anacardii$ Phyllosticta anacardicola

Mangifera indica Actinodochium jenkinsii $As cochyta\ mangiferae$ Didymella mangiferae Phyllosticta mangiferae Phyllosticta mangifericola Phyllostictina mangiferae Sphaerognomonia mangiferae

Pistacia Haplosporella pistaciarum

Tapirira guianensis Chaetothyrium tapirirae Thyrsodium

Meliola cupaniae-major Annonaceae

Annona marckgravii Calothyriopeltis anonae Gloeosporium anonae $Phyllosticta\ anonarum$

Annona muricata Phyllostictina anonicola Polyalthia longifolia Phyllachora tetraspora Xylopia frutescens

Scolecopeltis xylopiae APOCYNACEAE

Aspidosperma pyrifolium Phyllosticta aspidospermatis

Carissa carandas Colletotrichum inamdarii Rejoua dichotoma Čercospora rejouae

Tabernaemontana coronaria Cercospora tabernaemontanae

APONOGETONACEAE Aponogeton undulatus Physoderma aponogetonis

AQUIFOLIACEAE Ilex paraguayensis Pleospora ilicis

Ilex verticillata Phomopsis oxyspora ARACEAE

Caladium bicolor Phyllosticta caladii Philodendron imbe Actinopeltis philodendri

Micropeltella philodendricola Phyllosticta philodendricola

Araceae (continued) Philodendron imbe Pycnothyrium philodendricola Pothos scandens Colletotrichum cylindricum ?Xanthosoma Aecidium dubitabile ARALIACEAE Aralia

Aralia racemosa Alternaria araliae Kalopanax ricinifolium var. typicum Trichosporon merulioides

 $Botryodiplodia\ sphaerospora$

Polyscias gneifoylei ${P}hyllost{i}cta$ $p{o}lysciatis$

ARMARYLLIDACEAE

 $My cosphaerella\ melanorhabdos$

BEGONIACEAE Begonia gracilis Colletotrichum begoniae BETULACEAE Alnus viridis

Teichospora albulae Carpinus betulus Lentinellus pilati

BIGNONIACEAE Tabebuia ipe Irenina tabebuiae Phyllosticta tabebuiae

BOMBACACEAE Bombax insigne Phragmothyrium confusum Phyllosticta bombacis Ceiba pentandra Septoria ceibae

BORAGINACEAE Cordia nodosa Bulgariastrum cordiae Dictyothyrium brunnei $Lembosia\ cordearum$

BROMELIACEAE Bromelia Phyllosticta bromeliicola BURSERACEAE

Protium heptaphyllum Irenina protiicola Melophia protii

CAMPANULACEAE Campanula tubulosa Didymella aegaea CAPPARIDACEAE Cadaba indica Cercospora cadabae

Capparis spinosa Coniothyrium karelii

Hendersonia capparidincola Caprifoliaceae Lonicera

Mycosphaerella nuristanica Lonicera implexa Sphaerographium anomalum Viburnum tinum

Microdiplodia bessey CARYOPHYLLACEAE

Dianthus Peronospora dianthicola

CASUARINACEAE Casuarina

Haplosporella casuarinae

Carex

CHENOPODIACEAE
Arthroenemum arbuscula
Aecidium gaubae
Atriplex halimus
Macrophyllosticta atriplicis
COMBRETACEAE
Buehenavia capitata

COMBRETACEAE
Buchenavia capitata
Meliola buchenaviae
Pezolepis buchenavicola

COMPOSITAE
Aster alpinus
Entyloma asteris-alpini
Brachycome

Aecidium brachycomes
Carpesium cernuum
Sphaceloma yoshiiana

Chrysanthemum
Colletotrichum dahliae
Chrysanthemum indicum

Septoria adanensis
Dahlia
Colletotrichum dahliae
Echinops

Echinops

Ectostroma echinopis

Elvira biflora

Thecaphora burkartii
Eupatorium clematideum
Aecidium approximans
Eupatorium viscidum

Puccinia bruchiana
Gerbera jamesoni
Phyllosticta gerbericola
Gynura bicolor

Septoria gynurae
Leontodon autumnalis
Entyloma leontodontis
Ligularia tussilaginea
Sphaceloma ligulariae

Nassauvia darwinii
Uredo sleumeri
Stevia effusa
Aecidium tumbayense

Tridax procumbens Cercospora tridacis-procumbentis

Verbesina
Puccinia singeri
Wedelia comaxillaris
Puccinia puntana
Willemetia bulbosa
Puccinia gorganensis

Zexmenia aspilioides
Puccinia lorentzianae
Coniferae

Araucaria brasiliana
Phoma araucariicola
Pinus cembra
Phragmonaevia gigaspora

Pinus nigra var. austriaca
Phomatosphaeropsis pinicola

Pseudotsuga taxifolia

Endoconidiophora coerulescens forma douglasii

CORNACEAE
Cornus mas
Peniophora pilatiana
CRASSULACEAE

Sedum Mycosphaerella edelbergii Cruciferae

Alyssum condensatum
Puccinia huber-morathii
Brassica oleracea

Dothiorella brassicae Draba oxycarpa Haplosporella syriaca CYCADACEAE
Encephalartos barteri
Pestalotiopsis guepini var. major
CYPERACEAE

Periconia laminella
Carex lacustris
Colletorichum madisonense
Carex pyrenaica
Thecaphora apicis

Carex riparia

Periconia paludosa

Carex wallichiana

Listinga eggisia angli

Ustilago caricis-wallichianae

Cyperus articulatus
Pestalotiopsis hughesii
Cyperus bulbosus
Phytophthora cyperi-bulbosi
Cyperus rotundus

Phaeopeltis cyperi Eleocharis Sphacelotheca eleocharidis Rhynchospora tenuis Uromyces correntinus

Cromyces correntinu
Scirpus
Curvularia indica
Scirpus acutus
Cercoseptoria scirpi

DILLENIACEAE
Davilla rugosa
Asterina davillae var. major
DIOSCOREACEAE
Dioscorea
Aecidium dioscoreae
Dioscorea quinqueloba

Cercospora hiratsukana
DIPTEROCARPACEAE
Shorea robusta
Macrophoma shoreae

ERICACEAE
Pieris japonica
Nectria hakonensis
Vaccinium myrtillus
Valdensinia heterodoxa
ERYTHROXYLACEAE

Erythroxylum
Meliola erythroxylifolii
Erythroxylum pelletieranum
Dictyopeltis erythroxylii
EUPHORBIACEAE

Aleurites montana
Mycosphaerella websteri
Euphorbia
Phyllostictina euphorbiae
Euphorbia gymnoclada
Phoma gymnocladae
Glochidion
Arthuria glochidionis
Hevea brasiliensis

Didymella heveana
Leptosphaeria heveae
Mycosphaerella heveicola
Phoma heveicola
Phyllosticta heveana
Phyllosticta heveicola
Physalospora heveicola
Pleosphaerulina heveae
Rosellinia africana
Rosellinia congolensis
Thyridaria heveae
Jatropha hieronymii
Aecidium jatrophicola

EUPHORBIACEAE (continued)
Pera ferruginea
Asterina perae
Fusidomus pulchellus

FAGACEAE
Castanea vesca
Phyllosticta castaneperda
Fagus sylvatica
Bactrodesmium masonii
Periconia cambrensis
Nothofagus pumilio
Pholiota megalosperma

Thotala megalosperma
Quercus
Cylindrocarpon janthothele f. quercinum
Nectria flavoviridis f. macrospora
Nectria rubi f. quercina
Pseusoplectania kumaonensis
Quercus brandtii
Teichospora scharifii

FLACOURTIACEAE
Casearia
Asterinema caseariae
Pycnopeltis fuscata
FUNGI
Meliola
Arthrobotryum noz-moscatae
Platychora ulmi
Leptosphaeria platychorae
Pycnopeltis conspicua

Domingoella pycnopeltarum Xeromphalina campanella Tilachlidium setigerum GERANIACEAE Geranium tuberosum

Puccinia geranii-tuberosi
Goodeniaceae
Scaevola aemula
Puccinia scaevolincola
GRAMINEAE

Andropogon tectorum

Ustilago andropogonis-tectorum

Apluda aristata

Tilletia apludae

Aristido appuidae

Tilletia apludae
Aristida marginalis
Meliola aristidae
Arthroxon

Melanotaenium brachiariae var. arthraxonis Axonopus scoparius Phyllogiata gameni

Phyllosticta axonopi
Bambusa arundinacea
Phyllosticta bambusinifolia
Coix lacryma-jobi
Phyllosticta coicis-lacrimae
Cymbopogon nardus
Phyllosticta cymbopogonis
Echinochloa holubii
Ustilago crus-galli var. minor
Echinochloa polystachya
Periconiella echinochloae
Eulalia trispicata

Sorosporium eulaliae
Glyceria maxima
Periconia glyceriicola
Hyparrhenia subplumosa
Tilletia hyparrheniae
Muhlenbergia dumosa
Ustilago sonoriana
Panicum

Sorosporium nyasalandicum Tilletia biharica Rhynchelytrum repens Ustilago rhynchelytri Saccharum munja Sphacelotheca consimilis

GRAMINEAE (continued) Saccharum officinarum Phyllosticta sacchari-major Secale Puccinia coronata f.sp. secalis Sorghum stipoideum Ustilago sorghi-stipoidei Spartina pectinata Cylindrosporium interstitiale Sporobolus patulus Ustilago deformis Ustilago spinulosa Stenotaphrum secundatum $Phyllosticta\ stenotaphricola$ Stipa spartea . Ūrohendersonia stipae Themeda quadrivalvis Tilletia themedicola Tricholaena delicatula Ustilago delicatus Urelytrum giganteum Sorosporium urelytri Zea mays Phyllosticta zeae Zizania aquatica Cercospora zizaniae GUTTIFERAE Clusia

HYPERICACEAE Vismia micrantha var. brasiliensis Pycnothyrium vismiae

IRIDACEAE
Gladiolus cardinalis
Phyllosticta gladioli-minor
Gladiolus communis
Phyllosticta gladioloides

Lembosia clusiae

Juncaceae Juneus Stagonospora californica

Labiatae
Leucas mollissima
Cercospora leucadis
Prunella vulgaris
Plectospira agama
Scutellaria brevibracteata
Leptosphaeria davisiana
LAURACEAE
Cassytha filiformis

Bitan informs
Bitancourtia cassythae
Cinnamomum zeylanicum
Elachopeltis cinnamomi
Melophia cinnamomi
Phyllosticta cinnamomi-zeylanici
Ocotea gardneri
Microthyriella ocoteae
Persea gratissima
Phyllosticta persearum
Sassafras
Leptomassaria americana

LECYTHIDACEAE
Eschweilera luschnatii
Lopadiopsis lichenicola
Phyllosticta eschweilerae
LEGUMINOSAE
Acacia villosa

Acacia villosa
Camptomeris martynii
Astragalus
Mycosphaerella afghanica
Bauhinia
Micropeltis bauhiniae

LEGUMINOSAE (continued) Calopogonium orthocarpum Calopogonium orthocarpum Septoria calopogonii Calopogonium velutinum Phyllostica calopogoniorum Cassia bacillaris

Irenina cassiicola

Cassia Myiocopron cassiicola Chamaecrista brachiana Haplosporella chamaecristae

Cytisus lusitanicus Dichomera inclusa Cytisus multiflorus

Didynosphaeria polytrichospora Dalbergia sissoo

Septogloeum dalbergiae Desmodium buergeri Helminthosporium desmodii

Gliricidia sepium Fenestella cubensis Goebelia

Phyllosticta goebeliae Halimodendron halodendron Thyrostroma halimodendri

Inga edulis Phyllosticta ingae-edulis

Lens esculenta Fusarium orthoceras var. lentis Uromyces lentincola

Machaerium Phomopsis machaeriicola Pisum

Uromyces striatus var. pisi Pithocellobium unguis-cati Camptomeris floridana

Pueraria thunbergiana Phyllosticta puerariae Rhynchosia minima

Čercospora rhynchosiae-minimae Salvia

Ovularia iranica Swartzia pickelli Microthyriella swartziae

Phyllosticta swartziae Scolecopeltis swartziae Trifolium pratense

Leptodiscus terrestris Vicia sativa Colletotrichum sativum

LILIACEAE Allium cepa Botryotinia squamosa Allium vineale

Tuburcinia oblonga Asparagus albus Cucurbitaria asparagi Sansevieria

Phyllosticta sansevierae LOASACEAE

Touteria multicaulis Pleospora clementsii LYTHRACEAE

Lafoensia glyptocarpa Asterina lafoensiae

MALPIGHIACEAE Byrsonima cocolobifolia Morenoina byrsonimae Byrsonima sericea Stigmatea byrsonimae MELIACEAE

Melia azedarach Ascochytella meliae Haplosporella meliae MORACEAE Artocarpus communis Didymosphaeria oliveirana Artocarpus incisa

Phyllosticta artocarpicola Cannabis sativa Didymella arcuata

Cecropia peltata Periconia cecropiae Ficus carica

Pellicularia filamentosa f. sp. timsii Ficus doliaria

Phyllosticta doliariae Phyllosticta doliariicola

Humulus lupulus Pleospora petrakii Maclura aurantiaca Mattirolia maclurae

Sorocea Micropeltis soroceae

Sorocea ilicifolia Leptothyrium discretum Meliola soroceana Micropeltella discreta Scolecopeltis pernambucensis MORINGACEAE

Moringa oleifera Cercospora moringae MUSACEAE

Heliconia angustifolia $Phyllosticta\ dardanoi$ Phyllosticta heliconiicola Musa

 $Phaeosaccardinula\ musicola$ MYRTACEAE

Echidnodes myrtaceicola Eugenia aromatica Valsa eugeniae

Eugenia lucida Asterina lucida Jambosa malaccensis Gloeosporium jambosae Phyllosticta jambosae

Myrcia Pycnopeltis conspicua Pycnothyriella discreta

Psidium Scolecopeltis psidii

Psidium araca Phyllosticta aracicola Psidium guajava Placosphaeria guajavae Zythia psidii

Syzygium jambolanum Phyllosticta sizygii Sphaerognomonia sizygii

Boerhaavia diffusa $Cercospora\ boerhaavicola$ Mirabilis jalapa Phyllosticta mirabilis Nymphaeaceae Nelumbium speciosum

NYCTAGINACEAE

Physodermā nelumbii

Virgariella atra

OCHNACEAE Phyllachora kambakkamensis OLACACEAE Ximenia americana Irenina ximeniae OLEACEAE Fraxinus excelsior

OLEACEAE (continued)
Jasminum grandiflorum
Phyllosticta jasminensis
OXALIDACEAE
Averrhoa carambola
Colletotrichum averrhoae
Hypseocharis pimpinellifolia
Aecidium hypseocharidis

Palmae
Borassus aethiopum
Pestalotiopsis angusta
Cocos nucifera
Curvularia palmarum
Cytosporina cocoës
Dimeriellopsis cocoicola
Phyllostictina cocoicola
Guillielma speciosa
Phyllosticta guillielmicola
Mauritia vinifera
Phoenix dactylifera
Brachysporiella gayana
Sabal palmetto
Metasphaeria apiosporoides

PAPAVERACEAE
Hypecoum
Peronospora hypecoi
PASSIFLORACEAE
Passiflora edulis
Phyllosticta passiflori

Phyllosticta passiflorimaculans
Phytolaccaceae
Petiveria alliacea

Phyllosticta petiveriae
PIPERACEAE
Peperomia
Puccinia peperomiae
PLATANACEAE

Platanus occidentalis
Leptosphaeria platanicola

Polygonaceae
Coccoloba paniculata
Lembosia coccolobicola
Polygonum cilinode
Ustilago cilinodis
Polygonum shastense
Ustilago shastensis

Polygonum virginianum
Ustilago anomala var. tovarae
Rumex acetosella
Pletosvira algaicanda

Plectospira plagiocaula
PORTULACACEAE
Aecidium saltense

PTERIDOPHYTA
Marsilea minuta
Synchytrium marsileae
Polypodium phyllitidis
Phyllosticta polypodiorum

RANUNCULACEAE
Celtha introloba
Uromyces gaubae
RHAMNACEAE
Rhamnus
Microdiplodia rhamnincola
ROSACEAE

Moquilea tomentosa
Phyllosticta moquileae
Phyllosticta moquilearum

Prunus persica
Ophiostoma persicinum
Pyracantha
Helminthosporium pyracanthae

Pyrus malus

Phoma rubefaciens

Rosaceae (continued) Cercospora rosigena Rubus idaeus Colletotrichum rubi Sieversia reptans Pleospora sieversiae Sorbus aucuparia $Pleospora\ clavispora$ RUBIACEAE Galium mollugo $Pleospora\ galiorum$ Galium verum Pleospora galii Genipa americana $Phyllosticta\ genipae$ Vangueria spinosa Biharia vangueriae RUTACEAE Citrus

Citrus
Stagonospora citrorum
Fagara

Leptothyrium fagarae Macrophyllosticta fagarae

Salicaceae
Populus simonii
Mycosphaerella togashiana
Salix
Microdiplodia salicina

SALVADORACEAE
Salvadora persica
Polyclypeolum salvadorae

Sapindaceae
Allophylus edulis
Agrocybe aegerita var. rugosovenosa
Cupania
Micropeltis cupaniae

Cupania revoluta
Asterina cupaniae
Phyllosticta cupaniae
Serjania

Diplodina ignota Meliola serjanicola Phyllosticta serjaniarum Talisia esculenta Phyllosticta talisiae

Phyllosticta talisiae-major Sapotaceae Lucuma

Dictyopeltis lucumae
SAXIFRAGACEAE
Astilbe philippinensis
Pucciniostele philippinensis
SCROPHULARIACEAE
Veronica

Schroeteria bremeri
SIMARUBACEAE
Picramnia bahiensis
Micropeltella picramniae
Micropeltis picramniae

Solanaceae
Dunalia australis
Aecidium dunaliae
Lycopersicon esculentum
Glomerella phomoides
Verticillium tricorpus

Physalis viscosa
Aecidium viscosum
Solanum clavatium
Aecidium tafiense

Solanum meloncillo Puccinia meloncilloi Solanum tuberosum

Solanum tuberosum
Ozonium texanum var. parasiticum

STERCULACEAE
Theobroma cacao
Micropeltis theobromae
Pestalotiopsis owenii
— owenii var. major

THEACEAE
Thea sinensis
Pestalotiopsis gigas
Pestalotiopsis nattrassii
THYMELAEACEAE
Daphne
Leptosphaeria daphnes
Daphne angustifolia
Trematosphaeria daphnes
TULACEAE

frematosphaeria aapines
TILLACEAE
Christiana africana
Phyllosticta christianicola
Corchorus capsularis
Phoma corchororum
Luehea divaricata
Phyllosticta lueheae

Typhaceae Typha latifolia *Periconia typhicola*

UMBELLIFERAE
Daucus carota var. sativa
Chaetomium atrosporum
Eryngium
Ascochytella bremeri
Falcaria rivini
Septoria falcariincola
Laserpitium siler
Leptosphaeria cornuta
Pleurospermum stylosum
Puccinia chitralensis
Pyenocyela acanthorhipsis
Aschochytella pyenocyclae
Puccinia scharifti


UMBELLIFERAE (continued)
Schizeilena ranunculis
Puccinia marchionattoi
URTICACEAE
Fleurya interrupta
Cercospora fleuryae
Parietaria judaica
Pyrenopeziza teheranica

VALERIANACEAE
Centranthus ruber
Macrophoma politii
VERBENACEAE
Aegiphila vitelliniflora
Phyllosticta aegiphilofolia
Bouchea prismatica
Elsinoë boucheae
Duranta benthamii
Melasmia spiralis
Duranta serratifolia
Melasmia singeri
Vitex agnus-eastus
Camarosporium viticis
Dothiorella adanensis
VITACEAE
Ampelocissus latifolia
Synchytrium ampelocissi
Vitis vinifera
Pestalozzia pitospora

ZINGIBERACEAE Alpinia speciosa Phyllosticta alpiniae

Family not Known Pyrosia lingua Pseudocercospora pyrosiae

PRINTED IN GREAT BRITAIN AT THE UNIVERSITY PRESS OXFORD $\mathbf{B}\mathbf{Y}$ CHARLES BATEY PRINTER TO THE UNIVERSITY





INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Vol. II

PART 9

1954

Acantharia aterrima (Cooke & Wint.) Arx in Acta bot. neerl., 3, p. 87, 1954. (Syn. Dimerosporium aterrimum Cooke & Wint.).

-elegans (Syd.) Arx in Acta bot. neerl., 3, p. 87, 1954. (Syn. Dimerium elegans Syd.). hamata (Penz. & Sacc.) Arx in Acta bot.

neerl., 3, p. 87, 1954. (Syn. Dimerosporium hamatum Penz. & Sacc.).

_ sinensis (Petr.) Arx in Acta bot. neerl., 3, p. 87, 1954. (Syn. Neogibbera sinensis Petr.). Acanthocystis auratus (Pat. & Dem.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited].

cinereo-albus (Pat.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited].

- cubensis (Murr.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited]. - harmandii (Har.-Pat.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not

hepatotrichus (Berk.) Singer in Ann. mycol.,

Berl., 41, p. 148, 1943. [Syn. not cited].

-hollandianus (Sumstine) Singer in Ann.
mycol., Berl., 41, p. 148, 1943. [Syn. not cited].

- microspermus (Speg.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not

-portegnus (Speg.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited]. -pruinulosus (Pat. & Dem.) Singer in Ann.

mycol., Berl., 41, p. 148, 1943. [Syn. not

puttemansi (Henn.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited]. stratosus (Atk.) Singer in Ann. mycol.,

Berl., 41, p. 148, 1943. [Syn. not cited]. - submastrucatus (Henn.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not

-submitis (Speg.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited].

-viscidulus (Berk.) Singer in Ann. mycol., Berl., 41, p. 148, 1943. [Syn. not cited]. Achorella vaccinii T. S. Ramakr. in Proc.

Indian Acad. Sci., Sect. B, 34, p. 64, 1951 on Vaccinium leschnaultii.—India.

*ACICULARIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 298, 1954.—Moniliaceae. A. 'Lasiosphaeriae n.sp. (type)' and A. foliicola n. sp.' are figured but not described.

*ACREMONIULA Arnaud in Bull. Soc. mycol. Fr., 69, p. 268, 1954.—Dematiaceae. -sarcinellae (Pat. & Har.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 268, 1954. (Syn. Acremoniella sarcinellae Pat. & Har.).

*Acrospeira? xylogena Arnaud in Bull. Soc.

mycol. Fr., 69, p. 294, 1954 on wood.—France.
*ACROSTAPHYLUS Arnaud in Bull. Soc.
mycol. Fr., 69, p. 272, 1954.—Dematiaceae.

*- hypoxyli Arnaud in Bull. Soc. mycol. Fr., 69, p. 272, 1954 on Hypoxylon.—France.

Aecidium aconiti-anthorae Săvulescu, Monografia Uredinalelor . . . Română, p. 1100, 1953 on Aconitum anthora.—Roumania.

- belladonnae Paul & Poelt in Ber. bayer. Bot. Ges., 28, p. 297, 1950 on Atropa belladonna.-Germany.

pulneyense T. S. Ranakr. & Srinivasan in Indian Phytopath., 3, p. 46, 1950 on Canarium

commune.—South India.
Agaricus blockii Murrill in Mycologia, 46, p. 112, 1954.—Florida, U.S.A

perdicinus Pilát in Acta Mus. nat. Prag., 9, p. 24, 1953.—Bohemis.

AHMADINULA Petrak in Sydowia, 7, p. 375, 1953.—Pseudographiaceae.

- excelsa Petrak in Sydowia, 7, p. 375, 1953 on Clematis.—Pakistan.

Amphisphaeria depressa Petrak in Sydowia, 7, p. 381, 1953 on Cassia bicapsularis.

Angiopsora vernoniae T. S. Ramakr. in Indian Phytopath., 3, p. 43, 1950 on Vernonia bourneana.—South India.

Anguillospora gigantea Ranzoni in Farlowia, 4, p. 363, 1953 on Populus in water.—California, U.S.A.

- pseudolongissima Ranzoni in Farlowia, 4, p. 362, 1953 on leaves of Salix in water. California, U.S.A.

Anthostomella appendiculata Saccas in Agron. trop., Nogent, 9, p. 136, 1954 on Sorghum vulgare.—French Equatorial Africa.

- bambusicola Deighton (This Index, 2, p. 115) is a later homonym of A. bambusicola Höhnel, 1920.

- sorghi Saccas in Agron. trop., Nogent, 9, p. 137, 1954 on Sorghum vulgare.—French Equatorial Africa.

Aphanomyces daphniae Prowse in Trans. Brit. mycol. Soc., 37, p. 22, 1954 on Daphnia hyalina var. lacustris.—Scotland. Apiospora spinulosa Petrak in Sydowia, 7,

p. 382, 1953 on dead ?Panicum.—Hawaii. Apiosporina morbosa (Schw.) Arx in Acta bot. neerl., 3, p. 86, 1954. (Syn. Sphaeria

morbosa Schw.). Aposphaeria bambusae Lucas & da Camara

(This Index, 2, p. 116) is a later homonym of

A. bambusae Bres., 1926. Apostemidium sporogyrum Ingold in Trans. Brit. mycol. Soc., 37, p. 13, 1954 on dead sub-merged Carex rostrata.—England.

Armillariella chrysophylla (Fr.) Singer in Ann. mycol., Berl., 41, p. 20, 1943. (Syn. Agaricus chrysophyllus Fr.).

ectypa (Fr.) Singer in Ann. mycol., Berl., 41, p. 20, 1943. (Syn. Agaricus ectypus

nigropunctata (Secr.) Singer in Ann. mycol., Berl., 41, p. 19, 1943. (Syn. Agaricus nigropunctaius Secr.). Arthuria tylophorae T. S. Ramakr. in *Indian*

Phytopath., 3, p. 45, 1950 on Tylophora mollissima.—South India.

Articulospora moniliformis [as 'monili-

forma'] Ranzoni in Farlowia, 4, p. 366, 1953 on leaves of Salix and Alnus in water.-California, U.S.A. Ascochyta caricis W. B. Cooke & Shaw (this Index, 2, p. 116) is a later homonym of A.

caricis Fuckel, 1866.

cyathulae Chona & Munjal in Curr. Sci., 19 [not '11', this Index, 2, p. 35], p. 354, 195Ö. - rhamni W. B. Cooke & Shaw (This Index.

2, p. 116) is a later homonym of A. rhamni Lebed., 1922.

ASCOCYBE D. Wells in Mycologia, 46, p. 40, 1954.—Endomycetales.

grovesii D. Wells in Mycologia, 46, p. 40, 1954 on wood of Pinus strobus.—Ontario,

Asterina tantalina Petrak in Sydowia, 7, p. 383, 1953 on Byronia.-Hawaii.

Asteromella lantanae Petrak in Sydowia, 7, p. 398, 1953 on Lantana camara.—Hawaii. scaevolae Petrak in Sydowia, 7, p. 399,

1953 on Scaevola.—Hawaii. Asterostromella pinicola Killerman in Ann. mycol., Berl., 41, p. 291, 1943 on wood of Pinus sylvestris.—Siberia.

Balladynopsis paradoxa (Petr.) Arx in Acta bot. neerl., 3, p. 89, 1954. (Syn. Xenostigmella paradoxa Petr.).

*BARTHELETÍA Arnaud in Bull. Soc. mycol. Fr., 69, p. 300, 1954.—Mycelia Sterilia. B. 'paradoxa, n.sp.' figured but not described. *BASITORULA Arnaud in Bull. Soc. mycol.

Fr., 69, p. 276, 1954.—Dematiaceae. Type, B. cingulata.

? cephalosporioides (van Beyma) Arnaud in Bull. Soc. mycol. Fr., 69, p. 276, 1954. (Syn. Torula cephalosporioides van Beyma).

- cingulata Arnaud in Bull. Soc. mycol. Fr., 69, p. 276, 1954 on dead Verbascum thapsus .-France.

Bispora punctata (Corda) Arnaud in Bull. Soc. mycol. Fr., 69, p. 282, 1954. (Syn.? Torula punctata Corda).

Bombardia musae (Maire) C. Moreau in Encycl. Mycol., 25, p. 123, 1954. (Syn. Podospora musae Maire).

*BOMBARDIOIDEA C. Moreau in Encycl. Mycol., 25, p. 317, 1954.—Sphaeriales.

- bombardioides (Auersw.) C. Moreau in Encycl. Mycol., 25, p. 317, 1954. (Syn. Sordaria bombardioides Auersw.).

Bondarzewia perniciosa Singer in Mycologia, 45, p. 884, 1953 on Nothofagus dombeyi.— Argentina.

*BRACHYDESMIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 287, 1954.—Dematiaceae.

- biseptata Arnaud in Bull. Soc. mycol. Fr., 69, p. 287, 1954 on wood.—France. BRYOPHYTOMYCES Ciferri in Atti Ist.

bot. Univ. Pavia, Ser. 5, 10, p. 217, 1953.-Ustilaginales.

sphagni (Naw.) Ciferri in Atti Ist. bot. Univ. Pavia, Ser. 5, 10, p. 218, 1953. (Syn. Tilletia sphagni Nawaschin).

Calathinus substriatulus Singer in Ann. mycol., Berl., 41, p. 156, 1943.—Altai. U.S.S.R.

Calocybe alpestris (Britz.?) Singer in Ann. mycol., Berl., 41, p. 108, 1943. (Syn. Agaricus (Člitocybe) alpestris Britz.?). cerina (Pers.) Singer in Ann. mycol., Berl.,

41, p. 109, 1943. (Syn. Agaricus cerinus Pers.).

juncicola (Heim) Singer in Ann. mycol. Berl., 41, p. 107, 1943. (Syn. Tricholoma chrysenteron var. juncicola Heim).

naucoria (Murr.) Singer in Ann. mycol. Berl., 41, p. 109, 1943. (Syn. Melanoleuca naucoria Murr.).

Persicolor (Fr.) Singer in Ann. mycol., Berl., 41, p. 106, 1943. (Syn. Tricholoma persicolor Fr.). pseudolilacea Singer nom. nov. in Ann. mycol., Berl., 41, p. 106, 1943. (Syn. Collybia lilacea sensu Konr. & Maubl.).

CAMPYLOSPORA Ranzoni in Farlowia, 4, p. 373, 1953.—Aquatic Hyphomycetes.

chaetocladia Ranzoni in Farlowia, 4, p. 373, 1953 on Acer leaves in water. - California, U.S.A.

*CARLOSIA Arnaud in Bull. Soc. mycol. Fr., 69, p. 294, 1954.—Dematiaceae.

meliolae (Zimm.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 294, 1954. (Syn. Spegar. zinia meliolae Zimm.).

Catenulopsora zizyphi T. S. Ramakr, & C. L. Subram. in Curr. Sci., 15, p. 262, 1946 on Zizyphus oenoplea.—India.

Ceratiomyxa morchella Welden in Myco. logia, 46, p. 94, 1954.—Panama.

Ceratophorum intermedium (Sacc.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 287, 1954, (Syn. Coryneum intermedium Sacc.).

*CERCOSPERMA Arnaud in Bull. Soc. mycol. Fr., 69, p. 290, 1954.—Dematiaceae. C. 'subsessile n.sp.' is figured but not described.

Cercospora andrographidis Thirum. & Govindu in Sydowia, 7, p. 310, 1953 on Andrographis.-India.

atylosiae Thirum. & Govindu in Sydowia, 7, p. 311, 1953 on Atylosia scarabaeoides .-India.

breyniae-rhamnoides Thirum. & Govindu in Sydowia, 7, p. 310, 1953 on Breynia

rhamnoides.—India.
- cypericola Chupp & Greene apud Greene in Amer. Midl. Nat., 50, p. 508, 1953 on

Cyperus strigosus.—Wisconsin, U.S.A.
- cyperi-rotundi Thirum. & Govindu in
Sydowia, 7, p. 312, 1953 on Cyperus rotundus. -India.

- hydroleae Thirum. & Govindu in Sydowia, 7, p. 310, 1953 on Hydrolea zeylanica.

kirganelliae Thirum. & Govindu in Sydowia, 7, p. 309, 1953 on Kirganellia reticulata.—India.

pilosa T. S. Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 68, 1951 on Triumfetta pilosa.—India.

punctiformis (Fuckel) de Vries (this Index, 2, p. 98) is a later homonym of C. punctiformis Sacc. & Roum., 1881.

vestita T. S. Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 69, 1951 on Leucas vestita.-India.

- voandzeiae Arnaud in Bull. Soc. mycol. Fr., 69, p. 290, 1954 on Voandzeia subter-

ranea. Madagascar. [See also C. voandzeiae Bouriquet, 1947; this Index, 1, p. 179]. CERCOSPORULA Arnaud in Bull. Soc.

mycol. Fr. 69, p. 290, 1954.—Dematiacae. rassiuscula Arnaud in Bull. Soc. mycol.

Fr., 69, p. 290, 1954 on bark.—France. Chaetosphaeria fusispora B. Larsen (This Index, 2, p. 98) is a later homonym of C. fusispora (Kawam.) Hino, 1932.

Chaetotrichum sandwicense Petrak in Sydowia, 7, p. 408, 1953 on Pipturus.-

Hawaii.

Chalara variospora (Davidson?) Arnaud in Bull. Soc. mycol. Fr., 69, p. 278, 1954. (Syn. Endoconidiophora variospora Davidson).

*CHLORIDIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 270, 1954.—Dematiaceae. leucopoda (Bon.?) Arnaud in Bull. Soc. mycol. Fr., 69, p. 270, 1954. (Syn. Acrotheca leucopus Bon.).

Chrysomyxa monesis Ziller in Canad. J. Bot., 32, p. 435, 1954 on Picea sitchensis and Moneses uniflora.—Queen Charlotte Islands,

Canada.

Gladosporium monardae Greene in Amer. Midl. Nat., 50, p. 508, 1953 on Monarda punctata.—Wisconsin, U.S.A.

trichophilum Greene (This Index, 2, p. 119) is a later homonym of C. trichophilum Petrak & Cif., 1932.

Clitocybe acicola Singer nom. nov. in Ann. mycol., Berl., 41, p. 25, 1943. (Syn. C. obsoleta sensu Métrod).

- altaica Singer in Ann. mycol., Berl., 41, p. 37, 1943.—Altai, U.S.S.R.

bresadoliano-affinis Singer in Ann. mycol., Berl., 41, p. 35, 1943.—Altai, U.S.S.R.

brevibasidiata Singer in Ann. mycol.,

Berl., 41, p. 45, 1943.—Asia.

brownii (Berk. & Br.) Singer in Ann.

mycol., Berl., 41, p. 22, 1943. [Syn. not

cited]. catalaunica Singer in Ann. mycol., Berl., 41, p. 30, 1943.—Europe. [This antedates

the entry in this Index, 2, p. 52]. clusilis (Fr.) Singer in Ann. mycol., Berl., 41, p. 42, 1943. [Syn. Agaricus clusilis Fr.]. -hyacinthina Singer in Ann. mycol., Berl.,

41, p. 46, 1943.—Asia.

-ignobilis (Joss.) Singer in Ann. mycol., Berl., 41, p. 22, 1943. (Syn. Omphalia ignobilis Joss.).

imaiana Singer nom. nov. in Ann. mycol., Berl., 41, p. 44, 1943. (Syn. C. fallax sensu

-inornata subsp. aestivalis Singer in Ann. mycol., Berl., 41, p. 39, 1943.—Altai, U.S.S.R.

- kuehneri Singer nom. nov. in Ann. mycol., Berl., 41, p. 23, 1943. (Syn. C. gallinacea sensu Kühner, non Fr.).

- laricicola Singer in Ann. mycol., Berl., 41, p. 28, 1943.—Altai, U.S.S.R.

-? lixivia (Fr.) Singer in Ann. mycol., Berl., 41, p. 44, 1943. (Syn. ?Agaricus lixivius

 longispora (Métrod) Singer in Ann. mycol., Berl., 41, p. 42, 1943. (Syn. C. ditopus var. longispora Métrod).

- monticola Singer in Ann. mycol., Berl., 41, p. 30, 1943.—Europe. [This antedates the entry in this Index, 2, p. 52].

pruniodora (Maire) Singer in Ann. mycol., Berl., 41, p. 47, 1943. [Syn. not cited]. steppicola Singer in Ann. mycol., Berl., 41,

p. 33, 1943.—Altai, U.S.S.R.

-subhygrophana Singer in Ann. mycol., Berl., 41, p. 27, 1943.—Altai, U.S.S.R.

- subsquamulosa Singer in Ann. mycol., Berl., 41, p. 35, 1943.—Altai, U.S.S.R. - vasilievae Singer in Ann. mycol., Berl., 41,

p. 26, 1943.—Altai, U.S.S.R.

velenovskyi Singer nom. nov. in Ann. mycol., Berl., 41, p. 25, 1943. (Syn. C. fragrans sensu Velen.).

ventosa (Fr.) Singer in Ann. mycol., Berl., 41, p. 45, 1943. [Syn. not cited].

Clitopilus lignyotus Hongo in J. Jap. Bot., 29, p. 89, 1954.—Japan.

Coleophoma sandwicensis Petrak in Sydowia, 7, p. 400, 1953 on Clermontia. Hawaii.

COLEOSPERMA Ingold in Trans. Brit. mycol. Soc., 37, p. 9, 1954.—Discomy-

-lacustre Ingold in Trans. Brit. mycol. Soc., 37, p. 9, 1954 on dead Schoenoplectus lacustris in water.—England.

COLLETOGLOEUM Petrak in Sydowia, 7, p. 368, 1953.—Melanconiales.

dalbergiae (Ahmad) Petrak in Sydowia, 7, p. 369, 1953. (Syn. Septogloeum dalbergiae Ahmad)

COLLETOSTROMA Petrak in Sydowia, 7, p. 346, 1953.—Melanconiales.

baumgartneri Petrak in Sydowia, 7, p. 347, 1953 on branches.—Austria.

graminicola Colletotrichopsis Muntañola in Rev. argent. Agron., 19, p. 225, (Syn. Colletotrichum graminicolum 1952.(Ces.) Wilson.

Colletotrichum acaciae Urries (this Index, 2, p. 74) is a later homonym of C. acaciae

Gutner, 1936.

- compactum T. S. Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 70, 1951 on Albizzia lebbeck .- India.

- crossandrae Patel, Kamat, & Pande in Indian Phytopath., 5, p. 136, 1953 on Crossandra infundibuliformis.—India.

urticae Greene in Amer. Midl. Nat., 50, p. 507, 1953 on Urtica gracilis.—Wisconsin, U.S.A.

Comatricha martinii Alexopoulos & Beneke in Mycologia, 46, p. 245, 1954 on bark. Jamaica.

Coniothecium agaves Petrak in Sydowia, 7, p. 408, 1953 on Agave.—Hawaii.

Coniothyrium pandanicola (as 'pandanicolum') Petrak in Sydowia, 7, p. 401, 1953 on Pandanus.-Hawaii.

- sorghi Saccas in Agron. trop., Nogent, 9, p. 149, 1954 on Sorghum vulgare.—French Equatorial Africa.

Cordyceps hauturu Dingley in Trans. roy. Soc. N.Z., 81, p. 334, 1953 on Lepidoptera larva.-New Zealand.

lateritia Dingley in Trans. roy. Soc. N.Z., 81, p. 337, 1953 on Coleoptera pupa.—New Zealand.

novae-zealandiae Dingley in Trans. roy. Soc. N.Z., 81, p. 337, 1953 on Coelostomidea. New Zealand.

Corticium analogum (Bourd. & Galz.) Burt, 1926 (correction of entry in this Index, 2, p. 119).

Cortinarius blatensis Pilát in Acta Mus. nat. Prag., 9, p. 50, 1953.—Bohemia.

intermedius Henry (This Index, 2, p. 75) is a later homonym of C. intermedius Rea,



parherpeticus Henry, 1952, not 'par-pherpeticus' as printed in this Index, 2,

pseudopurpurascens Hongo in J. Jap.

Bot., 28, p. 334, 1953.—Japan.

rugosus Schäffer (This Index, 2, p. 75) is a later homonym of C. rugosus Henry, 1935. -sanguineus Fr. forma pusillus Pilát in Acta Mus. nat. Prag., 9, p. 50, 1953.—

Czechoslovakia. schaefferi Moser (This Index, 2, p. 75) is a

later homonym of C. schaefferi Bres., 1930. Crepidotus sulphurinus Imazeki & Toki in Bull. For. Exp. Sta. Meguro 67, p. 38, 1954 on dead Wistaria floribunda.—Japan.

Cryptovalsa sorghicola Saccas in Agron. trop., Nogent, 9, p. 150, 1954 on Sorghum vulgare.—French Equatorial Africa.

*CURCULIOSPORA Arnaud in Bull. Soc. mycol. Fr., 69, p. 287, 1954.—Dematiaceae. C. 'sydowii n.sp.' is figured but not described.

CYCLOPELTELLA Petrak in Sydowia, 7, p. 373, 1953.—Fungi Imperfecti, a state of Cuclopeltis.

orbicularis Petrak in Sydowia, 7, p. 373, 1953.—Philippines.

CYCLOPELTIS Petrak in Sydowia, 7, p. 370, 1953.—Polystomellaceae.

orbicularis Petrak in Sydowia, 7, p. 370, 1953 on Evodia confusa.—Philippines.

Cylindrosporium fraserae W. B. Cooke & Shaw (This Index, 2, p. 120). See also C. fraserae Wehmeyer, 1946 (ibid., 1, p. 148). Cyphella stepposa Pilát in Acta Mus. nat.

Prag., 9, p. 84, 1953.—Czechoslovakia.

Cystoderma ambrosii (Bres.) Singer in Ann. mycol., Berl., 41, p. 170, 1943. [Syn. Armillaria ambrosii Bres.] [This comb. antedates that given in this Index, 1, p. 148].

kuehneri Singer nom. nov. in Ann. mycol., Berl., 41, p. 171, 1943. (Syn. ?Lepiota echinacea Kühn.).

Dactylella aquatica (Ingold) Ranzoni in Farlowia, 4, p. 360, 1953. (Syn. Piricularia aquatica Ingold).

Dasyscypha aspidii (Lib.) Cash in J. Wash. Acad. Sci., 44, p. 45, 1954. (Syn. Peziza aspidii Lib.).

Debaryomyces marama di Menna in J. gen. Microbiol., 10, p. 65, 1954 from the air. New Zealand.

Diaporthe kokiae Petrak in Sydowia, 7, p. 384, 1953 on Kokia rockii.—Hawaii.

Didymella sorghina Saccas in Agron. trop., Nogent, 9, p. 154, 1954 on Sorghum vulgare. French Equatorial Africa.

vodakii Müller in Sydowia, 7, p. 332, 1953 on dead Hepatica triloba.—Switzerland.

Didymium verrucosporum Welden in Mycologia, 46, p. 98, 1954.—Panama.

Didymosphaeria radicicola Saccas in Agron. trop., Nogent, 9, p. 155, 1954 on Sorghum vulgare.—French Equatorial Africa.

wikstroemiae Petrak in Sydowia, 7, p. 385, 1953 on Wikstroemia.-Hawaii.

*DIDYMOTRICHELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 284, 1954.—Dematiaceae.

quercina Arnaud in Bull. Soc. mycol. Fr., 69, p. 284, 1954 on root of Quercus.—France.

Dinemasporium sorghi Saccas in Agron. trop., Nogent, 9, p. 156, 1954 on Sorghum vulgare.—French Equatorial Africa.

*DIONYSIA Arnaud in Bull. Soc. mycol, Fr. 69, p. 303, 1954. Correction of Dyonisia, this

Index, 2, p. 121.
*DIPLOCLADIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 296, 1954.—Dematiaceae.—scalaroides Arnaud in Bull. Soc. mycol, Fr., 69, p. 296, 1954 on dead branch. France.

Diplodia cercidis-chinensis [as 'ceri-chinen sis'] Togashi & Tsukamoto apud Tsukamoto in Ann. phytopath. Soc. Japan, 17, p. 122, 1953 on Gercis chinensis.—Japan.

- organicola Rieuf in Rev. Path. vég., 32, p. 126, 1953 on Ricinus communis.—Morocco, shearii Petrak in *Sydowia*, 7, p. 401, 1953

on Leucaena glauca.—Hawaii. *Diplodina persicae Horn & Hawthorne in Phytopathology, 44, p. 136, 1954 on Prunus persica.—Louisiana, U.S.A.

Dothiorella agavicola Petrak in Sydowia, 7, p. 403, 1953 on Agave sisalana.—Hawaii,

castaneae da Camara & de Vasconcelos in Agron. lusit., 15, p. 187, 1953 on Castanea sativa.—Portugal.

hawaiensis Petrak in Sydowia, 7, p. 402, 1953 on Asclepias curassavica.—Hawaii.

stramonii Petrak in Sydowia, 7, p. 403, 1953 on Datura stramonium.—Hawaii. Durandiella alni J. W. Groves in Canad. J.

Bot., 32, p. 123, 1954 on Alnus rugosa.—Ontario, Canada.

andromedae (Schw. ex Fr.) J. W. Groves in Canad. J. Bot., 32, p. 125, 1954. (Syn. Peziza andromedae Schw.).
-lenticellicola J. W. Groves in Canad. J.

Bot., 32, p. 132, 1954 on Crataegus.—Ontario. Canada.

rosae (Schw.) J. W. Groves in Canad. J. Bot., 32, p. 136, 1954. (Syn. Cenangium rosae Schw.).

- rugosa (Ell. & Ev.) J. W. Groves in Canad. J. Bot., 32, p. 137, 1954. (Syn. Godroma rugosa Ell. & Ev.). - seriata (Fr.) J. W. Groves in Canad. J.

Bot., 32, p. seriatum Fr.). p. 139, 1954. (Syn. Cenangium)

-viburnicola (Seaver) J. W. Groves in Canad. J. Bot., 32, p. 141, 1954. (Syn. Godronia viburnicola Seaver).

Echidnodes visci Petrak in Sydowia, 7, p.

386, 1953 on Viscum.—Hawaii. Elsinoë ilicis Plakidas in Mycologia, 46, p. 351, 1954 on Ilex cornuta.—Louisiana, U.S.A. Endothiella robiniae Chona & Munjal in

Indian Phytopath., 3, p. 106, 1950 on dead Robinia pseudoacacia.—India.

Entoloma crassipes Imazeki & Toki in Bull. For. Exp. Sta. Meguro 67, p. 39, 1954.-Japan.

Entyloma ambrosiae[-]maritimae Rayss in Palest. J. Bot., Jerusalem, 5, p. 230, 1952 on Ambrosia maritima.—Palestine.

- chaenorrhini da Camara & de Vasconcelos in Agron. lusit., 15, p. 185, 1953 on Chaenerrhinum origanifolium .- Portugal.

gaudinae Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 336, 1954 on Gaudina (Gaudinia) fragilis.—Asia Minor.

parietariae Rayss in Palest. J. Bot., Jerusalem, 5, p. 230, 1952 on Parietaria judaica

and P. alsinifolia.—Palestine. ERYTHROGLOEUM Petrak in Sydowia, 7. p. 378, 1953.—Sphaeropsidales.

hymenaeae (Frag. & Cif.) Petrak in

Sydowia, 7, p. 379, 1953. (Syn. Phyllosticta hymenaeae Frag. & Cif. 'in sched.').

Eudimeriolum manihotis (P. Henn.) Arx in Acta bot. neerl., 3, p. 88, 1954. (Syn. Dimerosporium manihotis P. Henn.).

Fayodia invita (Karst.) Singer in Ann. mycol., Berl., 41, p. 62, 1943. [Syn. not cited]. tilieti Singer in Ann. mycol., Berl., 41, p. 63,

1943.—'Mordavia.'

Fusarium bulbigenum Cooke & Massee var. nelumbicola (as 'nelumbicolum') Nisikado & Watanabe in Ber. Ohara Inst., 10, p. 3, 1953 on Nelumbo nucifera.—Japan.

oxysporum Fr. forma perniciosum (Hepting) Toole in Phytopathology, 31, p. 599, 1941.

(Syn. F. perniciosum Hepting).

Fuscoporia weirii (Murr.) Aoshima in Bull. For. Exp. Sta., Tokyo 59, p. 61, 1953. (Syn. Formitiporia weirii Murr.).

Galerina atkinsoniana A. H. Smith in Mycologia, 45, p. 894, 1953.—Michigan, U.S.A. camarinoides A. H. Smith in Mycologia,

45, p. 895, 1953.—Oregon, U.S.A. carbonicola A. H. Smith in Mycologia, 45,

p. 896, 1953.—Michigan, U.S.A. cortinarioides A. H. Smith in Mycologia, 45, p. 897, 1953.—Washington, U.S.A. cuspidata A. H. Smith in Mycologia, 45,

p. 898, 1953.—Wyoming, U.S.A. farinosipes A. H. Smith in Mycologia, 45,

p. 899, 1953.—California, U.S.A. ferruginea A. H. Smith in Mycologia, 45,

p. 900, 1953.—Michigan, U.S.A. fibrillosa A. H. Smith in Mycologia, 45,

p. 901, 1953.—Washington, U.S.A

fuscobrunnea A. H. Smith in Mycologia, 45, p. 902, 1953.—Oregon, U.S.A. humicola A. H. Smith in Mycologia, 45,

p. 903, 1953.—Michigan, U.S.A. insignis A. H. Smith in Mycologia, 45, p. 904, 1953.—Washington, U.S.A. lacustris A. H. Smith in Mycologia, 45,

p. 905, 1953.—Washington, U.S.A. laticeps A. H. Smith in Mycologia, 45, p. 906, 1953 on Douglas Fir log.—Oregon,

occidentalis A. H. Smith in Mycologia, 45,

p. 907, 1953.—Washington, U.S.A. -odora A. H. Smith in *Mycologia*, 45, p. 909,

1953.—Washington, U.S.A. olympiana A. H. Smith in Mycologia, 45, p. 909, 1953 on wood of *Populus trichocarpa*.— Washington, U.S.A.

pallidispora A. H. Smith in Mycologia, 45, p. 911, 1953 on alder logs.—Washington,

U.S.A. pruinatipes A. H. Smith in Mycologia, 45, p. 912, 1953 on conifer logs.—Washington, U.S.A.

var. fulvipes A. H. Smith in Mycologia, 45, p. 913, 1953 on conifer logs.—Washington, U.S.A.

rudericola A. H. Smith in Mycologia, 45, p. 914, 1953.—Washington, U.S.A.

rugisperma A. H. Smith in Mycologia, 45, p. 915, 1953.—Washington, U.S.A.

-subdecurrens A. H. Smith in Mycologia, 45, p. 916, 1953.—Washington, U.S.A.

subfiliformis A. H. Smith in Mycologia, 45, p. 917, 1953 on conifer logs.—Washington, U.S.A.

subochracea A. H. Smith in Mycologia, 45, p. 917, 1953.—Oregon, U.S.A.

tahquamenonensis A. H. Smith in Mycologia, 45, p. 919, 1953 on wood.—Michigan, U.S.A.

umbrinipes A. H. Smith in Mycologia, 45, p. 920, 1953.—Washington, U.S.A. vaccinii A. H. Smith in Mycologia, 45, p.

921, 1953.—Washington, U.S.A.
-venenata A. H. Smith in Mycologia, 45,

p. 922, 1953.—Oregon, U.S.A. vialis A. H. Smith in *Mycologia*, 45, p. 924,

1953.—Washington, U.S.A.

Ganoderma multipilea Hou in Quart. J. Taiwan Mus., 3, p. 101, 1950 on a stump.— Taiwan.

Gautieria graveolens Vitt. forma inodora A. H. Smith & Solheim in Madroño, S. Francisco, 12, p. 105, 1953.—Michigan, U.S.A.

*GEOTRICHELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 274, 1954.—Dematiaceae. *— alternata Arnaud in Bull. Soc. mycol. Fr., 69, p. 274, 1954 on paper.—France.

Gibbera alpina (Petr.) Arx in Acta bot. neerl., 3, p. 85, 1954. (Syn. Xenomeris alpina Petr.).

- dickiei (Berk. & Br.) Arx in Tijdschr. PlZiekt., 58, p. 265, 1952. (Syn. Sphaeria dickiei Berk. & Br.).

- eucalypti (Syd.) Arx in Acta bot. neerl., 3, p. 85, 1954. (Syn. Xenomeris eucalypti Syd.). examinans (Berk. & Curt.) Arx in Tijdschr. PlZiekt., 58, p. 266, 1952. (Syn. Asterina examinans Berk. & Curt.).

pruni (Syd.) Arx in Acta bot. neerl., 3, p. 85,

1954. (Syn. Xenomeris pruni Syd.).

ramakrishnani Arx nom. nov. in Acta bot. neerl., 3, p. 85, 1954. (Syn. Achorella vaccinii T. S. Ramakrishnan, non G. vaccinii (Fr.) Fr.).

spiraeae (Murash.) Arx in Acta bot. neerl., 3, p. 85, 1954. (Syn. Systremma spiraeae

Murash.).

- symphoricarpi (Rehm) Arx in Acta bot. neerl., 3, p. 85, 1954. (Syn. Pseudotthia symphoricarpi Rehm). Gibberidea conjuncta (Petr.) Arx in Acta bot.

neerl., 3, p. 90, 1954. (Syn. Cucurbidothis conjuncta Petr.).

pithyophila (Fr.) Arx in Acta bot. neerl., 3, p. 90, 1954. (Syn. Sphaeria pithyophila Fr.). Gloeocercospora alascensis R. Sprague in

Mycologia, 46, p. 77, 1954 on Trisetum spicatum.—Alaska. Gloeocystidium betulinum Killerman in Ann. mycol., Berl., 41, p. 289, 1943 on wood

of Betula .- Siberia. GLOEOTINIA Wilson, Noble, & Gray in Trans. Brit. mycol. Soc., 37, p. 31, 1954 .-

Sclerotiniaceae. temulenta (Prill. & Delacr.) Wilson, Noble, & Gray in Trans. Brit. mycol. Soc., 37, p. 31, 1954. (Syn. Phialea temulenta Prill. & Delacr.)

Glomerella cingulata (Stonem.) Spauld. & Schrenk var. sorghicola Saccas in Agron. trop., Nogent, 9, p. 171, 1954 on Sorghum vulgare.—French Equatorial Africa.

sorghi Saccas in Agron. trop., Nogent, 9, p. 171, 1954 on Sorghum vulgare.—French Equatorial Africa.

*GOIDANICHIA Arnaud in Bull. Soc. mycol. Fr., 69, p. 281, 1954.—Dematiaceae.

scopula (Goid.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 281, 1954. (Syn. Scopularia scopula Goid.).

Graphium erubescens Math.-Käärik in Medd. SkogsforsknInst. Stockh., 43, 4, p. 62, 1954 in wood.—Sweden.

-fragrans Math.-Käärik in Medd. SkogsforsknInst. Stockh., 43, 4, p. 60, 1954 in wood.—Sweden.

Guignardia latemarensis Müller in Sydowia, 7, p. 330, 1953 on dead Lonicera coerulea. Switzerland.

*HAPLOTRICHELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 282, 1951.—Dematiaceae. — linkii Arnaud in Bull. Soc. mycol. Fr., 69, p. 282, 1954.—France.

Harknessia shearii Petrak in Sydowia, 7, p. 404, 1953 on Metrosideros.—Hawaii. Helicomyces colligatus R. T. Moore in

Mycologia, 46, p. 89, 1954 on wood.—Iowa, U.S.A.

Helicoon? elegans (Corda) Arnaud in Bull. Soc. mycol. Fr., 69, p. 294, 1954. (Syn. Sporidesmium elegans Corda).

pluriseptatum van Beverwijk in Leeuwenhoek ned. Tijdschr., 20, p. 5, 1954 from leaves in water.—Netherlands.

*HELICOSPORELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 292, 1954.—Dematiaceae. — luteo-fusca Arnaud in Bull. Soc. mycol. Fr., 69, p. 292, 1954 on bark.—France.

*HELICOSPORINA Arnaud in Bull. Soc. mycol. Fr., 69, p. 292, 1954.—Dematiaceae.

*—globulifera Arnaud in Bull. Soc. mycol. Fr., 69, p. 292, 1954 on wood.—France.

Helicosporium linderi R. T. Moore in Mycologia, 46, p. 90, 1954 on dead Cocos.

panacheum R. T. Moore in Mycologia, 46, p. 92, 1954 on dead Zea mays.—Iowa, U.S.A. Helotium stipae (Fuckel) Čash in J. Wash. Acad. Sci., 44, p. 45, 1954. (Syn. Tricho-peziza stipae Fuckel).

Hemileia thomasii Thirumalachar & Nara-

simhan in Ann. Bot., Lond., N.S., 11, p. 87, 1947 on Randia uliginosa.—India.

Hemimycena depauperata Singer in Ann. mycol., Berl., 41, p. 122, 1943.—Altai, U.S.S.R.

drepanocladi Singer in Ann. mycol., Berl., 41, p. 123, 1943.—Altai, U.S.S.R.

epibrya Singer in Ann. mycol., Berl., 41, p. 121, 1943.—Altai, U.S.S.R.

Hiatula aureofloccosa (Henn.) Singer in Ann. mycol., Berl., 41, p. 168, 1943. [Syn. not cited]

magnusiana (Henn.) Singer in Ann. mycol., Berl., 41, p. 168, 1943. (Syn. Lepiota magnusiana P. Henn.).

pellucida (Massee) Singer in Ann. mycol., Berl., 41, p. 168, 1943. [Syn. not cited].

Hirneola nigricans (Sw. ex Fr.) Donk (this Index, 2, p. 79) is a later homonym of H.
nigricans (Hook.) Graff, 1917.

Hydnellum alboniger (Peck) Ragab in
Mycologia, 45, p. 944, 1953. (Syn. Hydnum

albonigrum Peck).

- amicum (Quél.) Ragab in Mycologia, 45, p. 944, 1953. (Syn. Hydnum amicum Quél.). Hygrocybe czuica Singer in Ann. mycol.,

Berl., 41, p. 10, 1943.—Altai, U.S.S.R. Hysterographium opuntiae J. G. Brown in Mycologia, 45, p. 967, 1953 on Opuntia fulgida.—Arizona, U.S.A.

Hysterostoma brevilobi T. S. Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 65, 1951 on Jasminum brevilobum. India.

Inonotus nidus-pici Pilát in Acta Mus. nat Prag., 9, p. 108, 1953 on Quercus.—Europe.

Julella sarcostemmatis K. Ramakr. in J. Madras Univ., Sect. B, 23, p. 145, 1953 on Sarcostemma brevistigma.—South India.

Laccaria laccata var. rosella (Batsch) Singer in Ann. mycol., Berl., 41, p. 17, 1943. (Syn. Agaricus rosellus Batsch).

pulchella (Speg.) Singer in Ann. mycol., Berl., 41, p. 17, 1943. [Syn. not cited].

Lachnella ciliata (Hahn) Seaver (syn. Do. syscypha ciliata Hahn). [Epithet given in error as 'cilata', this Index, 2, p. 103]. badiosanguineus Kühner Lactarius

Romagnesi in Bull. Soc. mycol. Fr., 69, p. 361, 1954.—France. evosmus Kühner & Romagnesi in Bull

Soc. mycol. Fr., 69, p. 361, 1954.—France. fulvissimus Romagnesi apud Kühner & Romagnesi in Bull. Soc. mycol. Fr., 69, 362, 1954.—France.

iners Kühner in Bull. Soc. mycol. Fr., 69. p. 362, 1954.—France.

rugatus Kühner & Romagnesi in Bull. Soc. mycol. Fr., 69, p. 362, 1954.—Algeria.

scrobipes Kühner & Romagnesi in Bull, Soc. mycol. Fr., 69, p. 364, 1954.—France. torminosus var. sublateritius Kühner &

Romagnesi in Bull. Soc. mycol. Fr., 69, p. 364, 1954.—France. zonarioides Kühner & Romagnesi nom

nov. in Bull. Soc. mycol. Fr., 69, p. 365, 1954. (Syn. L. zonarius sensu Konrad & Maubl.). Lemonniera cornuta Ranzoni in Farlowia, 4,

p. 379, 1953 on Salix and Quercus in water. California, U.S.A. Lepiota amyloidea Singer in Ann. mycol,

Berl., 41, p. 171, 1943.—Altai, U.S.S.R. subamanitiformis Dennis (This Index, 2, p. 125) is a later homonym of L. subamaniti

formis Imai, 1938. wichanskyi Pilát in Acta Mus. nat. Prag., 9, p. 4, 1953.—Czechoslovakia.

Lepteutypa fusispora Petrak in Sydowia, 7, p. 387, 1953 on Wistaria.—Hawaii.

Leptosphaeria nandinae Togashi & Tsukamoto apud Tsukamoto in Ann. phytopath. Soc. Japan, 17, p. 121, 1953 on Nandina domestica.-Japan.

*Leucocoprinus subsquarrosus Locquin in Bull. mens. Soc. linn. Lyon, 14, p. 52, 1945.-France. [This Index, 2, p. 104 in error under Leptospora].

zeyheri (Berk.) Singer in Ann. mycol., Berl., 41, p. 167, 1943. [Syn. not cited]. LEUCO-INOCYBE Singer in Ann. mycol.,

Berl., 41, p. 144, 1943.—Agaricales.
- lenta (Maire) Singer in Ann. mycol., Berl.,

41, p. 144, 1943. [Syn. not cited].

Leucopaxillus albissimus (Peck) Singer in Ann. mycol., Berl., 41, p. 59, 1943. [Syn. not cited1. giganteus (Sow.) Singer in Ann. mycol.,

Berl., 41, p. 59, 1943. [Syn. not cited].
-lentus (Post) Singer in Ann. mycol., Berl.,
41, p. 60, 1943. [Syn. not cited].

lepistoides (Maire) Singer in Ann. mycol.,

Berl., 41, p. 59, 1943. [Syn. not cited]. Libertella kokkiae Petrak in Sydowia, 7, p. 405, 1953 on Kokia.—Hawaii.

Lyophyllum ambustum (Fr.) Singer [comb. nov. ?] in Ann. mycol., Berl., 41, p. 105, 1943. (Syn. Agaricus ambustus Fr.).

constrictum (Fr.) Singer in Ann. mycol., Berl., 41, p. 96, 1943. [Syn. not cited]. gambosum (Fr.) Singer in Ann. mycol.,

Berl., 41, p. 96, 1943. [Syn. not cited]. impexum (Karst.) Singer in Ann. mycol., Berl., 41, p. 105, 1943. (Syn. Collybia impexa

Jeucocephalum (Fr.) Singer in Ann. mycol., Berl., 41, p. 100, 1943. [Syn. not cited].

-macrosporum Singer nom. nov. in Ann. mycol., Berl., 41, p. 99, 1943. (Syn. Clitocybe ectypa sensu Bres.).

schulzeri (Bres.) Singer in Ann. mycol., Berl., 41, p. 105, 1943. (Syn. Hygrophorus

schulzeri Bres.).

tesquorum (Fr.) Singer in Ann. mycol., Berl., 41, p. 105, 1943. (Syn. Agaricus tesquorum Fr.).

transforme (Britz.) Singer in Ann. mycol., Berl., 41, p. 98, 1943. (Syn. Agaricus transformis Britz.).

Macrophoma akitensis Togashi & Tsukamoto apud Tsukamoto in Ann. phytopath. Soc. Japan, 17, p. 123, 1953 on Catalpa ovata.— Japan.

forsythiae Togashi & Tsukamoto apud Tsukamoto in Ann. phytopath. Soc. Japan, 17, p. 122, 1953 on Forsythia suspensa.

negundinis Ribaldi (This Index, 2, p. 81) is a later homonym of M. negundinis Ellis &

Everh., 1894. Marasmius acicola Romagnesi (This Index, 2, p. 126) is a later homonym of M. acicola

Berk. & Curt., 1860.
albogriseus (Peck) Singer in Ann. mycol., Berl., 41, p. 130, 1943. [Syn. not cited]. ludovicianus (Murr.) Singer in Ann. mycol.,

Berl., 41, p. 131, 1943. [Syn. not cited]. sibiricus Singer in Ann. mycol., Berl., 41, p. 127, 1943.—Siberia.

strictipes (Peck) Singer in Ann. mycol., Bel., 41, p. 130, 1943. [Syn. not cited]. tenuifolius (Murr.) Singer in Ann. mycol.,

Berl., 41, p. 130, 1943. [Syn. not cited]. Masoniella croci (van Beyma) G. Smith in Trans. Brit. mycol. Soc., 37, p. 166, 1954. (Syn. Scopulariopsis croci van Beyma).

Massarina sarcostemmatis K. Řamakr. in J. Madras Univ., Sect. B, 23, p. 147, 1953 on Sarcostemma brevistigma.—South India.

Melanoleuca amica (Fr.) Singer in Ann. mycol., Berl., 41, p. 57, 1943. [Syn. not

cinchonensis (Murr.) Singer in Ann. mycol., Berl., 41, p. 54, 1943. [Syn. not cited].

cognata subsp. altaica Singer in Ann. mycol., Berl., 41, p. 55, 1943.—Altai,

crassotunicata Singer in Ann. mycol., Berl., 41, p. 56, 1943.—Asia.

phaeopodia (Bres.) Singer in Ann. mycol., Berl., 41, p. 57, 1943. [Syn. not cited].
-schumacheri (Fr.) Singer in Ann. mycol.,
Berl., 41, p. 54, 1943. [Syn. not cited].

Melanopsichium inouyei (P. Henn. & Shirai) Ling in Farlowia, 4, p. 337, 1953. (Syn. Uredo inouyei P. Henn. & Shirai).

MELANOSTROMELLA Petrak in Sydowia, 7, p. 361, 1953.— Gibberaceae'.

inaequalis Petrak in Sydowia, 7, p. 361, 1953 on Vaccinium.—British North Borneo. Melanotaenium euphorbiae (Lenz) Whitehead & Thirumalachar in Bull. Torrey bot. Cl., 80, p. 499, 1953. (Syn. Tilletia euphorbiae Lenz).

Merulius tignicola Harmsen in Friesia, 4, p. 245, 1953 on timber.—Denmark.

Milesina hiratsukai Morimoto in J. Jap. Bot., 28, p. 313, 1953 on Plagiogyria japonica.—Japan.

Monilia ferruginea Math.-Käärik in Medd. SkogsforsknInst. Stockh., 43, 4, p. 57, 1954 in wood of Picea excelsa.—Sweden. [A later homonym of M. ferruginea Persoon.

*MONOSTACHYS Arnaud in Bull. Soc. mycol. Fr., 69, p. 278, 1954.—Dematiaceae. transversalis Arnaud in Bull. Soc. mycol. Fr., 69, p. 278, 1954 on wood.—France.

Mucor bacilliformis Hesseltine in Mycologia, 46, p. 360, 1954 from soil.—Wisconsin, U.S.A. Mycena beardsleeana Singer nom. nov. in Ann. mycol., Berl., 41, p. 138, 1943. (Syn. M. capillaripes Beardsl. & Coker, non Peck).

- herbarum Singer in Ann. mycol., Berl., 41, p. 138, 1943.—Altai, U.S.S.R.

kuehneri Singer in Ann. mycol., Berl., 41, p. 138, 1943.—Altai, U.S.S.R.

luteoalcalina Singer subsp. altaica Singer in Ann. mycol., Berl., 41, p. 141, 1943 .-Altai, U.S.S.R.

- minima Dennis (This Index, 2, p. 127). See also M. minima Velen. (ibid., 1, p. 190).

overholtsii A. H. Smith & Solheim in Madroño. S. Francisco, 12, p. 106, 1953 on timber.—Wyoming, U.S.A. - subceracea A. H. Smith & Solheim in

Madroño, S. Francisco, 12, p. 107, 1953.-Wyoming, U.S.A.

- subinamyloidea Singer in Ann. mycol., Berl., 41, p. 139, 1943.—Altai, U.S.S.R. - sudorella Singer in Ann. mycol., Berl., 41,

p. 142, 1943.—Altai, U.S.S.R. - swanetica (Singer) Singer in Ann. mycol.,

Berl., 41, p. 140, 1943. [Syn. not cited].

vasilievae Singer in Ann. mycol., Berl., 41, p. 141, 1943.—Altai, U.S.S.R.

Mycosphaerella agapanthi T. S. & K. Ramakr. (This Index, 2, p. 24) is a later homonym of M. agapanthi (Kalchbr. & Cooke) Petrak, 1928.

degeneri Petrak in Sydowia, 7, p. 389,

1953 on Euphorbia.—Hawaii. deschampsiae R. Sprague in Mycologia, 46, p. 78, 1954 on Deschampsia atropurpurea. -Alaska.

- koae Petrak in Sydowia, 7, p. 390, 1953 on Acacia koa.—Hawaii.

mauica Petrak in Sydowia, 7, p. 391, 1953 on a vine.—Hawaii.

olindensis Petrak in Sydowia, 7, p. 391, 1953 on Pteris excelsa.—Hawaii.

superflua (Auersw.) Petrak in Ann. mycol., Berl., 38, p. 235, 1940. (Syn. Sphaeria

Myxocollybia (?) platycystis Singer in Ann. mycol., Berl., 41, p. 118, 1943.—Altai, U.S.S.R.

Naucoria charvatii Pilát in Acta Mus. nat. Prag., 9, p. 54, 1953.—Bohemia.

intertrunca Pilát in Acta Mus. nat. Prag., 9, p. 55, 1953 on decayed wood.—Czechoslovakia.

Nematoctonus campylosporus Drechsler in J. Wash. Acad. Sci., 44, p. 82, 1954 on nematodes.—Louisiana, U.S.A.

Nigrospora arundinacea (Cooke & Massee) Potlaichuk in Микробиология[Microbiology,

Moscow], 21, p. 224, 1952. (Syn. Hadro-trichum arundinaceum Cooke & Massee).

— gallarum (Moll.) Potlaichuk in Микробиопогия [*Microbiology*, *Moscow*], 21, р. 224, 1952. (Syn. *Basisporium gallarum* Moll.).

Nodulisporium verrucosum (van Beyma) G. Smith in *Trans. Brit. mycol. Soc.*, 37, p. 166, 1954. (Syn. *Botrytis verrucosa* van Beyma).

Nolanea chionoderma Pilát in Acta Mus. nat. Prag., 9, p. 57, 1953.—Czechoslovakia.

*ONCOPODIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 296, 1954.—Dematiaceae. *— tetraedrica Arnaud in Bull. Soc. mycol.

Fr., 69, p. 296, Arnaud in Bull. Soc. mycol

*OPHIOPODIUM Arnaud in Bull. Soc. mycol. Fr., 69, p. 300, 1954.—Mycelia Sterilia. O. 'Humiriae n.sp.' figured but not described.

Ophiostoma albidum Math. Käärik in Medd. SkogsforsknInst. Stockh., 43, 4, p. 52, 1954 in wood.—Sweden.

— brunneo-ciliatum Math.-Käärik in *Medd.*SkogsforsknInst. Stockh., 43, 4, p. 44, 1954 in wood.—Sweden.

— galeiforme (Bakshi) Math.-Käärik in Medd. SkogsforsknInst. Stockh., 43, 4, p. 47, 1954. (Syn. Ceratocystis galeiformis Bakshi).

Otthia rubicola Petrak in Sydowia, 7, p. 393, 1953 on Rubus.—Hawaii.

— shearii Petrak in Sydowia, 7, p. 393, 1953 on Leucaena glauca.—Hawaii.

*OVEREEMIA Arnaud in Bull. Soc. mycol. Fr., 69, p. 300, 1954.—Mycelia Sterilia.

— glomerelae (Overeem) Arnaud in Bull. Soc. mycol. Fr., 69, p. 300, 1954. (Syn. Clasteroporium glomerelae Overeem).

*PACHYTHYRIUM Arnaud in Bull. Soc. mycol. Fr., 69, p. 302, 1954.—Microthyriaceae.

— parasiticum (H. Fabre) Arnaud in Bull. Soc. mycol. Fr., 69, p. 302, 1954. (Syn. Bertia parasitica H. Fabre).

Papulaspora pulmonaria van Beverwijk in Leeuwenhoek ned. Tijdschr., 20, p. 11, 1954 from leaves in water.—Netherlands and England.

PARASPHAEROPSIS Petrak in Sydowia, 7, p. 364, 1953.—Sphaeropsidales.

- shearii Petrak in Sydowia, 7, p. 364, 1953

on Pteris excelsa.—Hawaii.
Parodiopsis sydowii (Petr.) von Arx in Acta bot. neerl., 3, p. 88, 1954. (Syn. Neodimerium sydowii Petr.). [See also P. sydowii Petrak, this Index, 2, p. 24].

Paxina arctica (Nannf.) Cash in J. Wash. Acad. Sci., 44, p. 45, 1954. (Syn. Helvella arctica Nannf.).

Pellicularia otagensis G. H. Cunn. in *Trans.* roy. Soc. N.Z., 81, p. 324, 1953 on decaying wood.—New Zealand.

— scabrida G. H. Cunn. in Trans. roy. Soc. N.Z., 81, p. 326, 1953 on dead Nothopanax arboreum.—New Zealand.

— zealandica G. H. Cunn. in Trans. roy. Soc. N.Z., 81, p. 322, 1953 on dead Podocarpus spicatus.—New Zealand.

*Pêronospora coronillae-minimae Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 332, 1954 on Coronilla minima.—France.

coronopi-procumbentis Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 333, 1954 on Coronopus procumbens.—France.

*— erini Viennot-Bourgin in Bull. Soc. mycel. Fr., 69, p. 334, 1954 on Erinus alpinus.— France.

minuta Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 334, 1954 on Stenophragma thaliana.—France.

— papaveris-pilosi Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 335, 1954 on Papaver pilosum.—France.

*— ranunculi-flabellati Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 335, 1954 on Ranunculus chaerophyllos.—France.

Peziza alaskana Cash in J. Wash. Acad. Sci., 44, p. 44, 1954.—Alaska. Phaeomarasmius minutulus (Henn.) Singer

in Ann. mycol., Berl., 41, p. 151, 1943. (Syn. Lentinus minutulus Henn.).

Phialophora jeanselmei (Langeron) Emmons

in Arch. Path. (Lat. Med.), 39, p. 368, 1945. (Syn. Torula jeanselmei Langeron). Philonectria insignis (Petr. & Cif.) Arx in

Acta bot. neerl., 3, p. 92, 1954. (Syn. Phragmodimerium insigne Petr. & Cif.). Phoma minuta Bausa Alcalde (This Index, 2,

p. 85). See also P. minuta Wehm. (ibid., 1, p. 153).

Phomatospora cylindrotheca Petrak in Sydowia, 7, p. 394, 1953 on Pandanus.— Hawaii.

- sandwicensis Petrak in *Sydowia*, 7, p. 395, 1953 on rotten wood.—Hawaii.

Phomopsis hieracii Greene in Amer. Midl. Nat., 50, p. 506, 1953 on Hieracium longipilum.—Wisconsin, U.S.A.

Phyllachora rhamni T. S. Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 67, 1951 on Rhamnus wightii.—India.

— tequendamensis (Chard.) Petrak (This Index, 2, p. 85) is a later homonym of P. tequendamensis Chardon, 1930.

Phyllosticta aleuritidis Saccas & Drouillon (This Index, 2, p. 61) is a later homonym of P. aleuritidis Cif. & Frag., 1926.

- hawaiensis Petrak in *Sydowia*, 7, p. 405, 1953 on *Mimosa*.—Hawaii.

— japonica Sawada (This Index, 2, p. 41) is a later homonym of P. japonica Miyake, 1910.

microspora Saccas & Drouill. (This Index,
 2, p. 61) is a later homonym of P. microspora
 Verpl. & Claess., 1934.

numerospora Greene in Amer. Midl. Nat., 50, p. 506, 1953 on Potentilla argentea.—Wisconsin, U.S.A.

— sorbariae Greene in Amer. Midl. Nat., 50, p. 506, 1953 on Sorbaria sorbifolia.— Wisconsin, U.S.A.

Phyllostictina jambosae Petrak in Sydowia, 7, p. 406, 1953 on Jambosa.—Hawaii.

psidiicola Petrak in Sydowia, 7, p. 406,
 1953 on Psidium guayava.—Hawaii.
 Physalospora clerodendri Ramakr. (This

Physalospora clerodendri Ramakr. (This Index, 2, p. 130) is a later homonym of P. clerodendri Syd., 1909.

*— ricini Rieuf in Rev. Path. vég., 32, p. 124, 1953 on Ricinus communis.—Morocco.

Physoderma brachiariae Thirum. & Pavgi in Bull. Torrey bot. Cl., 81, p. 153, 1954 on Brachiaria distachya.—India. — dichanthicola (as 'dichanthicolum') Pavgi

dichanthicola (as 'dichanthicolum') Pavgi
& Thirum. apud Thirum. & Pavgi in Bull.
Torrey bot. Cl., 81, p. 153, 1954 on
Dichanthium annulatum.—India.
echinochloae Thirum. & Whitehead in

— echinochloae Thirum. & Whitehead in Science, 118, p. 694, 1953 on Echinochloa crusgalli.—India. *PILULINA Arnaud in Bull. Soc. mycol. Fr., 69, p. 268, 1954.—Dematiaceae.

nigrospora Arnaud in Bull. Soc. mycol. Fr., 69, p. 268, 1954 on wood.—France. *PIMINELLA Arnaud in Bull. Soc. mycol. Fr.,

69, p. 281, 1954.—Dematiaceae.

*_ castaneae Arnaud in Bull. Soc. mycol. Fr., 69, p. 281, 1954 on dead Castanea.—France. *Piricularia caricis Arnaud in Bull. Soc. mycol. Fr., 69, p. 288, 1954 on Carex.—France.

Pistillina typhae (Höhnel) Donk in Reinwardtia, 2, p. 457, 1954. (Syn. Dacryopsis

typhae Höhnel).

Plasmopara curta (Berk.) Skalický in Preslia, 26, p. 126, 1954. (Syn. Botrytis curta Berk.).

forma hellebori (Săvul. & Rayss) Skalický in Preslia, 26, p. 129, 1954. (Syn. P. pygmaea (Ung.) Schr. forma hellebori Săvul. & Rayss).

subsp. orientalis Skalický in Preslia, 26, p. 128, 1954 on Anemone raddeana and A.

baicalense.—Eastern Asia.

_var. fusca (Peck) Skalický in Preslia, 26, p. 128, 1954. (Syn. Protomyces fuscus Peck). isopyri Skalický in Preslia, 26, p. 132, 1954 on Isopyrum thalictroides .- Europe.

wartenweileri Skalický in Preslia, 26, p. 133, 1954 on Anemone dichotoma. - Wisconsin.

U.S.A.

Platycarpium amentorum (Delacr.) Petrak in Sydowia, 7, p. 296, 1953. (Syn. Gloeo-sporium amentorum (Delacr.) Lind).

deformans (Schröt.) Petrak in Sydowia, 7, p. 296, 1953. (Syn. Gloeosporium deformans (Schröt.) Lind).

p. 296, 1953. ('Syn. Calogloeum lapponum hannf.').

oelandicum (Lind) Petrak in Sydowia, 7, p. 296, 1953. (Syn. Gloeosporium oelandicum Lind)

weirianum (Sacc.) Petrak in Sydowia, 7, p. 296, 1953. (Syn. Gloeosporium weirianum Sacc.).

Platygioea longibasidia Lowy in Mycologia, 46, p. 100, 1954 on dead wood.—Louisiana,

U.S.A. Pleosphaeropsis anonae Chona & Munjal in Indian Phytopath., 3, p. 108, 1950 on Annona

squamosa .- India.

crotonis Chona & Munjal in Indian Phytopath., 3, p. 109, 1950 on dead Croton.—India. cryptostegiae Chona & Munjal in Indian Phytopath., 3, p. 109, 1950 on dead Crypto-stegia grandiflora.—India.

fici Chona & Munjal in Indian Phytopath., 3, p. 110, 1950 on dead Ficus.-India.

psidii Chona & Munjal in Indian Phytopath., 3, p. 111, 1950 on dead Psidium guayava.

- thevetiae Chona & Munjal in Indian Phytopath., 3, p. 111, 1950 on dead Thevetia nereifolia.—India.

Pleurage apiculifera (Speg.) C. Moreau in Encycl. Mycol., 25, p. 252, 1954. (Syn. Sordaria apiculifera Speg.).

- appendiculata (Auersw.) C. Moreau in Encycl. Mycol., 25, p. 246, 1954. (Syn. Sordaria appendiculata Auersw.).

araneosa (Cain) C. Moreau in Encycl. Mycol., 25, p. 252, 1954. (Syn. Sordaria araneosa Cain).

argentinensis (Speg.) C. Moreau in Encycl. Mycol., 25, p. 252, 1954. (Syn. Sordaria argentinensis Speg.).

brevicaudata (Speg.) C. Moreau in Encycl. Mycol., 25, p. 254, 1954. (Syn. Sordaria brevicaudata Speg.).

- burkillii (Massee) C. Moreau in Encycl. Mycol., 25, p. 254, 1954. (Syn. Sordaria

burkillii Massee).

cervina (Cain) C. Moreau in Encycl. Mycol., 25, p. 255, 1954. (Syn. Sordaria cervina Cain).

- cirrifera (Speg.) C. Moreau in Encycl. Mycol., 25, p. 255, 1954. (Syn. Sordaria cirrifera Speg.).

curvicolla (Wint.) Kuntze var. eminens (Cain) C. Moreau in Encycl. Mycol., 25, p. 319, 1954. (Syn. Sordaria eminens Cain).

-curvispora (Cain) C. Moreau in Encycl. Mycol., 25, p. 256, 1954. (Syn. Sordaria curvispora Cain).

curvula (de Bary) Kuntze var. coronifera (Grove) C. Moreau in Encycl. Mycol., 25, p. 235, 1954. (Syn. Sordaria coronifera Grove).

- dagobertii C. Moreau in Encycl. Mycol., 25, p. 245, 1954.—France.

- dubia (Hansen) C. Moreau in Encycl. Mycol., 25, p. 238, 1954. (Syn. Sordaria dubia Hansen).

glutinans (Cain) C. Moreau in Encycl. Mycol., 25, p. 237, 1954. (Syn. Sordaria glutinans Cain).

hirta (Hansen) C. Moreau in Encycl. Mycol., 25, p. 259, 1954. (Syn. Sordaria hirta Hansen).

hispidula (Speg.) C. Moreau in Encycl. Mycol., 25, p. 259, 1954. (Syn. Sordaria hispidula Speg.).

- inaequalis (Cain) C. Moreau in Encycl. Mycol., 25, p. 260, 1954. (Syn. Sordaria inaequalis Cain).

inaequilateralis (Cain) C. Moreau in Encycl. Mycol., 25, p. 260, 1954. (Syn. Sordaria inaequilateralis Cain).

- kilimandscharica (A. Schmidt) C. Moreau in Encycl. Mycol., 25, p. 261, 1954. (Syn. Sordaria kilimandscharica A. Schmidt)

-linguiformis (Cain) C. Moreau in Encycl. Mycol., 25, p. 261, 1954. (Syn. Sordaria linguiformis Cain).

- macrostoma (Speg.) C. Moreau in Encycl. Mycol., 25, p. 262, 1954. (Syn. Sordaria macrostoma Speg.).

neglecta (Hansen) C. Moreau in Encycl. Mycol., 25, p. 248, 1954. (Syn. Sordaria neglecta Hansen).

pachyspora (Mouton) C. Moreau in Encycl. Mycol., 25, p. 263, 1954. (Syn. Sordaria pachyspora Mouton).

perplexens (Cain) C. Moreau in Encycl. Mycol., 25, p. 264, 1954. (Syn. Sordaria perplexens Cain).

pilosa (Mouton) C. Moreau in Encycl. Mycol., 25, p. 264, 1954. (Syn. Sordaria pilosa Mouton).

piriformis (Bayer) C. Moreau in Encycl. Mycol., 25, p. 249, 1954. (Syn. Sordaria piriformis Bayer).

similis (Hansen) C. Moreau in Encycl. Mycol., 25, p. 265, 1954. (Syn. Sordaria similis Hansen).

taediosa (Speg.) C. Moreau in Encycl. Mycol., 25, p. 266, 1954. (Syn. Sordaria taediosa Speg.).

eucalypti Petrak in Pleurophomopsis Sydowia, 7, p. 407, 1953 on Eucalyptus.-Hawaii.

Pleurotus citrinopileatus Singer in Ann. mycol., Berl., 41, p. 149, 1943.—Chabarovsk, Asia.

— (Pleurotellus) kotlabae Pilát in Acta Mus. nat. Prag., 9, p. 80, 1953 on dead Juncus effusus.—Bohemia.

neapolitanus (Pers.) Singer in Ann. mycol., Berl., 41, p. 149, 1943. [Syn. not cited].

Polyporellus obovatus (Jungh.) Imazeki (This Index, 2, p. 130). Comb. made by Karsten in 1879.

Polyporus montagnei Fr. var. greenei (Berk.) Gilbertson in Mycologia, 46, p. 232, 1954. (Syn. Cyclomyces greenei Berk.).

tessellatus (Mont.) Singer in Ann. mycol., Berl., 41, p. 151, 1943. (Syn. Lentinus tessellatus (Mont.) Henn.).

*POLYSCYTALINA Arnaud in Bull. Soc. mycol. Fr., 69, p. 284, 1954.—Dematiaceae. P. 'grisea n.sp.' is figured but not described.

Poria gilvella Pilát (This Index, 1, p. 169). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 104, 1953].

— mentschulensis Pilát in Acta Mus. nat. Prag., 9, p. 105, 1953 on rotted Fagus sylvatica.—Hungary.

— pseudoobducens Pilát (This Index, 1, p. 169). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 107, 1953].

- pulvinascens Pilát in Acta Mus. nat. Prag., 9, p. 106, 1953 on wood of Salix.—Sweden.

— stellae Pilát (This Index, 1, p. 169). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 107, 1953].

— subpudorina Pilát (This Index, 1, p. 169). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 105, 1953].

— subtrametea Pilát (This Index, 1, p. 169). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 106, 1953].

POUZAROMYCES Pilát in Acta Mus. nat. Prag., 9, p. 60, 1953.—Agaricaceae.

— fumosellus (Wint.) Pilát in Acta Mus. nat. Prag., 9, p. 58, 1953.—(Syn. Agaricus fumosellus Wint.).

Prospodium garcesii Kern & Thurston in Mycologia, 46, p. 356, 1954 on Arrabidaea magnifica.—Colombia.

Pseudodiplodia aconiticola (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytula aconiticola Petrak).

aegaea (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella aegaea
 Petrak).

aethionemae (Frag.) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Assochytella aethionemae (Frag.) Petrak & Syd.).

— ampelina (Sacc.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella ampelina (Sacc.) Petrak).

anatolica (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella anatolica Petrak).

antirrhini (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella antirrhini
 Petrak).

astragalina (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella astragalina
 Petrak).

- avenae (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella avenae Petrak).

— beckii (Bauml.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella beckii (Bauml.) Petrak).

- beticola (Prill. & Delacr.) Petrak in Sydowia,

7, p. 305, 1953. (Syn. Ascochytella beticola (Prill. & Delacr.) Petrak & Syd.).

- bremeri (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella bremeri Petrak).

— capparidis (Cast.) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella capparidis (Cast.) Petrak).

- chondrillina (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella chondrillina Petrak).

— corispermi (Holl.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella corispermi (Holl.) Petrak).

— cryptica (Syd.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella cryptica Syd.). — davatchii (Esf.) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella davatchii Esf.).

dorycnii (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella dorycnii Petrak).

drabae (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella drabae Petrak)
echii (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytula echii Petrak)

1953. (Syn. Ascochytula echii Petrak).

erysimi (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella erysimi Petrak).

- fraxini (Oud.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella fraxini (Oud.) Petrak).

 jalmiana (Petrak) Petrak in Sydowia, 7,
 p. 304, 1953. (Syn. Ascochytella jahniana Petrak).

leguminicola (Jaap) Petrak in Sydowia, 7,
 p. 304, 1953. (Syn. Ascochytella leguminicola (Jaap) Petrak).

— lilloana (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella lilloana Petrak).
 — ludwigiana (Petrak) Petrak in Sydowia, 7, p. 304, 1952.

p. 304, 1953. (Syn. Ascochytula ludwigiana Petrak).

— luzulina (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytulla lunwika

304, 1953. (Syn. Ascochytella luzulina Petrak).
— macedonica (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella

p. 305, 1953. (Syn. Ascochytella macedonica Petrak).
— maderensis (Petrak) Petrak in Sydowia, 7,

p. 305, 1953. (Syn. Ascochytella maderensis Petrak). — meliae (Petrak) Petrak in Sydowia, 7, p.

305, 1953. (Syn. Ascochytella meliae Petrak).

— onosmatis (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella onosmatis Petrak).

— perpusilla (Desm.) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella perpusilla (Desm.) Petrak).

— polygonicola (Kab. & Bub.) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytula polygonicola (Kab. & Bub.) Petrak).

 potentillae (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella potentillae Petrak).

pycnocyclae (Petrak) Petrak in Sydowia, 7,
 p. 305, 1953. (Syn. Ascochytella pycnocyclae Petrak).

 rhodopensis (Petrak) Petrak in Sydowia,
 7, p. 305, 1953. (Syn. Ascochytella rhodopensis Petrak).

rudis (Bub.) Petrak in Sydowia, 7, p. 304,
 1953. (Syn. Ascochytella rudis (Bub.) Petrak
 & Syd.).

- rutaecola (Rabenh.) Petrak in Sydowia, 7,

304, 1953. (Syn. Ascochytella rutaecola Rabenh.) Petrak & Syd.).

saponariae (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella saponariae Petrak).

sedi (Allesch.) Petrak in Sydowia, 7, p. 304, (Syn. Ascochytella sedi (Allesch.) 1953. Petrak).

stapfiana (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella stapfiana Petrak).

stegasphaeriae (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella stega-

sphaeriae Petrak). stipina (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella stipina Petrak). symica (Petrak) Petrak in Sydowia, 7, p.

305, 1953. (Syn. Ascochytella symica Petrak). svriaca (Petrak) Petrak in Sydowia, 7, p. 305, 1953. (Syn. Ascochytella syriaca Petrak). thymi (Petrak) Petrak in Sydowia, 7, p.

305, 1953. (Syn. Ascochytella thymi Petrak). viciae (Shemb.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella viciae (Shemb.)

virescens (Petrak) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella virescens

Petrak).

visci (Poteb.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella visci (Poteb.) Petrak).

xanthina (Sacc.) Petrak in Sydowia, 7, p. 304, 1953. (Syn. Ascochytella xanthina (Sacc.) Petrak & Syd.).

Puccinia arthraxonis-ciliaris Cummins in Uredineana, 4, p. 16, 1953 on Arthraxon hispidus.—Philippines.

-asiatica (Kom.) Syd. var. tiarellae Savile in Canad. J. Bot., 32, p. 404, 1954 on Tiarella

polyphylla .- Japan.

caricina DC. var. circaeae-caricis (Hasler) Hylander, Jørstad, & Nannfeldt in Op. bot., Lund, 1, 1, p. 42, 1953. (Syn. P. circaeaecaricis Hasler).

croci-pallasii Săvulescu, Monografia Uredinalelor . . . Română, p. 1099, 1953 on Crocus pallasii.—Roumania.

erianthicola Cummins in Uredineana, 4, p. 42, 1953 on Erianthus angustifolius.—Brazil.

-fujisanensis Hiratsuka f. in *Mycol. J.* Nagao Inst., No. 3, p. 85, 1953 on Ostericum florenti.-Japan.

heucherae (Schw.) Diet. var. austro-beringiana Savile in Canad. J. Bot., 32, p. 407, 1954 on Tellima grandiflora.—B.C.,

Canada. -var. chrysosplenii (Grev.) Savile in Canad. J. Bot., 32, p. 405, 1954. (Syn. P. chrysosplenii Grev.).

-var. lithophragmae (Holway) Savile in Canad. J. Bot., 32, p. 409, 1954. (Syn. P. lithophragmae Holway).

-var. saxifragae (Schlecht.) Savile in Canad. J. Bot., 32, p. 408, 1954. (Syn. P. saxifragae Schlecht.).

-kawandensis Cummins in Uredineana, 4, p. 44, 1953 on Chrysopogon aucheri. p. 44, Uganda

lapathicola Hylander, Jørstad, & Nannfeldt nom. nov. in Op. bot., Lund, 1, 1, p. 66, 1953. (Syn. P. punctiformis Diet. & Holw. 1894, non (Str.) Röhl. 1813).

operculinae T. S. Ramakr. & Sundaram in Indian Phytopath., 5, p. 111, 1953 on Oper-

culina turpethum .- South India.

pazschkei Diet. var. heterisiae (Jacks.) Savile in *Canad. J. Bot.*, **32**, p. 410, 1954. (Syn. P. heterisiae Jacks.).

— var. huteri (Syd.) Savile in Canad. J. Bot., 32, p. 412, 1954. (Syn. P. huteri Syd.). var. jueliana (Diet.) Savile in Canad. J.

Bot., 32, p. 411, 1954. (Syn. P. jueliana Diet.).
— var. oppositifolia [as 'oppositifoliae'] Savile in Canad. J. Bot., 32, p. 413, 1954 on Saxifraga oppositifolia.—Quebec, Canada. —var. tricuspidata [as 'tricuspidatae']

Savile nom. nov. in Canad. J. Bot., 32, p. 410, 1954. (Syn. P. saxifragae-tricuspidatae P. Henn.)

- pseudocesatii Cummins in Uredineana, 4, p. 71, 1953 on Chrysopogon gryllus.—Austria. Pucciniastrum ucciniastrum guttatum (Schroet.) Hylander, Jørstad, & Nannfeldt in Op. bot., (Schroet.) Lund, 1, 1, p. 81, 1953. (Syn. Melampsora

*QUESTIERIELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 284, 1954.—Dematiaceae; conidial state of Questieria Arn. Two 'n.sp.' are figured but not described.

-ramundi (Sacc.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 287, 1954. (Syn. 'Sarcinella

ramundi Sacc., 1914, pr. part.').

guttata Schroet.).

RAMARICIUM J. Eriksson in Svensk bot.

Tidskr., 48, p. 189, 1954.—Clavariaceae. occultum J. Eriksson in Svensk bot. Tidskr., 48, p. 196, 1954 on Hylocomium schreberi.

Ravenelia hansfordii Cumm. var. ferruginea [as 'ferrugineae'] T. S. Ramakr. & Sundaram in Indian Phytopath., 5, p. 113, 1953 on Acacia ferruginea.—South India.

Rehmiodothis betulina (Fr.) Arx in Acta bot. neerl., 3, p. 83, 1954. (Syn. Dothidea betulina

Rhabdospora orientalis Togashi & Tsukamoto apud Tsukamoto in Ann. phytopath. Soc. Japan, 17, p. 122, 1953 on Biota orientalis.-Japan.

- ricini Rieuf in Rev. Path. vég., 32, p. 124, 1953 on Ricinus communis. - Morocco.

RHINOTRICHELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 272, 1954.—Dematiaceae.

grisea (Sacc.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 272, 1954. (Syn. Rhinotrichum griseum Sacc.).

Rhizophidium difficile Canter in Trans. Brit. mycol. Soc., 37, p. 119, 1954 on Staurastrum jaculiferum.—English Lake District.
- oblongum Canter in Trans. Brit. mycol.

Soc., 37, p. 116, 1954 on Dinobryon.—English Lake District.

- uniguttulum Canter in Trans. Brit. mycol. Soc., 37, p. 113, 1954 on Genellicystis neglecta.—English Lake District.

Rhizosiphon akinetum Canter in Trans. Brit. mycol. Soc., 37, p. 121, 1954 on Anabaena affinis var. intermedia.—England.

Rhodopaxillus glaucocanus (Bres.) Singer in Ann. mycol., Berl., 41, p. 92, 1943. [Syn. not

cited1. -lepista (Fr.) Singer in Ann. mycol., Berl., 41, p. 91, 1943. (Syn. Paxillus lepista Fr.).

- nudus var. tridentinus Singer nom. nov. in Ann. mycol., Berl., 41, p. 91, 1943. (Syn. Tricholoma personatum f. minor Bres.). var. violaceofuscidulus Singer in Ann.

mycol., Berl., 41, p. 92, 1943.—Caucasus. Rhodophyllus aeruginosus (Hiroe) Hongo in J. Jap. Bot., 29, p. 92, 1954. (Syn. Entoloma aeruginosum Hiroe).

-murrayi (Berk. & Curt.) Singer forma albus (Hiroe) Hongo in J. Jap. Bot., 29, p. 92, 1954. (Syn. Entoloma album Hiroe).

subnitidus (Ímai) Hongo forma cyanoniger (Hongo) Hongo in J. Jap. Bot., 29, p. 92, 1954. (Syn. Entoloma subnitidum Imai f. cyano-nigrum Hongo).

Rhopographus anceps Petrak in Sydowia, 7,

p. 396, 1953 on *Pteris*.—Hawaii. Russula carminipes Blum in *Bull. Soc.* mycol. Fr., 69, p. 449, 1954.—France.

cupraeoviolacea Blum in Bull. Soc. mycol. Fr., 69, p. 440, 1954.—France.

pseudolilacea Blum in Bull. Soc. mycol. $\hat{F}r$., 69, p. 434, 1954.—France. pseudorosea Blum in Bull. Soc. mycol. Fr.,

69, p. 436, 1954.—France. - robertii Blum in Bull. Soc. mycol. Fr., 69, p. 443, 1954.—France.

variecolor Blum in Bull. Soc. mycol. Fr., 69, p. 445, 1954.—France.

xerampelina var. abietum Blum in Bull. Soc. mycol. Fr., 69, p. 429, 1954.—France.

*Sabouraudites praecox Rivalier in Ann. Inst. Pasteur, 86, p. 276, 1954 on man.-France.

Sclerotiopsis indica T. S. Ramakr. & Srinivasan in Proc. Indian Acad. Sci., Sect. B, 34, p. 71, 1951 on Ilex wightiana.—India. Scolecosporium phoebes [as 'phoebei'] T. S.

Ramakr. in Proc. Indian Acad. Sci., Sect. B, 34, p. 70, 1951 on Phoebe paniculata.—India. Scytinotopsis tremula (Schaeff.) Singer in

Ann. mycol., Berl., 41, p. 157, 1943. [Syn. not cited].

*SELENOSPORELLA Arnaud in Bull. Soc. mycol. Fr., 69, p. 292, 1954.—Dematiaceae. - curvispora Arnaud in Bull. Soc. mycol. Fr.,

69, p. 292, 1954 on a dead branch.—France. Septoria achilleae Greene in Amer. Midl. Nat., 50, p. 507, 1953 on Achillea mille-folium.—Wisconsin, U.S.A.

-achyranthis Chona & Munjal in Indian Phytopath., 3, p. 107, 1950 on Achyranthes

aspera.—India.
-lamii Pass. var. brevior Greene in Amer. Midl. Nat., 50, p. 507, 1953 on Leonurus cardiaca.-Wisconsin, U.S.A.

macropoda forma sitadakaensis R. Sprague in Mycologia, 46, p. 79, 1954 on dead Poa paucispicula.—Alaska.

Sorosporium anthephorae Ling in Lloydia, 16, p. 184, 1953 on Anthephora acuminata.-Nyasaland.

bothriochloae Ling in Lloydia, 16, p. 186, 1953 on Bothriochloa glabra.—Nyasaland.

congoense Ling in Lloydia, 16, p. 186, 1953 on Andropogon gabonensis.—Belgian Congo. cymbopogonis-distantis Ling in Farlowia,

4, p. 341, 1953 on Cymbopogon distans.— Szechwan, China.

- decorsei (Har. & Pat.) Ling in Lloydia, 16, p. 187, 1953. (Syn. Tolyposporium decorsei Har. & Pat.).

densifiorum Ling in Lloydia, 16, p. 188, 1953 on Cymbopogon densiflorus.—Belgian Congo.

dubiosum (Zundel) Ling in Lloydia, 16, p. 189, 1953. (Syn. Cintractia dubiosa Zundel). goniosporum (Massee) Ling in Lloydia, 16, p. 189, 1953. (Syn. Ustilago goniospora Massee). guaranticum (Speg.) Ling in Lloydia, 16, (Syn. Ustilago guarantica Speg.).

- loudetiae-superbae Ling in Lloydia, 16, p. 190, 1953 on Loudetia superba.—Nyasa-land.

- pappianum (Bacc.) Ling in Lloydia, 16, p. 192, 1953. (Syn. Ustilago pappiana Bacc.). Sphacelotheca ` andropogonis-schirensis Ling in Lloydia, 16, p. 181, 1953 on Andro. pogon schirensis.—Belgian Congo.

anthistiriae (Petch) Ling in Farlowia, 4, p. 328, 1953. (Syn. Ustilago anthistiriae

- var. punctata Ling in Farlowia, 4, p. 328, 1953 on Themeda triandra.—Szechwan, China.

serrata Ling in Lloydia, 16, p. 183, 1953 on Brachiaria serrata.—Nyasaland.

- tanglinensis (Tracy & Earle) Zundel var, hainanae (Zundel) Ling in Farlowia, 4, p. 334, 1953. (Syn. Sphacelotheca hainanae Zundel).

- tristachyae-hispidae Ling in Lloydia, 16, p. 184, 1953 on Tristachya hispida.—Nyasa-

land.

Sphaerella clypeata da Camara & de Vasconcelos in Agron. lusit., 15, p. 186, 1953 on Jasminum.—Portugal.

*SPHAEROMYCES Arnaud [non Mont., 1845] in Bull. Soc. mycol. Fr., 69, p. 279, 1954.—Dematiaceae.

- clavisporus Arnaud in Bull. Soc. mycol. Fr., 69, p. 279, 1954 on wood.—France.

*SPHAEROMYCETELLA Arnaud in Bull, Soc. mycol. Fr., 69, p. 279, 1954.—Dematiaceae.

- leucocephala Arnaud in Bull. Soc. mycol. Fr., 69, p. 279, 1954 on dead Populus. France.

Spondylocladium macrocarpum (Grev.) Arnaud in Bull. Soc. mycol. Fr., 69, p. 288, 1954. (Syn. Helminthosporium macrocarpum Grev 1

*SPORENDOCLADIA Arnaud in Bull. Soc. mycol. Fr., 69, p. 279, 1954.—Dematiaceae. - castaneae Arnaud in Bull. Soc. mycol. Fr.,

69, p. 279, 1954 on old cupules of Castanea.-France. *Sporormia petasoniformis C. Moreau in

Encycl. Mycol., 25, p. 285, 1954.—France. Stemonitis (as 'Stemonites') travancorensis Erady in Kew Bull., 1953, p. 570, 1953 on Cereus.—South Travancore, India.

Stemphylium loti Graham in Phytopathology, 43, p. 578, 1953 on Lotus corniculatus.—New York, U.S.A.

Stereum aurora Killerman in Ann. mycol., Berl., 41, p. 275, 1943 on bark of Populus tremula.—Siberia.

Stigmatea hepaticarum (Cooke) Arx in Acta bot. neerl., 3, p. 87, 1954. (Syn. Laestadia hepaticarum Cooke).

SUBBAROMYCES Hesseltine in Bull. Torrey bot. Cl., 80, p. 511, 1953.—'Ophiostomataceae'.

splendens Hesseltine in Bull. Torrey bot. Cl., 80, p. 511, 1953 on filter beds.—New York, U.S.A.

Suillus grevillei (Kl.) Imazeki (This Index, 2, p. 134). Comb. made by Singer in 1951 or earlier

SULPHURINA Pilát (This Index, 1, p. 172). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 109, 1953].

Sydowia polyspora (Bref. & v. Tav.) Müller in Sydowia, 7, p. 342, 1953. (Syn. Dothidea polyspora Bref. & v. Tav.).

Synchytrium chamaedryoidis Karling nom. nov. in Mycologia, 45, p. 977, 1953. (Syn. S. urticae M. T. Cook, non Sorokin).

Tectella phellodendri Singer in Ann. mycol., Berl., 41, p. 156, 1943.—Chabarovsk, Asia.

Thekopsora strobilina (Alb. & Schw.)
Săvulescu, Monografia Uredinalelor . . .
Română, p. 364, 1953. (Syn. Licea strobilina Alb. & Schw.).

Therrya fuckelii (Rehm) Kujala [comb. nov. ?] in Commun Inst. for. Finl. 38, No. 4, p. 48, 1950. (Syn. Coccophacidium fuckelii

(Rehm) Krieger).

pini (Rehm) Kujala [comb. nov.?] in
Commun Inst. for. Finl. 38, No. 4, p. 49, 1950. (Syn. Coccophacidium pini Rehm).

Tilletia okudairae (Miyabe) Ling in Farlowia, 4, p. 308, 1953. (Syn. Ustilago okudairae Miyabe).

Torrubiella cordyceps (Lloyd) Dingley in Trans. roy. Soc. N.Z., 81, p. 340, 1953. (Syn. Ophionectria cordyceps Lloyd).

Trametes acuta (Berk.) Imazeki (This Index, 2, p. 63) is a later homonym of T. acuta Cooke, 1882.

sanguinea (Fr.) Imazeki (This Index, 2, p. 63) is a later homonym of T. sanguinea (Kl.) Coutinho, 1925.

TRICELLULA van Beverwijk in Leeuwenhoek ned. Tijdschr., 20, p. 15, 1954.-Hyphomycetes.

inaequalis van Beverwijk in Leeuwenhoek ned. Tijdschr., 20, p. 15, 1954 from the air.-

Tricholoma altaicum Singer in Ann. mycol., Berl., 41, p. 72, 1943.—Altai, U.S.S.R. fusisporum Singer in Ann. mycol., Berl.,

41, p. 71, 1943.—Altai, U.S.S.R.

matsutake (S. Ito & Imai) Singer in Ann.
mycol., Berl., 41, p. 77, 1943. [Syn. not cited].

rhodophyllum (Métrod) Singer in Ann. mycol., Berl., 41, p. 75, 1943. (Syn. T. sulphureum var. rhodophyllum Métrod).

romagnesii Singer nom. nov. in Ann. mycol., Berl., 41, p. 82, 1943. (Syn. T. ramentaceum sensu Romagn., non Fr.). stanekii Pilát in Acta Mus. nat. Prag., 9,

p. 72, 1953.—Bohemia.

tridentinum Singer nom. nov. in Ann. mycol., Berl., 41, p. 78, 1943. (Syn. T. pessundatum sensu Bres.).

Trichophyton verrucosum Bodin var. album (Sab.) Georg apud Ainsworth & Georg in Mycologia, 46, p. 10, 1954. (Syn. T. album Sab.).

- var. discoides (Sab.) Georg apud Ainsworth & Georg in Mycologia, 46, p. 10, 1954.

(Syn. T. discoides Sab.).

— var. ochraceum (Sab.) Georg apud Ainsworth & Georg in Mycologia, 46, p. 10, 1954. (Syn. T. ochraceum Sab.). TRUNCOSPORA Pilát (This Index, 1, p.

172). [Latin diagnosis in Acta Mus. nat. Prag., 9, p. 108, 1953].

agropyri-juncei *Tuburcinia Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 336, 1954 on Agropyron junceum.-France. avenastri Massenot in Rev. Path. vég., 32,

p. 108, 1953 on Avena pubescens.-Norway and France.

rytzii Massenot in Rev. Path. vég., 32, p. 113, 1953 on Avena versicolor.—Switzerland.

- sesleriae Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 338, 1954 on Sesleria coerulea .- France.

Tyromyces incarnatus Imazeki in Bull. For. Exp. Sta. Meguro 67, p. 31, 1954 on wood.-Japan.

Uredo diocleicola Kern & Thurston in Mycologia, 46, p. 357, 1954 on Dioclea columbiana. -Colombia.

diplostephii Kern & Thurston in Mycologia, 46, p. 356, 1954 on Diplostephium eriophorum.—Colombia. - horikawai Morimoto in J. Jap. Bot., 28,

p. 316, 1953 on Diospyros nipponica.—Japan. neilgherriensis T. S. Ramakr. in Indian Phytopath., 3, p. 45, 1950 on Parthenocissus

neilgherriensis.—South India. - schuteriae T. S. Ramakr. in Indian Phytopath., 3, p. 44, 1950 on Schuteria vestita.—South India.

yakushimensis Morimoto in J. Jap. Bot., 28, p. 315, 1953 on Psychotria serpens.— Japan.

Uromyces arenariae-grandiflorae Vienn.-Bourg. (This Index, 2, p. 136). See also U. arenariae-grandiflorae Mayor, 1922. — arenariae-leptoclados Viennot-Bourgin

in Bull. Soc. mycol. Fr., 69, p. 339, 1954 on Arenaria leptoclados.—Roumania.

lereddei Dupias in Uredineana, 4, p. 246, 1953 on Colutea arborescens .- France.

sommerfeltii Hylander, Jørstad, & Nannfeldt nom. nov. in Op. bot., Lund, 1, 1, p. 96, 1953. (Syn. U. solidaginis Niessl 1872, non Fuckel 1860).

*— suffruticosa [as 'suffruticosae'] Viennot-Bourgin in Bull. Soc. mycol. Fr., 69, p. 341, 1954 on Medicago suffruticosa.—France. Ustilago chloridionis Ling in Lloydia, 16,

p. 180, 1953 on Chloridion cameronii.— Nyasaland.

cynodontis P. Henn. forma ovariicola Ling in Farlowia, 4, p. 318, 1953 on Cynodon dactylon.-China.

setariae-mombassanae Ling in Lloydia, 16, p. 181, 1953 on Setaria mombassana.-Nyasaland.

striiformis (Westend.) Niessl var. agrostidis (W. H. Davis) Thirum. & Dickson in Phytopathology, 43, p. 530, 1953. (Syn. U. striiformis forma agrostidis W. H. Davis).
— var. dactylidis Thirum. & Dickson nom.

nov. in Phytopathology, 43, p. 530, 1953. (Syn. U. clintoniana W. H. Davis).

— var. phlei (W. H. Davis) Thirum. &

Dickson in Phytopathology, 43, p. 530, 1953. (Syn. U. striiformis forma phlei W. H. Davis).

var. poae Thirum. & Dickson nom. nov. in Phytopathology, 43, p. 530, 1953. (Syn. U. striiformis forma poae-pratensis W. H. Davis). - tinantiae Lindquist in Rev. Fac. Agron. Eva Perón, 29, p. 253, 1953 on Tinantia fugax.—

Argentina.

Wakefieldia macrospora (Hawker) Hawker in Phil. Trans., 237, p. 521, 1954. (Syn. Sclerogaster macrosporus Hawker).

Zygorhizidium parallelosede Canter in Trans. Brit. mycol. Soc., 37, p. 127, 1954 on Ankistrodesmus.—English Leke District.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

ACANTHACEAE Andrographis Cercospora andrographidis Crossandra infundibuliformis Colletotrichum crossandrae ACERACEAE

Acer

Campylospora chaetocladia

Anabaena affinis var. intermedia Rhizosiphon akinetum Ankistrodesmus

Zygorhizidium parallelosede

Dinobryon Rhizophidium oblongum

Gemellicystis neglecta Rhizophidium uniguttulum

Staurastrum jaculiferum Rhizophidium difficile

AMARANTHACEAE

Achyranthes aspera Septoria achyranthis

AMARYLLIDACEAE

Agave

Coniothecium agaves

Agave sisalana

Dothiorella agavicola ANNONACEAE

Annona squamosa

Pleosphaeropsis anonae APOCYNACEAE

Thevetia nereifolia

Pleosphaeropsis thevetiae

AQUIFOLIACEAE

Byronia

Asterina tantalina

Ilex cornuta Elsinoë ilicis

Ilex wightiana

Sclerotiopsis indica

ARALIACEAE

Nothopanax arboreum Pellicularia scabrida

ASCLEPIADACEAE

Asclepias curassavica Dothiorella hawaiensis

Cryptostegia grandiflora Pleosphaeropsis cryptostegiae

Sarcostemma brevistigma Julella sarcostemmatis

Massarina sarcostemmatis

Tylophora mollissima Arthuria tylophorae

BERBERIDACEAE

Nandina domestica Leptosphaeria nandinae

BETULACEAE

Articulospora moniliformis

Alnus rugosa

Durandiella alni

Betula

Gloeocystidium betulinum

BIGNONIACEAE

Arrabidaea magnifica Prospodium garcesii

Catalpa ovata

Macrophoma akitensis

BRYOPHYTA

Hylocomium schreberi Ramaricium occultum

BURSERACEAE

Canarium commune Aecidium pulneyense

CACTACEAE

Cereus

Stemonitis travancorensis

Opuntia fulgida

 $Hysterographium\ opuntiae$

CAMPANULACEAE

Clermontia

Coleophoma sandwicensis

CAPPARIDACEAE

Breynia rhamnoides

Cercospora breyniae-rhamnoides

CAPRIFOLIACEAE

Lonicera coerulea

Guignardia latemarensis

CARYOPHYLLACEAE

Arenaria leptoclados

Uromyces arenariae-leptoclados

COMMELINACEAE

Tinantia fugax

Ustilago tinantiae

COMPOSITAE

Achillea millefolium

Septoria achilleae

Ambrosia maritima

Entyloma ambrosiae-maritimae

Diplostephium eriophorum

Uredo diplostephii Hieracium longipilum

Phomopsis hieracii

Vernonia bourneana

Angiopsora vernoniae

CONIFERAE

Biota orientalis

Rhabdospora orientalis

Picea excelsa

Monilia ferruginea

Picea sitchensis

Chrysomyxa monesis

Pinus strobus

Ascocybe grovesii

Pinus sylvestris

Asterostromella pinicola

Podocarpus spicatus

Pellicularia zealandica

CONVOLVULACEAE

Operculina turpethum

Puccinia operculinae

CRUCIFERAE

Coronopus procumbens

Peronospora coronopi-procumbentis

Stenophragma thaliana Peronospora minuta

CYPERACEAE

Carex

Piricularia caricis

Carex rostrata

Apostemidium sporogyrum

Cyperus rotundus Cercospora cyperi-rotundi

Cyperus strigosus

Cercospora cypericola

CYPERACEAE (continued) Schoenoplectus lacustris Coleosperma lacustre

EBENACEAE Diospyros nipponica Uredo horikawai

ERICACEAE

Vaccinium Melanostromella inaequalis Vaccinium leschnaultii Achorella vaccinii

EUPHORBIACEAE

Croton Pleosphaeropsis crotonis Euphorbia Mycosphaerella degeneri Kirganellia reticulata Cercospora kirganelliae Ricinus communis

 $Diplodia\ organicola$ Physalospora ricini Rhabdospora ricini

FAGACEAE Castanea Piminella castaneae Sporendocladia castaneae Castanea sativa Dothiorella castaneae Fagus sylvatica Poria mentschulensis Nothofagus dombeyi Bondarzewia perniciosa Quercus

Didymotrichella quercina Inonotus nidus-pici Lemonniera cornuta FUNGI

Hypoxylon Acrostaphylus hypoxyli

GOODENIACEAE Scaevola Asteromella scaevolae GRAMINEAE

Agropyron junceum
Tuburcinia agropyri-juncei Andropogon gabonensis Sorosporium congoense

Andropogon schirensis Sphacelotheca andropogonis-schirensis Anthephora acuminata

Sorosporium anthephorae Arthraxon hispidus Puccinia arthraxonis-ciliaris Avena pubescens

Tuburcinia avenastri Avena versicolor Tuburcinia rytzii Bothriochloa glabra

Sorosporium bothriochloae Brachiaria distachya

Physoderma brachiariae Brachiaria serrata Sphacelotheca serrata Chloridion cameronii

Ustilago chloridionis Chrysopogon aucheri Puccinia kawandensis

Chrysopogon gryllus Puccinia pseudocesatii Cymbopogon densiflorus

Sorosporium densiflorum

GRAMINEAE (continued) Cymbopogon distans Sorosporium cymbopogonis-distantis Cynodon dactylon Ustilago cynodontis form ovariicola

Deschampsia atropurpurea
Mycosphaerella deschampsiae Dichanthium annulatum

Physoderma dichanthicola Echinochloa crusgalli Physoderma echinochloae Erianthus angustifolius

Puccinia erianthicola Gaudinia fragilis Entyloma gaudinae

Loudetia superba Sorosporium loudetiae-superbae

Panicum Apiospora spinulosa

Poa paucispicula Septoria macropoda f. sitadakaensis

Sesleria coerulea Tuburcinia sesleriae Setaria mombassana

Ustilago setariae-mombassanae

Sorghum vulgare Anthostomella appendiculata Anthostomella sorghi Coniothyrium sorghi Cryptovalsa sorghicola Didymella sorghina Didymosphaeria radicicola Dinemasporium sorghi Glomerella cingulata var. sorghicola Glomerella sorghi Themeda triandra

Sphacelotheca anthistiriae var. punctata

Tristachya hispida Sphacelotheca tristachyae-hispidae Trisetum spicatum Gloeocercospora alascensis

Zea mays

Helicosporium panacheum

HYDROPHYLLACEAE Hydrolea zeylanica Cercospora hydroleae

INSECTA Coelostomidea Cordyceps novae-zealandiae Coleoptera Cordyceps lateritia Lepidoptera Cordyceps hauturu INVERTEBRATA (other than Insecta) Daphnia hyalina var. lacustris Aphanomyces daphniae Nematodes Nematoctonus campylosporus IRIDACEAE Crocus pallasii

JUNCACEAE Juneus effusus Pleurotus kotlabae

LABIATAE Leonurus cardiaca Septoria lamii var. brevior Leucas vestita Cercospora vestita

Puccinia croci-pallasii

LABIATAE (continued) OLEACEAE (continued) Monarda punctata Forsythia suspensa Cladosporium monardae $Macrophoma\ for sythiae$ LAURACEAE Jasminum Sphaerella clypeata Phoebe paniculata Scolecosporium phoebes Jasminum brevilobum LEGUMINOSAE Hysterostoma brevilobi Acacia ferruginea Ravenelia hansfordii var. ferruginea PALMAE Acacia koa Cocos Mycosphaerella koae Helicosporium linderi Albizzia lebbeck PANDANACEAE Colletotrichum compactum Pandanus Atylosia scarabaeoides Coniothyrium pandanicola Čercospora atylosiae Cassia bicapsularis Phomatospora cylindrotheca PAPAVERACEAE Amphisphaeria depressa Papaver pilosum Peronospora papaveris-pilosi Cercis chinensis Diplodia cercidis-chinensis Colutea arborescens POLYPODIACEAE Plagiogyria japonica Milesina hiratsukai Uromyces lereddei Coronilla minima PTERIDOPHYTA Peronospora coronillae-minimae Pteris Dioclea columbiana $Rhopographus\ anceps$ Uredo diocleicola Pteris excelsa Leucaena glauca Diplodia shearii Mycosphaerella olindensis Parasphaeropsis shearii Otthia shearii PYROLACEAE Lotus corniculatus Moneses uniflora Stemphylium loti Medicago suffruticosa Chrysomyxa monesis Uromyces suffruticosa Mimosa RANUNCULACEAE Phyllosticta hawaiensis Aconitum anthora Robinia pseudoacacia Endothiella robiniae Aecidium aconiti-anthorae Anemone baicalense Schuteria vestita Uredo schuteriae Anemone dichotoma Voandzeia subterranea Plasmopara wartenweileri Cercospora voandzeiae Anemone raddeana Wistaria Lepteutypa fusispora Wistaria floribunda Clematis $Ahmadinula\ excelsa$ Crepidotus sulphurinus Hepatica triloba LORANTHACEAE Didymella vodakii Viscum Isopyrum thalictroides Echidnodes visci Plasmopara isopyri Ranunculus chaerophyllos MALVACEAE Kokia RHAMNACEAE Libertella kokkiae Rhamnus wightii Kokia rockii Phyllachora rhamni Diaporthe kokiae Zizyphus oenoplea MORACEAE Čatenulopsora zizyphi Ficus ROSACEAE Pleosphaeropsis fici Crataegus MYRTACEAE Durandiella lenticellicola Eucalyptus Potentilla argentea Pleurophomopsis eucalypti $Phyllostictar{a}\ numerospora$ Jambosa Prunus persica Phyllostictina jambosae Metrosideros

> Phyllostictina psidiicola Pleosphaeropsis psidii NYMPHAEACEAE Nelumbo nucifera Fusarium bulbigenum var. nelumbicola

Harknessia shearii

Psidium guayava

OLEACEAE (This *Index*, 2, pp. 68-9) Fraxinus, Jasminum and Phillyrea entered in error under 'Olacaceae'.

Plasmopara curta subsp. orientalis Plasmopara curta subsp. orientalis Peronospora ranunculi-flabellati Diplodina persicae Rubus Otthia rubicola Sorbaria sorbifolia Phyllosticta sorbariae

RUBIACEAE Mitchella repens [as 'Rosaceae' p 141] Synchytrium mitchellae Psychotria serpens Uredo yakushimensis Randia uliginosa Hemileia thomasii RUTACEAE Evodia confusa Cyclopeltis orbicularis

SALICACEAE

Populus Anguillospora gigantea Sphaeromycetella leucocephala

Populus tremula

Stereum aurora Populus trichocarpa Galerina olympiana

Salix Anguillospora pseudolongissima Articulospora moniliformis Lemonniera cornuta

Poria pulvinascens SAXIFRAGACEAE

Saxifraga oppositifolia
Puccinia pazschkei var. oppositifolia
Tellima grandiflora

Puccinia heucherae var. austroberingiana

Tiarella polyphylla Puccinia asiatica var. tiarellae

SCROPHULARIACEAE

Chaenorrhinum origanifolium Entyloma chaenorrhini

Erinus alpinus $Peronos por a\ erini$

Verbascum thapsus Basitorula cingulata

SOLANACEAE Atropa belladonna

Aecidium belladonnae Datura stramonium Dothiorella stramonii

THYMELAEACEAE Wikstroemia Didymosphaeria wikstroemiae

TILIACEAE Triumfetta pilosa Cercospora pilosa

Umbelliferae Ostericum florenti Puccinia fujisanensis

URTICACEAE Parietaria alsinifolia Entyloma parietariae

Parietaria judaica Entyloma parietariae Pipturus

Chaetotrichum sandwicense Urtica gracilis


Colletotrichum urticae

VERBENACEAE Lantana camara Asteromella lantanae


VERTEBRATA Homo sapiens Sabouraudites praecox

VITACEAE Parthenocissus neilgherriensis Uredo neilgherriensis

The Editor gratefully acknowledges the assistance of Drs. R. W. G. Dennis, J. A. Stevenson, and Edith Cash in supplying details of certain citations.







INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Vol. II

Part 10

1955

Acanthostigma lahorense Ahmad apud Petrak & Ahmad in Sydowia, 8, p. 164, 1954 on wood.—Pakistan.

Achlya lobata Ziegler & Gilpin in Mycologia, 46, p. 647, 1954 in soil.—Florida, U.S.A.

Acrothecium yaqueanum Cif. in Sydowia, 8, p. 253, 1954 on Cynodon dactylon.—Santo Domingo.

Actiniceps cocos C. V. Subram. in J. Indian bot. Soc., 33, p. 36, 1954 on dead Cocos nucifera.-India.

Accidium dallasicum Petrak in Sydowia, 8, p. 12, 1954 on a liane.—North Borneo.

jujuyense Lindquist in Rev. Fac. Agron. Eva Perón, 30, p. 63, 1954 on Solanum sinuato-recurvum.—Argentina.

Agaricus maskae Pilát in Čes. Mykol., 8, p. 165, 1954.—Moravia.

Allomyces macrogynus (Emerson) Emerson & Wilson in Mycologia, 46, p. 429, 1954.

(Syn. A. javanicus var. macrogymus Emerson).
*Alternaria eriobotryae Séchet in Fruits
d'outre mer, 8, p. 272, 1953 on Eriobotrya
japonica.—Madagascar.

Amanita diemii Singer in Sydowia, 8, p. 120, 1954.—Argentina.

Anthostoma anisophyll[e]ae (Petrak) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 320, 1954. (Syn. Leptomassaria anisophyl-

leae Petrak).

- avocetta ('Curt.' [Cooke] & Ell.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 317, 1954. (Syn. Sphaeria avocetta Cooke & Ell.).

punctulata (Rob.) Arx & Müller in Beitr. Kyptogamenfl. Schweiz, 11, p. 316, 1954. (Syn. Sphaeria punctulata Rob.).

ANTHRACOSTROMA Petrak in Sydowia,

8, p. 96, 1954.—Pyrenomycetes. - persooniae (P. Henn.) Petrak in Sydowia, 8, p. 97, 1954. (Syn. Mycosphaerella persooniae P. Henn.).

APOGLEUM Petrak in Sydowia, 8, p. 57, 1954.—Sphaeropsidales.

- concinnum Petr. in Sydowia, 8, p. 57, 1954

on Lomatia polymorpha.—Tasmania.

Armillariella minuta Sing. & Digilio in Sydowia, 8, p. 106, 1954.—Argentina.

Asterina dallasica Petrak in Sydowia, 8, p.

14, 1954 on Trema.—North Borneo. pouzolziae Petrak in Sydowia, 8, p. 15, 1954

on Pouzolzia.-North Borneo. turneracearum Cif. in Sydowia, 8, p. 247,

1954 on Turnera ulmifolia.—Santo Domingo. Asterinella baileyi (Berk. & Br.) Petrak in Sydowia, 8, p. 193, 1954. (Syn. Asterina baileyi Berk. & Br.).

Asterostomella ornata Cif. in Sydowia, 8, p. 248, 1954 on Fevillea cordifolia.—Santo Domingo.

Auerswaldiella manaosensis (P. Henn.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 67, 1954. (Syn. Parodiella manaosensis P. Henn.).

nervisequens (Chard.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 67, 1954. (Syn. Dimeriellina nervisequens Chard.).

winteri Arx & Müller nom. nov. in Beitr. Kryptogamenfl. Schweiz, 11, p. 68, 1954. (Syn. Auerswaldia disciformis Winter, non Auerswaldiella disciformis Chard.).

Aulacostroma nigrificans Petrak in Sydowia, 8, p. 16, 1954 on Pattersonia.—North Borneo.

Bactrodesmium abruptum (Berk. & Br.)

Mason & Hughes in Rimington, Nat. Hist.

Scarborough District, 1, p. 159, 1953. (Syn. Clasterosporium abruptum (Berk. & Br.)

fasciculare (Corda) Mason & Hughes in Rimington, Nat. Hist. Scarborough District, 1, p. 159, 1953. (Syn. Clasterosporium fasciculare (Corda) Sacc.).

BERTEROMYĆES Ciferri in Sydowia, 8, p.

267, 1954.—Hyphomycetes.
- aeneus Cif. in Sydowia, 8, p. 267, 1954 on Cassia indecora.—Santo Domingo.

Bimeris nidulans Petrak in Sydowia, 8, p. 209, 1954 on Grevillea australis.—Australia. Blodgettia indica C. V. Subram. in J. Indian bot. Soc., 33, p. 38, 1954 on dead stubble in

water.—India.

Boletus nigriceps Herter in Rev. sudamer.

Bot., 10, p. 194, 1954.—Germany. Botryodiplodia ambigua Petrak in Sydowia, 8, p. 173, 1954 on dead Capparis aphylla.— Pakistan.

deodarae Petrak in Sydowia, 8, p. 173, 1954

on dead Cedrus deodara.—Pakistan. - mangiferae (Koord.) Petr. in Sydowia, 8, p. 174, 1954. (Syn. Diplodia mangiferae Koord.).

meliae Ahmad in Sydowia, 8, p. 174, 1954

on wood of Melia azedarach.—Pakistan.
- ricinincola Ahmad in Sydowia, 8, p. 175,
1954 on dead Ricinus communis.—Pakistan. Botryosphaeria abietina (Prill. & Delacr.) Arx

& Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 42, 1954. (Syn. Physalospora abietina Prill. & Delacr.).

corticis (Demaree & Wilcox) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 43, 1954. (Syn. Physalospora corticis Demaree & Wilcox).

-disrupta (Berk. & Curt.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 37, 1954. (Syn. Sphaeria disrupta Berk. & Curt.).

empetri (Rostr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 43, 1954. (Syn. Physalospora empetri Rostr.).

— festucae (Lib.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 38, 1954. (Syn. Sphaeria festucae Lib.).

(Syn. Sphaeria festucae Lib.).

foliorum (Sacc.) Arx & Müller in Beitr.

Kryptogamenfl. Schweiz, 11, p. 42, 1954.
(Syn. Physalospora gregaria var. foliorum

Sacc.).

— laricis (Wehm.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 42, 1954. (Syn. Physalospora laricis Wehm.).

 philoprina (Berk. & Curt.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 40, 1954. (Syn. Sphaeria philoprina Berk. & Curt.).

- visci (Kalchbr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 41, 1954.

(Syn. Dothidea visci Kalchbr.).

— zeae (Stout) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 40, 1954. (Syn. Physalospora zeae Stout).

Botrytis yuae Muntanola in Phytopathology, 44, p. 237, 1954 on Cercospora unamunoi on Capsicum frutescens.—Argentina.

*Brachysporium robustum Reitsma & Sloof in Chron. nat., 103, p. 1 [of reprint], 1947 on Talinum triangulare.—Java.

Caeoma isotomatis Petrak in Sydowia, 8, p. 192, 1954 on Isotoma fluviatilis.—Australia. Callistosporium luteofuscum Singer in

Lilloa, 26, p. 115, 1953.—Brazil.
*Calonectria mangiferae Séchet in Fruits d'outre mer, 8, p. 270, 1953 on Mangifera indica.—Madagascar.

Calycella discedens (Karst.) Dennis in Kew Bull., 1954, p. 320, 1954. (Syn. Helotium discedens Karst.).

Camarosporium gompholobii Petrak in Sydowia, 8, p. 210, 1954 on Gompholobium huegelii.—N.S.W., Australia.

CAMAROSPORULA Petrak in Sydowia, 8, p. 99, 1954.—Sphaeropsidales; state of Anthracostroma.

— persooniae (P. Henn.) Petrak in Sydowia, 8, p. 99, 1954. (Syn. Hendersonia persooniae P. Henn.).

Candida boidini Ramirez in Rev. Mycol., Paris, 19, p. 100, 1954 from tanning liquid.—France.

— pseudotumoralis Morguer, Pugat, & Ragey

— pseudotumoralis Morquer, Fuget, & Bazex in Rev. Mycol., Paris, 19, p. 81, 1954 on dog [Oanie].—France.

Catharinia gaubae Petrak in Sydowia, 8, p. 194, 1954 on Grevillea.—Australia.
*Cercospora abromae Hansford in Chupp,

*Cercospora abromae Hansford in Chupp, A Monograph of the Fungus Genus Cercospora, p. 554, 1954 on Abroma.—Uganda.

p. 554, 1954 on Abroma.—Uganda.
— abutilonicola Chupp, A Monograph of the Fungus Genus Cercospora, p. 368, 1954 on Abutilon hirtum.—Puerto Rico.

— acanthacearum Govindu & Thirumalachar in Sydowia, 8, p. 221, 1954 on Justicia betonica.—India.

 aciculina Chupp, A Monograph of the Fungus Genus Cercospora, p. 118, 1954 on Eupatorium repandum.—Hawaii.

 aciotidis Chupp, A Monograph of the Fungus Genus Cercospora, p. 378, 1954 on Aciotis indecora.—Colombia.

 anemopsidis Chupp, A Monograph of the Fungus Genus Cercospora, p. 513, 1954 on Anemopsis californica.—California, U.S.A.

— angelicae (Sacc. & Scalia) Chupp, A Monograph of the Fungus Genus Cercospora, p. 568, 1954. (Syn. C. apii var. angelicae Sacc. & Scalia). — angustata Chupp & Solheim in Chupp, A Monograph of the Fungus Genus Cercospora, p. 280, 1954 on Cassia hirsuta.—Columbia, U.S.A.

 aristidae Chupp, A Monograph of the Fungus Genus Cercospora, p. 243, 1954 on Aristida.—Alabama, U.S.A.

- arracacina Chupp, A Monograph of the Fungus Genus Cercospora, p. 570, 1954 on Arracacia xanthorrhiza.—Venezuela. - arrectaria Chupp, A Monograph of the

Fungus Genus Cercospora, p. 570, 1954 on Arracacia rigida.—Mexico.

— asclepiadicola Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 68, 1954. (Syn. C. asclepiadis P. Henn., non Ellis).
— avicennae Chupp, A Monograph of the

Fungus Genus Cercospora, p. 369, 1954 on Abutilon avicenna.—Kansas, U.S.A.—bertrandii Chupp, A Monograph of the Fungus Genus Cercospora, p. 110, 1954 on

Spinacia oleracea.—Quebec, Canada.

- bidenticola Chupp, A Monograph of the Fungus Genus Cercospora, p. 123, 1954 on Bidens cynapifolia.—Santo Domingo.

— biharica Thirum. & Govindu in Sydowia, 8, p. 343, 1954 on Ampelocissus latifolia,— India.

 browalliae Chupp & Barrus in Chupp, A Monograph of the Fungus Genus Cercospora, p. 534, 1954 on Browallia americana.—Costa Rica.

 caladicola Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 57, 1954.
 (Syn. C. caladii P. Henn., non Cooke).

- calaminthae Chupp, A Monograph of the Fungus Genus Cercospora, p. 264, 1954 on Clinopodium calamintha.—Bermuda. - californiensis Chupp, A Monograph of the

— californiensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 411, 1954 on Nymphaea.—California, U.S.A.

 — campanulae Chupp, A Monograph of the Fungus Genus Cercospora, p. 94, 1954 on Campanula rotundifolia.—New Mexico, U.S.A.

— cassiae-montanae Govindu & Thirumamalachar in Sydowia, 8, p. 224, 1954 on leaves of Cassia montana.—India.

— cassiocarpa (Sacc.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 290, 1954. (Syn. C. occidentalis var. cassiocarpa Sacc.).

— catalparum Chupp, A Monograph of the Fungus Genus Cercospora, p. 84, 1954 on Catalpa longissima.—San Domingo.

— celastricola Govindu & Thirumalachar in Sydowia, 8, p. 226, 1954 on Celastrus paniculata.—India.

— centrostachydis Chupp, A Monograph of the Fungus Genus Cercospora, p. 32, 1954 on Centrostachys indica.—Puerto Rico.

Centrostachys indica.—Puerto Rico.

— chusqueae Chupp, A Monograph of the Fungus Genus Cercospora, p. 245, 1954 on Chusquea.—Colombia.

— ciferrii Chupp, A Monograph of the Fungus Genus Cercospora, p. 235, 1954 on Casearia guianensis.—Puerto Rico.

— cipadessae Govindu & Thirumalachar in Sydowia, 8, p. 226, 1954 on Cipadessa baccifera.—India.

 Clavigera Ellis & Everhart ex Chupp, A Monograph of the Fungus Genus Cercospora, p. 62, 1954 on Aralia racemosa.—Canada.

— coleicola Chupp & Muller in Chupp, A Monograph of the Fungus Genus Cercospora, p. 265, 1954 on Coleus,—Brazil. _colocasiae (Höhnel) Chupp, A Monograph of the Fungus Genus Cercospora, p. 58, 1954. (Syn. C. caladii Cooke var. colocasiae

Höhnel). commelinicola Chupp, A Monograph of the Fungus Genus Cercospora, p. 116, 1954. (C. commelynae sensu Sydow, non Kalchbr. &

_conjugans (Stev. & Solh.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 296, 1954. (Syn. Didymaria conjugans Stev. &

- corchorifoliae Thirum. & Govindu in Sydowia, 8, p. 347, 1954 on Melochia corchorifolia.—India.

cormfoliae Chupp, A Monograph of the Fungus Genus Cercospora, p. 366, 1954 on Bunchosia cormfolia.—Colombia.

couratariae Chupp, A Monograph of the Fungus Genus Cercospora, p. 277, 1954 on Couratari estrellensis.—Brazil.

cylindrosporioides Solheim & Chupp in Chupp, A Monograph of the Fungus Genus Cercospora, p. 236, 1954 on Casearia guianensis.-Puerto Rico.

-cytisi Chupp, A Monograph of the Fungus Genus Cercospora, p. 300, 1954 on Cytisus capitatus.—Kansas, U.S.A.

deightonii Chupp, A Monograph of the Fungus Genus Cercospora, p. 538, 1954 on Solanum melongena.—Sierra Leone.

dolichandrones Chupp, A Monograph of the Fungus Genus Cercospora, p. 85, 1954 on Dolichandrone platycalyx.—Uganda.
—donnell-smithii (Speg.) Chupp, A Mono-

graph of the Fungus Genus Cercospora, p. 573, (Syn. Čercosporina donnell-smithii 1954.

-duplicans Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 590, 1954. (Syn. C. stachytarphetae P. Henn., non Ell. & Everh.).

-echinodori Chupp, A Monograph of the Fungus Genus Cercospora, p. 28, 1954 on Echinodorus cordifolius.—Haiti.

- eclyptae Chupp, A Monograph of the Fungus Genus Cercospora, p. 134, 1954 on Eclypta

alba.-Venezuela.

eupatoriicola (as 'eupatoricola') Govindu & Thirumalachar in Sydowia, 8, p. 225, 1954 on Eupatorium rheveesi.—India.

evolvuli Chupp, A Monograph of the Fungus Genus Cercospora, p. 171, 1954 on Evolvulus.

-Brazil.

exochordae Chupp & Stevenson in Chupp, A Monograph of the Fungus Genus Cercospora, 476, 1954 on Exochorda grandiflora. Alabama, U.S.A.

fagarina Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 504, 1954. (Syn. C. fagarae Hansf., non Yamam.).

-filiformis (Davis) Chupp, A Monograph of the Fungus Genus Cercospora, p. 462, 1954. (Syn. Cercosporella filiformis Davis).

geraisensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 115, 1954 on

Terminalia catappa.—Brazil.
-gloxiniae Chupp, A Monograph of the Fungus Genus Ĉercospora, p. 242, 1954 on

Gloxinia maculata.—Brazil.

glycyrrhizae (Săvulescu & Sandu-Ville) Chupp, A Monograph of the Fungus Genus Cercospora, p. 308, 1954. (Syn. Cercosporina lycyrrhizae-echinatae Săvulescu & Sandu-

granadillae Chupp, A Monograph of the Fungus Genus Cercospora, p. 434, 1954 on Passiflora.—Uganda.

graphioides Ellis ex Chupp nom. nov. in Chupp, A Monograph of the Fungus Genus Cercospora, p. 478, 1954. (Syn. C. circumscissa var. virginiana Sacc.).

grewiicola (as 'grewicola') Govindu & Thirumalachar in Sydowia, 8, p. 229, 1954 on Grewia.—Madras.

guettardae Chupp, A Monograph of the Fungus Genus Cercospora, p. 496, 1954 on Guettarda scabra.—Florida, U.S.A.

gymnanthis Chupp, A Monograph of the Fungus Genus Cercospora, p. 220, 1954 on Gymnanthes lucida.—Ĵamaica.

-haematoxylonis Chupp, A Monograph of the Fungus Genus Cercospora, p. 309, 1954 on Haematoxylon campechianum.—Jamaica.

hamamelidis (Peck) Ellis & Everh. ex Chupp, A Monograph of the Fungus Genus Cercospora, p. 258, 1954. (Syn. Ramularia hamamelidis Peck).

hameliae Chupp, A Monograph of the Fungus Genus Cercospora, p. 497, 1954 on Hamelia patens .- Mexico.

hansfordii Chupp, A Monograph of the Fungus Genus Cercospora, p. 85, 1954 on Dolichandrone platycalyx.—Uganda.

hardwarensis Narasimhan apud Govindu & Thirum. in Sydowia, 8, p. 227, 1954 on Tephrosia purpurea.—India.
-helichrysi Chupp, A Monograph of the

Fungus Genus Cercospora, p. 141, 1954 on Helichrysum orientale.—Brazil.

hieronymae Chupp, A Monograph of the Fungus Genus Cercospora, p. 221, 1954 on Hieronyma laxifolia.—Brazil.
-hosackiae Chupp, A Monograph of the

Fungus Genus Cercospora, p. 310, 1954 on Hosackia americana.—Oklahoma, U.S.A.

huricola Chupp, A Monograph of the Fungus Genus Cercospora, p. 222, 1954 on Hura crepitans.—Brazil.

ilicis-opacae Chupp, A Monograph of the Fungus Genus Cercospora, p. 53, 1954 on Ilex opaca.—South Carolina, U.S.A.

iridis Chupp, A Monograph of the Fungus Genus Cercospora, p. 260, 1954 on Iris .-Mexico.

ithacensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 241, 1954 on Geranium maculatum.—New York State, U.S.A.

jamaicensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 542, 1954 on Datura suaveolens.—Jamaica.

jatrophicola (Speg.) Chupp, A Monograph

of the Fungus Genus Cercospora, p. 223, 1954. (Syn. Cercosporina jatrophicola Speg.). - juncicola (Hori & Kasai) Chupp, A Mono-

graph of the Fungus Genus Cercospora, p. 263, 1954. (Syn. Cercosporina juncicola Hori & Kasai).

labiatarum Chupp & Muller in Chupp, A Monograph of the Fungus Genus Cercospora, p. 267, 1954 on a labiate hedge.—Brazil.

lantanicola Chupp, A Monograph of the Fungus Genus Cercospora, p. 592, 1954 on Lantana camara.—Colombia.

lonchitidis Chupp, A Monograph of the Fungus Genus Cercospora, p. 455, 1954 on Lonchitis hirsuti.—Venezuela.

lonicerae Chupp, A Monograph of the Fungus Genus Cercospora, p. 102, 1954 on Lonicera japonica.—Bermuda.

· loranthincola Petrak in Sydowia, 8, p. 220, 1954 on Loranthus pendulus.—Australia.

maculicola Thirum. & Govindu in Sydowia, 8, p. 344, 1954 on *Bidens pilosa*.—India.

mamaonis Viégas & Chupp nom. nov. in Chupp, A Monograph of the Fungus Genus Cercospora, p. 107, 1954. (Syn. C. papayae Viégas & Chupp, non Hansford).

manevalii Chupp, A Monograph of the Fungus Genus Cercospora. p. 389, 1954 on Menispermum canadense.—Missouri, U.S.A.-marcelliana Chupp, A Monograph of the

Fungus Genus Cercospora, p. 543, 1954 on Solanum micranthum.—Venezuela.
-meridiana Chupp, A Monograph of the

Fungus Genus Cercospora, p. 557, 1954 on Helicteres jamaicensis.—Jamaica.
-miconicola Chupp, A Monograph of the

Fungus Genus Cercospora, p. 381, 1954 on Miconia theaegans.—Colombia.

-minuta (Davis) Chupp, A Monograph of the Fungus Genus Cercospora, p. 95, 1954. (Syn. Cercoseptoria minuta Davis).

mirandensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 382, 1954 on Miconia ibaguensis.—Venezuela.

monochaeticola Chupp, A Monograph of the Fungus Genus Cercospora, p. 383, 1954 on Monochaetum polyneurum.—Venezuela.

-morina Chupp, A Monograph of the Fungus Genus Cercospora, p. 400, 1954 on Morus alba.—Brazil.

nicandrae Chupp, A Monograph of the Fungus Genus Cercospora, p. 545, 1954 on Nicandra physaloides.—Peru.

nudifiorae Chupp, A Monograph of the Fungus Genus Cercospora, p. 117, 1954 on Commelina nudiflora.—Bermuda.

- odontonemae Chupp, A Monograph of the Fungus Genus Cercospora, p. 25, 1954 on Odontonema callistachyum.—Mexico.

pallidissima Chupp, A Monograph of the Fungus Genus Cercospora, p. 350, 1954 on Smilax.—Brazil.

palustrium Chupp, A Monograph of the Fungus Genus Cercospora, p. 151, 1954 on Baccharis glomeruliflora.—Bermuda.

papavericola Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 430, 1954. (Syn. C. papaveri Muller & Chupp, non Nakata).

pariensis Chupp, A Monograph of the Fungus Genus Cercospora, p. 546, 1954 on Solanum.—Trinidad.

passificricola Chupp, A Monograph of the Fungus Genus Cercospora, p. 434, 1954 on Passiflora.—Venezuela.

peckiana Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 449, 1954. (Syn. C. acetosellae var. maculosa Peck).

penniseti Chupp, A Monograph of the Fungus Genus Cercospora, p. 250, 1954 on

Punyus Genus Cercospora, p. 250, 1954 on Pennisetum glaucum.—Georgia, U.S.A.

- peregrina Chupp, A Monograph of the Fungus Genus Cercospora, p. 49, 1954 on Tabernaemontana coronaria.—? Mexico.

- petiveriae Chupp, A Monograph of the

Fungus Genus Cercospora, p. 437, 1954 on Petiveria alliacea. - Mona Island, Puerto Rico. pfaffiae Chupp, A Monograph of the Fungus

Genus Cercospora, p. 35, 1954 on Pfaffia sericea.—Brazil.

pistaciae Chupp, A Monograph of the Fungus Genus Cercospora, p. 41, 1954 on Pistacia vera.—Texas, U.S.A.

-platycerii Chupp, A Monograph of the Fungus Genus Cercospora, p. 456, 1954 on Platycerium.—New Jersey, U.S.A.-plumeriae Chupp, A Monograph of the

Fungus Genus Cercospora, p. 49, 1954 on Plumeria acutifolia.—Îndia.

plunkettii Chupp, A Monograph of the Fungus Genus Cercospora, p. 154, 1954 on Mikania cordifolia.—Mexico.

polymniae Chupp, A Monograph of the Fungus Genus Cercospora, p. 154, 1954 on Polymnia.—Colombia.

praecincta (Davis) Chupp, A Monograph of the Fungus Genus Cercospora, p. 376, 1954. (Syn. C. althaeina var. praecincta Davis).

privae Chupp, A Monograph of the Fungus Ĝenus Cercospora, p. 594, 1954 on Priva echinata.—Jamaica.

pycnidioides Chupp nom. nov., A Mono. graph of the Fungus Genus Cercospora, p. 353. 1954. (Syn. C. smilacina Speg., non Sacc.). querci Chupp, A Monograph of the Fungus

Genus Cercospora, p. 233, 1954 on Quercus bicolor.—Louisiana, U.S.A.

rivinae Chupp & Stevenson in Chupp, A Monograph of the Fungus Genus Cercospora, p. 438, 1954 on Rivina humilis.—Florida, U.S.A.

rugosi Chupp, A Monograph of the Fungus Genus Cercospora, p. 548, 1954 on Solanum rugosum.—Santo Domingo.

-rumicis Ellis & Langlois ex Chupp, A Monograph of the Fungus Genus Cercospora, p. 453, 1954 on Rumex obtusifolius.—Louisiana, U.S.A.

sancti-marini (Sacc.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 353, 1954. (Syn. Cercosporina sancti-marini Sacc.).

sarachae (Syd.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 549, 1954. (Syn. Cercosporina sarachae Syd.).

sciadophila (Speg.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 549, 1954. (Syn. Cercosporina sciadophila Speg.).

-scrophulariae (Moesz) Chupp, A Monograph of the Fungus Genus Cercospora, p. 525, 1954. (Syn. Cercosporina scrophulariae Moesz).

secalis Chupp, A Monograph of the Fungus Genus Cercospora, p. 252, 1954 on Secale cereale.—Virginia, U.S.A.

sensitivae (Speg.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 330, 1954. (Syn. Cercosporina sensitivae Speg.).

septoriopsis Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 520, 1954. (Syn. Cylindrosporium ribis Davis, non Cercospora ribis Earle).

- solani-tuberosi Thirumalachar in Amer. Potato J., 30, p. 96, 1953 on Solanum tuberosum.-India.

sonchi Chupp, A Monograph of the Fungus Genus Cercospora, p. 159, 1954 on Sonchus oleraceus.—Virginia, U.S.A.

sorghi Ellis & Everh. var. cymbopogonis Govindu & Thirumalachar in Sydowia, 8, p. 227, 1954 on Cymbopogon caesium.—India.

speculariae Ellis & Langlois ex Chupp, A Monograph of the Fungus Genus Cercospora, p. 95, 1954 on Specularia perfoliata.—Louisiana, U.S.A.

-sphaeralceicola (Speg.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 377, (Syn. Cercosporina sphaeralceicola 1954. Speg.).

spinosae Chupp, A Monograph of the Fungus Genus Cercospora, p. 64, 1954 on Aralia spinosa.—Delaware, U.S.A.

**stanleyae Chupp, A Monograph of the fungus Genus Cercospora. p. 183, 1954 on Stanleya pinnatifida.—Kansas, U.S.A.

-stenolobiicola (Speg.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 88, 1954. (Syn. Cercosporina stenolobiicola Speg.). -stevensonii Chupp, A Monograph of the

stevensom Chapp, A monograph of the Fungus Genus Cercospora, p. 231, 1954 on Codiaeum variegatum.—Texas, U.S.A.

styracis (as 'styracae') Chupp, A Monograph

of the Fungus Genus Cercospora, p. 559, 1954 on Styrax americana.—Mississippi, U.S.A.

- sydowiana Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 363, 1954. (Syn. C. woodfordiae Syd., non Petch.).
- taccae (Syd.) Chupp, A Monograph of the

taccae (Syd.) Chupp, A Monograph of the Fungus Genus Cercospora, p. 560, 1954. (Syn. Cercosporina taccae H. & P. Syd.).

tagetea Cif. in Sydowia, 8, p. 252, 1954 on Tagetes patula.—Santo Domingo.

-tamoneae Chupp, A Monograph of the Fungus Genus Cercospora, p. 383, 1954 on Tamonea impetiolaris.—Santo Domingo.

-torilidis Chupp, A Monograph of the Fungus Genus Cercospora, p. 581, 1954 on Torilis anthriscus.—Germany.

trapae Thirum. & Govindu in Sydowia, 8, p. 346, 1954 on Trapa bispinosa.—India.—triloba (as 'trilobi') Chupp, A Monograph of

triloba (as 'trilobi') Chupp, A Monograph of the Fungus Genus Cercospora, p. 391, 1954 on Cocculus trilobus.—China.

turbinae Chupp, A Monograph of the Fungus Genus Cercospora, p. 174, 1954 on Ipomoea burmanni.—Bermuda.

- ulmicola Chupp, A Monograph of the Fungus Genus Cercospora, p. 587, 1954 on Ulmus fulva.—Bermuda.

 vismicola Chupp, A Monograph of the Fungus Genus Cercospora, p. 257, 1954 on Vismia ferruginea.—Venezuela.

- weberi Chupp, A Monograph of the Fungus Genus Cercospora, p. 597, 1954 on Vitex agnus-castus.—Florida, U.S.A.

 wellesiana Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 427, 1954.
 (Syn. C. averrhoi Welles, non Petch).

yoshinagiana Chupp nom. nov., A Monograph of the Fungus Genus Cercospora, p. 423, 1954. (Syn. C.ludwigiae var. japonica P. Henn.).
 Ceriosporopsis cambrensis I. M. Wilson in

Trans. Brit. mycol. Soc., 37, p. 276, 1954 on wood of Alnus glutinosa in the sea.—Wales. Ceuthospora daviesiae Petrak in Sydowia, 8, p. 210, 1954 on Daviesia latifolia.—N.S.W., Australia.

Chaetophomella parasitica Petrak in Sydowia, 8, p. 25, 1954 on Asterina dallasica.—
North Borneo.

Cheiromycella gyrosa (Cooke & Massee) Mason & Hughes in Rimington, Nat. Hist. Scarborough District, 1, p. 156, 1953. (Syn. Torula gyrosa Cooke & Massee).

Cicinnobella epimeliola Cif. in Sydowia, 8, p. 249, 1954 on Coccoloba.—Santo Domingo.—truncatula Cif. in Sydowia, 8, p. 249, 1954 on Meliola coronata var. triumfettae.—Santo

Clathrospora bakeri Wehmeyer in Mycologia, 46, p. 516, 1954 on Juncus.—Colorado, U.S.A.—diplospora (Ell. & Everh.) Wehmeyer in

Mycologia, 46, p. 509, 1954. (Syn. Pleospora diplospora Ell. & Everh.).

 uncicola (Ell. & Everh.) Wehmeyer in Mycologia, 46, p. 512, 1954. (Syn. Pleospora juncicola Ell. & Everh.).

— microspora Wehmeyer in Mycologia, 46, p. 513, 1954 on Cyperaceae.—Greenland.

— triseptata Wehmeyer in Mycologia, 46, p. 513, 1954 on Juncus drummondii.—California, U.S.A.

Clitocybe aberrantissima Singer in Lilloa, 26, p. 118, 1953 on wood.—Brazil.

basirosea (Rick) Singer in Lilloa, 26, p. 80,
 1953. (Syn. Omphalia basirosea Rick).

— nothofageti Singer in Sydowia, 8, p. 103, 1954.—Argentina.

CLITOCYBULA (Sing.) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia subgen. Clitocybula Sing.)—Tricholomataceae.

— abundans (Peck) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia abundans (Peck) Sing.).

aperta (Peck) Singer in Sydowia, 8, p. 110,
 1954. (Syn. Fayodia aperta (Peck) Sing.).

— atrialba (Murr.) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia atrialba (Murr.) Sing.).

— dussenii (Bres.) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia dussenii (Bres.) Sing.).

— familia (Peck) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia familia (Peck) Sing.).

— lacerata (Scop. ex Lasch) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia lacerata (Scop. ex Lasch) Sing.).

— mellea Singer in Sydowia, 8, p. 111, 1954.

—Argentina.

oculus (Peck) Singer in Sydowia, 8, p. 110,
 1954. (Syn. Fayodia oculus (Peck) Sing.).

tarnensis (Speg.) Singer in Sydowia, 8, p. 111, 1954. (Syn. Cantharellula tarnensis (Speg.) Sing.).

— tilieti (Sing.) Singer in Sydowia, 8, p. 110, 1954. (Syn. Fayodia tilieti Sing.).

Coccodothella fici (P. Henn.) Müller & Sanwal in Sydowia, 8, p. 242, 1954. (Syn. Montagnella fici P. Henn.).

Coccoidella euglypta (Mont.) Müller & Sanwal in Sydowia, 8, p. 239, 1954. (Syn. Dothidea euglypta Mont.).

Coccostroma advena (Syd.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 267, 1954. (Syn. Bagnisiopsis advena Syd.).

— andicola (Petr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 267, 1954. (Syn. Bagnisiopsis andicola Petr.).

— bactridis (Rehm) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 266, 1954. (Syn. Bagnisiella bactridis Rehm).

— bullosa (Rehm) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 264, 1954. (Syn. Phyllachora peribebuyensis Speg. var. bullosa Rehm.).

— chamaedoreae (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 265, 1954. (Syn. Phoenicostroma chamaedoreae

Syd.).

— depressa (Syd.) Arx & Müller in Beitr.

Kryptogamenfi. Schweiz, 11, p. 264, 1954.

(Syn. Hanlospan depressa Syd.)

(Syn. Haplospora depressa Syd.).

— leandrae (Syd.) Arx & Müller in Beitr.

Kryptogamenft. Schweiz, 11, p. 262, 1954.

(Syn. Auerswaldia leandrae Syd.).

— melastomatum (Lév.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 260, 1954. (Syn. Sphaeria melastomatum Lév.).

- miconiae (Duby) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 263, 1954. (Syn. Sphaeria miconiae Duby).

miconicola (Orejuela) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 263, 1954. (Syn. Bagnisiopsis miconicola Orejuela).

minuta (Syd.) Arx & Müller in Beitr. Kryptogamenfi. Schweiz, 11, p. 264, 1954. (Syn. Sucinaria minuta Syd.).

myrtacearum (Rick) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 259, (Syn. Pseudorhytisma myrtacearum

nervisequens (as 'nervisequa') (Petr. & Ciferri) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 266, 1954. (Syn. Bagnisiopsis nervisequens Petr. & Cif.).

neurophilum (Theiss.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 263, 1954. (Syn. Epiphyma neurophilum Theiss.).

nuda (F. L. Stevens) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 266, 1954. (Syn. Yoshinagella nuda Stev.).

palmicola (Speg.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 264, 1954. (Syn. Auerswaldia palmicola Speg.).

peribebuyensis (Speg.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 262, 1954. (Syn. Phyllachora peribebuyensis Speg.).

petrakii (Cif.) Arx & Müller in Beitre. Kryptogamenft. Schweiz, 11, p. 266, 1954. (Syn. Bagnisiopsis petrakii Cif.). polymorpha (F. L. Stevens) Arx & Müller

in Beitr. Kryptogamenfl. Schweiz, 11, p. 266, 1954. (Syn. Yoshinagella polymorpha Stev.).

toledoi (Chard.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 263, 1954. (Syn. Bagnisiopsis toledoi Chardon).
-translucens (Miller & Burton) Arx &

Müller in Beitr. Kryptogamenfl. Schweiz, 11, 264, 1954. (Syn. Bagnisiopsis translucens p. 264, 1954. (N. Miller & Burton)

Coleophoma mangiferae Ahmad apud Petrak & Áhmad in *Sydowia*, 8, p. 176, 1954 on Mangifera indica.—Pakistan.

Conidiobolus osmodes Drechsler in Amer. J. Bot., 41, p. 571, 1954 in decaying plant detritus.—Louisiana, U.S.A.

rhysosporus Drechsler in Amer. J. Bot., 41, p. 567, 1954 in decaying plant materials.

—Louisiana, U.S.A. Coniochaeta myricariae (Fuckel) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, . 307, 1954. (Syn. Cucurbitula myricariae Fuckel)

niesslii (Auersw.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 306, 1954. (Syn. Rosellinia niesslii Auersw.).

sarothamni (Schröt.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 308, 1954. (Syn. Rosellinia sarothamni Schröt.).

Conicthyrium gelatosporum Petrak in Sydowia, 8, p. 211, 1954 on Daviesia latifolia.

—N.S.W., Australia.

— gregori Příhoda in Čes. Mykol., 8, p. 170, 1954 on eggs of Tortrix viridana.—Moravia.

Coronellaria musicala (Spag) Dennis in Kena

Coronellaria musicola (Speg.) Dennis in Kew Bull., 1954, p. 292, 1954. (Syn. Helotium

musicola Speg.). Crepidotus nephrodes (Berk & Curt.) Sacc.

var. meristocystis Singer in Sydowia, 8, p. 146, 1954 on wood.—Argentina.

var. minimus Singer in Sydowia, 8, p. 147, 1954 on trunk of Myrtaceae. - Argentina.

Crinipellis macrosphaerigera Singer in Lilloa, 26, p. 138, 1953.—Brazil.

Cryptoascus graminis Robinson & Ayers in Canad. J. Bot., 32, p. 543, 1954 on Triticum aestivum.—Prince Edward Island, Canada.

Cryptococcus terreus di Menna in J. gen. Microbiol., 11, p. 195, 1954 from soil.—New Zealand.

condensatum (Wallr.) Cryptocoryneum ryptocoryneum condensatum (Wallr.) Mason & Hughes in Rimington, Nat. Hist. Scarborough District, 1, p. 161, 1953. (Syn. Hormiscium condensatum Wallr.).

Cucurbitaria pakistanica Petrak in Sydowia, 8, p. 165, 1954 on dead Acacia modesta. Pakistan.

Cudoniella brasiliensis Rizzini in Arq. Jars. bot. Rio de J., 12, p. 141, 1953 on Cleurococcus vulgaris.—Brazil.

CYTIDIELLA Pouzar in Čes. Mykol., 8, p. 128, 1954.—Thelephoraceae.

melzeri Pouzar in Čes. Mykol., 8, p. 129, 1954 on branches of pine.—Czechoslovakia. Cytospora alyxiae Petrak in Sydowia, 8, p.

212, 1954 on Alyxia buxifolia.—N.S.W. Australia.

Cytosporella verrucosa Petrak in Sydowia, 8, p. 176, 1954 on bark of Salvadora oleoides. -Pakistan.

Dacrymyces nigrescens Lowy in Bull. Torrey bot. Cl., 81, p. 300, 1954 on dead frondose wood.—Louisiana, U.S.A.

Dasyscypha andina (Pat.) Dennis in Kew Bull., 1954, p. 312, 1954. (Syn. Erinella andina Pat.).

avellaneo-mellea (Starb.) Dennis in Kew Bull., 1954, p. 300, 1954. (Syn. Erinella avellaneo-mellea Starb.).

bambusina (Bres.) Dennis in Kew Bull., 1954, p. 301, 1954. (Syn. Erinella bambusina

- calospora (Pat. & Gaill.) Dennis in Kew Bull., 1954, p. 302, 1954. (Syn. Erinella calospora Pat. & Gaill.).

- dussii Dennis nom. nov. in Kew Bull., 1954, p. 307, 1954. (Syn. Erinella variegata Pat., non D. variegata Fuckel).

lasseri Dennis in Kew Bull., 1954, p. 309, 1954 on grass stems.—Venezuela.

mapiriana (Pat. & Gaill.) Dennis in Kew Bull., 1954, p. 309, 1954. (Syn. Erinella mapiriana Pat. & Gaill.).

-martini Dennis nom. nov. in Kew Bull., 1954, p. 303, 1954. (Syn. Dasyscyphella acutipila Cash, non Dasyscypha acutipila (Karst.) Sacc.).

orinocensis (Pat. & Gaill.) Dennis in Kew Bull., 1954, p. 307, 1954. (Syn. Erinella orinocensis Pat. & Gaill.).

- rhaphidophora (Berk. & Curt.) Dennis in Kew Bull., 1954, p. 304, 1954. (Syn. Peziza rhaphidophora Berk. & Curt.).

schroeteriana (Rehm) Dennis in Kew Bull., 1954, p. 301, 1954. (Syn. Dasyscyphella schroeteriana Rehm).

subcorticalis (Pat.) Dennis in Kew Bull., 1954, p. 299, 1954. (Syn. Erinella subcorticalis

- uleana (Rehm) Dennis in Kew Bull., 1954, p. 311, 1954. (Syn. Solenopezia uleana Rehm).

Diaporthopsis brencklei (Petr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11. p. 372, 1954. (Syn. Clypeoporthella brencklei urticae (Fr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 373, 1954. (Syn. Rhytisma urticae Fr.).

Dicheirinia canariensis de Urries in An. Inst. bot. A. J. Cavanilles, 1, p. 535, 1954 on Cytisus proliferus.—Canary Islands.

Dictyopanus gloeocystidiatus Corner in Trans. Brit. mycol. Soc., 37, p. 258, 1954 on wood .- Japan.

pusillus (Lév.) Singer var. sublamellatus Corner in Trans. Brit. mycol. Soc., 37, p. 259, 1954 on wood.—Venezuela.

Didymopsorella lemanensis (Doidge) Hiratsuka in Sci. Bull. Fac. Agric. Univ. Ryukyus 1, p. 14, 1954. (Syn. Puccinia lemanensis Doidge).

Didymosphaeria gaubae Petrak in Sydowia, 8, p. 195, 1954 on Lambertia formosa. Australia.

DIGITOSPORIUM Gremmen apud Van Vloten & Gremmen in Acta bot. neerl., 2, p.

233, 1953.—Excipulaceae.

piniphilum Gremmen apud Van Vloten & Gremmen in Acta bot. neerl., 2, p. 233, 1953 on Pinus sylvestris.-Finland. State of Crumenula sororia Karst.

Dimerium banksiae (Sacc. & Bizz.) Petrak in Sydowia, 8, p. 196, 1954. (Syn. Parodiella banksiae Sacc. & Bizz.).

parasiticum (Syd.) Árx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 389, 1954. (Syn. Episoma parasiticum Syd.).

Diplacella mararyensis (P. Henn.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 368, 1954. (Syn. Physalospora mararyensis P. Henn.)

Petrak & Ahmad in Sydowia, 8, p. 177, 1954 on dead Capparis aphylla.—Pakistan. Diplodina

on dead carpairs aprigues.—1 anisotali.

— gaubae Petrak in Sydowia, 8, p. 213, 1954 on Alyxia buxifolia.—N.S.W., Australia.

Disciseda candida (Schw.) Lloyd var. calva Moravec in Sydowia, 8, p. 282, 1954 in soil.—

Bohemia. -singeri Moravec in Sydowia, 8, p. 283, 1954

in soil.—Argentina.

Dothiorella chenopodii Ahmad apud Petrak & Ahmad in Sydowia, 8, p. 177, 1954 on Chenopodium album.—Pakistan. — ladharensis Ahmad apud Petrak & Ahmad

in Sydowia, 8, p. 178, 1954 on Mangifera

indica.-Pakistan.

olearum Petrak in Sydowia, 8, p. 213, 1954 on Olea dioica.—Australia.

peucedani Ahmad apud Petrak & Ahmad in Šydowia, 8, p. 178, 1954 on Peucedanum graveolens.—Pakistan.

Echidnodes tenompokensis Petrak in Sydowia, 8, p. 17, 1954 on a fern.—North

Ellisiodothis smilacis (De Not.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 97, 1954. (Syn. Microthyrium smilacis de Not.). Encoelia infundibuliformis (Durand) Dennis

in Kew Bull., 1954, p. 334, 1954. (Syn. Midotis infundibuliformis Durand).

-lobata (Starb.) Dennis in Kew Bull., 1954, p. 335, 1954. (Syn. Helotium lobatum Starb.). Endoxyla cirrhosa (Pers.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 355, 1954. (Syn. Sphaeria cirrhosa Pers.).

Enterobryus apheloriae Lichwardt in Mycologia, 46, p. 580, 1954 in Apheloria iowa.

Illinois, U.S.A.

euryuri Lichtwardt in Mycologia, 46, p. 577, 1954 in Euryurus erythropygus.—Illinois, U.S.A.

Entosordaria clypeata (De Not.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 310, 1954. (Syn. Sordaria clypeata de Not.).

Erikssonia melastomacearum (Rac.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 254, 1954. (Syn. Paidania melastomacearum Rac.).

Eriomycopsis acrophioglossa Cif. in Sydowia, 8, p. 256, 1954 on Microthyriaceae. Santo Domingo.

fusarioides (Stev.) Cif. in Sydowia, 8, p. 257, 1954. (Syn. Trichothecium fusarioides

Exidia cystidiata Olive in Bull. Torrey bot. Cl., 81, p. 333, 1954 on Quercus.—North Carolina, U.S.A.

-fragilis Olive nom. nov. in Bull. Torrey bot. Cl., 81, p. 333, 1954. (Syn. Seismosarca cartilaginea Olive non E. cartilaginea Lund & Neuh.).

tomentosa (Olive) Olive in Bull. Torrey bot. Cl., 81, p. 333, 1954. (Syn. Seismosarca tomentosa Olive).

Filoboletus staudtii (Henn.) Singer in Lilloa, 26, p. 152, 1953. (Syn. Favolaschia staudtii Henn.).

*Fusarium oxysporum Schl. [ex Fr.] forma cyclaminis Gerlach in Phytopath. Z., 22, p. 141, 1954 on Cyclamen persicum.—Germany.

- forma xylarioides (Steyaert) Delassus in Bull. sci. Minist. Colon. Sect. Agric. trop., 5, p. 347, 1954. (Syn. F. xylarioides Steyaert).

Galerina arenaria Singer in Lilloa, 26, p. 124, 1953.—Brazil.

inconspicua Singer in Sydowia, 8, p. 139, 1954 in Polytrichum.—Argentina.
- minor Singer in Lilloa, 26, p. 125, 1953.—

patagonica Singer in Sydowia, 8, p. 140, 1954 on wood.—Argentina.

semiglobata Singer in Lilloa, 26, p. 147, 1953.—Brazil.

subbullulifera Singer in Lilloa, 26, p. 137, 1953.—Brazil.

subtibiicystis Singer in Lilloa, 26, p. 146, 1953.—Brazil. taimbesinhoensis Singer in Lilloa, 26, p.

148, 1953.—Brazil. - victoriae Singer in *Sydowia*, 8, p. 140, 1954

on wood.—Argentina. Geastrum pouzari V. J. Staněk in Čes. Mykol.,

8, p. 107, 1954.—Bohemia. Geoglossum difforme Fr. var. variabile Mains in Mycologia, 46, p. 604 on soil.—

Michigan, U.S.A. glabrum Pers. ex Fr. var. americanum Mains in Mycologia, 46, p. 600, 1954 on soil.

-Michigan, U.S.A. var. elongatum Mains in Mycologia, 46, p. 601, 1954 on soil.—California, U.S.A.

var. heterosporum Mains in Mycologia, 46, p. 600, 1954 on soil.—Maryland, U.S.A. var. inflatum Mains in Mycologia, 46,

p. 601, 1954 in mosses.—Michigan, U.S.A. nigritum (Fr.) Cooke var. heterosporum Mains in Mycologia, 46, p. 596, 1954 on conifer log.—Michigan, U.S.A.

Gibbera arxii E. Müller in Sydowia, 8, p. 63, 1954 on Rhododendron ferrugineum.—Switzerland.

lepontina E. Müller in Sydowia, 8, p. 67,
 1954 on Pyrola rotundifolia.—Switzerland.

— niesslii (Sacc.) E. Müller in Sydowia, 8, p. 62, 1954. (Syn. Venturia niesslii Sacc.).

petasitidis (Fuckel) E. Müller in Sydowia, 8, p. 68, 1954. (Syn. Stigmatea petasitidis Fuckel).

petrakii E. Müller nom. nov. in Sydowia, 8, p. 61, 1954. (Syn. Venturia alpina Sacc., non Gibbera alpina (Petr.) Arx).

— raetica E. Müller in Sydowia, 8, p. 70, 1954 on Arctostaphylos uva-ursi.—Switzerland.

— reicheana (P. Henn.) Müller & Sanwal in Sydowia, 8, p. 273, 1954. (Syn. Montagnella reicheana P. Henn.).

 — volkartiana E. Müller in Sydowia, 8, p. 66, 1954 on Homogyne alpina.—Switzerland.
 GLIOCLADIOPSIS Saksena in Mycologia,

GLIOCLADIOPSIS Saksena in Mycologia 46, p. 662, 1954.—Moniliaceae.

— sagariensis Saksena in *Mycologia*, 46, p. 663, 1954 from soil.—India.

Gliomastix luzulae (Fuckel) Mason in Rimington, Nat. Hist. Scarborough District, 1, p. 154, 1953. (Syn. Torula luzulae Fuckel). Gloentulasnella papillata Olive in Rull

Gloeotulasnella papillata Olive in Bull.
Torrey bot. Cl., 81, p. 335, 1954 on wood of
Quercus.—North Carolina, U.S.A.

Glomerella amenti (Rostr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 197, 1954. (Syn. Phyllachora amenti Rostr.).

guevinae (Syd.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 194, 1954. (Syn. Chiloella guevinae Syd.).

— montana (Sacc.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 196, 1954. (Syn. Physalospora montana Sacc.).

— tucumanensis (Speg.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 195, 1954. (Syn. Physalospora tucumanensis Speg.).

Gonatobotrys africana Saccas in Agron. trop., Nogent, 9, p. 263, 1954 on Sorghum vulgare.—French Equatorial Africa.

Guepiniopsis minuta Olive in Bull. Torrey bot. Cl., 81, p. 334, 1954 on hemlock log.— North Carolina, U.S.A.

Guignardia adianti (Höhnel) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 60, 1954. (Syn. Physalospora adianti Höhn.).

— banosensis (Petr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 57, 1954. (Syn. Melanops banosensis Petr.).

— calami (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 55, 1954. (Syn. Physalospora calami Syd.).

— cytisi (Fuckel) Arx & Müller in Beitr.

Kryptogamenft. Schweiz, 11, p. 49, 1954.

(Syn. Muriogarpa cutisi Fuckel)

(Syn. Myriocarpa cytisi Fuckel).
— diapensiae (Rehm) Arx & Müller in Beitr.
Kryptogamenfl. Schweiz, 11, p. 55, 1954.
(Syn. Physalospora diapensiae Rehm).

eucrypta (Petrak) Arx & Müller in Beitr.
 Kryptogamenfl. Schweiz, 11, p. 172, 1954.
 (Syn. Physalospora eucrypta Petrak).

— foeniculata (Mont.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 48, 1954. (Syn. Sphaeria foeniculata Mont.).

— gentianicola (DC.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 50, 1954. (Syn. Sphaeria gentianaecola DC.).

 haydeni (Berk. & Curt.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 53, 1954.
 (Syn. Dothidea haydeni Berk. & Curt.).

minuta Arx & Müller in Beitr. Krypogamenfl. Schweiz, 11, p. 58, 1954 on dead Lonicera periclymenum.—France. oleandrina (Curzi & Barb.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 174, 1954. (Syn. Physalospora oleandrina Curzi & Barb.).

— piperis (Rehm) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 56, 1954. (Syn. Stigmatea piperis Rehm).

— populi Thompson in Mycologia, 46, p. 659, 1954 on Populus tremuloides.—Canada?

— scabiosae (Lamb. & Fautr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 53, 1954. (Syn. Laestadia scabiosae Lamb. & Fautr.).

tofieldiae (Fl. Tassi) Arx & Müller in Beitr.
 Kryptogamenfl. Schweiz, 11, p. 59, 1954.
 (Syn. Laestadia tofieldiae Fl. Tassi).

turnefaciens Cribb & Herbert in Pap. Dep. Bot. Univ. Qd, 3, 2, p. 9, 1954 on Sargassum.

—Tasmania.

— valesiaca Arx & Müller in Beitr. Krypto. gamenft. Schweiz, 11, p. 60, 1954 on dead Veronica fruticans.—Switzerland.

Hamaspora okinawensis Hiratsuka in Sci. Bull. Fac. Agric. Univ. Ryukyus, 1, p. 15, 1954 on Rubus utchinensis.—Okinawa Isl.

*Hansenula ellipsoidospora Luteraan in Rev. Mycol., Paris, 19, p. 85, 1954 on man.—France.

 Haplosporella prosopidina Petrak in Sydowia, 8, p. 179, 1954 on Prosopis juliflora. —Pakistan.

— prosopidincola Ahmad apud Petrak & Ahmad in Sydowia, 8, p. 180, 1954 on Prosopis juliflora.—Pakistan.

— salvadorae Petrak in Sydowia, 8, p. 180, 1954 on Salvadora oleoides.—Pakistan.

Helicogloea terminalis Olive in Bull. Torrey bot. Cl., 81, p. 331, 1954 on wood.—North Carolina, U.S.A.

Helminthosporium alphitoniae Petrak in Sydowia, 8, p. 26, 1954 on Alphitonia.

North Borneo.

— mediocre Putterill in Bothalia, 6, p. 354, 1954 on Pennisetum clandestinum.—South Africa.

— nodulosum Berk. & Curt. var. tritici Patel, Kamat, & Padhye in *Indian Phytopath.*, 6, p. 25, 1954 on *Triticum*.—India.

— urochloae Putterill in Bothalia, 6, p. 366, 1954 on Urochloa helopus.—South Africa.

Helotium caracassense Dennis in Kew Bull., 1954, p. 324, 1954 on rotten leaves.—Venezuela.

— gedeanum Dennis nom. nov. in Kew Bull., 1954, p. 322, 1954. (Syn. Cudoniella javanica P. Henn., non H. javanicum Penz. & Sacc.).

— uleanum (Rehm) Dennis in Kew Bull., 1954, p. 323, 1954. (Syn. Phialea uleana Rehm).

— umbilicatum (Le Gal) Dennis in Kew Bull., 1954, p. 326, 1954. (Syn. Pachydisca umbilicata Le Gal).

Helvellella gabretae (Kavina) Pouzar & Svrček in Čes. Mykol., 8, p. 171, 1954. (Syn. Gyromitra gabretae Kavina).

Hendersonia canberrica Petrak in Sydowia, 8, p. 214, 1954 on Acacia.—Australia.

— consociata Petrak in Sydowia, 8, p. 215, 1954 on Daviesia latifolia.—N.S.W., Australia.

— daviesiae Petrak in Sydowia, 8, p. 215, 1954 on Daviesia latifolia.—N.S.W., Australia.

— dianellae Petrak in Sydowia, 8, p. 216, 1954 on Dianella tasmanica.—N.S.W., Australia.

_leptostromatis Petrak in Sydowia, 8, p. 181, 1954 on Leptostroma ahmadii.—Pakistan. oleariae Petrak in Sydowia, 8, p. 217, 1954

on Olearia argophylla.—Australia. Heteropera biennis (Dearness) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 361, 1954. (Syn. Laestadia biennis Dearn.)

Hohenbulhelia spegazzinii Singer nom. nov. in Sydowia, 8, p. 117, 1954. (Syn. Pleurotus petaloides var. victoriensis Speg.).
Homostegia derridis T. S. Ramakr. &

Sundaram in Indian Phytopath., 6, p. 27, 1954 on Derris heyneana.—South India.

Hormodendrum eupatorii Cif. in Sydowia, 8, p. 251, 1954 on Eupatorium.-Santo

Domingo.

Hydropus riograndensis Singer in Lilloa, 26, p. 122, 1953 on wood.—Brazil.

Hygrocybe aurantiosplendens Haller in Schweiz. Z. Pilzk., 32, p. 89, 1954.—Switzerland.

Hygrophorus acutoides A. H. Smith & Hesler in Sydowia, 8, p. 325, 1954.—Michigan,

-atro-olivaceus A. H. Smith & Hesler in Sydowia, 8, p. 326, 1954.—Michigan, U.S.A. barbatulus Becker in Schweiz. Z. Pilzk., 32,

p. 92, 1954.—Europe.

cinnereipallens A. H. Smith & Hesler in Sydowia, 8, p. 309, 1954.—Michigan, U.S.A.—citrino-pallidus A. H. Smith & Hesler in Sydowia, 8, p. 327, 1954.—Washington,

-fallax A. H. Smith & Hesler in Sydowia, 8, p. 315, 1954.—Tennessee, U.S.A.

-fumosellus A. H. Smith & Hesler in Sydowia, 8, p. 316, 1954.—Tennessee, U.S.A.-graveolens A. H. Smith & Hesler in

Sydowia, 8, p. 316, 1954.—Oregon, U.S.A. miniatus forma longipes A. H. Smith & Hesler in Sydowia, 8, p. 321, 1954.—Michigan,

- odoratus A. H. Smith & Hesler in Sydowia, 8, p. 310, 1954.—Oregon, U.S.A.

- olivascens A. H. Smith & Hesler in Sydowia, 8, p. 328, 1954.—Michigan, U.S.A.

perplexus A. H. Smith & Hesler in Sydowia, 8, p. 328, 1954.—Michigan, U.S.A.

pseudolucorum A. H. Smith & Hesler in Ŝydowia, 8, p. 311, 1954.—Michigan, U.S.A. - pudarinus forma subcinereus A. H. Smith & Hesler in Sydowia, 8, p. 308, 1954. Michigan, U.S.A.

-rugulosus A. H. Smith & Hesler in Sydowia, 8, p. 330, 1954.—Michigan, U.S.A.

siccipes A. H. Smith & Hesler in Sydowia,

8, p. 312, 1954.—Oregon, U.S.A. - singeri A. H. Smith & Hesler in Sydowia,

8, p. 331, 1954.—Oregon, U.S.A.
spadiceus Fr. forma odorus A. H. Smith & Hesler in *Sydowia*, 8, p. 322, 1954.— Michigan, U.S.A.

-subfuscescens A. H. Smith & Hesler in Sydowia, 8, p. 317, 1954.—Michigan, U.S.A. -var. odorus A. H. Smith & Hesler in Sydowia, 8, p. 318, 1954.—Michigan, U.S.A.

-subpungens A. H. Smith & Hesler in Sydowia, 8, p. 312, 1954.—Oregon, U.S.A. -tahquamenonensis A. H. Smith & Hesler in Sydowia, 8, p. 331, 1954.—Michigan,

Hypocelis appendiculosa (Mont. & Berk.)
Petrak in Sydowia, 8, p. 297, 1954. (Syn. Vizella appendiculosa (Mont. & Berk.) Theiss.).

Hypocrella sulphurea (Bres.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 393, 1954. (Syn. Moelleriella sulphurea Bres.).

Hypodermella richeae Petrak in Sydowia, 8, p. 207, 1954 on Richea continentis.-Tas-

Inocybe crocifolia Herink in Čes. Mykol., 8, p. 121, 1954.—Bohemia.

dilutecinnamomea Singer in Sydowia, 8, p. 127, 1954.—Argentina.

erythrobasis Singer in Sydowia, 8, p. 127, 1954.—Argentina.

mixtiliformis Singer in Sydowia, 8, p. 129, 1954.-Argentina.

neuquenensis Singer in Sydowia, 8, p. 130, 1954.—Argentina.

- subfuscocinnamomea Singer in Sydowia, 8, p. 131, 1954.—Argentina.

subgeophyllomorpha Singer in Sydowia, 8, p. 132, 1954.—Argentina.

subgigacystis Singer in Sydowia, 8, p. 133, 1954.—Argentina.

Irene megalongensis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 52, 1953 on Ceratopetalum apetalum.—N.S.W., Australia.

Irenina acmenae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 68, 1953 on Acmena smithii var. minor.—N.S.W., Australia.

australiana Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 69, 1953 on Eucalyptus.-Australia.

daphnandrae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 64, 1953 on Daphnandra micrantha.—N.S.W., Australia.

-dodonaea Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 78, 1953 on Dodonaea triquetra.—N.S.W., Australia.

-duboislae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 80, 1953 on Duboisia myoporoides.—N.S.W., Australia.

eucalyptorum Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 69, 1953 on Eucalyptus saligna.
—N.S.W., Australia.

- fraseriana (Syd.) Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 61, 1953. (Syn. Meliola fraseriana Syd.).

hedycaryae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 65, 1953 on Hedycarya.-Australia.

Irenopsis fieldiae Hansf, in Proc. Linn. Soc. N.S.W., 78, p. 58, 1953 on Fieldia australis.
—N.S.W., Australia.

Irpex dregeanus (Berk.) Talbot in Bothalia, 6, p. 343, 1954. (Syn. Corticium dregeanum Berk.).

Johansonia pandani E. Müller in Sydowia, 8, p. 55, 1954 on Pandanus.—Java.

Kabatiella aleuritidis Vassilj. in Bot. Mat. Crypt. Plant Sect., Bot. Inst. Acad. Sci. U.S.S.R., 5, p. 15, 1940 on Aleurites fordii. Batun, Russia.

Karschia stygia (Berk. & Curt.) Massee var. tenuispora Dennis in Kew Bull., 1954, p. 342, 1954 on logs.—Venezuela.

Karstenula capparidis Petrak in Sydowia, 8, p. 166, 1954 on dead Capparis aphylla.-Pakistan.

KOORCHALOMA C. V. Subram. in J. Indian bot. Soc., 32, p. 124, 1953.—Tuberculariaceae. madreeya C. V. Subram. in J. Indian bot. Soc., 32, p. 124, 1953 on dead Oryza sativa.

KULKARNIELLA Gokhale & Patel in Indian Phytopath., 4, p. 172, 1952.-Uredinales.

pavettae Gokhale & Patel in Indian Phytopath., 4, p. 172, 1952 on Pavetta tomentosa.—India.

Lacellinopsis levispora C. V. Subram. in J. Indian bot. Soc., 33, p. 28, 1954 on dead leaf (of? Lauraceae).—South India.

Lasiosphaeria caryophylli T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 27, 1954 on Syzygium caryophyllaeum.—South India. Leciographa trinitatis Dennis in Kew Bull.,

1954, p. 343, 1954 on wood.—Trinidad. Lembosia grandispora Petrak in Sydowia, 8, p. 18, 1954 on ? Eugenia.—North Borneo.

LEMBUNCULA Ciferri in Sydowia, 8, p. 259, 1954.—Leptostromataceae. pothoidei Cif. in Sydowia, 8, p. 259, 1954

on Anthurium scandens.—Santo Domingo. Lepiota crassior Singer nom. nov. in Lilloa, 26, p. 64, 1953. (Syn. Armillaria bresadolae

Rick, non Lepiota bresadolae Auct.). flavidula (Rick) Singer in Lilloa, 26, p. 69, 1953. (Syn. Schulzeria flavidula Rick).

Lepista diemii Singer in Sydowia, 8, p. 103, 1954.—Argentina.

fibrosissima Singer in Sydowia, 8, p. 104, 1954.—Argentina.

Lepteutypa biseptata Petrak in Sydowia, 8, p. 197, 1954 on Daviesia latifolia.—N.S.W., Australia.

Leptosphaeria ahmadii Petrak in Sydowia, 8, p. 167, 1954 on dead Capparis aphylla.— Pakistan.

-daviesiae Petrak in Sydowia, 8, p. 197, 1954 on Daviesia latifolia.—N.S.W., Australia.

septovariata Saccas in Agron. trop., Nogent, 9, p. 271, 1954 on Sorghum vulgare.—French Equatorial Africa.

Leptostroma ahmadii Petrak in Sydowia, 8, p. 181, 1954 on Pinus excelsa.—Pakistan.

Leucoagaricus olivaceomamillatus Singer in Lilloa, 26, p. 69, 1953.—Brazil.

Leucopaxillus eucopaxillus patagonicus Singer Sydowia, 8, p. 111, 1954 on rotting wood. Argentina.

rickii Singer in Lilloa, 26, p. 108, 1953.-Brazil.

LOMAANTHA C. V. Subram. in J. Indian

bot. Soc., 33, p. 31, 1954.—Dematiaceae.

pooga C. V. Subram. in J. Indian bot. Soc.,
33, p. 32, 1954 on dead Areca catechu.—
South India.

Lophodermium pini-excelsae Ahmad apud Petrak & Ahmad in Sydowia, 8, p. 172, 1954 on Pinus excelsa.—Pakistan.

richeae Petrak in Sydowia, 8, p. 208, 1954 on Richea continentis.—Australia.

Macrophoma morindae T. S. Ramakr. & Sundaram in Proc. Indian Acad. Sci., Sect. B, 40, p. 22, 1954 on Morinda tinctoria.-India.

pyrenacanthae T. S. Ramakr. & Sundaram in Proc. Indian Acad. Sci., Sect. B, 40, p. 22, 1954 on Pyrenacantha volubilis.—India.

Marasmiellus couleu Singer in Sydowia, 8, p. 118, 1954 on dead Chusquea couleu. Argentina.

- cupreovirens (Speg.) Singer in Lilloa, 26, p. 74, 1953. (Syn. Omphalia cupreovirens Speg.). - fascicularis Rick apud Singer in Lilloa, 26, p. 112, 1953 on Myrtaceae.—Brazil.

irregularis (Rick) Singer in Lilloa, 26, p. 79, 1953. (Syn. Omphalia irregularis Rick). nauseosus (Rick) Singer in Lilloa, 26, p. 70, 1953. (Syn. Clitocybe nauseosa Rick).

pygmaeus (Rick) Singer in Lilloa, 26, p. 75, 1953. (Syn. Collybia pygmaea Rick). subpumilus (Rick) Singer in Lilloa, 26, p.

77, 1953. (Syn. Mycena subpumila Rick). Marasmius ilicis Singer in *Lilloa*, 26, p. 142, 1953 on fallen leaves of Ilex microdonta,-Brazil.

*Melanchlenus [gen. nov.?] cumetabolus Calandron in Rev. Mycol., Paris, 18, p. 190, 1953.—France.

Melanoleuca brevispora Singer in Sydowia, 8, p. 115, 1954.—Argentina.

melanosarx Singer in Sydowia, 8, p. 114, 1954.—Argentina.

Melanops Iomatiae Petrak in Sydowia, 8, p. 198, 1954 on Lomatia polymorpha.—
Tasmania.

Melanospora asymmetrica (Curzi) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 148, 1954. (Syn. Petriella asymmetrica Curzi).

caulincola (Fuckel) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 146, 1954. (Syn. Ceratostoma caulincolum Fuckel).

- karsteni Arx & Müller nom. nov. in Beitr. Kryptogamenft. Schweiz, 11, p. 146, 1954. (Syn. Sphaeria helvellae Karst., non M. helvellae (Cooke) Sacc.).

Meliola aciculosa Wint. var. verbenae Ciferri in Mycopathologia, 7, p. 89, 1954 on Verbena domingensis.—Santo Domingo.

acrotricha H. Syd. var. diversiseta Ciferri in Mycopathologia, 7, p. 90, 1954 on Serjania polyphylla.—Santo Domingo.

agnolae-mariae Ciferri in Mycopathologia, 7, p. 91, 1954 on Jacquinia eggersii var. intermedia.—Santo Domingo.

- alectryonis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 77, 1953 on Alectryon subcinereum.—N.S.W., Australia.
- ambigua Pat. & Gaill. var. caseariicola

Ciferri in Mycopathologia, 7, p. 93, 1954 on Casearia guianensis.—Santo Domingo. amoena (H. Syd.) Ciferri in Mycopathologia,

7, p. 93, 1954. (Syn. Irene amoena H. Syd.).
- angusta Stev. & Teh. var. biserrata
Ciferri in Mycopathologia, 7, p. 96, 1954 on
Leptogonum mollis.—Santo Domingo.

- aracearum (Stev.) Ciferri in Mycopathologia, 7, p. 98, 1954. (Syn. Irenina aracearum Stev.).

- baileyi Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 75, 1953 on Flindersia collina. Australia.

-banarae Stev. var. aculeata Ciferri in Mycopathologia, 7, p. 99, 1954 on Casearia aculeata.—Santo Domingo.

· bayamonensis Teh. var. guettardae Ciferri in Mycopathologia, 7, p. 99, 1954 on Guettarda.—Santo Domingo.

- bonaoensis Ciferri in Mycopathologia, 7, p. 102, 1954 on Lunaria.—Santo Domingo.

bonetii Ciferri [as Meliola (Irenina) bonetii] in Mycopathologia, 7, p. 103, 1954 on Dalbergia berterii.—Santo Domingo.

borinquena Ciferri nom. nov. in Mycopathologia, 7, p. 104, 1954. (Syn. Irene portoricensis Toro, non Irenina portoricensis - bouchardatiae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 74, 1953 on Bouchardatia neurococca.—N.S.W., Australia.

brisbanensis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 63, 1953 on Acacia cunning-hamii.—Australia.

capensis (K. & C.) Theiss. var. baileyana Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 75, 1953 on Sapindaceae.—Australia.

var. diploglottidis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 76, 1953 on Diploglottis australis.—N.S.W., Australia.

carissae Doidge var. parsonsiae Hansf. in *Proc. Linn. Soc. N.S.W.*, **78**, p. 52, 1953 on Parsonsia straminea.—Australia.

- cassiae Ciferri [as Meliola (Irenina) cassiae] in Mycopathologia, 7, p. 108, 1954 on Cassia pedicellaris.—Santo Domingo.

ceratopetali Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 53, 1953 on Ceratopetalum apetalum.—N.S.W., Australia.

-chaethachna Ciferri [as Meliola (Irenopsis) chaethachna] in Mycopathologia, 7, p.110, 1954 lingulatum.—Santo Stigmatophyllon

- cissi-antarcticae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 80, 1953 on Cissus antarctica.

N.S.W., Australia.

-citronellae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 59, 1953 on Citronella moorei. -N.S.W., Australia.

-cladacantha Ciferri in Mycopathologia, 7, p. 112, 1954 on Stenandrium scabrosum.-Santo Domingo.

-colubrinae (Stev.) Ciferri in Mycopathologia, 7, p. 114, 1954. (Syn. Irenina colubrinae Stev.).

-combreti (Stev.) Ciferri in Mycopathologia, 7, p. 115, 1954. (Syn. Irenina combreti

- consocia Ciferri in Mycopathologia, 7, p. 116, 1954 on Hernandia sonora.—Santo Domingo. - coronata Speg. var. triumfettae (Stev.) Ciferri in Mycopathologia, 7, p. 117, 1954.

(Syn. M. triumfettae Stev.).

cubitella (Stev. & Teh.) Ciferri [as Meliola (Irenima) cubitella] in Mycopathologia, 7, p. 109, 1954. (Syn. Irene cubitella Stev. & Teh.).—cubitorum (Stev. & Teh.) Ciferri [as Meliola (Irenina) cubitorum] in Mycopatho-

logia, 7, p. 109, 1954. (Syn. Irene cubitorum Stev. & Teh.).
- cyathodis Hansf. var. trochocarpae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 56, 1953 on Trochocarpa laurina.—N.S.W.,

Australia.

- cyclopoda Stev. var. neurolaenae Ciferri in Mycopathologia, 7, p. 119, 1954 on Neuro-laena lobata.—Santo Domingo.

- cydistae Stev. var. aequinoctialis Ciferri in Mycopathologia, 7, p. 120, 1954 on Cydista aequinoctialis.—Santo Domingo.

cyphopoda Ciferri [as Meliola (Irenina) cyphapoda] in Mycopathologia, 7, p. 120, 1954

on Marcgravia rectiflora.—Santo Domingo. - dactylopoda Syd. var. brevipoda Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 61, 1953 patentinervis .- N.S.W., CryptocaryaAustralia.

-dallasica Petrak in Sydowia, 8, p. 19, 1954 on Perrottetia.—North Borneo.

desmodii Karst. & Roum. var. heterochaeta Ciferri in Mycopathologia, 7, p. 121, Desmodium supinum. Santo 1954 on Domingo.

- diospyricola Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 55, 1953 on Diospyros australis.—N.S.W., Australia.

diospyri-pentamerae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 55, 1953 on Diospyros pentamera.—N.S.W., Australia.

domingensis Ciferri nom. nov. in Mycopathologia, 7, p. 122, 1954. (Syn. Irene lucumae Cif. & Frag., non M. lucumae Stev.

dysoxyli Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 62, 1953 on *Dysoxylum*.—Ceylon.

dysoxylicola Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 62, 1953 on *Dysoxylum*.-N.S.W., Australia.

earleana Ciferri nom. nov. in Mycopathologia, 7, p. 123, 1954. (Syn. M. compacta Earle, non (Lév.) Speg.).

ekmaniana Ciferri in Mycopathologia, 7, p. 124, 1954 on Schoepfia obovata.—Santo Domingo.

ekmanii Ciferri [as Meliola (Irenopsis) ekmanii] in Mycopathologia, 7, p. 124, 1954 on Lygodium oligostachyum.—Santo Domingo. emmenospermatis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 71, 1953 on Emmeno-sperma alphitonoides.—N.S.W., Australia.

epiviscum Ciferri [as Meliola (Irenina) epiviscum] in Mycopathologia, 7, p. 125, 1954 on Dendrophthora biseriata.—Santo Domingo.

erythroxylonis Ciferri [as Meliola (Irenina) erythroxylonis] in Mycopathologia, 7, p. 127, 1954 on Erythroxylum urbanii.—Santo Domingo.

escharoides (H. Syd.) Ciferri in Mycopathologia, 7, p. 128, 1954. (Syn. Irene escharoides H. Syd.).

eugeniae-jamboloidis Hansf. australiensis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 66, 1953 on Tristania. Australia.

Australia.

- francevilleana Gaill. var. abbreviata
Ciferri in Mycopathologia, 7, p. 129, 1954 on
Jacquemontia nodiflora.—Santo Domingo.

- fraserae (as 'fraseri') Hansf. in Proc. Linn.
Soc. N.S.W., 78, p. 76, 1953 on Mischocarpus.—N.S.W., Australia.

- ver minor Honsf in Proc. Linn.

- var. minor Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 77, 1953 on Sapindaceae.— Australia.

gliricidiae H. & P. Syd. var. pineti (as pinetori') Ciferri in Mycopathologia, 7, p. 132, 1954 on Cassia pinetorum.—Santo Domingo.

gregoriana Stev. var. confusa Ciferri in Mycopathologia, 7, p. 133, 1954 on Smilax populnea.—Santo Domingo.

guioae-semiglaucae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 78, 1953 on Guioa semi-glauca.—N.S.W., Australia.

haploa Ciferri [as Meliola (Irenopsis) haploa] in Mycopathologia, 7, p. 133, 1954 on Lincoiera dictyophylla.—Santo Domingo. -hernandiacearum Ciferri [as Meliola

(Irenina) hernandiacearum] in Mycopathologia, 7, p. 134, 1954 on Hernandia sonora.-Santo Domingo.

hispaniolensis Ciferri [as Meliola (Irenina) hispaniolensis] in Mycopathologia, 7, p. 135, 1954 on Linociera domingensis. Santo Domingo.

hypodoria Ciferri [as Meliola (Irene) hypodoria] in Mycopathologia, 7, p. 138, 1954 on Casearia bicolor.—Santo Domingo.

isertiae (Stev.) Ciferri in Mycopathologia, 7, p. 142, 1954. (Syn. Irenina isertiae Stev.).

- jatrophae Stev. var. adeliae Ciferri in Mycopathologia, 7, p. 143, 1954 on Adelia ricinella.—Santo Domingo.

- kisubiensis Hansf. var. bosistoae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 73, 1953 on Bosistoa evodiiformis.—N.S.W., Australia. - var. medicosmae Hansf, in Proc. Linn.

Soc. N.S.W., 78, p. 73, 1953 on Medicosma

cunninghamii.—Australia.

— var. phebalii-dentati Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 72, 1953 on Phebalium dentatum.—N.S.W., Australia.—leptospermi Hansf. in Proc. Linn. Soc.

N.S.W., 78, p. 68, 1953 on Leptospermum brachyandrum.—N.S.W., Australia.
-lisianthi Stev. & Teh. var. bisgoeppertiae

Ciferri in Mycopathologia, 7, p. 146, 1954 on Bisgoeppertia scandens.—Santo Domingo.
-lomandrae Hansf. in Proc. Linn. Soc.

N.S.W., 78, p. 81, 1953 on Lomandra.-Australia.

longistipitata Stev. var. minor Ciferri in Mycopathologia, 7, p. 150, 1954 on Costus cylindricus.—Santo Domingo.

- mataybae Stev. var. longiaristata Ciferri in Mycopathologia, 7, p. 153, 1954 on Cupania americana.-Santo Domingo.

mayaguesiana Stev. var. dominicana Ciferri in Mycopathologia, 7, p. 154, 1954 on Psychotria revoluta.—Santo Domingo.

Fsychotria revocada.—Salito Dollango.

- meibomiicola Ciferri nom. nov. in
Mycopathologia, 7, p. 154, 1954. (Syn.
Irenina meibomiae Stev., non M. meibomiae Stev. & Teh.).

- var. mucunae Ciferri in Mycopathologia, 7, p. 154, 1954 on Mucuna sloanei.—Santo Domingo.

- melanochaeta Ciferri in Mycopathologia, 7, p. 155, 1954 on Caseariis arborea.—Santo Domingo.

- melodini Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 51, 1953 on Melodinus australis.-N.S.W., Australia.

miconiaeicola Stev. var. henrietellae Ciferri [as Meliola (Irenopsis) miconiaeicola var. henrietellae] in Mycopathologia, 7, p. 156, 1954 on Henrietella fascicularis.—Santo Domingo.

- monilipes Ciferri [as Meliola (Irenina) monilipes] in Mycopathologia, 7, p. 158, 1954 on Guazuma ulmifolia.—Santo Domingo.

monopla Ciferri in Mycopathologia, 7, 159, 1954 on Alpinia aromatica.—Santo Domingo.

morminae (Stev.) Ciferri in Mycopathologia, 7, p. 189, 1954. (Syn. Irenina morminae Stev.).

- notelaeae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 70, 1953 on Notelaea reticulata.-N.S.W., Australia.

obscura (Stev.) Ciferri in Mycopathologia, 7, p. 162, 1954. (Syn. Irenina obscura Stev.). ophidiochaeta Ciferri in Mycopathologia,

7, p. 164, 1954 on Tabebuia polyantha.-

Santo Domingo.
- ozamensis Ciferri [as Meliola (Irenina) ozamensis] in Mycopathologia, 7, p. 166, 1954 on Stigmatophyllon angulosum.—Santo Domingo.

parathesiana Ciferri [as Meliola (Irenina) parathesiana] in Mycopathologia, 7, p. 169, 1954 Parathesis on serrulata.—Santo Domingo.

pavoniae Ciferri [as Meliola (Irenina) pavoniae] in Mycopathologia, 7, p. 170, 1954 on Pavonia spicata. - Santo Domingo.

- perspicua Ciferri [as Meliola (Irenina) per. spicua] in Mycopathologia, 7, p. 171, 1954 on Cissus erosa.—Santo Domingo.

petalostigmatis Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 57, 1953 on Petalostigma quadriloculare.—N.S.W., Australia.

phaeocephala Ciferri in Mycopathologia, 7, p. 172, 1954 on Serjania sinuata.—Santo Domingo.

- pileae (Hansf.) Ciferri in Mycopathologia, 7, p. 172, 1954. (Syn. Irenina nile. (Syn. Irenina pileae Hansf.).

piptadeniae Ciferri [as Meliola (Irenina) piptadeniae] in Mycopathologia, 7, p. 173, Piptadenia peregrina.—Santo 1954 on Domingo. [See also M. piptadeniae Hansf, & Deight., this Index, 1, p. 265]. plebeja Speg. var. brunfelsiae Ciferri [as

Meliola (Irenina) plebeja var. brunfelsiae] in Mycopathologia, 7, p. 175, 1954 on Brunfelsia abottii.—Santo Domingo.

portoricensis (Stev.) Ciferri in Myco. pathologia, 7, p. 177, 1954. (Syn. Irenopsis portoricensis Stev.).

prostantherae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 59, 1953 on Prostanthera sieberi.—N.S.W., Australia.

pseudomori Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 65, 1953 on Pseudomorus pendulina australiana.-N.S.W., var. Australia.

- pseudoradiata Ciferri nom. nov. in Myco. pathologia, 7, p. 178, 1954. (Syn. Irene alchorneae Stev. & Teh., non M. alchorneae Stev. & Teh.).

psychotriae Earle var. gonzalaguniae Ciferri in Mycopathologia, 7, p. 179, 1954 on

Gonzalagunia spicata.—Santo Domingo.

queenslandica (E. Fisher) Hansf. in Proc.
Linn. Soc. N.S.W., 78, p. 66, 1953. (Syn.
Meliola polytricha K. & C. var. queenslandica E. Fisher).

- renovata Ciferri nom. nov. in Mycopathologia, 7, p. 180, 1954. (Syn. Irenina aegiphilas

Hansf., non M. aegiphilae Stev.).

- ripogoni Hansf. in Proc. Linn. Soc.
N.S.W., 78, p. 79, 1953 on Ripogonum album.
—N.S.W., Australia.

- sabiceae Ciferri in Mycopathologia, 7, p. 181, 1954 on Sabicea hirsuta.—Santo Domingo.

- soroceae Speg. var. fici Ciferri in Myco-pathologia, 7, p. 186, 1954 on Ficus rubri-costa.—Santo Domingo.

· stellata Ciferri [as Meliola (Irenina) stellata] in Mycopathologia, 7, p. 187, 1954 on Stigmatophyllon lingulatum.—Santo Domingo.

- stevensiana Ciferri [as Meliola (Irenina) stevensiana] in Mycopathologia, 7, p. 189, 1954 on ? Coccoloba costata. Santo Domingo. stevensonii Ciferri [as Meliola (Irenina)

stevensonii] in Mycopathologia, 7, p. 189, 1954 on Exothea paniculata.—Santo Domingo. tonsa Ciferri [as Meliola (Irenina) tonsa] in

Mycopathologia, 7, p. 194, 1954 on Pachira emarginata.—Santo Domingo.

turneracearum Ciferri [as Meliola (Irenina) turneracearum] in Mycopathologia, 7, p. 197, 1954 on Turnera ulmifolia.—Santo Domingo.

verrucosa Pat. var. pedilanthi Ciferri [as Meliola (Irenina) verrucosa var. pedilanthi] in Mycopathologia, 7, p. 200, 1954 on Pedilanthus latifolius.—Santo Domingo.

wormiae Hansf. in Proc. Linn. Soc. N.S.W., 78, p. 54, 1953 on Wormia alata.—Australia. Melomastia graminicola Saccas in Agron. trop., Nogent, 9, p. 274, 1954 on Sorghum vulgare.—French Equatorial Africa.

Memnoniella levispora C. V. Subram. in J.

Indian bot. Soc., 33, p. 40, 1954 on a dead

stem.—India.

Metasphaeria richeae Petrak in Sydowia, 8, p. 199, 1954 on Richea continentis. Australia.

_ sorghi Saccas in Agron. trop., Nogent, 9, p. 275, 1954 on Sorghum vulgare.—French Equatorial Africa.

Microascus doguetii Moreau in Rev. Mycol., Paris, 18, p. 177, 1953.—France.

Microcyclus atropunctus (Starb.) Müller & Sanwal in Sydowia, 8, p. 234, 1954. (Syn. Physalospora atropuncta Starb.).

stuebelii (P. Henn.) Müller & Sanwal in Sydowia, 8, p. 235, 1954. (Syn. Dothidella stuebelii P. Henn.).

Microdiplodia hardenbergiae Petrak in Sydowia, 8, p. 217, 1954 on Hardenbergia monophylla.—Australia.

Microstroma lini (Laff.) Krenner in Agrártud. egy., 6, p. [3 of Auszug], 1954. (Syn. Polyspora lini Laff.).

Midotiopsis jamaicensis Dennis in Kew Bull., 1954, p. 335, 1954 on rotten trunk.-Jamaica.

Morenoella ormosiana (Sacc.) Cif. in Sydowia, 8, p. 255, 1954. (Syn. Lembosia ormosiana Sacc.).

- pothoidei (Rehm) Cif. in Sydowia, 8, p. 259, 1954. (Syn. Lembosia pothoidei Rehm).

Mycena lux-coeli Corner in Trans. Brit. mycol. Soc., 37, p. 264, 1954 on Shiia sieboldii.-Japan.

manipularis (Berk.) Métrod var. micro-pora Kawamura ex Corner in *Trans. Brit.* mycol. Soc., 37, p. 269, 1954 on wood.— Ponapé Island, Micronesia.

- noctilucens Corner in Trans. Brit. mycol. Soc., 37, p. 264, 1954 on root of palm .-

Micronesia.

pruinoso-viscida Corner in Trans. Brit. mycol. Soc., 37, p. 265, 1954 on wood.-- var. rabaulensis Corner in Trans. Brit.

mycol. Soc., 37, p. 267, 1954 on wood.—New Britain.

-sublucens Corner in Trans. Brit. mycol. Soc., 37, p. 267, 1954 on root of bamboo. Amboina.

Mycosphaerella alyxiae Petrak in Sydowia, 8, p. 199, 1954 on Alyxia buxifolia.—N.S.W.,

- asplenii Thirum. & Govindu (as '(Jaap) comb. nov. Syn. Cercospora asplenii Jaap') in Sydowia, 8, p. 345, 1954 on Asplenium nidus.-India.

on Daviesiae Petrak in Sydowia, 8, p. 200, 1954 on Daviesia latifolia.—N.S.W., Australia. - elatostemmae Thirum. & Govindu in

Sydowia, 8, p. 345, 1954 on Elatostemma.

munyangica Petrak in Sydowia, 8, p. 200, 1954 on Richea continentis.—Australia.
-phacae-frigidae E. Müller & Wehm. in

Ŝydowia, 8, p. 190, 1954 on dead Phaca frigida.—Switzerland. richeae Petrak in Sydowia, 8, p. 201, 1954

on *Richea continentis*.—Australia. Mylocopron tectum (Winter) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 91, 1954. (Syn. Physalospora tecta Winter).

*Naemosphaera elaeidis Luc in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 10, 1053 on Elaeis guineensis.—Ivory Coast. Naucoria curvipes Singer in Sydowia, 8, 9,

135, 1954 on dead wood.—Argentina.

olivaceiceps Singer in Sydowia, 8, p. 131 1954 on dead wood of Nothofagus.-Argen

olivaceonana Singer in Sydowia, 8, p. 136, 1954 on dead wood.—Argentina.

pantelaeodes Singer in Sydowia, 8, p. 138, 1954 on wood of Nothofagus.—Argentina.

Nectria borneensis Petrak in Sydowia, 8, p. 20, 1954 on dead bark.—North Borneo. NEODIPLODINA Petrak in Sydowia, 8, p.

36, 1954.—Sphaeropsidales.

verruciformis Petrak in Sydowia, 8, p. 36, 1954 on Danthonia.-Australia.

Neomelanconium deightonii Petrak in Sydowia, 8, p. 51, 1954 on dead Spondias monbin.—Sierra Leone.

Neophoma goodeniae Petrak in Sydowia, 8, p. 218, 1954 on Goodenia unilobata. Australia.

Nitschkia salvadorae Ahmad in Sydowia, 8, p. 167, 1954 on dead Salvadora elecides.-Pakistan.

Olpidiaster gossypii Saccas [as Olpidiaster (Asterocystis) gorsypii] in Cot. et Fibr. trop., 9, p. 37, 1954 on Gossypium hirsutum.— French Equatorial Africa.

Olpidium maritimum Höhnk & Aleem in Veröff. Inst. Meeresforsch. Bremerhaven, 2, p. 227, 1953 in saline soil.—Wangeroog Island,

Germany.

Ophiobolus leptosporus Saccas in Agron. trop., Nogent, 9, p. 281, 1954 on Sorghum vulgare.—French Equatorial Africa.

Ophioceras sorghi Saccas in Agron. trop., Nogent, 9, p. 285, 1954 on Sorghum vulgare.—

French Equatorial Africa.

Ophiostoma longirostellatum (Bakshi) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 395, 1954. (Syn. Ceratocystis longirostellata Bakshi).

Orbilia alba Dennis in Kew Bull., 1954, p. 295,

1954 on an aroid.—Trinidad.

curvatispora Boud. var. minor Dennis in Kew Bull., 1954, p. 296, 1954 on a log.-Trinidad.

ORBILIASTER Dennis in Kew Bull., 1954, p. 294, 1954.—Orbiliaceae.

pilosa Dennis in Kew Bull., 1954, p. 294, 1954 on rotten trunk.—Trinidad. OREOPHYLLA Ciferri in Sydowia, 8, p. 253,


1954.—Hyphomycetes. angelaemariae Cif. in Sydowia, 8, p. 254, 1954 on Glyricidia [Gliricidia] saepium .-Santo Domingo.

Otthiella cystophorae Cribb & Herbert in Pap. Dep. Bot. Univ. Qd, 3, 2, p. 10, 1954 on Cystophora retroflexa.—Tasmania.

Oudemansiella steffenii (Rick) Singer in Lilloa, 26, p. 66, 1953. (Syn. Tricholoma steffenii Rick).

Parastigmatea congregata (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 85, 1954. (Syn. Trabutiella congregata

polyadelpha (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 84, 1954. (Syn. Hypostigme polydeplha Syd.).



-vaccinii (Shear) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 166, 1954. (Syn. Acanthorhynchus vaccinii Shear).

Physoderma aneilemae Pavgi & Thirumalachar in Sydowia, 8, p. 94, 1954 on Aneilema nodiflorum.-India.

cynodontis Pavgi & Thirumalachar in Sydowia, 8, p. 91, 1954 on Cynodon daetylon. India.

- digitariae Pavgi & Thirumalachar in Sydowia, 8, p. 94, 1954 on Digitaria royleana. _India.

eriochloae Pavgi & Thirumalachar in Sydowia, 8, p. 92, 1954 on Eriochloa procera. -India.

- setariicola (as 'setaricola') Pavgi & Thirumalachar in Sydowia, 8, p. 93, 1954 on Setaria glauca.-India.

ichia farinosa (Lindner) Hansen var. japonica (Naganishi) Ohara & Nonomura Pichia farinosa in J. agric. chem. Soc. Japan, 28, p. 164, 1954. (Syn. Zygopichia farinosa (Lindner) Klöcker var. japonica Naganishi).
— mogii Ohara & Nonomura 'nov. sp.' [nom.

nov.?] in J. agric. chem. Soc. Japan, 28, p.

124, 1954. (Syn. P. miso Mogi).

- sake (Naganishi) Ohara & Nonomura in J. agric. chem. Soc. Japan, 28, p. 164, 1954. (Šyn. Zygopichia sake Naganishi).

*Pilobolus crystallinus Tode subsp. anisosporus Lyr in Arch. Protistenk., 99, p. 289, 1954.—Germany.

subsp. crystallinus (as 'typicus') Lyr in Arch. Protistenk., 99, p. 289, 1954.—Germany.
— gracilis Lyr in Arch. Protistenk., 99, p. 288,

1954.—Germany.

*—kleinii van Tiegh. subsp. hallensis Lyr in Arch. Protistenk., 99, p. 288, 1954.—

PLAGIONEMA C. V. Subram. & K. Ramakr. in J. Indian bot. Soc., 32, p. 135, 1953 .-Sphaeropsidales.

indica C. V. Subram. & K. Ramakr. in J. Indian bot. Soc., 32, p. 136, 1953 on dead Azadirachta indica.—India.

Plasmopara baudysii Skaliký in Čes. Mykol., 8, p. 177, 1954 on Berula erecta.—Czecho-

slovakia.

-umbelliferarum (Casp.) Schröter var. hacquetiae Skaliský in *Ces. Mykol.*, 8, p. 177, 1954 on Hacquetia epipactis.—Czechoslovakia.

Platygloea peniophorae Bourd. & Galz. var. interna Olive in Bull. Torrey bot. Cl., 81, p. 331, 1954 on Peniophora.—North Carolina, U.S.A.

Plectosphaera amphidyma (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 203, 1954. (Syn. Physalospora amphidyma H. & P. Sydow) [? lapsu amphigena].

-atractina (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 210, 1954.

(Syn. Physalospora atractina Syd.).
-barringtoniae (Syd.) Arx & Müller in
Beitr. Kryptogamenfl. Schweiz, 11, p. 203, 1954. (Syn. Physalospora barringtoniae Syd.). eleocharidis (Baker & Chardon) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 211, 1954. (Syn. Physalospora eleocharidis

Baker & Chardon). -embeliae (Yates) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 207, 1954.

(Syn. Physalospora embeliae Yates). -fragariae (Krieger & Rehm) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 208, 1954. (Syn. Phomatospora fragaria: Knieger & Rehm).

-ingae (Stev.) Arx & Müller in Beitr Rygamenfl. Schweiz, 11, p. 209, 1954 Guignardia ingae Stev.).

memecyli (Petch) Arx & Müller in B Kryptogamenft. Schweiz, 11, p. 208, 1964 (Syn. Hyponectria memecyli Petch).

microsticta (Cke.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 207, 1954. (Syn. Physalospora microsticta Cooke).

polypodii (Rabenh.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 208, 1954. (Syn. Sphaeria polypodii Rabenh.).

populina (Maubl.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 205, 1954. (Syn. Physalospora populina Maubl.).

-quadrospora (Stev. & 'Rac.' [Solheim])
Arx & Müller in Beitr. Kryptogamenft.
Schweiz, 11, p. 209, 1954. (Syn. Physalospora quadrospora Stev. & Solheim).

rhynchosporae (Baker & Chardon) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 210, 1954. (Syn. Physalospora rhynchosporae Baker & Chardon).

-rhytismophila (Rehm) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 208, 1954. (Syn. Guignardia rhytismophila Rehm).

- rosae Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 206, 1954 on Rosa canina.-Ttalv.

salicis (Fuckel) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 204, 1954. (Syn. Sphaeria salicis Fuckel).

sanguinea (Rehm) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 202, 1954. (Syn. Physalospora sanguinea Rehm).

sonneratiae (Petr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 209, 1954. (Syn. Polystigma sonneratiae Petr.).

Pleospora gompholobii Petrak in Sydowia, 8, p. 203, 1954 on Gompholobium huegelii.— N.S.W., Australia.

grevilleae Petrak in Sydowia, 8, p. 204, 1954 on Grevillea victoriae.—N.S.W., Australia. ipomoeae (Clem.) Wehmeyer in Mycologia,

46, p. 504, 1954. (Syn. Comoclathris ipomoeae Clem.).

Pleuroceras populi Thompson in Mycologia, 46, p. 655, 1954 on Populus tremuloides.-New York, U.S.A.

Pleurotus araucariicola Singer in Lilloa, 26, p. 141, 1953.—Brazil.

Plicaria fulva R. Schneider in Zbl. Bakt., Abt. 2, 108, p. 153, 1954 on soil.—Germany.

Pluteus aporpus Singer in Sydowia, 8, p. 122, 1954 on wood.—Argentina.

diptychocystis Singer in Sydowia, 8, p. 123, 1954.—Argentina.

- jaffuelii (Speg.) Singer in Sydowia, 8, p. 123, 1954. (Syn. Mycena jaffueli Speg.).
- riograndensis Singer in Lilloa, 26, p. 116, 1953.—Brazil.

umbrinoalbidus Singer in Lilloa, 26, p.

134, 1953.—Brazil.
Polydesmus indicus C. V. Subram. in J.
Indian bot. Soc., 33, p. 33, 1954 on dead Cocos nucifera.—South India.

Polystigma montserratis (Chard.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 237, 1954. (Syn. Clypeotrabutia montserratis Chard.).

orbiculatum (Syd.) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 239, 1954. (Syn. Leptocrea orbiculata Syd.).

ri- k in $B\epsilon$ So Lin Ph - lei N. bra 1135 Cif 10 N. Au M cyl - m in an - m Ci P_8 n M Tr St 7 Rick).

phyllodii Corke & Massee) Arx & Müller in Pierle & Tangagemenf, Schweit, 11, p. 238, 1954 Syn, Trabula phyllodii Cooke & Manney Average (Kalehb, & Cooke) Arx & Average Schools, 11, Stignates sufferlandiae Rehm) Arx & Müller in Rehm) Arx & Müller in Rehm).

Reposetria volkartiana Rehm).

Reposetria volkartiana Rehm).

Rehm) Rescens Petrak in Sydowia,

Rehm) Reposetria volkartiana Rehm).

Rehm Primus cornuta.—Paki-Polystomella borneensis Petrak in Sydowia, 1954 on Piper.—North Borneo.
1954 on Piper.
1954 of the Fungus
1954 (Syn. Cer1954 polyricha Cooke).
1954 on Polyricha Cooke. Pseudodiplodia goodeniae Petrak in Sydonia, 8, p. 219, 1954 on Goodenia unilo-buta - Australia. Pseudohelotium sordidum (Cash) Dennis in Kew Bull., 1954, p. 317, 1954. (Syn. Belonium cosh). Puccinia brizae-maximae T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 30, 1954 on Briza maxima.—South India. caricis-boottianae Hiratsuka in Sci. Bull. Fac. Agric. Univ. Ryukyus, 1, p. 26, 1954 on Carex bootstane and Farfugium japonicum.— Ryukyu Islands, Pacific.

Ryukyu Islands, Pacific.

Barnotlae T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 30, 1954 on Garnotia atundinacea.—South India. peristrophes Petrak in Sydowia, 8, p. 13, 1954 on Peristrophe.—North Borneo. ranuaculi-falcati Ahmad apud Petrak & Ahmad in Sydowia, 8, p. 163, 1954 on Ranunculus fulcatus.—Pakistan. Ranunciaus II Rev. Mycol., Paris, 18, 1 - tendae Gaumann in Rev. Mycol., Paris, 18, 1, 1953 on Thymus vulgaris.—French p. 188, 1953 on Xatartia [Xatardia] scabra. Pyrenees.
PYONODERMINA Petrak in Sydowia, 8, p. PYCNODERMINA Petrak in Sydowia, 8, p. 31, 1954.— Stephanothecaceae. — tenus Petrak in Sydowia, 8, p. 31, 1954 on leaves.—North Borneo.

leaves.—North Borneo.

leaves.—North Borneo.

leaves.—North Borneo.

leaves.—North Borneo.

leaves.—Prench Alps.

leaves.—French Alps.

leaves.—Westel Müller in Rev. Manal. Proc. 10.

leaves.—North Miller in Rev. Manal.

Alps. ratartiae Durrieu in Rev. Mycol., Paris, 18,

p. 59, 1954 on Potentilla valderia.—French

Ramularia trautvetteriae Shaw & Sprague in Res. Stud. St. Coll. Wash., 22, p. 175, 1954 on Trautvetteria grandis.—Alaska.

Rechingeriella eutypoides Petrak Sydowia, 8, p. 170, 1954 on dead roots.-Pakistan.

Rehmiellopsis deviata Petrak in Sydowia, 8, p. 205, 1954 on Daviesia latifolia.—N.S.W., Australia.

Rhodocybe gilvoides (Rick) Singer in Lilloa, 26, p. 71, 1953. (Syn. Clitocybe gilvoides

Rhodophyllus anastomosans (Rick) Singer in Lilloa, 26, p. 97, 1953. (Syn. Eccilia anastomosans Rick).

caccabus Kühner in Rev. Mycol., Paris, 19, p. 3, 1954.—France.

caesiocinctus Kühner in Rev. Mycol., Paris, 19, p. 4, 1954.—France. corvinus Kühner in Rev. Mycol., Paris, 19,

p. 4, 1954.—France.

griseoluridus Kühner in Rev. Mycol., Paris, 19, p. 4, 1954.—France. hebes Romagnesi apud Kühner & Roma.

gnesi in Rev. Mycol., Paris, 19, p. 4, 1954. France.

juncinus Kühner & Romagnesi nom. nov. in Rev. Mycol., Paris, 19, p. 5, 1954. (R. junceus sensu Lange, nec Fr.). lepiotosmus Romagnesi apud Kühner &

Romagnesi in Rev. Mycol., Paris, 19, p. 5, 1954.—France.

leptonipes Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 6, 1954.—France. lividoalbus Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 6, 1954.—France. lividocyanulus Kühner nom. nov. in Rev.

Mycol., Paris, 19, p. 37, 1954. (Leptonia griseorubella sensu Bres.).

majusculus Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 6, 1954.—France.

mammosus (Fr.) Quél. var. obsoletus Romagnesi apud Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 7, 1954.—France. (Fr.) Quél. var. sericoides Kühner in

Rev. Mycol., Paris, 19, p. 7, 1954.—France.
- minutus (Karst.) Lange var. polymorphus Romagnesi apud Kühner & Romagnesi in

Rev. Mycol., Paris, 19, p. 7, 1954.—France. omphaliformis Romagnesi apud Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 7, 1954.—France.

platyphylloides Romagnesi apud Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 8, 1954.—France.

poliopus Romagnesi apud Kühner Romagnesi in Rev. Mycol., 19, p. 8, 1954. -France.

querquedula Romagnesi apud Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 8, 1954.—France.

rhodopolius var. aleuriosmus Kühner in Rev. Mycol., Paris, 19, p. 9, 1954.—France, sarcitulus Kühner & Romagnesi nom. nov.

in Rev. Mycol., Paris, 19, p. 38, 1954. (Leptonia sarcita sensu Ricken).

var. spurcifolius Kühner in Rev. Mycol.,

Paris, 19, p. 9, 1954.—France. -sericeus var. nolaniformis Kühner in Rev. Mycol., Paris, 19, p. 9, 1954.—France.

sodalis Kühner & Romagnesi nom. nov. in Rev. Mycol., Paris, 19, p. 35, 1954. (Leptonia lampropoda sensu Bres.).

sordidulus Kühner & Romagnesi in Rev. Mycol., Paris, 19, p. 10, 1954.—France. subradiatus Kühner & Romagnesi in Rev.

Mycol., Paris, 19, p. 10, 1954.—France. Rhynchostoma australiense Petrak in Sydowia, 8, p. 206, 1954 on Grevillea.-Australia.

Rosellinia strobilina (Alb. & Schw.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 327, 1954. (Syn. Licea strobilina Alb. & Schw.).

Russula major Singer in Sydowia, 8, p. 153, 1954.—Argentina.

riograndensis Singer nom. nov. in Lilloa, 26, p. 81, 1953. (Syn. R. subfragilis Rick, non Henn.).

Saccharomyces sociasi Ramirez in Rev. Mycol., Paris, 19, p. 98, 1954.—Spain.

Schiffnerula bella Petrak in Sydowia, 8, p. 24, 1954 on leaves of a tree.—North Borneo. Schizoxylon gaubae Petrak in Sydowia, 8, p. 208, 1954 on Gompholobium huegelii. N.S.W., Australia.

cleroderma chrysastrum Martin in Mycologia, 46, p. 528, 1954.—Panama Canal Scleroderma

Zone.

Scleroderris abietina (Lagerb.) Gremmen apud Van Vloten & Gremmen in Acta bot. neerl., 2, p. 234, 1953. (Syn. Crumenula abietina Lagerb.).

_laricina (Ettl.) Gremmen apud Van Vloten & Gremmen in Acta bot. neerl., 2, p. 236, 1953. (Syn. Crumenula laricina Ettl.).

Scortechinia chaetomioides (Penz. & Sacc.) Arx & Muller in Beitr. Kryptogamenfl. Schweiz, 11, p. 381, 1954. (Syn. Enchnoa chaetomioides Penz. & Sacc.). [Scortechinia Sacc. 1891 is a later homonym of Scortechinia Hook. f. 1887].

euomphala (Berk. & Curt.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 380, 1954. (Syn. Sphaeria euomphala Berk. &

Curt.).

-massae (Ciferri) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 381, 1954. (Syn. Fitzpatrickia massae Cif.).

uniseriata (Fitzpatr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 381, 1954. (Syn. Tympanopsis uniseriata Fitzpatr.).

usambarensis (Rehm) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 381, 1954. (Syn. Meliolopsis usambarensis Rehm). SCORTECHINIELLA Arx & Müller in Beitr.

Kryptogamenfl. Schweiz, 11, p. 382, 1954.-Coronophoraceae.

similis (Bres.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 383, 1954. (Syn. Trichosphaerella similis Bresadola).

Sebacina stratosa (Viegas) Olive in Bull. Torrey bot. Cl., S1, p. 334, 1954. (Syn. Seismosarca stratosa Viegas).

Selenophoma androssoni (Bub. & Sereb.) Luc in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. Falcispora androssoni Bub. & Sereb.). - baldingerae (Frandsen) Luc in Rev. Mycol.,

Paris, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. Lunospora baldingerae Frandsen).

culmorum (Grove) Luc in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. Lunospora culmorum (Grove) Frandsen). donacicola (Speg.) Luc in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 100, 1953.

(Syn. Pseudoseptoria donacicola Speg.).
— elaeidis Luc in Rev. Mycol., Paris, 18,
Suppl. Col. No. 2, p. 98, 1953 on Elaeis
guineensis.—Ivory Coast.

petrakii Luc nom. nov. in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. S. septorioides Petrak, non Maire).

-straussiana (Sacc.) Luc in Rev. Mycol., Paris, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. Neopatella straussiana Sacc.).

Septoria ahmadii Petrak in Sydowia, 8, p. 184, 1954 on Abilia [Abelia] triflora.—

Pakistan.

-nematospora Davis forma aggregata Sprague in Res. Stud. St. Coll. Wash., 22, p. 165, 1954 on Carex praticola.—Washington, U.S.A. SPERMOCHAETELLA Ciferri nom. nov. in

Sydowia, 8, p. 245, 1954. (Syn. Chaetosper-mella Chard. & Toro, non Naumov).

- tecomae (Chard. & Toro) Cif. in Sydowia, 8, p. 245, 1954. (Syn. Chaetospermella tecomae Chard. & Toro).

Sphaceloma hesperethusae Jenkins & Bitancourt in Trans. Brit. mycol. Soc., 37, p. 236, 1954 on Hesperethusa crenulata.—India.

Sphaerodothis acrocomiae (Mont.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 246, 1954. (Syn. Dothidea acrocomiae Mont.). [But see S. acrocomiae Chardon & Baker, this Index, 2, p. 43]. Stemphylium celosiae (F. Tassi) Bremer et

al. in Rev. Fac. Sci. Univ. Istanbul, 7, p. 285, 1952. (Syn. Macrosporium celosiae F. Tassi). Stilbospora celtidis T. S. Ramakr. & Sun-

daram in Indian Phytopath., 6, p. 34, 1954 on Celtis tetrandra.—South India.

STRATTONIA Cif. in Sydowia, 8, p. 245,

1954.—Sphaeriales.

- tetraspora (Stratton) Cif. in Sydowia, 8, p. 245, 1954. (Syn. Fimetaria tetraspora Stratton).

Stromatographium mammiforme Cif. nom. nov. in Sydowia, 8, p. 264, 1954. (Imperfect state of Sphaerostilbe mammiformis Chardon).

Synchytrium alysicarpi T. S. Ramakr. & Sundaram in Proc. Indian Acad. Sci., Sect. B, 40, p. 17, 1954 on Alysicarpus vaginalis. -India.

- brownii Karling in Sydowia, 8, p. 27, 1954 on Oenothera laciniata.—Louisiana, U.S.A.

Thaxterogaster porphyreum (G. H. Cunn.) Singer in Lilloa, 26, p. 105, 1953. (Syn. Secotium porphyreum G. H. Cunn.).

Titaeospora daphniphylli T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 34, 1954 Daphniphyllum neilgherrense.—South India.

Trabutia osbekiae T. S. Ramakr. & Sundaram in Proc. Indian Acad. Sci., Sect. B, 40, p. 19, 1954 on Osbeckia octandra.—India.

- sinensis Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 88, 1954 on Quercus semecarpifolia.—China.

Trichodothis trachylaena (Syd.) Müller & Sanwal in Sydowia, 8, p. 274, 1954. (Syn. Coccodothella trachylaena Syd.).

Trichoglossum hirsutum (Pers. ex Fr.) Boud. var. heterosporum Mains in Mycologia, 46, p. 620, 1954.—Tennessee, U.S.A.

- var. irregulare Mains in Mycologia, 46, p. 619, 1954.—Washington, U.S.A.

-var. longisporum (Tai) Mains in Mycologia, 46, p. 619, 1954. (Syn. T. longisporum Tai).

 var. multiseptatum Mains in Mycologia, 46, p. 620, 1954.—Tennessee, U.S.A.

tetrasporum Sinden & Fitzp. var. yunnanense (Tai) Mains in Mycologia, 46, p. 625, 1954. (Syn. T. yunnanense Tai).

Tricholoma cartinatellum Singer in Sydowia, 8, p. 107, 1954.—Argentina.

- diemii Singer in Sydowia, 8, p. 108, 1954. —Argentina.

patagonicum Singer in Sydowia, 8, p. 109, 1954.—Argentina.

Tricholomopsis araucariae Singer in Lilloa, 26, p. 119, 1953 on Araucaria brasiliana. Brazil.

ULEOMYCINA Petrak in Sydowia, 8, p. 74, 1954.—Myriangiales.

- rubescens Petrak in Sydowia, 8, p. 75, 1954 on ? Caesalpinia.—North Borneo.

Unguicularia winteriana (Rehm) Nannfeldt var. tetraspora (Rehm) Svrček in Čes.

Mykol., 8, p. 134, 1954. (Syn. Dasyscypha

winteriana Rehm var. tetraspora Rehm).

Uredo brachylepidis (as 'brachylepissae')

T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 31, 1954 on Brachylepis nervosa.— South India.

-celastri-paniculatae T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 32, 1954 on Celastrus paniculata.—South India.

emiliae-scabrae T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 33, 1954 on Emilia scabra.—South India.

rhinacanthi T. S. Ramakr. & Sundaram in Indian Phytopath., 6, p. 32, 1954 on Rhinacanthus communis.—South India.
-thermopsidicola Hiratsuka in Sci. Bull.

Fac. Agric. Univ. Ryukyus, 1, p. 44, 1954 on Thermopsis chinensis.—Okinawa Isl.

Uromyces devoluensis Gäumann in Rev. Mycol., Paris, 18, p. 182, 1953 on Senecio doronicum.—French Alps. Urosporella coccifera (H. Fabre) Arx &

Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 200, 1954. (Syn. Urospora coccifera H. Fabre).

*Ustilago avenae (Pers.) Jens. subsp. alba Böning in Z. PflBau, 4, p. 153, 1953 on Avena sativa .- Germany.

Vestergrenia achyranthis (Ramakr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 170, 1954. (Syn. Physalospora achyranthis Ramakr.).

cestri (Pat.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 75, 1954. (Syn. Phyllachora cestri Pat.).

egenula (Syd.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 75, 1954. (Syn. Melanops egenula Syd.).

heterostemmae (Ramakr.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 173, 1954. (Syn. Physalospora heterostemmae Ramakr.).

-micheliae (Syd.) Arx & Müller in Beitr, Kryptogamenft. Schweiz, 11, p. 75, 1954. (Syn. Phyllachorella micheliae Syd.).

multipunctata (Winter) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 75, (Syn. Physalospora multipunctata Winter).

-venezuelensis (Chard. & Toro) Arx & Müller in Beitr. Kryptogamenft. Schweiz, 11, p. 78, 1954. (Syn. Whetzelia venezuelensis Chard. & Toro).

Vizella royenae (Doidge) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 102, 1954. (Syn. Stigmatopeltis royenae Doidge).

XENODISCELLA Petrak in Sydowia, 8, p. 86, 1954.—Polystomellaceae.

- ambigua Petr. in *Sydowia*, **8**, p. 87, 1954 on a fern.—North Borneo.

Xenomeris raetica (E. Müll.) Petr. in Sydowia, 8, p. 291, 1954. (Syn. Gibbera raetica E. Müll.).

Xerula pilosa (Rick) Singer in Lilloa, 26, p. 86, 1953. (Syn. Lentinus pilosus Rick).

XYLOCHORA Arx & Müller in Beitr. Krypto. gamenfl. Schweiz, 11, p. 176, 1954.—Polystig. mataceae.

craticola (Wegelin) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 176, 1954. (Syn. Physalospora craticola Wegelin).

nigro-punctata (Rom.) Arx & Müller in Beitr. Kryptogamenfl. Schweiz, 11, p. 177, 1954. (Syn. Physalospora nigropunctata Rom.)

XYLOHYPHA (Fr.) Mason in Rimington, Nat. Hist. Scarborough District, 1, p. 80 bis, 1953. (Syn. Hyphelia Fr. subgen. Xylohypha Fr.).

- nigrescens (Fr.) Mason in Rimington, Nat. Hist. Scarborough District, 1, p. 80 bis, 1953. (Syn. Trichoderma nigrescens Pers. ex

Xylosphaeria ahmadii Petrak in Sydowia, 8, p. 170, 1954 on wood.—Pakistan.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

Amarantaceae

Alternanthera sessilis

ACANTHACEAE

Justicia betonica

Cercospora acanthacearum Odontonema callistachyum

Cercospora odontonemae Peristrophe

Puccinia peristrophes

Rhinacanthus communis Uredo rhinacanthi

Stenandrium scabrosum Meliola cladacantha

Cleurococcus vulgaris Cudoniella brasiliensis

Cystophora retroflexa Otthiella cystophorae

Sargassum Guignardia tumefaciens

ALISMACEAE

Echinodorus cordifolius Cercospora echinodori

Phyllosticta alternantherae Centrostachys indica Cercospora centrostachydis Pfaffia sericea Cercospora pfaffiae Anacardiaceae Mangifera indica Calonectria mangiferae Coleophoma mangiferae Dothiorella ladharensis Phomopsis mangiferae Pistacia vera Cercospora pistaciae Spondias monbin Neomelanconium deightonii APOCYNACEAE Alyxia buxifolia Cytospora alyxiae Diplodina gaubae Mycosphaerella alyxiae

APOCYNACEAE (continued) Melodinus australis Meliola melodini Parsonsia straminea Meliola carissae Plumeria acutifolia Cercospora plumeriae Tabernaemontana coronaria Cercospora peregrina AQUIFOLIACEAE Ilex microdonta Marasmius ilicis Hex opaca Cercospora ilicis-opacae ARACEAE Anthurium scandens

Lembuncula pothoidei ARALIACEAE Aralia racemosa Cercospora clavigera

Aralia spinosa Cercospora spinosae ASCLEPIADACEAE Brachylepis nervosa Uredo brachylepidis

BETULACEAE

Alnus glutinosa Ceriosporopsis cambrensis BIGNONIACEAE Catalpa longissima Cercospora catalparum Cydista aequinoctialis Meliola cydistae var. aequinoctialis Dolichandrone platycalyx Cercospora dolichandrones Cercospora hansfordii Tabebuia polyantha *Meliola ophidiochaeta* BOMBACACEAE Pachira emarginata

CAMPANULACEAE Campanula rotundifolia Cercospora campanulae Isotoma fluviatilis Caeoma isotomatis Specularia perfoliata Cercospora speculariae CAPPARIDACEAE

Meliola tonsa

Capparis aphylla Botryodiplodia ambigua Diplodina capparidincola Kārstenula capparidis Leptosphaeria ahmadii CAPRIFOLIACEAE

Abelia triflora Septoria ahmadii Lonicera japonica Cercospora lonicerae Lonicera periclymenum Guignardia minuta CELASTRACEAE

Celastrus paniculata Cercospora celastricola Uredo celastri-paniculatae Perrottetia Meliola dallasica CHENOPODIACEAE

Atriplex crassifolia Phoma changana Chenopodium album

Dothiorella chenopodii

CHENOPODIACEAE (continued) Spinacia oleracea Cercospora bertrandii COMBRETACEAE Terminalia catappa Cercospora geraisensis COMMELINACEAE Aneilema nodiflorum Physoderma aneilemae Commelina nudiflora Cercospora nudiflorae COMPOSITAE

Baccharis glomeruliflora Cercospora palustrium Bidens cynapifolia Cercospora bidenticola Bidens pilosa Cercospora maculicola Eclypta alba

Cercospora eclyptae Emilia scabra Uredo emiliae-scabrae

Eupatorium Hormodendrum eupatorii Eupatorium repandum

Cercospora aciculina Eupatorium rheveesi Cercospora eupatoriicola Farfugium japonicum Puccinia caricis-boottianae

Helichrysum orientale Cercospora helichrysi Homogyne alpina Gibbera volkartiana Mikania cordifolia

Cercospora plunkettii Neurolaena lobata Meliola cyclopoda var. neurolaenae

Olearia argophylla

Hendersonia oleariae Polymnia

Cercospora polymniae Senecio doronicum Uromyces devoluensis Sonchus oleraceus Cercospora sonchi Tagetes patula

Čercospora tagetea Vernonia

Phyllachora dallasensis CONIFERAE

Araucaria brasiliana Tricholomopsis araucariae Cedrus deodara $Botryodiplodia\ deodarae$

Pinus excelsa Leptostroma ahmadii Lophodermium pini-excelsae

Pinus sylvestris Digitosporium piniphilum CONVOLVULACEAE

Evolvulus Cercospora evolvuli Ipomoea burmanni Cercospora turbinae

Jacquemontia nodiflora Meliola francevilleana var. abbreviat CRUCIFERAE

Lunaria Meliola bonaoensis Stanleya pinnatifida Cercospora stanleyae CUCURBITACEAE Fevillea cordifolia Asterostomella ornata CUNONIACEAE FLACOURTIACEAE (continued) Ceratopetalum apetalum Casearia arborea Irene megalongensis Meliola melanochaeta Meliola ceratopetali Casearia bicolor CYPERACEAE Meliola hypodoria Casearia guianensis Clathrospora microspora Carex boottiana Cercospora ciferrii Puccinia caricis-boottianae Carex praticola Septoria nematospora Scolopia crenata $Ph\hat{y}llachora~scolopiae$ DILLENIACEAE FLAGELLARIACEAE Wormia alata Joinvillea Meliola wormiae Parmulariopsis pulchella DIPTEROCARPACEAE Fungi Hopea wightiana Asterina dallasica Phyllachora kanarensis Chaetophomella parasitica Cercospora unamunoi EBENACEAE Botrytis yuae Diospyros australis Meliola diospyricola Leptostroma ahmadii Hendersonia leptostromatis Diospyros pentamera Meliola coronata var. triumfettae Meliola diospyri-pentamerae Cicinnobella truncatula EPACRIDACEAE Microthyriaceae Richea continentis $Eriomycopsis\ acrophioglossa$ Hypodermella richeae Peniophora Lophodermium richeae Metasphaeria richeae $My cosphaerella\ munyangica$ Patellaria jamaicensis Mycosphaerella richeae Trochocarpa laurina GENTIANACEAE Meliola cyathodis var. trochocarpae ERICACEAE Arctostaphylos uva-ursi GERANIACEAE Gibbera raetica Geranium maculatum Rhododendron ferrugineum Cercospora ithacensis Gibbera arxii GESNERIACEAE ERYTHROXYLACEAE Fieldia australis Erythroxylum urbanii Irenopsis fieldiae Meliola erythroxylonis Gloxinia maculata EUPHORBIACEAE Cercospora gloxiniae Adelia ricinella GOODENIACEAE Meliola jatrophae var. adeliae Aleurites fordii Goodenia unilobata $Neophoma\ goodeniae$ Kabatiella aleuritidis $Pseudodiplodia\ goodeniae$ Codiaeum variegatum GRAMINEAE Cercospora stevensonii Aristida Daphniphyllum neilgherrense Cercospora aristidae Titaeospora daphniphylli Avena sativa Gymnanthes lucida Ustilago avenae subsp. alba Cercospora gymnanthis Briza maxima Hieronyma laxifolia Puccinia brizae-maximae Cercospora hieronymae Chusquea Hura crepitans Cercospora chusqueae Cercospora huricola Pedilanthus latifolius Chusquea couleu Marasmiellus couleu Meliola verrucosa var. pedilanthi Cymbopogon caesium Petalostigma quadriloculare Meliola petalostigmatis Cynodon daetylon
Acrothecium yaqueanum Ricinus communis Botryodiplodia ricinincola Physoderma cynodontis Danthonia FAGACEAE $Neodiplodina\ verruci formis$ Quercus Digitaria royleana
Physoderma digitariae Exidia cystidiata Glocotulasnella papillata Eriochloa procera Quercus bicolor Physoderma eriochloae Cercospora querci Garnotia arundinacea Quercus semecarpifolia $Puccinia\ garnotiae$ Trabutia sinensis Oryza sativa Shiia sieboldii Koorchaloma madreeya Pennisetum clandestinum Mycena lux-coeli FLACOURTIACEAE Helminthosporium mediocre Casearia aculeata Pennisetum glaucum Meliola banarae var. aculeata Cercospora penniseti

Cercospora cylindrosporioides Meliola ambigua var. caseariicola Platygloea peniophorae var. interna Sphaeropsis tumefaciens Bisgoeppertia scandens
Meliola lisianthi var. bisgoeppertiae Cercospora sorghi var. cymbopogonis

GRAMINEAE (continued) Secale cereale Cercospora secalis Setaria glauca Physoderma setariicola Sorghum vulgare Gonatobotrys africana Leptosphaeria septovariata Melomastia graminicola Metasphaeria sorghi Ophiobolus leptosporus Ophioceras sorghi Phyllosticta sorghiphila Physalospora brunneospora Physalospora sorghiphila Triticum

Helminthosporium nodulosum var. tritici Triticum aestivum

Cryptoascus graminis Urochloa helopus Helminthosporium urochloae

GUTTIFERAE Vismia ferruginea Cercospora vismicola

HERNANDIACEAE Hernandia sonora Meliola consocia Meliola hernandiacearum

ICACINACEAE Citronella moorei Meliola citronellae Pyrenacantha volubilis Macrophoma pyrenacanthae Physalospora pyrenacanthae INSECTA

Tortrix viridana Coniothyrium gregori INVERTEBRATA Apheloria iowa Enterobryus apheloriae

Euryurus erythropygus Enterobryus euryuri IRIDACEAE

Iris Cercospora iridis Pattersonia Aulacostroma nigrificans

JUNCACEAE Juncus Clathrospora bakeri Juneus drummondii $Clathrospora\ triseptata$

LABIATAE Cercospora labiatarum Clinopodium calamintha Cercospora calaminthae Coleus

Cercospora coleicola Prostanthera sieberi Meliola prostantherae

Thymus vulgaris Puccinia tendae LAURACEAE

Lacellinopsis levispora Cryptocarya patentinervis Meliola dactylopoda var. brevipoda

LECYTHIDACEAE Couratari estrellensis Cercospora couratariae LEGUMINOSAE Acacia Hendersonia canberrica Acacia cunninghamii Meliola brisbanensis Acacia modesta Cucurbitaria pakistanica Acacia penninervis Phoeohymenula fusispora Phyllachora yassensis Alysicarpus vaginalis Synchytrium alysicarpi Caesalpinia Uleomycina rubescens Cassia hirsuta

Cercospora angustata Cassia indecora Berteromyces aeneus

Cassia montana Cercospora cassiae-montanae

Cassia pedicellaris Meliola cassiae Cassia pinetorum Meliola gliricidiae var. pineti

Cytisus capitatus

Cercospora cytisi Cytisus proliferus

Dicheirinia canariensis Dalbergia berterii

Meliola bonetii Daviesia latifolia Ceuthospora daviesiae Coniothyrium gelatosporum Hendersonia consociata Hendersonia daviesiae Lepteutypa biseptata Leptosphaeria daviesiae Mycosphaerella daviesiae Phomatospora concinna Rehmiellopsis deviata

Derris heyneana Homostegia derridis

Desmodium supinum Meliola desmodii var. heterochaeta Gliricidia saepium

Oreophylla angelaemariae Gompholobium huegelii Camarosporium gompholobii Pleospora gompholobii Schizoxylon gaubae

Haematoxylon campechianum Cercospora haematoxylonis Hardenbergia monophylla Microdiplodia hardenbergiae

Hosackia americana Cercospora hosackiae

Mucuna sloanei Meliola meibomiaecola var. mucunae Phaca frigida

 $My cos \widetilde{p}haerella\ phacae$ -frigidae Piptadenia peregrina Meliola piptadeniae Prosopis juliflora

Haplosporella prosopidina Haplosporella prosopidincola Tephrosia purpurea

Cercospora hardwarensis Thermopsis chinensis
Uredo thermopsidicola

LILIACEAE Dianella tasmanica Hendersonia dianellae

Cercospora pallidissima

LULIACEAE (continued)
Smilax populnea
Meliola gregoriana var. confusa
LORANTHACEAE
Dendrophthora biseriata
Meliola epiviscum
Loranthus pendulus
Cercospora loranthincola

MALPIGHIACEAE
Bunchosia cormfolia
Cercospora cormfoliae
Stigmatophyllon angulosum
Meliola ozamensis
Stigmatophyllon lingulatum
Meliola chaethachna
Meliola stellata

MALVACEAE
Abutilon avicenna
Cercospora avicennae
Abutilon hirtum
Cercospora abutilonicola
Gossypium hirsutum
Olpidiaster gossypii
Pavonia spicata
Meliola pavoniae
MARCGRAVIACEAE

Marcgravia rectiflora
Meliola cyphopoda
Melastomaceae

Aciotis indecora
Cercospora aciotidis
Henrietella fascicularis
Meliola miconiaeicola var. henrietellae
Miconia ibaguensis
Cercospora mirandensis
Miconia theaegans

Cercospora miconicola Monochaetum polyneurum Cercospora monochaeticola Osbeckie ostandro

Osbeckia octandra
Trabutia osbeckiae
Tamonea impetiolaris
Cercospora tamoneae

MELIACEAE
Azadirachta indica
Plagionema indica
Cipadessa baccifera
Cercospora cipadessae
Dysoxylum
Mulicla ducemii

Meliola dysoxyli Meliola dysoxylicola Melia azedarach Botryodiplodia meliae

MENISPERMACEAE
Cocculus trilobus
Cercospora triloba
Menispermum canadense
Cercospora manevalii

MONIMIACEAE
Daphnandra micrantha
Irenina daphnandrae
Hedycarya
Irenina hedycaryae

Moraceae
Ficus rubricosta
Meliola soroceae var. fici
Morus alba
Cercospora morina
Pseudomorus pendulina var. australiana
Meliola pseudomori
Myrsunaceae

MYRSINACEAE
Parathesis serrulata
Meliola parathesiana

MYRSINACEAE (continued) Rapanea ferruginea \dot{P} hanerococc \check{ulus} rapaneae MYRTACEAE Marasmiellus fascicularis Acmena smithii var. minor Irenina acmenae Callistemon sieberi Phragmogloeum gaubae Eucalyptus Irenina australiana Eucalyptus saligna Irenina eucalyptorum ? Eugenia Lembosia grandispora Leptospermum brachyandrum Meliola leptospermi Syzygium caryophyllaeum Lasiosphaeria caryophylli Tristania Meliola eugeniae-jamboloidis var. australien-

Nymphaea Nymphaea Cercospora californiensis

OLACACEAE Schoepfia obovata Meliola ekmaniana OLEACEAE Jasminum cordifolium Phaeodothis cordifolia Linociera dictyophylla Meliola haploa Linociera domingensis Meliola hispaniolensis Notelaea reticulata Meliola notelaeae Olea dioica Dothiorella olearum ONAGRACEAE Oenothera laciniata Synchytrium brownii Trapa bispinosa Cercospora trapae

PALMAE Areca catechu Lomaantha pooga Cocos nucifera Actiniceps cocos $Polydesar{m}us\ indicus$ Elaeis guineensis Naemosphaera elaeidis Selenopĥoma elacidis PANDANACEAE Pandanus Johansonia pandani PASSIFLORACEAE Passiflora Cercospora granadillae Cercospora passifloricola PHYTOLACCACEAE Petiveria alliacea Cercospora petiveriae Rivina humilis Cercospora rivinae PIPERACEAE Polystomella borneensis POLYGONACEAE Coccoloba Cicinnobella epimeliola

POLYGONACEAE (continued) ? Coccoloba costata Meliola stevensiana Leptogonum mollis Meliola angusta var. biserrata Rumex obtusifolius Cercospora rumicis PORTULACACEAE

Talinum triangulare Brachysporium robustum PRIMULACEAE

Cyclamen persicum

Fusarium oxysporum f. persicum

PROTEACEAE Grevillea

Catharinia gaubae Rhynchostoma australiense

Grevillea australis Bimeris nidulans Grevillea victoriae Pleospora grevilleae Lambertia formosa Didymosphaeria gaubae Pestalotia lambertiae

Lomatia polymorpha Apogloeum concinnum Melanops lomatiae

PTERIDOPHYTA Echidnodes tenompokensis Xenodiscella ambigua Asplenium nidus

Mycosphaerella asplenii Lonchitis hirsuti

Cercospora lonchitidis Lygodium oligostachyum Meliola ekmanii

Platycerium Cercospora platycerii PYROLACEAE Pyrola rotundifolia Gibbera lepontina

RANUNCULACEAE Ranunculus falcatus Puccinia ranunculi-falcati Trautvetteria grandis

Ramularia trautvetteriae RHAMNACEAE

Alphitonia Helminthosporium alphitoniae Emmenosperma alphitonioide Meliola emmenos permatis Ventilago maderaspatana Phyllachora ventilaginis

ROSACEAE Eriobotrya japonica Alternaria eriobotryae Exochorda grandiflora $Cercospor \widetilde{a}\ exochordae$ Potentilla valderia Phaeosphaerella potentillae Pyrenopeziza pseudostromatica Pyrenopeziza valderiae

Prunus cornuta Polystigmina pallescens Rosa canina Plectosphaera rosae

Rubus Phragmidium shogranense Rubus utchinensis Hamaspora okinawensis

RUBIACEAE Gonzalagunia spicata

Meliola psychotriae var. gonzalaguniae

RUBIACEAE (continued) Guettarda Meliola bayamonensis var. guettardae Guettarda scabra Cercospora guettardae Hamelia patens Cercospora hameliae Morinda tinctoria Macrophoma morindae Pavetta tomentosa

Kulkarniella pavettae Psychotria revoluta Meliola mayaguesiana var. dominicana Sabicea hirsuta

Meliola sabiceae RUTACEAE

Bosistoa evodiiformis Meliola kisubiensis var. bosistoae Bouchardatia neurococca

Meliola bouchardatiae Flindersia collina

Meliola baileyi Hesperethusa crenulata Sphaceloma hesperethusae Medicosma cunninghamii

Meliola kisubiensis var. medicosmae

Phebalium dentatum Meliola kisubiensis var. phebalii-dentati

SALICACEAE Populus tremuloides Guignardia populi Pleuroceras populi SALVADORACEAE Salvadora oleoides

Cytosporella verrucosa Haplosporella salvadorae Nitschkia salvadorae

SAPINDACEAE Meliola capensis var. baileyana Meliola fraseri

Alectryon subcinereum Meliola alectryonis Cupania americana

Meliola mataybae var. longiaristata Diploglottis australis

Meliola capensis var. diploglottidis Dodonaea triquetra

Irenina dodonaea Exothea paniculata Meliola stevensonii

Guioa semiglauca Meliola guioae-semiglaucae

Mischocarpus Meliola fraserae Serjania polyphylla

Meliola acrotricha var. diversiseta

Serjania sinuata Meliola phaeocephala SAURURACEAE

Anemopsis californica Cercospora anemopsidis SCROPHULARIACEAE

Veronica fruticans Guignardia valesiaca SMILACACEAE

Ripogonum album Meliola ripogoni SOLANACEAE

Browallia americana Cercospora browalliae Brunfelsia abottii

Meliola plebeja var. brunfelsiae Datura suaveolens Cercospora jamaicensis

SOLANACEAE (continued) Duboisia myoporoides Irenina duboisiae Nicandra physaloides Cercospora nicandrae Solanum Cercospora pariensis Solanum melongena Cercospora deightonii Solanum micranthum Cercospora marcelliana Solanum rugosum Cercospora rugosi Solanum sinuato-recurvum Aecidium jujuyense Solanum tuberosum Cercospora solani-tuberosi STERCULIACEAE Abroma Cercospora abromae Guazuma ulmifolia Meliola monilipes Helicteres jamaicensis Cercospora meridiana Melochia corchorifolia Cercospora corchorifoliae STYRACACEAE Styrax americana

THEOPHRASTACEAE
Jacquinia eggersii var. intermedia
Meliola agnolae-mariae
TILIACEAE
Grewia
Cercospora grewiicola
TURNERACEAE
Turnera ulmifolia
Asterina turneracearum

Meliola turneracearum

Cercospora styraceis

ULMACEAE
Celtis tetrandra
Stilbospora celtidis
Trema
Asterina dallasica
Ulmus fulva
Cercospora ulmicola
UMBELLIFERAE
Arracacia rigida
Cercospora arrectaria

Umbelliferae (continued) Arracacia xanthorrhiza Cercospora arracacina Berula erecta Plasmopara baudysii Hacquetia epipactis Plasmopara umbelliferarum var. hacquetiae Peucedanum graveolens Dothiorella peucedani Torilis anthriscus Cercospora torilidis Xatardia scabra Puccinia xatartiae URTICACEAE Elatostemma $My cosphaerella\ elatostemmae$ Pouzolzia Asterina pouzolziae

VERBENACEAE Lantana camara Cercospora lantanicola Priva echinata Cercospora privae Verbena domingensis Meliola aciculosa var. verbenae Vitex agnus-castus Cercospora weberi VERTEBRATA Candida pseudotumoralis Homo sapiens $Hansenula\ ellipsoidospora$ VITACEAE Ampelocissus latifolia Cercospora biharica Cissus antarctica Meliola cissi-antarcticae Cissus erosa Meliola perspicua

Xanthorrhoeaceae Lomandra Meliola lomandrae

ZINGIBERACEAE
Alpinia aromatica
Meliola monopla
Costus cylindricus
Meliola longistipitata var. minor

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Vol. II

PART 11

1955

Acaulopage bicornis Drechsler in Mycologia, 47, p. 369, 1955 on decaying plant material. —Louisiana, U.S.A.

dactylophora Drechsler in Mycologia, 47, p. 367, 1955 on decaying plant detritus.— Louisiana, U.S.A.

dasyspora Drechsler in Mycologia, 47, p. 365, 1955 on Amoeba.—Florida, U.S.A.
longicornis Drechsler in Mycologia, 47, p. 371, 1955 on decaying plant material.—Maryland, U.S.A.

Acrospeira balladynae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 40, 1945 on Balladyna leonensis on Oxyanthus unilocularis.—Uganda.

Actinomyces scabies (Thaxter) Güssow var. anglicus Baldacci & Boncompagni in Nuovo G. bot. ital., N.S., 58, p. 181, 1951.—G.B.
— var. continentalis Baldacci & Boncom-

-—var. continentalis Baldacci & Boncompagni in *Nuovo G. bot. ital.*, *N.S.*, 58, p. 181, 1951.—Europe.

Aecidium avocense Cummins & Greene in Trans. Wis. Acad. Sci. Arts Lett., 43, p. 176, 1954 on Callirhoe triangulata.—Wisconsin, U.S.A.

- carbonaceum Dale in Mycol. Pap., C.M.I., 59, p. 1, 1955 on Diospyros inconstans.— Trinidad.

- spilanthis T. S. Ramakrishnan & Sundaram in Indian Phytopath., 7 (1954), p. 143, 1955 on Spilanthes acmella.—India.

- trinitense Dale in Mycol. Pap., C.M.I., 59, p. 2, 1955 on Cordia bicolor.—Trinidad.
Agaricus impudicus (Rea) Parker-Rhodes

Agaricus impudicus (Rea) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 336, 1954. (Syn. Psalliota impudica Rea).

-- salicophilus M. Lange in Medd. Gronland, 147, p. 53, 1955 in Salix copse.—Greenland.
 *AKENOMYCES Arnaud in Ann. Éc. Agric. Montpellier, 29, p. 6, 1954.—Mycelia Sterilia.

Montpellier, 29, p. 6, 1954.—Mycelia Sterilia.

*-- enigmaticus Arnaud in Ann. Ec. Agric.
Montpellier, 29, p. 6, 1954 on dead leaves of
Carex riparia.—France.

Albugo mesembryanthemi S. D. Baker in Trans. roy. Soc. N.Z., 82, p. 992, 1955 on Mesembryanthemum australe.—New Zealand.—quadrata (Wallr.) S. D. Baker in Trans. roy.

quadrata (Wallr.) S. D. Baker in Trans. roy.
 Soc. N.Z., 82, p. 991, 1955. (Syn. Erysibe quadrata Wallr.).
 ALPAKESA Subramanian & Ramakrishnan

in J. Indian bot. Soc., 33, p. 204, 1954.— Sphaeropsidales.

 - yuccaefolia (Hall) Subramanian & Ramakrishnan in J. Indian bot. Soc., 33, p. 205, 1954. (Syn. Neottiospora yuccaefolia Hall).

Alternaria flagelloidea (Atk.) Luttrell in Mycologia, 47, p. 270, 1955. (Syn. Helminthosporium flagelloideum Atk.).

-inconspicua Greene in Trans. Wis. Acad.

Sci. Arts Lett., 43, p. 180, 1954 on Fraxinus pennsylvanica var. lanceolata.—Wisconsin, U.S.A.

Amanita neglecta Murrill in Mycologia, 47, p. 427, 1955 on exposed deep humus.—Florida, U.S.A.

rhodophylla Imazeki & Toki in Bull. For.
 Exp. Sta., Meguro, 79, p. 2, 1955 on ground.
 Japan.

Amazonia psychotriae (P. Henn.) Theiss. var. major Hansf. in Reinwardtia, 3, p. 102, 1954 on Psychotria viridiflora.—Java.

Angiopsora cyrtococci T. S. Ramakrishran & Sundaram in *Indian Phytopath.*, 7 (1954), p. 143, 1955 on *Cyrtococcum oxyphyllum*.—India.

143, 1955 on Cyrtococcum oxyphyllum.—India. Anixiopsis japonica Saito & Minoura in J. Ferment. Technol., 26, 3, ? p. 47, 1948. [Reference not seen.]

- multispora Saito & Minoura in J. Ferment. Technol., 26, 3, ? p. 47, 1948. [Reference not seen.]

Anthostomella lavandulae Lucas & Da Camara in Agron. lusit., 16, p. 82, 1954 on Lavandula stoechas.—Portugal.

Aphanopeltis bauhiniae Batista in Ann. Soc. Biol. Pernambuco, 12, p. 40, 1954 on Bauhinia.
—Brazil.

— lasianthi Hansf. in Reinwardtia, 3, p. 121, 1954 on Lasianthus purpureus.—Java.

Aphanostiome annonae Hansford in Proceedings.

Aphanostigme annonae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 25, 1945 on Annona senegalensis.—Uganda.

— flabellariae Hansford in Proc. Linn. Soc. Lond., 157 (1944–45), p. 25, 1945 on Flabellaria paniculata.—Uganda.

paniculata.—Uganda.
— mayteni Batista in Ann. Soc. Biol. Pernambuco, 12, p. 56, 1954 on Maytenus rigida.
—Brazil.

Aporpium caryae (Schw.) Teixeira & Rogers in Mycologia, 47, p. 410, 1955. (Syn. Polyporus caryae Schw.).

Armatella cinnamomicola Hansf. in Reinwardtia, 3, p. 87, 1954 on Cinnamomum iners.
—Java.

Arthrobotrys anchonia Drechsler in Mycologia, 46, p. 762, 1954 on nematodes.—U.S.A.

Ascobolus schweersii Maas G. in Fungus, Wageningen, 24, p. 13, 1954 on decaying leaves and twigs.—Holland.

Ascochyta commiphorae T. S. Ramakrishnan & Sundaram in Indian Phytopath., 7 (1954), p. 146, 1955 on Commiphora caudata.—India. — philodendri Batista in Ann. Soc. Biol. Pernambuco, 12, p. 40, 1954 on Philodendron

imbe.—Brazil.
ASCOSPHAERA Olive & Spiltoir in Mycologia, 47, p. 242, 1955.—Ascosphaeraceae.

- alvei (Betts) Olive & Spiltoir in Mycol-

ogia, 47, p. 243, 1955. (Syn. Pericystis alvei

Ascosphaera apis (Maassen ex Claussen) Olive & Spiltoir in *Mycologia*, **47**, p. 242, 1955. (Syn. *Pericystis apis* Maassen ex Claussen).

- var. apis in *Mycologia*, 47, p. 243, 1955. (Syn. Pericystis apis Maasen ex Claussen var.

minor Prökschl & Zobl).

-var. major (Prökschl & Zobl) Olive & Spiltoir in Mycologia, 47, p. 243, 1955. (Syn. Pericystis apis var. major Prökschl & Żobl).

Aspergillus aculeatus Iizuka in J. agric. chem. Soc. Japan, 27, p. 806, 1953 in culture. -Japan.

- aureolus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 71, 1955 from soil.—Liberia. deflectus D. I. Fennell & K. B. Raper in

Mycologia, 47, p. 82, 1955 from soil.—Brazil. fischeri Wehmer var. glaber D. I. Fennell & K. B. Raper in Mycologia, 47, p. 74, 1955 from rubber scrap.-U.S.A.

- japonicus Saito var. atrofuscus Iizuka in $\check{J}.~agric.~chem.~Soc.~Japan,$ 27, p. 807, 1953.-Japan.

var. viridiflavus Iizuka in J. agric. chem. Soc. Japan, 27, p. 807, 1953.—Japan. nidulans (Eidam) Wint. var. acristatus

D. I. Fennell & K. B. Raper in Mycologia, 47, p. 79, 1955 from fabric.— New Mexico, U.S.A.

-- var. echinulatus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 79, 1955.— Argentina.

paradoxus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 69, 1955 from dung of marsupial.—N. Zealand.

silvaticus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 83, 1955 from soil.—W. Africa.

terreus Thom var. africanus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 86, 1955 from soil.—Gold Coast.

-variecolor (Berk. & Br.) Thom & Raper var. astellatus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 80, 1955 from ? Ilex sp. and a dead leaf.—Galapagos Is.

violaceus D. I. Fennell & K. B. Raper in Mycologia, 47, p. 75, 1955 from soil.—W.

Asterina adeniae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 32, 1945 on Adenia lobata.-- Uganda.

alchorneae-javanensis Hansf. in Reinwardtia, 3, p. 128, 1954 on Alchornea javanensis. - Java.

alchorneicola Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 32, 1945 on Alchornea cordifolia.—Uganda.

- aporosae Hansf. in Reinwardtia, 3, p. 129, 1954 on Aporosa aurita.—Java.

ardisiae Hansf. in Reinwardtia, 3, p. 129, 1954 on Ardisia colorata.—Java.

argyreiae Hansf. in Reinwardtia, 3, p. 130,

1954 on Argyreia capitata.—Java. barteriae Hansford in Proc. Linn. Soc. Lond., 157 (1944–45), p. 32, 1945 on Barteria fistulosa.—Uganda.

boedijniana Hansf. in Reinwardtia, 3, p. 130, 1954 on Capparis acuminata.—Java.

borneensis Hansf. in Reinwardtia, 3, p. 131, 1954 on Elaeocarpus.-Brit. N. Borneo.

cyrtandrae Hansf, in Reinwardtia, 3, p. 131, 1954 on Cyrtandra picta.-Java.

elaeocarpicola Hansf. in Reinwardtia, 3,

p. 131, 1954 on Elaeocarpus punctatus.— Lesser Sunda Is.

Asterina erythropali Hansf. in Reinwardtia, 3, p. 132, 1954 on Erythropalum scandens. ? Java.

evodiae Hansf. in Reinwardtia, 3, p. 132, 1954 on Evodia aromatica.—Java.

fici-globosae Hansf. in Reinwardtia, 3, p. 133, 1954 on Ficus globosa.—Java. geniostomaticola Hansf. in Reinwardtia, 3,

p. 133, 1954 on Geniostoma arboreum.—Java. geniostomatis Hansf. in Reinwardtia, 3, p. 134, 1954 on Geniostoma arboreum.—Java. -horsfieldiae Hansf. in Reinwardtia, 3,

p. 134, 1954 on Horsfieldia irya.—Java. P. 134, 1354 on Horsford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 33, 1945 on Lan.

dolphia ugandensis.—Uganda.
- melastomaticola Hansf. in Reinwardtia, 3, p. 134, 1954 on Melastoma malabathricum, Java.

pittospori Hansf. in Reinwardtia, 3, p. 135, 1954 on Pittosporum ferrugineum.—Java. planchonellae Hansf. in Reinwardtia, 3,

p. 135, 1954 on Planchonella nitida.—Java. pouzolziae Hansf. in Reinwardtia, 3, p. 136, 1954 on Pouzolzia zeylanica.—Java.

saniculicola Hansf. in Reinwardtia, 3, p. 136, 1954 on Sanicula europaea.—Java. sideroxyli Hansf. in Reinwardtia, 3, p. 136,

1954 on Šideroxylon.—Philippines. thunbergiicola Hansford in Proc. Linn.

Soc. Lond., 157 (1944-45), p. 35, 1945 on Thunbergia chrysops.—Sierra Leone. tinosporae Hansf. in Reinwardtia, 3, p. 137,

1954 on Tinospora coriacea. Java. urerae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 34, 1945 on Urera hypselo-dendron.—Uganda. - uvariicola Hansford in Proc. Linn. Soc.

Lond., 157 (1944-45), p. 34, 1945 on Uvaria welwitschii.-- Uganda.

Asterinella ardisiae Hansf. in Reinwardtia, 3, p. 122, 1954 on Ardisia humilis.—Java. conocephali Hansf. in Reinwardtia, 3,

p. 123, 1954 on Conocephalus suaveolens.-Java. dipteridis Hansf. in Reinwardtia, 3, p. 123,

1954 on Dipteris conjugata.—Java. ilicicola Ĥansf. in Reinwardtia, 3, p. 123,

1954 on Ilex odorata.—Java. pseudospondiadis Hansford in Proc. Linn.

Soc. Lond., 157 (1944-45), p. 30, 1945 on Pseudospondias microcarpa.—Uganda. tetracerae Hansf. in Reinwardtia, 3, p. 124, 1954 on Tetracera indica.—Java.

Asterolibertia santiriae (Syd.) Hansf. in Reinwardtia, 3, p. 126, 1954. (Syn. Asterinella santiriae Syd.).

spatholobi Hansf. in Reinwardtia, 3, p. 127, 1954 on Spatholobus ferrugineus.—Java.

Asteromyxa melodori Hansf. in Reinwardtia, 3, p. 125, 1954 on Melodorum latifolium.—Java. Auerswaldiella ocoteae Batista in Ann. Soc. Biol. Pernambuco, 12, p. 41, 1954 on Ocotea.

BAGCHEEA Müller & Menon in Phytopath. Z., 22, p. 417, 1954.—Sphaeriales.

-Brazil.

castanea Müller & Menon in Phytopath. Z., 22, p. 417, 1954 on living leaves of Castanea. -India.

Bartalinia begoniae Batista in Ann. Soc. Biol. Pernambuco, 12, p. 42, 1954 on Begonia. -Brazil.

Bartalinia bombacicola Batista in Ann. Soc. Biol. Pernambuco, 12, p. 42, 1954 on Bombax insigne.—Brazil.

Basidiobolus meristosporus Drechsler in J. Wash. Acad. Sci., 45, p. 50, 1955 on rotten plant material.—Florida, U.S.A.
Belonidium japonicum Hara [as 'Belani-

Belonidium japonicum Hara [as 'Belanidium'], A List of Japanese Fungi, p. 399, 1954 on Pinus pentaphylla.—Japan.

Botryodiplodia brachychitonis Dias & Da Camara in Agron. lusit., 16, p. 12, 1954 on Brachychiton populneum.—Portugal. — celtidis Dias & Da Camara in Agron. lusit.,

celtidis Dias & Da Camara in Agron. lusit., 16, p. 12, 1954 on Celtis occidentalis.— Portugal.

mitylospora (S. Cam.) Lucas & Da Camara in Agron. lusit., 16, p. 99, 1954. (Syn. Diplodia mitylospora S. Cam.).

pistaciae Dias & Da Camara in Agron. lusit., 16, p. 12, 1954 on Pistacia lentiscus.—Portugal.

BOTRYODIPLODINA Dias & Da Camara in Agron. lusit., 16, p. 13, 1954.—Sphaero-

psidales.

— mori Dias & Da Camara in Agron.

lucit., 16, p. 13, 1954 on Morus nigra.

— Portugal.

Botrytis sekimotoi Hara, A List of Japanese Fungi, p. 400, 1954 on Bombyx mori.—Japan. Brachysporium pendulisporum Hughes in Canad. J. Bot., 33, p. 266, 1955 on dead

Canad. J. Bot., 33, p. 266, 1955 on dead wood.—Quebec, Canada.

polyseptatum (Preuss) Hughes in Canad.
J. Bot., 33, p. 264, 1955. (Syn. Cordana polyseptata Preuss).

CAINIA Arx & Müller in Acta bot. neerl., 4, p. 111, 1955.—Xylariaceae.

- graminis (Niessl) Arx & Müller in Acta bot. neerl., 4, p. 112, 1955. (Syn. Delitschia graminis Niessl).

Calocybe pseudo-flammula (J. E. Lange)
M. Lange in Medd. Grenland, 147, p. 27,
1955. (Syn. Tricholoma pseudo-flammula
J. E. Lange).

Calodon mirabilis (Fr.) Snell apud Snell & Jackson in *Lloydia*, 17, p. 254, 1954. (Syn. *Hydnum mirabile* Fr.).

Calyptella griseopaliida (Weinm.) Parker

Rhodes in Trans. Brit. mycol. Soc., 37, p. 332, 1954. (Syn. Cyphella griseopallida Weinmann). Camarosporium lusitanicum Lucas & Da Camara nom. nov. in Agron lusit., 16, p. 104, 1954. (Syn. C. viticis Lucas & Da Camara

non Petrak).

— viticis Lucas & Da Camara in Agron. lusit.,
16, p. 101, 1954 on Vitex agnus-castus [non
C. viticis Petr., 1953. See C. lusitanicum,

Camptomeris astragali Bessey in Pap. Mich.

Acad. Sci., 40, p. 3, 1955 on Astragalus sinicus.—Japan.

*Candida aaseri Dietrichson in Ann. Parasit. hum. comp., 29, p. 476, 1954 on man.— Norway.

Langeroni Dietrichson in Ann. Parasit. hum. comp., 29, p. 479, 1954 on man. —Norway.

*— malicola Clark & Wallace in Canad. J. Microbiol., 1, p. 275, 1955 on Pyrus malus.—
? Quebec, Canada.

*— mycoderma (Reess) Lodder & Kreger-Van Rij var. annulata Dietrichson in Ann. Parasit. hum. comp., 29, p. 481 on man.—Norway.

- parapsilosis (Ashf.) Lang. & Tal. var.

obtusa Dietrichson in Ann. Parasit. hum. comp., 29, p. 483, 1954 on man.—Norway.

*Candida rugosa (H. W. Anderson) Diddens & Lodder var. elegans Dietrichson in Ann. Parasit. hum. comp., 29, p. 485, 1954 on man.
—Norway.

*— trigonopsoides Dietrichson in Ann. Parasit. hum. comp., 29, p. 488, 1954 on man.— Norway.

*— zeylanoides (Cast.) Langeron & Guerra var. norvegensis Dietrichson in Ann. Parasit. hum. comp., 29, p. 490, 1954 on man.—Norway.

Cercospora allophyli Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 40, 1945 on Allophylus [as 'Allophyllus'].—Uganda. — angolensis T. De Carvalho & O. Mendes in

— angolensis T. De Carvalho & O. Mendes in Bol. Soc. broteriana, 27, p. 201, 1953 on Citrus sinensis.—Angola.

daidai Hara, A List of Japanese Fungi,
 p. 400, 1954 on leaves of Citrus aurantium.

— eriosematis Hansford [as 'eriosemae'] in Proc. Linn. Soc. Lond., 157 (1944-45), p. 40, 1945 on Eriosema psoraleoides.— Uganda.

- resedae Fuckel var. legionensis Losa in Coll. bot., Barcinone, 4, p. 133, 1954 on Reseda.—Spain.

Cercosporella endecaphylla T. S. Ramakrishnan & Sundaram [as 'endecaphyllae'] in Indian Phytopath., 7 (1954), p. 147, 1955 on Indigofera endecaphylla.—India.

Cerotelium bignoniacearum Dale in Mycol. Pap., C.M.I., 59, p. 3, 1955 on Cydista aequinoctialis.—Trinidad.

Chaetoceratostoma longirostre Farrow in Mycologia, 47, p. 418, 1955 in soil.—Panama Canal Zone.

Chaetothyrium setosum (Zimm.) Hansf. in Reinwardtia, 3, p. 113, 1954. (Syn. Antennaria setosa Zimm.).

— spinigerum (Höhn.) Hansf. in Reinwardtia, 3, p. 114, 1954. (Syn. Limacinia spinigera Höhn.).

Circinella linderi Hesseltine & Fennell in Mycologia, 47, p. 205, 1955 from poplin.—

Cistella incrustata (Ell.) Dennis var. ellipsospora Dennis in Results Norweg. Exped. T. da Cunha, 36, p. 10, 1955 on a polypore.—Tristan da Cunha.

Cladosporium carrionii A. Trejos in Rev. Biol. trop. 2, p. 106, 1954 on man.—Australia, S. Africa, and Venezuela.

Claviceps cynodontis Langdon in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 39, 1954 on Cynodon dactylon.—S. Africa.

— queenslandica Langdon in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 39, 1954 on Paspalum orbiculare.—Queensland, Australia.

sulcat Langdon in Pap. Dep. Bot. (formerly

— sulcata Langdon in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 39, 1954 on Brachiaria dictyoneura.—S. Rhodesia.
Clitocybe houghtoni (Phill.) Dennis in Kew

Bull., 1954, p. 425, 1954. (Syn. Cantharellus houghtoni Phillips).

leucophylla (Fr.) Moser in Helmut Gams' Kleine Kryptogamenflora von Mitteleuropa, II, p. 50, 1953. (Syn. Agaricus leucophyllus Fr.). [Transferred again by M. Lange in Medd. Grenland, 147, p. 30, 1955.]
odora (Fr.) Staude forma subsphaero-

 odora (Fr.) Staude forma subsphaerospora M. Lange in Medd. Grønland, 147, p. 32, 1955 in Salix copse.—Greenland. Clitocybe pseudectypa M. Lange in Medd. Grenland, 147, p. 33, 1955 in deep Hylocomium and Peltigera with Cassiope tetragona.— Greenland.

CLITOCYBULA (Singer) Métrod in Rev. Mycol., Paris, 17, p. 74, 1952. (Syn. Fayodia Kühner subgenus Clitocybula Singer).

— lacerata (Lasch ex Fr.) Métrod [as '(Lasch

ex Scop.)'] in Rev. Mycol., Paris, 17, p. 87, 1952. [Syn. Agaricus laceratus Lasch ex Fr.]. Clypeolella camelliae (Syd. & Butl.) Hansf. in Reimardtia, 3, p. 127, 1954. (Syn. Asterina

camelliae Syd. & Butl.).

— craterispermi Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 31, 1945 on Craterispermum laurinum.—Uganda.

- crypteroniae Hansf. in Reinwardtia, 3, p. 128, 1954 on Crypteronia paniculata.—Java.

- salaciae Hansford in Proc. Ling. Soc.

— salaciae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 31, 1945 on Salacia. —Uganda.

Cocconia connari Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 28, 1945 on Connarus longistipitatus.—Uganda.

Cochlonema explicatum Drechsler in Mycologia, 47, p. 375, 1955 on Sphenoderia dentata.
—Maryland, U.S.A.

Colletotrichum morina [sic] Hara, A List of Japanese Fungi, p. 400, 1954 on leaves of Morus alba.—Japan. [Morina, a genus of Dipsacaceae.]

Collybia funicularis (Fr.) Métrod in Rev. Mycol., Paris, 17, p. 90, 1952. [Syn. Agaricus dryophilus Bull. ex Fr. var. funicularis Fr.].
 Conidiobolus lachnodes Drechsler in Amer.

J. Bot., 42, p. 442, 1955 from decaying plant detritus.—Florida, U.S.A.

— nanodes Drechsler in Amer. J. Bot., 42, p. 439, 1955 from rotting leaves of trees.—
New Jersey, U.S.A.

— pumilus Drechsler in J. Wash. Acad. Sci., 45, p. 115, 1955 on decaying plant matter.— Florida, U.S.A.

— rugosus Drechsler in Amer. J. Bot., 42, p. 437, 1955 from decaying plant detritus.— Florida, U.S.A.

Cordyceps grenadensis Mains in Bull. Torrey bot. Cl., 81, p. 499, 1954 on spider.—Grenada.—singeri Mains in Bull. Torrey bot. Cl., 81, p. 499, 1954 on spider.—Argentina.

Coriolus rancidus (Bres.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 327, 1954. (Syn. Poria rancida Bresadola).

Corticium afibulatum Cunningham in *Trans.* Roy. Soc. N.Z., 82, p. 296, 1954 on dead trunks.—New Zealand.

— ampullosporum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 306, 1954 on living trunks.—New Zealand.

 bullatum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 314, 1954 on bark or decaying wood.—New Zealand.

coprosmae Cunningham in Trans. Roy.
 Soc. N.Z., 82, p. 280, 1954 on dead branches.
 New Zealand.

cordylines Cunningham in Trans. Roy.
 Soc. N.Z., 82, p. 323, 1954 on dead stems.
 New Zealand.

corniculatum Cunningham in Trans. Roy.
 Soc. N.Z., 82, p. 317, 1954 on dead branches.
 New Zealand.

 corrosum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 286, 1954 on wood.—New Zealand.

- corymbatum Cunningham in Trans. Roy.

Soc. N.Z., 82, p. 324, 1954 on decaying wood.—New Zealand.

— crystallitectum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 296, 1954 on dead branches and on tree ferns.—New Zealand.

—fallax Cunningham in Trans. Roy. Soc. N.Z., 82, p. 309, 1954 on decaying wood.—New Zealand.

-fistulatum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 292, 1954 on dead bark or wood.—New Zealand.

— globososporum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 285, 1954 on wood.— New Zealand.

- kauri Cunningham in Trans. Roy. Soc. N.Z., 82, p. 303, 1954 on decayed wood.—New Zealand.

— leptospermi Cunningham in Trans. Roy. Soc. N.Z., 82, p. 312, 1954 on dead trunks.— New Zealand.

— patricium Cunningham in *Trans. Roy. Soc.* N.Z., 82, p. 289, 1954 on dead branches.— New Zealand.

— perenne Cunningham in Trans. Roy. Soc. N.Z., 82, p. 288, 1954 on wood.—New Zealand. — pilati Boidin in Bull. Mens. Soc. ling. Luc-

— pilati Boidin in Bull. Mens. Soc. linn. Lyon, 23, p. 229, 1954 on rotting twigs of conifers. —France.

— singulare Cunningham in Trans. Roy. Soc. N.Z., 82, p. 325, 1954 on bark and decaying wood.—New Zealand.

— torquatum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 283, 1954 on wood.—New Zealand.

— umbonatum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 298, 1954 on dead stems.— New Zealand.

— utriculicum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 283, 1954 on decaying branches.—New Zealand.

 vitellinum Cunningham in Trans. Roy. Soc. N.Z., 82, p. 313, 1954 on dead saplings and stems.—New Zealand.

Coryneum pedunculatum (Ell. & Everh.) Hughes in Canad. J. Bot., 33, p. 346, 1955. (Syn. Brachysporium pedunculatum Ell. & Everh.).

— rhoinum (Dearn. & Barth.) Hughes in Canad. J. Bot., 33, p. 347, 1955. (Syn. Exosporium rhoina Dearn. & Barth.).

Crossopsora mateleae Dale in Mycol. Pap., C.M.I., 59, p. 4, 1955 on Matelea viridiflora.— Trinidad.

Cylindrocephalum coprophilum Tubaki in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 6, 1954 on wild fox dung.—Japan.

1954 on wild fox dung.—Japan.

Cystopage ellipsospora Drechsler in Mycologia, 47, p. 379, 1955 on Amoeba.—

Louisiana, U.S.A.

— sphaerospora Drechsler in Mycologia, 47, p. 383, 1955 on Amoeba.—Maryland, U.S.A. Cytosporella cercidis Dias & Da Camara in Agron. lusti., 16, p. 8, 1954 on Cercis siliquastrum.—Portugal.

Dacrymyces albidus Y. Kobayasi in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 38, 1954 on dead trunks of Cryptomeria japonica.—Japan.

Dactylaria pyriformis Juniper in Trans. Brit. mycol. Soc., 37, p. 437, 1954 on nematodes.—England.

Dactylella megalospora Drechsler in Mycologia, 46, p. 769, 1954 on nematodes.— U.S.A. Dactylella phymatopaga Drechsler in Mycologia, 46, p. 775, 1954 on nematodes.—Louisiana, U.S.A.

Debaryella gracilis Munk in Bot. Tidsskr., 51, p. 226, 1954 on dead branch.—Denmark.

*Debaryomyces nicotianae Giovannozzi var. salsus Zenitani in Sci. Bull. Fac. Agric. Kyushu Univ., 14, p. 307, 1953, isolated from 'Shiokara'.--Japan.

*_ oviformis Zenitani in Sci. Bull. Fac. Agric. Kyushu Univ., 14, p. 307, 1953, isolated from

'Shiokara'.—Japan.

Dialacenium landolphiae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 21, 1945 on Landolphia ugandensis.—Uganda.

Dichomera ripidiomorpha Lucas & Da Camara in Agron. lusit., 16, p. 101, 1954 on

Mesembryanthemum .- Portugal.

Dicoccum fimicola Tubaki in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 14, 1954 on hare dung.-Japan.

*Didymella cocoina Sechet in Oléagineux, 10, p. 415, 1955 on Cocos nucifera.—Madagascar.

festucae (Wegelin) L. Holm in Svensk bot. Tidskr., 47, p. 522, 1953. (Syn. Didymosphaeria festucae Wegelin).

DIEHLIOMYCES Gilkey in Mycologia, 46, p. 789, 1954.—Tuberales.

microsporus (Diehl & Lambert) Gilkey in Mycologia, 46, p. 790, 1954. (Syn. Pseudobalsamia microspora Diehl & Lambert).

Diplonema diademiferum (Bourd. & Galz.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 329, 1954. (Syn. Corticium diademiferum Bourd. & Galz.).

Diplophlyctis verrucosa Y. Kobayasi & Ookubo in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 58, 1954 in cells of Chara fragilis.-

Japan.

Discosiella acrocomia-maculiformis [sic] Batista in Ann. Soc. Biol. Pernambuco, 12, p. 43, 1954 on Acrocomia intumescens.—Brazil. Dothiorella campsidis Lucas & Da Camara in Agron. lusit., 16, p. 88, 1954 on Campsis

radicans.--Portugal. -cisti Lucas & Da Camara in Agron. lusit., 16, p. 89, 1954 on Cistus ladaniferus.-

Portugal.

macadamiae Dias & Da Camara in Agron. lusit., 16, p. 9, 1954 on Macadamia terni-folia.—Portugal.

strobilomorphospora Dias & Da Camara in Agron. lusit., 16, p. 9, 1954 on Morus nigra. -Portugal.

tamaricis Lucas & Da Camara in Agron. lusit., 16, p. 89, 1954 on Tamarix tetranda.-

Portugal.

Dryodon suberis Malençon & Maire apud Malençon in Bull. Soc. bot. Fr., 99, 10, p. 51, 1952 on dead trunks of Quercus suber .-Algeria and Morocco.

Echidnodes crustacea (Cooke) Hansf. in Reinwardtia, 3, p. 119, 1954. (Syn. Asterina crustacea Cooke).

harunganae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 35, 1945 on Harungana madagascariensis.—Uganda.

irregularis (Syd.) Hansf. in Reinwardtia, 3, p. 119, 1954. (Syn. Asterina irregularis Syd.). serpens (Pat.) Hansf. in Reinwardtia, 3,

p. 120, 1954. (Syn. Lembosia serpens Pat.). Elsinoe culleniae T. S. Ramakrishnan & Sundaram in Indian Phytopath., 7 (1954), p. 141, 1955 on Cullenia excelsa.—India.

Elsinoe magnoliae J. H. Miller & A. E. Jen-kins in *Mycologia*, 47, p. 104, 1955 on *Magnolia grandiflora*.—U.S.A.

Enchnoa bombacifoliae [sic] Batista in Ann. Soc. Biol. Pernambuco, 12, p. 44, 1954 on Bombax insigne.—Brazil.

*Entomophthora zabri Rozsypal in Ann. Acad. tchecosl. Agric., 24, p. 93, 1951 on Zabrus tenebrioides.—? Czechoslovakia.

Entopeltis craterispermi Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 27, 1945 on Craterispermum laurinum.-- Uganda.

Eriomycopsis englerulae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 39, 1945 on Englerula macarangae on Macaranga schweinfurthii.-- Uganda.

Euryancale obliqua Drechsler in Mycologia, 47, p. 377, 1955 on nematodes.—Maryland, U.S.A.

Farlowiella australis Dennis in Results Norweg. Exped. T. da Cunha, 36, p. 10, 1955

on Phylica arborea.—Tristan da Cunha. Filoboletus hanedai (Kobayasi) Hongo in J. Jap. Bot., 30, p. 75, 1955. (Syn. Poro-

mycena hanedai Kobayasi).

Fomes applanatus (Pers.) Wallr. forma coralloides Glaser in Acta Soc. Bot. Polon., 22, p. 809, 1953 on dead trunk of *Populus* canadensis.—Poland.

feei (Fries) Lowe in Mycologia, 47, p. 217,

1955. (Syn. Polyporus feei Fries).
-nobilissimus (W. B. Cooke) Lowe in Mycologia, 47, p. 219, 1955. (Syn. Oxyporus nobilissimus W. B. Cooke).

unitus (Pers.) Lowe in Mycologia, 47, p. 222, 1955. (Syn. Polyporus unitus Pers.).

*Fusarium equiseti (Corda) Sacc. var. intermedium Saccas in Agron. trop., Nogent, 10, p. 49, 1955 on Coffea robusta and C. arabica.-Fr. Eq. Africa.

- oxysporum Schlecht. em. Snyder & Hansen f. passiflorae Gordon apud Purss in Qd J. agric. Sci., 11, p. 79, 1954 on Passiflora edulis.—Queensland, Australia.

Galzinia geminispora Olive in Mycologia, 46, p. 794, 1954 on rotten wood.—N. Carolina, U.S.A.

Geotrichum candidum Link var. citriaurantii (Ferr.) R. Cif. & F. Cif. in Ann. Sper. agr. N.S., 9, p. 9, 1955. (Syn. Oidium citriaurantii Ferr.).

Hadronema penniseti Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 39, 1945 on Pennisetum purpureum.—Uganda.

*Hansenula amylofaciens Dietrichson in Ann. Parasit. hum. comp., 29, p. 472, 1954 on

man .-- Norway.

Harposporium crassum A. M. Shepherd in Trans. Brit. mycol. Soc., 38, p. 47, 1955 on nematodes in horse dung.—Denmark.

Helicodendron articulatum J. I. Glen-Bott in Trans. Brit. mycol. Soc., 38, p. 23, 1955 on

decaying leaf of Fagus, under water.—G.B. conglomeratum J. I. Glenn-Bott in Trans. Brit. mycol. Soc., 38, p. 21, 1955 on decaying leaves of Fagus and Quercus, under water.— G.B. and Holland.

-luteo-album J. I. Glen-Bott in Trans. Brit. mycol. Soc., 38, p. 24, 1955 on decaying leaves of Quercus, under water.—G.B.

Helicoma taenia R. T. Moore in Mycologia, 47, p. 91, 1955 on dead cortex of Populus. -Iowa, U.S.A.

*Helminthosporium australiense Bugnicourt in Rev. gén. Bot., 62, p. 242, 1955 isolated from seeds of Oryza sativa.—N.S.W., Australia.

balladynae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 39, 1945 on Balladynastrum entebbeense on Grumilea succulenta.--- Uganda.

- dictyoides Drechsl. var. phlei Graham in Phytopathology, 45, p. 228, 1955 on Phleum pratense.—Pennsylvania, U.S.A.

halodes Drechsler var. elaeicola Kovachich in Trans. Brit. mycol. Soc., 37, p. 423, 1954 on Elaeis guineensis.—Belgian Congo.

- hawaiiense Bugnicourt in Rev. gén. Bot., 62, p. 238, 1955 isolated from seeds of Oryza

sativa.—Hawaii.

Hendersonia macadamiae Dias & Da Camara in Agron. lusit., 16, p. 14, 1954 on Macadamia ternifolia .- Portugal.

Heterochaete imazekiana Y. Kobayasi in Nagaoa, (Mycol. J. Nagao, Inst.), 1954, 4, p. 39, 1954 on dead trunk of Shiia japonica.-Japan.

Hyaloscypha australis Dennis in Results Norweg. Exped. T. da Cunha, 36, p. 10, 1955 on Phylica arborea.—Tristan da Cunha.

HYDNÕPLICATA Gilkey in Mycologia, 46, p. 783, 1954.—Tuberales,

whitei Gilkey in Mycologia, 46, p. 784, 1954

at grass roots.—Australia.

HYDRABASIDIUM Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 325, 1954.—The-lephorales. Sp. typ.: Corticium atratum Bresad. [Species not transferred.]

terrigenum (Bres.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 325, 1954. (Syn. Corticium terrigenum Bres.).

Hygrophanus vaticanus Heim & Becker [as Hygrophorus (Limacium) vaticanus'] in Rev. Mycol., Paris, 17, p. 166, 1952, under Fagus and Quercus.—France.

Hygrophorus pseudococcineus Hongo in J. Jap. Bot., 30, p. 74, 1955 on the ground in mixed woods.—Japan.

violeipes M. Lange in Medd. Grønland, 147, p. 18, 1955 in wet heath area, in moss. Greenland.

Hypholoma myosotis (Fr.) M. Lange in Medd. Grenland, 147, p. 64, 1955. (Syn. Agaricus myosotis Fr.).

Hysterostomina anodendri Hansf. [as 'anodendronis'] in Reinwardtia, 3, p. 117, 1954 on Anodendron .- Java.

Irenina anastomosans (Wint.) Stevens var. macilenta (Wint.) Hansf. in Proc. Linn. Soc. Lond., 165 (1952-53), p. 168, 1955. (Syn. Meliola inermis Kalchbr. & Cooke var. macienta Wint.).

depokensis Hansf. in Reinwardtia, 3, p. 109, 1954 on Vitex paniculata. Java.

knemae Hansf. in Reinwardtia, 3, p. 96, 1954 on Knema glauca.-Java.

negeri Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 168, 1955 on Compositae.

pleurostyliae (Berk. & Br.) Hansf. in Proc. Linn. Soc. Lond., 165 (1952-53), p. 169, 1955. (Syn. Asterina pleurostyliae Berk. & Br.).

polygoni Hansf. in Reinwardlia, 3, p. 101, 1954 on Polygonum chinense.—Java.

singalensis Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 169, 1955 on Symplocos.—Ceylon.

Irenina tetracerae Hansf. & Deight. var. minor Hansf. in Reinwardtia, 3, p. 82, 1954 on Tetracera scandens .- Java.

usteriana (Rehm) Hansf. in Proc. Linn. Soc. Lond., 165 (1952-53), p. 169, 1955. (Syn. Meliola usteriana Rehm).

usterii Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 170, 1955 on Leguminosae. Brazil

villebruneae Hansf. in Reinwardtia, 3, p. 108, 1954 on Villebrunea scabra.—Java. Irenopsis berggrenii Hansford in Proc. Linn.

Soc. Lond., 165 (1952-53), p. 166, 1955 on Acacia? melanoxylon.—Victoria, Australia. graptophylli Hansf. in Reinwardtia, 3

p. 75, 1954 on Graptophyllum pictum. Java.

leeae Hansf. var. javensis Hansf. in Rein. wardtia, 3, p. 110, 1954 on Leea aequata.—Java. paulensis Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 167, 1955 on Acaly. pha.-Brazil.

thespesiae Hansf. in Reinwardtia, 3, p. 91, 1954 on Thespesia lampas.—Java.

tjibodensis Hansf. in Reinwardtia, 3, p. 106, 1954 on Pterospermum javanicum.—Java,

Isariopsis neoboutoniae Hansford in Proc, Linn. Soc. Lond., 157 (1944-45), p. 41, 1945 on Neoboutonia melleri.-- Uganda.

Jaapia ochroleuca (Bres.) Nannf. & J. Erikss. in Svensk bot. Tidskr., 47, p. 184, 1953. (Syn. Coniophora ochroleuca Bres. apud Brinkm.).

Kloeckera lodderi Van Uden & Assis-Lopes in Arch. Microbiol., 19, p. 265, 1953 in leaven. Portugal.

Laccaria trullisata (Ellis) Peck forma rugulospora M. Lange in Medd. Gronland, 147, p. 30, 1955 near Salix glauca on moist sand.-Greenland.

Lachnella citrispora (Pilát) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 331, 1954.

(Syn. Cyphella citrispora Pilát).
-filicina (Karst.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 331, 1954. (Syn. Cyphella filicina Karst.). Laestadia alternantherae T.S. Ramakrishnan

& Sundaram in Indian Phytopath., 7 (1954), p. 142, 1955 on Alternanthera sessilis.—India.

Lecideopsella gelatinosa Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 38, 1945 on Jasminum dichotomum.—Uganda.

Lembosia agathidis Hansf. in Reinwardtia, 3, p. 137, 1954 on Agathis.—Celebes.

- boedijnii Hansf. in Reinwardtia, 3, p. 140, 1954 on Eugenia.—Java.

carpodini Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 35, 1945 on Carpodi-

nus dulcis.—Sierra Leone.
eugeniae-polyanthae Hansf. in Reinwardtia, 3, p. 141, 1954 on Eugenia polyantha. Java.

javensis Hansf. in Reinwardtia, 3, p. 141, 1954 on Eugenia formosa.—Java.

zalaccae Hansf. in Reinwardtia, 3, p. 138, 1954 on Zalacca edulis.-Java.

Lepiota seminuda Fr. var. pussillomyces (Peck) Smith in *Lloydia*, 17, p. 320, 1954. [Syn. not cited].

Leptoglossum acerosum (Fr.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 328, 1954. (Syn. Agaricus acerosum Fr.).

Leptographium engelmannii R. W. Davidson in Mycologia, 47, p. 59, 1955 on wood and bark of Picea engelmannii attacked by Dendroctonus engelmanni.—U.S.A.

Leptosphaeria aloes Dias & Da Camara in Agron. lusit., 16, p. 8, 1954 on Aloe

arborescens .- Portugal.

muirensis Sprague in Mycologia, 47, p. 249, 1955 on Poa annua.-Alaska, U.S.A.

taiwanensis Yen & Chi [as '(Mat. & Yam.) Yen & Chi'] in J. Sugar Cane Res., 4, p. 213, 1950 on Saccharum officinarum.-Formosa. (Syn. Cercospora taiwanensis Mat. & Yam.). zizanivora Hara [as 'zizaninaevora'], A

List of Japanese Fungi, p. 402 (2), 1954 on

Zizania latifolia.-Japan.

Leucocoprinus excoriatus (Schaeff. ex Fr.) Pat. subsp. rubescens (Duf.) Locquin in Bull. Soc. linn. Lyon, 14, 1945. (Syn. Lepiota excoriata (Schaeff. ex Fr.) Quél. var. rubescens Duf.).

subsquarrosus Locquin in Rev. mycol., Paris, 17, p. 47, 1952 [Latin diagnosis]. See this Index 2, p. 104, in error as Leptospora subsquarrosus Locq. [French diagnosis].

Leucopaxillus alboalutaceus (Møll.) Møll. in Bot. Tidsskr., 51, p. 240, 1954. (Syn. Tricholoma amarum var. alboalutaceum Møll.).

LIMNOMYCES Lohammar in Svensk bot. Tidskr., 47, p. 527, 1953.—Phycomycetes. neglectus Lohammar in Svensk bot. Tidskr.,

47, p. 527, 1953 on Elatine triandra. Sweden.

Lophium elegans Zogg in Ber. schweiz. bot. Ges., 64, p. 141, 1954 on Juniperus nana.—Tyrol.

Macrophyllosticta borziana (Scal.) Eug. & S. Cam. apud Lucas & Da Camara in Agron. lusit., 16, p. 90, 1954. [Syn. Macrophoma borziana Scal.].

Magnusia spirotricha R. K. Benjamin in El Aliso, 3, p. 199, 1955 on deer dung.— U.S.A.

Malacaria entebbeensis Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 26, 1945 on Meliola artabotrydis on Artabotrys nitidus. -Uganda.

Marasmius aurantiacus Hino in Bull. Miyazaki Coll. Agric. For., 13, p. 57, 1943 on trunks

and branches.-Japan.

- insignis Hino in Bull. Miyazaki Coll. Agric. For., 13, p. 59, 1943 on branches.—Japan and

-livistonae Hino [as 'livistoniae'] in Bull. Miyazaki Coll. Agric. For., 13, p. 60, 1943 on Livistona subglobosa.—Japan.

ohshimae Hongo & Matsuda in J. Jap. Bot., 30, p. 77, 1955 on buried twigs of conifers. Japan.

udoensis Hino in Bull. Miyazaki Coll. Agric. For., 13, p. 60, 1943 on branches.—Japan.

venustus Hino in Bull. Miyazaki Coll. Agric. For., 13, p. 61, 1943 on dead leaves and twigs. -Japan.

Marssonina artocarpi Batista in Ann. Soc. Biol. Pernambuco, 12, p. 56, 1954 on Artocarpus integrifolia.—Brazil.

Melanchlenus eumetabolus Calandron in Bull. Soc. sci. Bretagne, 28, p. 67, 1953 and Ann. Éc. Agric. Rennes, p. 91, 1953.

Melanotaenium antirrhini Viennot-Bourgin in Rev. Path. Vég., 36, p. 34, 1954 on stems and leaves of Antirrhinum latifolium.— France.

Meliola abnormis (Theiss.) Ciferri in Mucopathologia, 7, p. 87, 1954. (Syn. Meliola pulchella Speg. var. abnormis Theiss.).

- achudemiae Hansf. in Reinwardtia, 3, p.

108, 1954 on Achudemia javanica. Java. acridocarpicola (Hansf. & Deight.) Ciferri

in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis acridocarpicola Hansf. & Deight.). adelphica (H. Syd.) Ciferri in Mycopatho-

logia, 7, p. 86, 1954. (Syn. Appendiculella adelphica H. Syd.). [Already Meliola adelphica (H. Syd.) Petr., 1929.]

agauriae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina agauriae Hansf.). [Non Meliola agauriae Hansf., 1947.]

aglaiicola Hansf. in Reinwardtia, 3, p. 92, 1954 on Aglaia.—Brit. N. Borneo.

- alchorneae (Stev. & Teh.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene alchorneae Stev. & Teh.). [Non Meliola alchorneae Stev. & Teh., 1926.]

alchorneicola Hansf. in Reinwardtia, 3, p. 83, 1954 on Alchornea javanensis.—Java.

amoena (H. Syd.) Ciferri, 1954 (this Index 2, p. 192). Already Meliola amoena (H. Syd.) Petr., 1929. (Syn. Irene amoena H. Syd.).

anacolosae Hansf. in Reinwardtia, 3, p. 98, 1954 on Anacolosa frutescens.-Java.

angiopteridis Hansf. in Reinwardtia, 3, p. 91, 1954 on Angiopteris evecta.—Java.

anguriae (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina anguriae

angustispora (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis angustispora Stev. & Rold.). [Non Meliola angustispora Stev., 1928.]

- var laevis (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis angustispora Stev. & Rold. var. laevis Stev. & Rold.).

-anthocleistae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina anthocleistae Hansf. & Deight.).

antidesmae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina antidesmae Hansf.).

- arisanensis (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irene arisanensis Yamam.).

asclepiadacearum Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 22, 1945 on Cynanchum abyssinicum var. tomentosum. Uganda.

- bakeriana (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina bakeriana Hansf.).

bantamensis Hansf. in Reinwardtia, 3, p. 100, 1954 on Desmodium zonatum.—Java.

- barbacenniae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina bar-

bacenniae Hansf.).
- bellschmiediae Yamamoto var. cinnamomi Hansf. in Reinwardtia, 3, p. 88, 1954

on Cinnamomum iners.—? Java.
- benguetensis (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis benguetensis Stev. & Rold.).

-bersamae (Hansf.) Ciferri in Mycopatho-logia, 7, p. 86, 1954. (Syn. Irenina bersamae Hansf.). [Non Meliola bersamae Hansf., 1937.]

-bignoniacearum (Stev.) Ciferri in Myco-pathologia, 7, p. 87, 1954. (Syn. Irenopsis bignoniacearum Stev.). [Non Meliola bignoniacearum Stev., 1928.]

Meliola bismikaniae Ciferri nom. nov. in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis mikaniae Hansf. & Deight., non Meliola mikaniae Gaill, 1892.).

bixae Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 172, 1955 on Bixa orellana.

Brazil.

boedijniana Hansf. in Reinwardtia, 3, p. 86, 1954 on Gramineae. Java.

- brinkii Hansf. in Reinwardtia, 3, p. 96, 1954 on Artocarpus glauca.—Java.

buddleiae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina buddleiae Hansf.).

- buettneriicola (Deight.) Ciferri in Myco-pathologia, 7, p. 89, 1954. (Syn. Irenopsis buettneriicola Deight.).

- callicarpae (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina calli-carpae Stev. & Rold.). [Non Meliola calli-carpae H. & P. Syd., 1912.]

caloncobae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis calon-cobae Hansf.).

canthii Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 22, 1945 on Canthium vul-

gare.-- Uganda.

-var. aristata (Hansf.) Hansf. in Proc. Linn. Soc. Lond., 157 (1944-45), p. 22, 1945. (Syn. Meliola woodiana Sacc. ex Syd. var. aristata Hansf.).

capensis (Kalchbr. & Cooke) Theiss. var. mischocarpi Hansf. in Reinwardtia, 3, p. 105, 1954 on Mischocarpus sundaicus.—Java. capparidis (Hansf. & Deight.) Ciferri in

Mycopathologia, 7, p. 88, 1954. (Syn. Irenina capparidis Hansf. & Deight.). [Non Meliola capparidis Hansf., 1946.]

- Cassiicola (Bat. & Silva) Ciferri in Myco-pathologia, 7, p. 89, 1954. (Syn. Irenina cassiaecola Bat. & Silva).

— Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 172, 1955 on Cassia hoffmannseggiana.—Brazil. [See Meliola cassiicola (Bat. & Silva) Ciferri, 1954, above.] castanopsidis (Hansf.) Ciferri in Myco-

pathologia, 7, p. 88, 1954. (Syn. Irenina castan-opsidis Hansf.). [Non Meliola castanopsidis

Hansf., 1948.]

castanopsisifolia (Yamam.) Ciferri [as castanopsisifolia'] in Mycopathologia, 7, p. 88, 1954. (Syn. Irene castanopsisifolia Yamam. [this Index, 1, p. 208, as 'castanopsisifoliae']).

cathormionis (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis

cathormionis Hansf. & Deight.).

chandleri (Hansf.) Ciferri in Mycopatholo-gia, 7, p. 88, 1954. (Syn. Irenopsis chandleri Hansf.). [Non Meliola chandleri Hansf.,

cheirodendronis (Stev.) Ciferri in Myco-pathologia, 7, p. 87, 1954. (Syn. Irene cheiro-

dendronis Stev.).

- cheoi (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina cheoi Hansf.). cissi-repandae Hansf. in Reinwardtia, 3,

p. 111, 1954 on Cissus repanda.—Java. - colae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis colae Hansf.).

- coliticola (Hansf. & Deight.) Ciferri in Myco-pathologia, 7, p. 89, 1954. (Syn. Irenopsis coliticola Hansf. & Deight.)

combreti (Stev.) Ciferri var. major (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina combreti Stev. var. major Hansf. & Deight.).

Meliola conostegiae (Stev.) Ciferri in Myco. pathologia, 7, p. 87, 1954. (Syn. Irenopsis conostegiae Stev.).

coronata Speg. var. hibisci (Hansf.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis coronata (Speg.) Stev. var hibisci Hansf.).

— var. philippinensis (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis coronata (Speg.) Stev. var. philip. pinensis Stev. & Rold.).

costaricensis (Stev.) Ciferri in Mycopatho. logia, 7, 87, 1954. (Syn. Irenopsis costari.

censis Stev.).

costi (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina costi Stev.).

crotonis (Stev. & Teh.) Ciferri in Myco-pathologia, 7, p. 87, 1954. (Syn. Irene cro-tonis Stev. & Teh.).

cyathodis Hansf. var. stypheliae Hansf. in Reinwardtia, 3, p. 82, 1954 on Styphelia.— Celebes.

cyclobalanopsicola (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina cyclobalanopsicola Yamam. [cited as Irene cyclobalanopsicola Yamam., but see correction in this Index, 1, p. 242]).
- cyrtandrae (Stev.) Ciferri in Mycopathologia,

7, p. 87, 1954. (Syn. Irene cyrtandrae

Stev.).

dalechampiae (Stev.) Ciferri in Mycopatho. logia, 7, p. 87, 1954. (Syn. Irenina dale. champiae Stev.).

deightonii (Hansf.) Ciferri in Mycopatho. logia, 7, p. 88, 1954. (Syn. Irenina deightonii

Hansf.).

diospyricola (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina diospyricola Hansf. & Deight.). [Non Meliola diospyricola Hansf., 1953.]

duplicata Ciferri nom. nov. in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina caseariae Hansf. non Meliola caseariae Petr. & Cif.,

1930).

dysoxylicola Hansf. in Reinwardtia, 3, p. 92, 1954 on Dysoxylum.—Brit. N. Borneo.

ebuli (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina ebuli Yamam.). ekebergiae (Doidge) Ciferri in Mycopatho-

logia, 7, p. 88, 1954. (Syn. Irene ekebergiae Doidge). [Non Meliola ekebergiae Hansf., 1937.

engelhardtiae (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene engel-hardtiae Yamam.).

entandrophragmae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina entandrophragmae Hansf.).

- entebbeensis (Hansf. & Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina entebbeensis Hansf. & Stev.). [Non Meliola entebbeensis Hansf., 1944.]

erycibis Hansf. in Reinwardtia, 3, p. 81, 1954 on Erycibe rhedii.—Java.

- erythrococcae (Hansf.) Ciferri in Myco pathologia, 7, p. 88, 1954. (Syn. Irenina erythrococcae Hansf.).

eucleae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina eucleae Hansf.). [Non Meliola eucleae Hansf., 1941.]

eugeniae-jamboloidis Hansf. in Reinwardtia, 3, p. 98, 1954 on Eugenia jamboloides .- Java.

Meliola evodiicola Hansf. in Reinwardtia, 3, p. 105, 1954 on Evodia glabra.—Java.

p. 100, 100 Ciferri in Mycopathologia, 7. p. 87, 1954. (Syn. Irenina fici Hansf.).

p. 95, 1954 on Ficus globosa.—Java. fidelis (Toro) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina fidelis Toro).

formosensis (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene formosensis Yamam.). [Non Meliola formosensis Yamam., 1941.]

galeariae Hansf. in Reinwardtia, 3, p. 84, 1954 on Galearia filiformis. - Java.

glyphaeae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina glyphaeae Hansf.).

gneti Hansf. in Reinwardtia, 3, p. 85, 1954 on Gnetum gnemon .- Java.

gouaniae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 22, 1945 on Gouania

longispicata.—Uganda.

gymnosporiae (Hansf.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis gymnosporiae Hensf.). [Non Meliola gymnosporiae H. & P. Syd., 1912.]

hansfordiana Ciferri nom. nov. in Myco-pathologia, 7, p. 88, 1954. (Syn. Irenina masakensis Hansf. non Meliola masakensis

(Hensf.) Ciferri, below).
-hansfordii (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn Irenina hans-

fordii Stev.).

-var. densa (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina hansfordii Stev. var. densa Hansf. & Deight.).

harunganae (Hansf.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina harun-

ganae Hansf.).

-harunganicola (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina harunganicola Hansf.).

hippocrateae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina hippocrateae Hensf. & Deight.). [Non

Meliola hippocrateae Doidge, 1948.]
hiptages (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis hiptages

Yamam.):

-homalii-angustifolii (Deight.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenina homalii-angustifolii Deight.).

hydrangeae (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina hydrangeae Yamam.).

-implicata (Doidge) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene implicata

Doidge).

-inermis Kalchbr. & Cooke var. minor (Hansf. & Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene inermis (Kalchbr. & Cooke) Theiss. & Syd. var. minor Hansf. & Stev.)

ingae (Stev. & Teh.) Ciferri in Mycopathologia, 7, p. 86, 1954. (Syn. Irene ingae Stev. & Teh.)

juttingii Hansf. in Reinwardtia, 3, p. 99,

1954 on Pandanus.—Java. kibirae Hansf. & Stev. var. mussaendae Hansf. in Reinwardtia, 3, p. 103, 1954 on Mussaenda frondosa.—Java.

var. petungae Hansf. in Reinwardtia, 3, p. 103, 1954 on Petunga roxburghi. Java.

Meliola kiraiensis (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene kiraiensis Yamam.). [Non Meliola kiraiensis Yamam., 1941.1

knemicola Hansf, in Reinwardtia, 3, p. 97,

1954 on Knema glauca.—Java. -konishii (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irene konishii Yamam.).

lagunae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis lagunae Hanst.).
landolphiicola Hansford in Proc. Linn.
Soc. Lond., 157 (1944-45), p. 23, 1945 on
Landolphia ugandensis.—Uganda.

larviformis P. Henn. var. arecibensis (Stev.) Ciferri in Mycopathologia, 7, p. 86, 1954. (Syn. Irene larviformis (P. Henn.) Stev. var. arecibensis Stev.).

leeae (Hansf.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis leeae Hansf.). -lithocarpicola (Yamam.) Ciferri in Myco-

pathologia, 7, p. 88, 1954. (Syn. Irene lithocarpicola Yamam.)

lithraeae Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 174, 1955 on Lithraea

malleoides.—Brazil.
-litseae H. & P. Syd. var. rotundipoda Hansf. in Reinwardtia, 3, p. 88, 1954 on Litsea glutinosa.—Philippines.

- litseae-citratae Hansf. in Reinwardtia, 3, p. 89, 1954 on Litsea cubeba.-Java.

longipedicellata (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina longipedicellata Stev.).

lonicerae (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina lonicerae

Yamam.).

lovoae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina lovoae Hansf.). macarangae (Hansf.) Ciferri in Mycopatho-

logia, 7, p. 88. 1954. (Syn. Irenopsis macarangae Hansf.). [Non Meliola macarangae H. & P. Syd., 1917; nec Meliola macarangae Yates, 1917.]

macarangae Syd. var. longiseta Hansf. in Reinwardtia, 3, p. 84, 1954 on Macaranga

triloha.—Java. -macarangicola Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 23, 1945 on Macaranga schweinfurthii.—Uganda.

malacotricha Speg. var. major Hansf. in Reinwardtia, 3, p. 81, 1954 on Ipomoea

crassicaulis .- Java.

- malloti (Hansf. & Thirum.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina malloti Hansf. & Thirum.).

malloticola (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina mallo-ticola Yamam.).

- malpighiae (Hansf.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis malpighiae Hansf.).

masakensis (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis masa-

kensis Hansf.). -meibomiae (Stev.) Ciferri in Mycopatho-logia, 7, p. 87, 1954. (Syn. Irenina meibomiae [Non Meliola meibomiae Stev. & Stev.).

Teh., 1926.] - melanochylae Hansf. in Reinwardtia, 3, p. 76, 1954 on Melanochyla tomentosa.-

Java. - melothriae (Baker & Dale) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis melothriae Baker & Dale).

Meliola merrillii Syd. var. major Hansf. in Reinwardtia, 3, p. 111, 1954 on Cissus repanda .- Java.

monninae (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina monninae Stev.). mucunae-acuminatae Hansf. in Rein-

wardtia, 3, p. 100, 1954 on Mucuna acuminata. -Java.

- musyaensis (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene musyaensis Vamam 1

myricicola (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina myricicola Hansf.). [Non Meliola myricicola Hansf.,

mysorensis (Hansf. & Thirum.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis mysorensis Hansf. & Thirum.).

- nashii Hansford in Proc. Linn. Soc. Lond., 165 (1952-53), p. 174, 1955 on Magnolia virginiana.—Florida, U.S.A.

naucleae (Boedijn) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina naucleae

Boediin).

-njalaensis (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis njalaensis Hansf. & Deight.).

nuxiae (H. Syd.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene nuxiae H. Syd.).

ostryoderridis Hansf. & Deight. var. millettiae-sericeae Hansf. in Reinwardtia, 3, p. 101, 1954 on Millettia sericea. Sumatra.

- papillifera (H. & P. Syd.) Ciferri in Mycopathologia, 7, p. 86, 1954. (Syn. Irene papillifera H. & P. Syd.)

- parasitica (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina parasitica Stev.). [Non Meliola parasitica Stev., 1928.]

paratrophidis Hansf. in Reinwardtia, 3, p. 96, 1954 on Paratrophis glabra.—Brit. N. Borneo.

peddieae (Doidge) Ciferri in Mycopathologia, 7, p. 87, 1954. [Basonym Irene peddieae Doidge.

-photinicola (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene photinicola Yamam.).

phyllanthi (Deight.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenina phyllanthi Deight.).

pipericola (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina pipericola Hansf.)

pipturi (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina pipturi Hansf.).

- pithecolobii (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina pithecolobii Yamam.). [Non Meliola pitheco-

bobii Stev. & Teh., 1926.]
- pittieri (Toro) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis pittieri Toro).

plumeriae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina

plumeriae Hansf. & Deight.)

pothodis (Hansf. & Thirum.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina pothodis Hansf. & Thirum.).

premnae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina premnae Hansf. & Deight.). [Non Meliola premnae Hansf., 1949.]

protiicola (Bat. & Gayao) Ciferri in Myco-

pathologia, 7, p. 89, 1954. (Syn. Irening protiicola Bat. & Gayao).

Meliola randiicola Hansf. [as 'randicola'] in Reinwardtia, 3, p. 104, 1954 on Randia patala.—Java.

quercina (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina quercina Hansf.). [Non Meliola quercina Pat., 1890.]

rhaphiolepis (Yamam.) Ciferri in Myco. pathologia, 7, p. 87, 1954. (Syn. Irenina rhaphiolepis Yamam.).

rhododendri (Yamam.) Ciferri in Myco. pathologia, 7, p. 87, 1954. (Syn. Irenina rhododendri Yamam.).

rhois P. Henn. var. flexuosiseta (Speg.) Hansf. in Proc. Linn. Soc. Lond., 165 (1952 53), p. 176, 1955. (Syn. Meliola polytricha Kalchb. & Cooke var. flexuosiseta Speg.).
- rickii Hansford in Proc. Linn. Soc. Lond.,

165 (1952-53), p. 176, 1955 on Meliaceae, Brazil.

- rinoreae (Doidge) Ciferri in Mycopatho. logia, 7, p. 87, 1954. (Syn. Irene rinoreae Doidge).

rosae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina rosae Hansf.).

rubi (Stev. & Rold.) (Siferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina rubi Stev. & Rold.). [Non Meliola rubi Stev. & Rold.) 1935.]

— var. angulata (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina rubi Stev. & Rold. var. angulata Stev. & Rold.).

sambuci Hansf. in Reinwardtia, 3, p. 79, 1954 on Sambucus javanica.—Java.

sarcocephali (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina sarcocephali Hansf. & Deight.).

- scaevolicola (Stev.) Ciferri in Mycopathologia, 7, p. 86, 1954. (Syn. Irene scaevolicola Stev.).

schefflerae Hansf. in Reinwardtia, 3, p. 79, 1954 on Schefflera aromatica.—Java.

schimae Hansf. in Reinwardtia, 3, p. 107. 1954 on Schima noronha.- Java. schwarzii Hansf. in Reinwardtia, 3, p. 98,

1954, on Jasminum sambac.—Java.

- scutiae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis scutiae Hansf.) [Non Meliola scutiae Speg., 1912.]
- securidaçae (Hansf.) Ciferri in Mycopatho-

logia, 7, p. 88, 1954. (Syn. Irenina securidacae Hansf.).

shropshiriana (Stev.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina shrop-shiriana Stev.). [Non Meliola shropshiriana Stev., 1928.]

sinsuiensis (Yamam.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenopsis sinsuiensis Yamam.).

sinuosa (Stev. & Rold.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina sinuosa Stev. & Rold.). [Non Meliola sinuosa Doidge, 1917.]

- sororcula Speg. var. vernoniae (Stev.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene sororcula* (Speg.) Stev. var. vernoniae Stev.).

- splendens (Stev.) Ciferri in Mycopathe logia, 7, p. 86, 1954. (Syn. Irene splender Stev.).

- stephaniae Hansf. in Reinwardtia, p. 93, 1954 on Stephania hernandifolia Meliola stranvaesiicola (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene stranvaesiicola Yamam.).

- strombosiae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina strombosiae Hansf.).

- styracicola (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene styracicola Yamam.). [Non Meliola styracicola Speg., 1912.]

var. minor (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irene styra-

cicola Yamam. var. minor Hansf.).
symphoniae (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina symphoniae Hansf.).

syzygii (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina syzygii

Hansf.). tabebuiae (Bat. & Silva) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenina tabebuiae Bat. & Silva).

-talaumae Hansf. in Reinwardtia, 3, p. 90, 1954 on Talauma.—Brit. N. Borneo.

tarrietiae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenopsis tarrietiae Hansf. & Deight.)

- taxi (Sawada) Ciferri in Mycopathologia, 7,

p. 89, 1954. (Syn. Irenina tan Sawada). terminaliae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina terminaliae Hansf. & Deight.).

tetracerae (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina tetracerae Hansf. & Deight.). [Non Meliola tetracerae F. Müll & Thüm., 1878.]

thunbergiae (Stev. & Rold.) Ciferri [as 'thumbergiae'] in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina thunbergiae Stev. & Rold.). [Non Meliola thunbergiae Hansf.,

- thunbergiae-chrysopidis (Hansf. Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina thunbergiae-chrysopidis

Hansf. & Deight.). trachylaena (H. Syd.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene trachy-

laena H. Syd.)

trompilliana (Toro) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenopsis trompilliana Toro.

-turpiniae (Yamam.) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irenina turpiniae Yamam.).

- ugandensis (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irene ugandensis Hansf.). [Non Meliola ugandensis Hansf.,

var. antiaridis (Hansf. & Deight.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irenina ugandensis (Hansf.) Hansf. & Deight. var. antiaridis Hansf. & Deight.)

-urceolae Hansf. in Reinwardtia, 3, p. 78,

1954 on Urceola javanica.—? Java.
- uvariicola Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 24, 1945 on Uvaria bukobensis.--Uganda.

vaccinii (Hansf.) Ciferri in Mycopathologia, 7, p. 88, 1954. (Syn. Irene vaccinii Hansf.). [Non Meliola vaccinii Stev., 1928.]

voacangae-foetidae Hansf. in Reinwardtia, 3, p. 77, 1954 on Voacanga foetida.—Java.
- ximeniae (Bat. & Silva) Ciferri in Mycopathologia, 7, p. 89, 1954. (Syn. Irenina
ximeniae Bat. & Silva).

Meliola yamamotoi Ciferri nom. nov. in Mycopathologia, 7, p. 88, 1954. (Syn. Irene sinsuiensis Yamam. non Meliola sinsuiensis (Yamam.) Ciferri, above).

- zeyheri (Doidge) Ciferri in Mycopathologia, 7, p. 87, 1954. (Syn. Irene zeyheri Doidge)

*MICROCOLLYBIA Métrod in Rev. Mycol., Paris, 17, p. 75, 1952.—Agaricales. [Type not designated.]

- cirrhata (Schum. ex Fr.) Métrod in Rev. Mycol., Paris, 17, p. 87, 1952. [Syn. Agaricus cirrhatus Schum. ex Fr.].

racemosa (Pers. ex Fr.) Métrod in Rev. Mycol., Paris, 17, p. 88, 1952. [Syn. Agaricus racemosus Pers. ex Fr.].

-tuberosa (Bull. ex Fr.) Métrod in Rev. Mycol., Paris, 17, p. 87, 1952. [Syn. Agaricus tuberosus Bull. ex Fr.].

Microhaplosporella brachychitonis Dias & Da Camara in Agron. lusit., 16, p. 12, 1954 on Brachychiton populneum.-Portugal.

Micromphale abhorrens (Berk. & Br.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 331, 1954. (Syn. Omphalia abhorrens Berk. & Br.).

Micropeltis asclepiadis Batista & Vital in Ann. Soc. Biol. Pernambuco, 12, p. 57, 1954 on Asclepias curassavica.—Brazil.

aspidospermatis Batista & Vital [as 'aspidospermae'] in Ann. Soc. Biol. Pernambuco, 12, p. 58, 1954 on Aspidosperma. Brazil

byrsonimicola Batista in Ann. Soc. Biol. Pernambuco, 12, p. 49, 1954 on Byrsonima

sericea .- Brazil.

- caseariae Batista in Ann. Soc. Biol. Pernambuco, 12, p. 51, 1954 on Casearia.

- cassiae Batista in Ann. Soc. Biol. Pernambuco, 12, pp. 49 and 53, 1954 on Cassia. Brazil.

- cassiicola Batista in Ann. Soc. Biol. Pernambuco, 12, pp. 53 and 51, 1954 on Cassia—Brazil.

-clusiae Batista & Vital in Ann. Soc. Biol. Pernambuco, 12, p. 58, 1954 on Clusia.-

clusiae-majoris Batista & Vital in Ann. Soc. Biol. Pernambuco, 12, p. 59, 1954 on Clusia .- Brazil.

- lufficola Batista [as 'luffaeicola'] in Ann. Soc. Biol. Pernambuco, 12, p. 51, 1954 on Luffa.-Brazil.

pithecolobii Batista in Ann. Soc. Biol. Pernambuco, 12, p. 52, 1954 on Pithecolobium auaremotemo.—Brazil.

pogonophorae Batista in Ann. Soc. Biol. Pernambuco, 12, pp. 52 and 50, 1954 on Pogonophora schomburgkiana.—Brazil.

- psychotriae Batista in Ann. Soc. Biol. Pernambuco, 12, pp. 50 and 54, 1954 on Psychotria.—Brazil.

roupalicola Batista & Vital in Ann. Soc. Biol. Pernambuco, 12, p. 60, 1954 on Roupala brasiliensis.—Brazil.

Microsporum distortum di Menna & Marples in Trans. Brit. mycol. Soc., 37, p. 372, 1954 on man.-New Zealand.

*_gypseum (Bodin) Guiart & Grigorakis var. nana Fuentes, Aboulafia & Vidal in J. invest. Derm., 23, p. 56, 1954 on man.

Mollisia clavata Gremmen in Fungus, Wageningen, 24, p. 5, 1954 on Rubus.-Holland.

Mollisia escharodes (Berk. & Br.) Gremmen in Fungus, Wageningen, 24, p. 5, 1954. (Syn. Peziza escharodes Berk. & Br.).

petiolaris (Alb. & Schw. ex Fr.) Gremmen in Fungus, Wageningen, 24, p. 9, 1954. (Syn. Hysterium petiolare Alb. & Schw.). Monilinia baccarum (Schroet.) V. Grasso in

Ann. Sper. agr., N.S., 9, p. 225, 1955. (Syn. Rutstroemia baccarum Schroet.).

urnula (Wein.) V. Grasso in Ann. Sper. agr., N.S., 9, p. 225, 1955. (Syn. Sclerotinia urnula Wein.).

Monochaetia schini Lucas & Da Camara in Agron. lusit., 16, p. 103, 1954 on Schinus molle.-Portugal.

Morenoella annularis Hansf. in Reinwardtia, 3, p. 138, 1954 on Tetracera fagifolia.—Java.

Mucidula venosolamellata Imazeki & Toki in Bull. For. Exp. Sta., Meguro, 79, p. 1, 1955 on dead trunk of Fagus crenata.—Japan.

Mycena citrinovirens M. Lange in Medd. Grønland, 147, p. 41, 1955 under Juniperus on needles.—Greenland.

cryptomeriicola Imazeki & Toki in Bull. For. Exp. Sta., Meguro, 79, p. 8, 1955 on fallen leaves of Cryptomeria japonica .-Japan.

epipterygia (Fr.) S. F. Gray var. bodiceps M. Lange in Medd. Grenland, 147, p. 49, 1955 in moss on deep humus layer.-Greenland.

nigromarginata Métrod in Schweiz. Z. Pilzk., 33, p. 45, 1955 on trunk covered with thick layer of needles.—Switzerland.

Mycosphaerella fuiiensis Hara, A List of Japanese Fungi, p. 399, 1954 on Pyrus sinensis.-Japan.

kabocha Hara, A List of Japanese Fungi, p. 399, 1954 on fruits of Cucurbita moschata.-Japan.

 pourthiaeae Hara, A List of Japanese Fungi, p. 402 (2), 1954 on Pourthiaea villosa.-Japan.

Myriangium tuberculiferum Shirai & Hara in Hara, A List of Japanese Fungi, p. 399, 1954 on Cryptomeria japonica.—Japan.

Myxomycidium yakusimense Y. Kobayasi in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 46, 1954 on decaying trunks of Cryptomeria japonica.—Japan.

Naemosphaera macrorostrata Lucas & Da Camara in Agron. lusit., 16, p. 97, 1954 on

Marrubium vulgare.—Portugal.
NANOSTICTIS M. S. Christiansen in Bot. Tidsskr., 51, p. 59, 1954.—Ostropales.

peltigerae M. S. Christiansen in Bot.

Tidsskr., 51, p. 59, 1954 on Peltigera polydactyla.—Denmark.

Nematothecium asterinae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 26, 1945 on Asterina geniospori on Geniosporum paludosum.—Uganda.

NEOHYGROPHORUS Singer in Lilloa, 22, p. 149, 1951. Sp. typ.: N. angelesianus (Sm. & Hesl.) Singer.

angelesianus (Smith & Hesler) Singer in Lilloa, 22, p. 149, 1951. (Syn. Hygrophorus angelesianus Sm. & Hesl.).

Octospora tetraspora (Fuckel) Korf in Mycologia, 46, p. 838, 1954. (Syn. Ascobolus

tetrasporus Fuckel).
Olpidiopsis verrucosa T. W. Johnson in J. Elisha Mitchell sci. Soc., 71, p. 60, 1955 in Achlya glomerata in soil.—Mississippi, U.S.A.

Omphalina acerosa (Fr.) M. Lange in Medd, Grønland, 147, p. 21, 1955. (Syn. Agaricus acerosus Fr.).

demissella M. Lange in Medd. Grønland, 147, p. 23, 1955 in low mosses or naked soil, -Greenland.

- ericetorum (Fr.) M. Lange in Medd. Grenland, 147, p. 25, 1955. (Syn. Agaricus ericetorum Fr.)

- flava (Cooke) M. Lange in Medd. Grenland, 147, p. 25, 1955. (Syn. Agaricus umbelliferus L. ex Fr. forma flavus Cooke).

obscurata (Kühner) M. Lange in Medd. Gronland, 147, p. 21, 1955. (Syn. Omphalia obscurata Kühner).

Ophiostoma bicolor Davidson & Wells apud Davidson in Mycologia, 47, p. 63, 1955 from bark of Picea engelmannii attacked by Ips hunteri and Dendroctonus engelmanni. Colorado, U.S.A.

truncicola R. W. Davidson in Mycologia, 47, p. 63, 1955 [as 'truncicolor,' but as 'truncicola', tom. cit., p. 66] in galleries of Dendroctonus engelmanni attacking Picea engelmanni.-U.S.A.

Panaeolus ater (J. E. Lange) Kühner & Romagnesi, Flore analytique des champignons supérieurs, p. 350, 1953. (Syn. Panaeolus fimicola (Fr.) Gillet var. ater J. E. Lange).
[Also transferred by M. Lange in Medd. Grønland, 147, p. 63, 1955.]

Parastigmatea taraktogenodis [better 'taraktogeneos'] in Reinwardtia, 3, p. 117, 1954 on Taraktogenos heterophylla. Java

Parodiopsis cecropiae Baker in Mycol. Pap., C.M.I., 58, p. 9, 1955 on Cecropia peltata. -Trinidad.

-var. sterculiae Baker in Mycol. Pap., C.M.I., 58, p. 9, 1955 on Sterculia caribaea. Trinidad.

-clusiae Baker in Mycol. Pap., C.M.I., 58, p. 2, 1955 on Clusia rosea.—Trinidad.

megalospora (Sacc. & Berl.) Arn. var. viridescens (Rehm) Baker in Mycol. Pap., C.M.I., 58, p. 5, 1955. (Syn. Parodiella viridescens Rehm).

-perae Arn. var. protii Baker in Mycol. Pap., C.M.I., 58, p. 14, 1955 on Protium guianense.—Trinidad.

Patouillardina aporosae Hansf. in Reinwardtia, 3, p. 140, 1954 on Aporosa aurita. Java.

Peltella palmarum (Wint.) Hansf. in Reinwardtia, 3, p. 122, 1954. (Syn. Myiocopron palmarum Wint.).

Penicillium megasporum Orpurt & Fennell in Mycologia, 47, p. 233, 1955 from soil.-Wisconsin, U.S.A., and England.

Pestalotiopsis acrocomiarum Batista in Ann. Soc. Biol. Pernambuco, 12, p. 44, 1954 on Acrocomia intumescens.—Brazil.

Peziza badio-confusa Korf nom. nov. in Mycologia, 46, p. 838, 1954. (Syn. Aleuria olivacea Boud, non Peziza olivacea Batsch ex

Phaeodimeriella echinulospora Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 24, 1945 on Englerula macarangae on Macaranga schweinfurthii.—Uganda.

Phaeophragmeriella englerulae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 25, 1945 on Englerula macarangae on Macaranga schweinfurthii.—Uganda.

Phlyctochytrium stipitatum Y. Kobayasi & Ookubo in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 60, 1954 on immersed culms of grass.-Japan.

Phoma artemisiicola Lucas & Da Camara in Agron. lusit., 16, p. 90, 1954 on Artemisia

cripthmifolia .- Portugal.

Phomopsis biwa Hara, A List of Japanese Fungi, p. 400, 1954 on fruits of Eriobotrya japonica.—Japan.

campsidis Lucas & Da Camara in Agron. lusit., 16, p. 92, 1954 on Campsis radicans.

-Portugal.

- cycadis (Sacc. & Berl.) Lucas & Da Camara in Agron. lusit., 16, p. 93, 1954. (Syn. Phoma cycadis Sacc. & Berl.).

- inulina (Sacc.) Lucas & Da Camara in Agron. lusit., 16, p. 93, 1954. (Syn. Phoma

inulina Sacc.).

natsume Hara, A List of Japanese Fungi, p. 400, 1954 on Zizyphus vulgaris.—Japan. vincentiana (Speg.) Lucas & Da Camara in

Agron. lusit., 16, p. 96, 1954. (Syn. Phoma

vincentiana Speg.).

Phragmocephala glanduliformis (Höhnel) Hughes in Canad. J. Bot., 33, p. 267, 1955. $({\bf Syn.} {\it Clasterosporium glandulae forme \, H\"{o}hnel}).$ Phyllachora flemingiae T. S. Ramakrishnan

& Sundaram in Indian Phytopath., 7 (1954), p. 142, 1955 on Flemingia semialata.—India. *Phyllosticta comoriana Sechet in Oléagineux, 10, p. 415, 1955 on Cocos nucifera.—Comoro Is., Madagascar.

- corydalis (Ell. & Davis) Greene in Trans. Wis. Acad. Sci. Arts Lett., 43, p. 178, 1954. (Syn. Septoria corydalis Ell. & Davis).

entylomicola Greene in Trans. Wis. Acad. Sci. Arts Lett., 43, p. 178, 1954 on Ratibida pinnata bearing Entyloma compositarum .-Wisconsin, U.S.A.

- limonum Lucas & Da Camara in Agron. lusit., 16, p. 96, 1954 on Citrus limonum.

Portugal.

- succinosa Greene in Trans. Wis. Acad. Sci. Arts Lett., 43, p. 178, 1954 on Ribes americanum.—Wisconsin, U.S.A.

Physalospora aquatica Ingold in Trans. Brit. mycol. Soc., 38, p. 163, 1955 on sub-merged dead stems of Eleocharis palustris.— G.B.

- jasmini T. S. Ramakrishnan & Sundaram in Indian Phytopath., 7 (1954), p. 143, 1955 on Jasminum rigidum.—India.

Physoderma commelinae B. T. Lingappa in Mycologia, 47, p. 110, 1955 on Commelina nudiflora, Cyanotis axillaris and Aneilema nudiflora.—India.

- corchori B. T. Lingappa in Mycologia, 47, p. 109, 1955 on Corchorus acutangulus and

C. olitorius.—India.

*Pichia dubia Dietrichson in Ann. Parasit. hum. comp., 29, p. 469, 1954 on man,—Norway.

Pileolaria incrustans (Arthur & Cummins) Thirumalachar & Kern in Bull. Torrey bot. Cl., 82, p. 105, 1955. (Syn. Atelocauda incrustans Arthur & Cummins).

Piptocephalis xenophila Dobbs & English in Trans. Brit. mycol. Soc., 37, p. 375, 1954. on Penicillium waksmani.-England.

Piricularia higginsii Luttrell in Mycologia, 46, p. 810, 1954 on Cyperus rotundus. Georgia, U.S.A.

Placosphaeria platani (Bäuml.) Limber in Mycologia, 47, p. 398, 1955. (Syn. Sporonema platani Bäuml.).

Pleospora crassiasca Sechet in Oléagineux, 10, p. 414, 1955 on Arachis hypogaea .-Madagascar

PLEUROSORDARIA Fernier in Rev. Mycol., Paris, 19, p. 16, 1954.—Sordariaceae.

brassicae (Klotzsch) Fernier in Rev. Mycol., Paris, 19, Suppl. Colon. 1, p. 17, 1954. (Syn. Sphaeria brassicae Klotzsch).

Podochytrium emmanuelense (Sparrow) Sparrow & Paterson in Mycologia, 47, p. 274, (Syn. Rhizidiopsis emmanuelensis 1955. Sparrow).

Podoporia cincta (Berk.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 327, 1954.

(Syn. Poria cincta Berk.) Polyclypeolum brideliae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 37, 1945

on Bridelia micrantha.-- Uganda. Prillieuxia caesia (Pers. ex Fr.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 326, 1954. (Syn. Thelephora caesia Pers. ex Fr.).

Prospodium quitense (Sydow) Thirumalachar & Kern in Bull. Torrey bot. Cl., 82, p. 106, 1955. (Syn. Coinostelium quitense Sydow).

Psathyrella badiophylla (Rom.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 335, 1954. (Syn. Drosophila badiophylla Rom.).

stercoraria (Kühn. & Joss.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 335, 1954. (Syn. Drosophila stercoraria Kühn. & Joss.).

Pseudeurotium multisporum (Saito & Minoura) Stolk in Leeuwenhoek ned. Tijdschr., 21, p. 71, 1955. (Syn. Anixiopsis multispora Saito & Minoura).

ovale Stolk in Leeuwenhoek ned. Tijdschr., 21, p. 78, 1955 on cysts of Heterodera rosto-

chiensis.—Jersey.

Pseudohiatula conigena (Pers. ex Fr.) Métrod in Rev. Mycol., Paris, 17, p. 85, 1952. [Syn. Agaricus conigenus Pers. ex Fr.].

favrei Tuomikoski in Karstenia, 2, p. 30, 1953. (As 'nom. nov.' for Agaricus tenacellus Schröter non Fr.').

grisea [Schaeff.] Métrod in Rev. Mycol., Paris, 17, p. 86, 1952. [Syn. Agaricus griseus [Schaeff.]].

tenacella (Pers. ex Fr.) Métrod [as '(Persoon) sensu Schröter, Favre'] in Rev. Mycol., Paris, 17, p. 86, 1952. [Syn. Agaricus tenacellus Pers. ex Fr.].

Pseudohydnum gelatinosum (Fr.) Karst. forma album (Bres.) Kobayasi in Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 43, 1954. (Syn. Tremellodon gelatinosum (Scop.) Pers. forma album Bres.).

Nagaoa, (Mycol. J. Nagao Inst.), 1954, 4, p. 43, 1954. (Syn. Tremellodon gelatinosum (Scop.) Pers. forma fuscum Bres.).

Pseudoplea gaeumannii (Müller) Wehmeyer in Mycologia, 47, p. 164, 1955. (Syn. Pleospora gaeumannii Müller).
Puccinia alboclava G. T. S. Baylis in Trans.

roy. Soc. N.Z., 82, p. 633, 1954 on Clematis indivisa.—N. Zealand.

- avocensis Cummins & Greene in Trans. Wis. Acad. Sci. Arts Lett., 43, p. 177, 1954 on Stipa spartea.—Wisconsin, U.S.A.

cephalotes Dale in Mycol. Pap., C.M.I., 59, p. 5, 1955 on Rhynchospora cephalotes.

Trinidad. entrerriana Lindquist in Bol. Soc. argent. Bot., 5, p. 157, 1954 on leaves of Stipa. Argentina.

Puccinia fragilispora Dale in Mycol. Pap., C.M.I., 59, p. 6, 1955 on Aspilia verbesinoides .- Trinidad.

nonerumpens Dale in Mycol. Pap., C.M.I., 59, p. 7, 1955 on Rhynchospora triflora.-Trinidad.

- prosopidis Bieberdorf, Mefferd & Blackmon in Bull. Torrey bot. Cl., 82, p. 131, 1955 on Prosopis juliflora.—Texas, U.S.A.—terminaliae T. S. Ramakrishnan & Sun-

daram in *Indian Phytopath.*, 7 (1954), p. 145, 1955 on *Terminalia bellerica*.—India. [Cited as a comb. nov., syn. Aecidium terminaliae Ramak. T. S. & K., but see Art. 69.]

Pythium hemmianum Takahashi in Ann. phytopath. Soc. Japan, 18, p. 117, 1954 on Luffa cylindrica.—Japan.

- thalassium D. Atkins in Trans. Brit. mycol. Soc., 38, p. 31, 1955 on egg-mass of Pinnotheres pisum.—G.B.

zingiberum Takahashi in Ann. phytopath. Soc. Japan, 18, p. 115, 1954 on Zingiber officinale.—Japan.

Resupinatus algidus (Fr.) [? M. Lange] var. dendrocystis M. Lange in Medd. Gronland, 147, p. 13, 1955 on Sorbus americana. Greenland.

Rhinotrichum multisporum Doguet in Rev. Mycol., Paris, 17, Suppl. Colon, 2, p. 78, 1952 isolated from soil.—Madagas-

Rhizoctonia choussii Crandall & Arillaga in Mycologia, 47, p. 404, 1955 on roots and trunks of Coffea arabica.—El Salvador. Rhizopogon reticulatus Hawker in Trans.

Brit. mycol. Soc., 38, p. 73, 1955 in soil under Picea.—G.B.

Russula subnigricans Hongo in J. Jap. Bot., 30, p. 79, 1955 on the ground in woods of Shiia .- Japan.

Saccardomyces atropurpureus Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 26, 1945 on Meliola ramicola on Uvaria welwitschii.—Uganda.

*Saccharomyces chevalieri Guillierm. var. atypica Dietrichson in Ann. Parasit. hum. comp., 29, p. 460, 1954 on man.—Norway.

— kyushuensis Zenitani in Sci. Bull. Fac. Agric. Kyushu Univ., 14, p. 306, 1953 isolated from 'Shiokara.'—Japan.

- scandinavicus Dietrichson in Ann. Parasit. hum. comp., 29, p. 461, 1954 on man.-Norway.

-veronae Lodder & Kreger-Van Rij var. osloensis Dietrichson in Ann. Parasit. hum. comp., 29, p. 466, 1954 on man.—Norway.

- verticillatus Dietrichson in Ann. Parasit. hum. comp., 29, p. 463, 1954 on man.-Norway.

-vossii Dietrichson in Ann. Parasit. hum. comp., 29, p. 467, 1954 on man.—Norway.

Sclerophthora cryophila W. Jones in Canad. J. Bot., 33, p. 352, 1955 on Dactylis glomerata. -British Columbia, Canada.

*Sclerotinia sclerotiorum (Lib.) de Bary forma orobanches Narasimhan & Thirumalachar in Phytopath. Z., 22, p. 426, 1954 on Orobanche cernua.—India.

SELINIELLA Arx & Müller in Acta bot. neerl., 4, p. 118, 1955.—Seliniaceae (Sphaeriales). macrospora Arx & Müller in Acta bot. neerl., 4, p. 119, 1955 on cow dung.

France.

Septoria ananassicola Batista in Ann. Soc. Biol. Pernambuco, 12, p. 45, 1954 on Ananas. —Brazil.

delonicis T. S. Ramakrishnan & Sundaram in Indian Phytopath., 7 (1954), p. 147, 1955 on Delonix elata.—India.

- sapotae Batista in Ann. Soc. Biol. Pernambuco, 12, p. 46, 1954 on Achras sapota.

Sirexcipula hiemalis (Desm.) Limber in Mycologia, 47, p. 395, 1955. (Syn. Sporonema hiemale Desm.). Soppittiella sphaerospora (Maire) Parker.

Rhodes in Trans. Brit. mycol. Soc., 37, p. 325, 1954. (Syn. Hypochnus sphaerosporus Maire). Sphaceloma glycines Kurata & Kuribayashi in Ann. phytopath. Soc. Japan, 18, p. 120,

1954 on Glycine max. Japan. Sphaerognomonia elaeicola Batista in Ann. Soc. Biol. Pernambuco, 12, p. 46, 1954 on Elaeis guineensis.—Brazil.

Sphaeronaema macrorostratum A. M. Saccas in Agron. trop., Nogent, 9, p. 661, 1954 on Sorghum vulgare.—French Equatorial Africa.

Sphaerulina caricae Hara, A List of Japanese Fungi, p. 402 (2), 1954 on Ficus carica. Japan.

dioscoreae Hara, A List of Japanese Fungi, p. 399, 1954 on living leaves of Dioscorea japonica.—Japan.

Spicaria mori Hara, A List of Japanese Fungi, p. 400, 1954 on Bombyx mori.—Japan. purpuroidea Hara, A List of Japanese

Fungi, p. 400, 1954 on Bombyx mori. Japan. -satoi Hara, A List of Japanese Fungi, p. 400, 1954 on Bombyx mori.—Japan.

shirako Hara, A List of Japanese Fungi, p. 400, 1954 on Bombyx mori.—Japan. Sporonema diapensiae (Rostr.) Limber in

Mycologia, 47, p. 393, 1955. (Syn. Excipula diapensiae Rostr.). fraxini Limber in Mycologia, 47, p. 393,

1955 on Fraxinus oregana.

Stagonospora phragmiticola Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 38, 1945 on Phragmites mauritianus.—Uganda. - sacchari Lo & Ling in J. Sugar Cane Res.,

4, p. 333, 1950 on Saccharum officinarum. Formosa.

Stemphylium floridanum Hannon & Weber in Phytopathology, 45, p. 14, 1955 on Lycopersicon esculentum.—Florida, U.S.A.

Stigmatea cremasporae Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 28, 1945 on Cremaspora africana.—Uganda.

Stomiopeltella coccolobicola Batista in Ann. Soc. Biol. Pernambuco, 12, p. 47, 1954 on Coccoloba.—Brazil.

Strasseria vincae Lucas & Da Camara in Agron. lusit., 16, p. 97, 1954 on Vinca difformis.—Portugal.

Streptomyces griseus (Krainsky) Waksman & Henrici var. purpureus Burkholder, Sung. Anderson & Ehrlich in Bull. Torrey bot. Cl., 82, p. 117, 1955.—U.S.A.

*STREPTOSPORANGIUM Couch in J. Elisha Mitchell sci. Soc., 71, p. 149, 1955.— Actinomycetales.

roseum Couch in J. Elisha Mitchell sci Soc., 71, p. 151, 1955 in vegetable garden soil.—U.S.A.

Stropharia aeruginosa (Fr.) Quél. var. alpina M. Lange in Medd. Gronland, 147, p. 63, 1955 in deep Rhacomitrium.—Greenland. cyanea (Bolt. ex Secr.) Tuomikoski in

Karstenia, 2, p. 31, 1953. (Syn. Agaricus cyaneus Bolt. ex Secr.).

Stylopage grandis Duddington in Mycologia, 47, p. 247, 1955 on nematodes.—England. Synsporium furcatum Losa in Coll. bot.,

Barcinone, 4, p. 139, 1954.—Spain.

Tephrophana admissa (Britz.) Métrod [as (Britz.) sensu Favre'] in Rev. Mycol., Paris, 17, p. 91, 1952. [Syn. Collybia admissa Britz.]. coracina (Fr.) Métrod [as '(Fr.) sensu

Konrad & Maublanc, non Ricken'] in Rev. Mycol., Paris, 17, p. 92, 1952 [Syn. Agaricus coracinus Fr.].

gibberosa (J. Schaeff.) Métrod in Rev. Mycol., Paris, 17, p. 91, 1952. [Syn. Collybia

gibberosa J. Schaeff.].

inolens (Fr.) Métrod in Rev. Mycol., Paris, 17, p. 92, 1952. [Syn. Agaricus inolens Fr.].
- mephitica (Fr.) Métrod in Rev. Mycol.,
Paris, 17, p. 92, 1952. [Syn. Agaricus mephiticus Fr.].

- ozes (Fr.) Métrod in Rev. Mycol., Paris, 17, p. 91, 1952. [Syn. Agaricus ozes Fr.].

tylicolor (Fr.) Métrod in Rev. Mycol., Paris, 17, p. 91, 1952. [Syn. Agaricus tylicolor Fr.].
Terana vellerea (Ell. & Crag.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 327, 1954. (Syn. Corticium vellereum Ell. & Crag.).

Tetracium piperis Hansford in Proc. Linn. Soc. Lond., 157 (1944-45), p. 39, 1945 on Piper capense.—Uganda.

Tomentella variecolor Malençon in Bull. Soc. bot. Fr., 99, 10, p. 51, 1952 on rotting wood of Quercus mirbeckii.—Tunisia.

*Torulopsis inconspicua Lodder & Kreger-Van Rij var. filiformis Dietrichson in Ann. Parasit. hum. comp., 29, p. 474, 1954 on

man.—Norway.
*— osloensis Dietrichson in Ann. Parasit. hum. comp,. 29, p. 475, 1954 on man.-

Norway.

Trechispora niveocremea (Höhn. & Litsch.) Parker-Rhodes in Trans. Brit. mycol. Soc., 37, p. 325, 1954. (Syn. Corticium niveo-cremeum Höhn. & Litsch.).

TREMELLODENDROPSIS (Corner) D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 618, 1954 (Syn. Aphelaria subgen. Tremel-1954. (Syn. Aphelaria subgen. lodendropsis Corner).

- flagelliformis (Berk.) D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 621, 1954. (Syn. Clavaria flagelliformis Berk.).

-- var. ovalispora D. A. Crawford in *Trans.* roy. Soc. N.Z., 82, p. 621, 1954.—N. Zealand. - var. tasmanica (Lloyd) D. A. Crawford

in Trans. roy. Soc. N.Z., 82, p. 623, 1954. (Syn. Pterula tasmanica Lloyd). pusio (Berk.) D. A. Crawford in Trans. roy.

Soc. N.Z., 82, p. 620, 1954. (Syn. Clavaria pusio Berk.).

transpusio D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 624, 1954 on earth below Beilschmiedia tawa.—N. Zealand.

- var. inflata D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 625, 1954.—N. Zealand.
— var. minor D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 625, 1954 on earth.

N. Zealand.

- tuberosa (Grev.) D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 619, 1954. (Syn. Merisma tuberosum Grev.).

Trichasterina microspila (Syd.) Hansf. in Reinwardtia, 3, p. 126, 1954. (Syn. Prilleuxina microspila Syd.).

Trichoconis crotalariae Salam & Rao in J. Indian bot. Soc., 33, p. 191, 1954 on Crotalaria verrucosa.—India. TROCHOPHORA R. T. Moore in Mycologia,

47, p. 90, 1955. (Nom. nov. for invalid Helicostilbe Höhnel emend. Linder, 1929).

simplex (Petch) R. T. Moore in Mycologia, 47, p. 90, 1955. (Syn. Helicostilbe simplex Petch).

TUMIDAPEXUS D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 626, 1954.—Clava-

- ravus D. A. Crawford in Trans. roy. Soc. N.Z., 82, p. 626, 1954 on bare earth.—N. Zealand.

*Typhula borealis Ekstrand in Växtskyddsnotiser, Stockh., 1937, l, p. 4, 1937 (in Swedish) and in Medd. Växtskyddsanst. Stockh., 1955, 67, p. 113, 1955 (amplified and amended description in English) on leaves and shoots of winter cereals and other grasses, etc.—Scandinavia.

- hyperborea Ekstrand in Medd. Växts-kyddsanst. Stockh., 1955, 67, p. 114, 1955 (nom. nud. in Växtskyddsnotiser, Stockh., 1939, 1, p. 17, 1939) on winter cereals and ley

grasses.—Scandinavia.

Uredo ierensis Dale in Mycol. Pap., C.M.I., 59, p. 8, 1955 on Lonchocarpus latifolius.-Trinidad.

puawhananga G. T. S. Baylis in Trans. roy. Soc. N.Z., 82, p. 635, 1954 on Clematis indivisa.—N. Zealand.

- rolliniae Dale in Mycol. Pap., C.M.I., 59, p. 8, 1955 on Rollinia exsucca.—Trinidad. p. 8, 1955 on Rollinia exsucca.

Urocystis ficariae (Unger) Henderson in Notes R. bot. Gdn. Edinb., 21, p. 241, 1955. (Syn. Caeoma ficariae Unger).

floccosa (Wallr.) Henderson in Notes R. bot. Gdn. Edinb., 21, p. 241, 1955. (Syn. Erycibe floccosa Wallr.).

Uromyces corallocarpi Dale in Mycol. Pap., C.M.I., 59, p. 9, 1955 on Corallocarpus emetocatharticus.—Trinidad.

dichromenae Dale in Mycol. Pap., C.M.I., 59, p. 10, 1955 on Dichromena radicans.-

sedi Gäumann in Rev. Mycol., Paris, 19, p. 253, 1954 on Sedum anacampseros.—France. sparganii Clint. & Peck subsp. asiaticus

Parmelee & Savile nom. nov. in Mycologia, 46, p. 833, 1954. (Syn. Uromyces acori Ram. & Rang.).

Valsa ceratophora Tul. var. minuscula Dias & Da Camara in Agron. lusit., 16, p. 6, 1954 on Hibiscus.—Portugal.

Vararia ellipsospora Cunningham in Trans. roy. Soc. N.Z., 82, p. 979, 1955 on bark of dead branches and fern stipes (type on Rhipogonum scandens).-New Zealand.

fusispora Cunningham in Trans. roy. Soc. N.Z., 82, p. 977, 1955 on bark of dead branches (type on Rubus australis).-New Zealand.

ochroleuca (Bourd. & Galz.) Cunningham in Trans. roy. Soc. N.Z., 82, p. 981, 1955. (Syn. Asterostromella ochroleuca Bourd. & Galz.).

protrusa Cunningham in Trans. roy. Soc. N.Z., 82, p. 976, 1955 on bark of dead branches (type on Leptospermum ericoides). New Zealand.

Verticillium intertextum Isaac & Davies in Trans. Brit. mycol. Soc., 38, p. 155, 1955 on Acer palmatum.—Mass., U.S.A. Volutella colletotrichoides Chilton in Myco-

logia, 46, p. 801, 1954 on Medicago sativa, M. falcata, Trifolium pratense and T. hybridum.—Iowa, U.S.A. — var. setosa Chilton in Mycologia, 46, p. 801, 1954 on Medicago sativa.—U.S.A.

XEROMYCES L. Fraser in Proc. Linn. Soc. N.S.W., 78, p. 245, 1953.—Plectascales.
— bisporus L. Fraser in Proc. Linn. Soc. N.S.W., 78, p. 245, 1953 isolated from stick licerias.—Australia stick licorice.—Australia.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Charophyta, Fungi, Lichenes and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

Graptophyllum pictum Irenopsis graptophylli Thunbergia chrysops Asterina thunbergiicola

ACERACEAE

Acer palmatum Verticillium intertextum

AIZOACEAE

Mesembryanthemum Dichomera ripidiomorpha Mesembryanthemum australe Albugo mesembryanthemi

AMARANTACEAE Alternanthera sessilis

Laestadia alternantherae

ANACARDIACEAE Lithraea malleoides Meliola lithraeae Melanochyla tomentosa

Meliola melanochylae Pistacia lentiscus

Botryodiplodia pistaciae Pseudospondias microcarpa Asterinella pseudospondiadis

Schinus molle Monochaetia schini

Annonaceae

Annona senegalensis Aphanostigme annonae Melodorum latifolium Asteromyxa melodori

Rollinia exsucca Uredo rolliniae Uvaria bukobensis Meliola uvariicola Uvaria welwitschii Asterina uvariicola

APOCYNACEAE Anodendron

Hysterostomina anodendri Aspidosperma.

Micropeltis aspidospermatis Carpodinus dulcis

Lembosia carpodini Landolphia ugandensis Asterina landolphiicola Dialacenium landolphiae Meliola landolphiicola Urceola javanica

Meliola urceolae Vinca difformis Strasseria vincae

Voacanga foetida Meliola voacangae-foetidae AQUIFOLIACEAE

? Ilex

Aspergillus variecolor var. astellatus Ilex odorata

Asterinella ilicicola

ARACEAE

Philodendron imbe Ascochyta philodendri

ARALIACEAE

Schefflera aromatica Meliola schefflerae ASCLEPIADACEAE

Asclepias curassavica Micropeltis asclepiadis

Cynanchum abyssinicum var. tomentosum Meliola asclepiadacearum

Matelea viridiflora Crossopsora mateleae

BEGONIACEAE

Begonia

Bartalinia begoniae BIGNONIACEAE

Campsis radicans Dothiorella campsidis Phomopsis campsidis Cydista aequinoctialis

Cerotelium bignoniacearum

BIXACEAE

Bixa orellana Meliola bixae

BOMBACACEAE

Bombax insigne Bartalinia bombacicola Enchnoa bombacifoliae

Cullenia excelsa Elsinoe culleniae

BORAGINACEAE

Cordia bicolor Aecidium trinitense

BROMELIACEAE

Ananas

Septoria ananassicola

BURSERACEAE

Commiphora caudata Ascochyta commiphorae

Protium guianense

Parodiopsis perae var. protii

CAPPARIDACEAE

Capparis acuminata Asterina boedijniana

CAPRIFOLIACEAE Sambucus javanica

Meliola sambuci

CELASTRACEAE Maytenus rigida Aphanostigme mayteni CHAROPHYTA

Chara fragilis

Chara fragilis

Diplophlyctis verrucosa

CISTACEAE Cistus ladaniferus Dothiorella cisti

COMBRETACEAE
Terminalia bellerica
Puccinia terminaliae

Commelinaceae
Aneilema nudiflora
Physoderma commelinae

Commelina nudiflora
Physoderma commelinae
Cyanotis axillaris
Physoderma commelinae

Compositae
Irenina negeri
Artemisia cripthmifolia
Phoma artemisiicola
Aspilia verbesinoides
Puccinia fragilispora
Ratibida pinnata

Phyllosticta entylomicola Spilanthes acmella Aecidium spilanthis

Coniferae Corticium pilati Agathis Lembosia agathidis

Cryptomeria japonica
Dacrymyces albidus
Mycena cryptomeriicola
Myriangium tuberculiferum
Myxomycidium yakusimense

Juniperus nana
Lophium elegans
Picea engelmannii
Leptographium engelmannii
Ophiostoma bicolor
Ophiostoma truncicola
Pinus pentanhylla

Pinus pentaphylla Belonidium japonicum

Connarus longistipitatus Cocconia connari

CONVOLVULACEAE
Argyreia capitata
Asterina argyreiae
Erycibe rhedii
Meliola erycibis
Ipomoea crassicaulis

Meliola malacotricha var. major CRASSULACEAE

Sedum anacampseros Uromyces sedi

CUCURBITACEAE
Corallocarpus emetocatharticus
Uromyces corallocarpi

Cucurbita moschata

Mycosphaerella kabocha

Luffa

Micropeltis lufficola Luffa cylindrica Pythium hemmianum

CYPERACEAE
Carex riparia
Akenomyces enigmaticus
Cyperus rotundus
Piricularia higginsii

CYPERACEAE (continued)
Dichromena radicans
Uromyces dichromenae
Eleocharis palustris
Physalospora aquatica
Rhynchospora cephalotes
Puccinia cephalotes
Rhynchospora triflora
Puccinia nonerumpens

DILLENIACEAE
Tetracera fagifolia
Morenoella annularis
Tetracera indica
Asterinella tetracerae
Tetracera scandens
Irenina tetracerae var. minor
DIOSCOREACEAE
Dioscorea japonica

EBENACEAE
Diospyros inconstans
Aecidium carbonaceum

Sphaerulina dioscoreae

ELAEOCARPACEAE
Elaeocarpus
Asterina borneensis
Elaeocarpus punctatus
Asterina elaeocarpicola

ELATINACEAE
Elatine triandra
Limnomyces neglectus

EPACRIDACEAE
Styphelia
Meliola cyathodis var. stypheliae

Meliola cyathodis var. styphelia Euphorbiaceae Acalypha Irenopsis paulensis

Alchornea cordifolia
Asterina alchorneicola
Alchornea javanensis
Asterina alchorneae-javanensis

Meliola alchorneicola Aporosa aurita

Asterina aporosae
Patouillardina aporosae
Bridelia micrantha
Polyclypeolum brideliae

Polyclypeolum brideliae Galearia filiformis Metiola galeariae Macaranga schweinfurthii Metiola macarangicola

Macaranga triloba Meliola macarangae var. longiseta Neoboutonia melleri

Isariopsis neoboutoniae Pogonophora schomburgkiana Micropeltis pogonophorae

FAGACEAE
Castanea
Bagcheea castanea
Fagus crenata
Mucidula venosolamellata
Quercus mirbeckii
Tomentella variecolor
Quercus suber
Dryodon suberis
Shiia japonica
Heterochaete imazekiana

FLACOURTIACEAE
Barteria fistulosa
Asterina barteriae
Taraktogenos heterophylla
Parastigmatea taraktogenodis

Hypericaceae

FUNGI Achlya glomerata Olpidiopsis verrucosa Asterina geniospori Nematothecium asterinae Balladynastrum entebbeense Helminthosporium balladynae Balladyna leonensis Acrospeira balladynae Englerula macarangae Ériomycopsis englerulae Phaeodimeriella echinulospora Phaeophragmeriella englerulae Meliola artabotrydis Malacaria entebbeensis Meliola ramicola Saccardomyces atropurpureus Penicillium waksmani Piptocephalis xenophila Polyporaceae Cistella incrustata var. ellipsospora GESNERIACEAE Cyrtandra picta Asterina cyrtandrae GNETACEAE Gnetum gnemon

Meliola gneti GRAMINEAE Meliola boedijniana Phlyctochytrium stipitatum Typhula borealis Typhula hyperborea Brachiaria dictyoneura Claviceps sulcata Cynodon dactylon Claviceps cynodontis Cyrtococcum oxyphyllum Angiopsora cyrtococci Dactylis glomerata Sclerophthora cryophila Oryza sativa Helminthosporium australiense Helminthosporium hawaiiense Paspalum orbiculare Claviceps queenslandica Pennisetum purpureum Hadronema penniseti Phleum pratense Helminthosporium dictyoides Phragmites mauritianus Stagonospora phragmiticola Leptosphaeria muirensis Saccharum officinarum Leptosphaeria taiwanensis Stagonospora sacchari

Sphaeronaema macrorostratum
Stipa
Puccinia entrerriana
Stipa spartea
Puccinia avocensis
Zizania latifolia
Leptosphaeria zizanivora
GUTTIFERAE
Clusia
Micropeltis clusiae
Micropeltis clusiae-majoris
Clusia rosea
Parodiopsis clusiae

Sorghum vulgare

HIPPOCRATEACEAE
Salacia
Clypeolella salaciae

INSECTA Bombyx mori Botrytis sekimotoi Spicaria mori Spicaria purpuroidea Spicaria satoi Spicaria shirako INVERTEBRATA (other than Insecta) Amoeba Acaulopage dasyspora Cystopage ellipsospora Cystopage sphaerospora Heterodera rostrochiensis Pseudeurotium ovale Nematodes Arthrobotrys anchonia Dactylaria pyriformis Dactylella megalospora Dactylella phymatopaga Euryancale obliqua Harposporium crassum Stylopage grandis Pinnotheres pisum (crab)

Pythium thalassium Spenoderia dentata Cochlonema explicatum Cordyceps grenadensis

Harungana madagascariensis

Echidnodes harunganae

LABIATAE
Lavandula stoechas
Anthostomella lavandulae
Marrubium vulgare
Naemosphaera macrorostrata
LAURACEAE
Cinnamomum iners
Armatella cinnamomicola
Meliola beilschmiediae var. cinnamomi
Litsea cubeba
Meliola litseae-citratae

Litsea glutinosa
Meliola litseae var. rotundipoda
Ocotea
Auerswaldiella ocoteae
LEGUMINOSAE
Irenina usterii

Cordyceps singeri Zabrus tenebrioides

Entomophthora zabri

Acacia ? melanoxylon Irenopsis berggrenii Arachis hypogaea Pleospora crassiasca Astragalus sinicus Camptomeris astragali Bauhinia Aphanopeltis bauhiniae Cassia Micropeltis cassiae Micropeltis cassiicola Cassia hoffmannseggiana Meliola cassiicola Cercis siliquastrum Cytosporella cercidis Crotalaria verrucosa Trichoconis crotalariae Delonix elata

Septoria delonicis Desmodium zonatum Meliola bantamensis LEGUMINOSAE (continued)
Eriosema psoraleoides
Cercospora eriosematis
Flemingia semialata
Phyllachora flemingiae
Glycine max

Sphaceloma glycines
Indigofera endecaphylla
Cercosporella endecaphylla
Lonchocarpus latifolius

Lonchocarpus latifolius *Uredo ierensis* Medicago falcata

Volutella colletotrichoides Medicago sativa

Volutella colletotrichoides Volutella colletotrichoides var. setosa

Millettia sericea
Meliola ostryoderridis var. millettiae-sericeae

Mucuna acuminata
Meliola mucunae-acuminatae
Pithecolobium auaremotemo
Micropeltis pithecolobii
Prosopis juliflora

Puccinia prosopidis
Spatholobus ferrugineus
Asterolibertia spatholobi
Trifolium hybridum

Volutella colletotrichoides Trifolium pratense Volutella colletotrichoides

Lichenes
Peltigera polydactyla
Nanostictis peltigerae

LILIACEAE
Aloe arborescens
Leptosphaeria aloes

LOGANIACEAE Geniostoma arboreum Asterina geniostomaticola Asterina geniostomatis

Magnoliaceae Magnolia grandiflora Elsinoe magnoliae Magnolia virginiana Meliola nashii

Talauma
Meliola talaumae
Malpighiaceae

Byrsonima sericea
Micropeltis byrsonimicola
Flabellaria paniculata
Aphanostigme flabellariae

MALVACEAE
Callirhoe triangulata
Aecidium avocense
Hibiscus

Valsa ceratophora var. minuscula Thespesia lampas

Irenopsis thespesiae
MELASTOMACEAE

Melastoma malabathricum
Asterina melastomaticola
Meliaceae

Meliola rickii Aglaia Meliola aglaiicola Dysoxylum Meliola dysoxylicola

MENISPERMACEAE Stephania hernandifolia Meliola stephaniae MENISPERMACEAE (continued)
Tinospora coriacea
Asterina tinosporae

MORACEAE Artocarpus glauca Meliola brinkii

Artocarpus integrifolia Marssonina artocarpi Cecropia peltata

Parodiopsis cecropiae
Conocephalus suaveolens
Asterinella conocephali

Ficus carica Sphaerulina caricae Ficus globosa

Asterina fici-globosae Meliola fici-globosae

Morus alba Colletotrichum morina

Morus nigra
Botryodiplodina mori
Dothiorella strobilomorphospora
Paratrophis glabra

Meliola paratrophidis
MYRISTICACEAE
Horsfieldia irya
Asterina horsfieldiae

Knema glauca
Irenina knemae
Meliola knemicola
Myrsinaceae

Ardisia colorata
Asterina ardisiae
Ardisia humilis
Asterinella ardisiae
Myrtaceae

Eugenia
Lembosia boedijnii
Eugenia formosa
Lembosia javensis
Eugenia jamboloides
Meliola eugeniae-jamboloidis
Eugenia polyantha
Lembosia engeniae-polyanthas

OCHNACEAE
Planchonella nitida
Asterina planchonellae

OLACACEAE
Anacolosa frutescens
Meliola anacolosae
Erythropalum scandens
Asterina erythropali

OLEACEAE

Fraxinus oregana
Sporonema fraxini
Fraxinus pennsylvanica var. lanceolata
Alternaria inconspicua
Jasminum dichotomum

Jasminum diellovolidin Lecideopsella gelatinosa Jasminum rigidum Physalospora jasmini Jasminum sambac Meliola schwarzii

PALMAE
Acrocomia intumescens
Discosiella acrocomia-maculiformis
Pestalotiopsis acrocomiarum
Cocos nucifera

Didymella cocoina Phyllosticta comoriana Elaeis guineensis

Elaeis guineensis Helminthosporium halodes var. elaeicola Sphaerognomonia elaeicola PALMAE (continued) Livistona subglobosa Marasmius livistonae Zalacca edulis Lembosia zalaccae

PANDANACEAE Pandanus Meliola juttingii

PASSIFLORACEAE Adenia lobata Asterina adeniae Passiflora edulis

Fusarium oxysporum forma passiflorae

PIPERACEAE Piper capense Tetracium piperis

PITTOSPORACEAE Pittosporum ferrugineum Asterina pittospori

POLYGONACEAE Coccoloba Stomiopeltella coccolobicola Polygonum chinense Irenina polygoni

PROTEACEAE Macadamia ternifolia Dothiorella macadamiae Hendersonia macadamiae Roupala brasiliensis Micropeltis roupalicola

PTERIDOPHYTA Angiopteris evecta Meliola angiopteridis Dipteris conjugata Asterinella dipteridis

RANUNCULACEAE Clematis indivisa Puccinia alboclava Uredo puawhananga

RESEDACEAE Reseda Cercospora resedae var. legionensis

RHAMNACEAE Gouania longispicata Meliola gouaniae Phylica arborea Farlowiella australis Hyaloscypha australis Zizyphus vulgaris Phomopsis natsume

ROSACEAE Eriobotrya japonica Phomopsis biwa Pourthiaea villosa Mycosphaerella pourthiaeae Pyrus malus Candida malicola Pyrus sinensis

Mycosphaerella fuiiensis Rubus Mollisia clavata RUBIACEAE

Canthium vulgare Meliola canthii Coffea arabica Fusarium equiseti var. intermedium Rhizoctonia choussii Coffea robusta

Fusarium equiseti var. intermedium Craterispermum laurinum Clypeolella craterispermi Entopeltis craterispermi

Rubiaceae (continued) Cremaspora africana Stigmatea cremasporae Lasianthus purpureus
Aphanopeltis lasianthi Mussaenda frondosa Meliola kibirae var. mussaendae Petunga roxburghii Meliola kibirae var. petungae Psychotria Micropeltis psychotriae Psychotria viridiflora Amazonia psychotriae var. major Randia patula Meliola randiicola

RUTACEAE Citrus aurantium Cercospora daidai Citrus limonum Phyllosticta limonum Citrus sinensis Cercospora angolensis Evodia aromatica Asterina evodiae Evodia glabra Meliola evodiicola

SALICACEAE Populus Helicoma taenia Populus canadensis
Fomes applanatus forma coralloides SAMYDACEAE Casearia Micropeltis caseariae

SAPINDACEAE Allophylus Cercospora allophyli Mischocarpus sundaicus Meliola capensis var. mischocarpi

SAPOTACEAE Achras sapota Septoria sapotae Sideroxylon Asterina sideroxyli

SAXIFRAGACEAE Ribes americanum Phyllosticta succinosa

SCROPHULARIACEAE Antirrhinum latifolium Melanotaenium antirrhini

SOLANACEAE Lycopersicon esculentum Stemphylium floridanum

SONNERATIACEAE Crypteronia paniculata Clypeolella crypteroniae STERCULIACEAE

Brachychiton populneum

Botryodiplodia brachychitonis $Microhaplosporella\ brachychitonis$ Pterospermum javanicum Irenopsis tjibodensis Sterculia caribaea

Parodiopsis cecropiae var. sterculiae SYMPLOCACEAE Symplocos Irenina singalensis

TAMARICACEAE Tamarix tetranda Dothiorella tamaricis THEACEAE Schima noronha Meliola schimae

TILIACEAE
Corchorus acutangulus
Physoderma corchori
Corchorus olitorius
Physoderma corchori

ULMACEAE Celtis occidentalis Botryodiplodia celtidis

UMBELLIFERAE Sanicula europaea Asterina saniculicola

URTICACEAE

Achudemia javanica

Meliola achudemiae

Pouzolzia zeylanica

Asterina pouzolziae

Urera hypselodendron

Asterina urerae

Villebrunea scabra

Irenina villebruneae

Verbenaceae
Vitex agnus-castus
Camarosporium lusitanicum
Camarosporium viticis
Vitex paniculata
Irenina depokensis

VERTEBRATA Homo sapiens Candida aaseri Candida langeroni Candida mycoderma Candida parapsilosis var. obtusa Candida rugosa var. elegans Candida trigonopsoides Candida zeylanoides var. norvegensis Cladosporium carrionii Hansenula amylofaciens Microsporum distortum Microsporum gypseum var. nana Pichia dubia Saccharomyces chevalieri Saccharomyces scandinavicus Saccharomyces veronae var. osloensis Saccharomyces verticillatus Saccharomyces vossii Torulopsis inconspicua var. filiformis Torulopsis osloensis VITACEAE Cissus repanda Meliola cissi-repandae Meliola merrillii var. major Leea aequata Irenopsis leeae var. javensis Vitis vinifera Phellinus ampelinus

ZINGIBERACEAE
Zingiber officinale
Pythium zingiberum

The Editor again gratefully acknowledges the assistance of Drs. R. W. G. Dennis, J. A. Stevenson, and Edith Cash for supplying details of certain citations.

PA L \mathbf{z} Pa P P_A P Pr P Pr. P Po C P $P_{\mathbf{R}}$ M \mathbf{R} PT: A: D RA CI RE R RH G P Z Ro E P P P R Rt C

C

C

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY